

Ocean County Board of Chosen Freeholders

OFFICE OF THE OCEAN COUNTY FREEHOLDERS Freeholder Director Joseph H. Vicari Deputy Director Gary Quinn Freeholder Virginia E. Haines Freeholder John P. Kelly Freeholder Gerry P. Little

101 Hooper Ave Toms River, New Jersey 08754-2191 Tel: 732-929-2005 Fax: 732-505-1918

## **Board Meeting Agenda**

Date: September 16, 2020 - 4:00 PM Location: Administration Building Room 119 101 Hooper Avenue Toms River, NJ 08754

- A. CALL TO ORDER
- B. ROLL CALL
- C. STATEMENT Compliance with the Open Public Meetings Act
- D. THE PLEDGE OF ALLEGIANCE AND PRAYER
- E. AUTHORIZING THE PAYMENT OF BILLS IN BILL COMMITTEE REPORT NO. 18.

# F. AUTHORIZING ENGINEERING PAYMENTS TO CONTRACTORS AS LISTED BELOW:

- 1. C.J. HESSE, INC. Construction of Horizontal Curve High Friction Surface Treatment, Berkeley, Lacey, Ocean and Plumsted Townships - Final Estimate #4, \$181,772.30. (B2018-157E)
- 2. EARLE ASPHALT COMPANY Construction of Traffic Signal Upgrades, Contract 2019B, Brick Township Partial Estimate #3, \$21,470.78. (B2019-197E)
- 3. EDWARD H. CRAY, INC. Construction of Long Beach Boulevard Traffic Signal Upgrades Phase A, Group 3, Long Beach Boulevard, Long Beach Township Change Order #1, E-\$20,398.52, R-\$29,163.94. (B2017-25E)

- 4. MIDLANTIC CONSTRUCTION, LLC Replacement of Ridgeway Boulevard Bridge (Structure No. 1518-002), Ridgeway Boulevard over the Ridgeway Branch of the Toms River, Manchester Township - Partial Estimate #7, \$211,193.84. (B2019-127E)
- 5. EARLE ASPHALT COMPANY Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019B - Partial Estimate #1, \$380,340.83. (B2020-90E)
- A. TAKTON CONCRETE CORP. Replacement of Curb and Sidewalk at Various Locations in Ocean County, Contract 2020 - Partial Estimate #2, \$97,293.42. (B2020 -64E)

### G. **RESOLUTIONS**

- 1. Opposing a constitutional amendment legalizing recreational cannabis use and sales and urging voters to vote "No" on the ballot question.
- 2. Authorizing the Personnel Resolution.
- 3. Authorizing an amendment to the 2020 Budget for the program entitled Cattus Island County Park Living Shoreline Restoration Project, in the amount of \$3,000,000.00.
- 4. Authorizing an Intergovernmental Agreement with the Toms River Board of Education to provide Adult Basic Education to Criminal Offenders for the OC Department of Corrections, in an amount not to exceed \$35,000.00, for the period of 7/1/2020 through 6/30/2021.
- 5. Authorizing the execution of a Tender Agreement with Selective Insurance Company of America (Surety) and CTX Infrastructure, LLC (Completing Contractor) for the project entitled Construction of Union Transportation Trail Plumsted Township Extension from Monmouth Road to New Egypt High School, Plumsted Township, in accordance with the Surety's obligations under the Performance Bond. (B2018-180E)

### H. MOTIONS

- 1. Authorizing the Clerk of the Board to accept and/or record legal instruments.
- 2. Approving the Pre-Board Meeting Minutes of 6/24/2020.
- 3. Approving the Board Meeting Minutes of 8/19/2020.
- Authorizing the distribution of Requests for Proposals and/or Requests for Qualifications as follows: 1) On-line Auction Services for Vehicles and Equipment;
   2) Special Conflict / Litigation Counsel Services; 3) General County Counsel Services; 4) Assistant County Counsel Services; 5) Architect Services; 6) General Appraisal Services; 7) Auditing Services for the Department of Employee Relations, Division of Risk Management; Department of Senior Services; and Office of the Fire Marshal; 8) Radiology and other Medical Imaging Services; 9) Insurance Brokerage Services; 10) Occupational Medicine Services; 11) Small Road and Bridge Design Services, Various Locations throughout Ocean County, Where and As Directed by the County Engineer; 12) Behavioral Health Services; and 13) Disability Services for Children and Adults.

5. Approving the Master Payroll paid on 9/16/2020 for the payroll period of 8/20/2020 through 9/2/2020 and for the payroll period of 9/3/2020 through 9/16/2020m in the amount of \$5,722,542.64.

### I. BID AWARDS

- 1. Awarding a Contract for the furnishing and delivery of ICE AND SNOW REMOVER to Lavallette Hardware, LLC, the lowest qualified bidder. No bids were received on Item No. 2. It will be rebid. (B2020-111)
- Awarding Contracts for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES to American Forest Products, LLC DBA Tulnoy Lumber; Madison Township Lumber & Supply Co., Inc. and Traffic Safety Service, LLC, the lowest qualified bidders. No bids were received on Item Nos. 14, 42, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 67, 83, 85, 88, 90 and 188. All no bid items will be rebid. (B2020-120)
- 3. Awarding a Contract for the furnishing and delivery of HEATING SYSTEMS ANNUAL SERVICE AND REPAIRS to PDM Group, the lowest qualified bidder. (B2020-122)
- 4. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: NEW CAMERA TRUCK to CUES, Inc., the sole qualified bidder. (B2020-125)
- 5. Awarding a Contract for the furnishing and delivery of SUPPLEMENTARY CORRUGATED POLYETHYLENE DRAINAGE PIPE to Chemung Supply Corp., the lowest qualified bidder. (B2020-126)
- 6. Awarding a Contract for the furnishing and delivery of FIELD NETTING REPLACEMENT FOR BEAVER DAM COUNTY PARK NO. III to Tex-Net, Inc., the lowest qualified bidder. (B2020-127)
- 7. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: NEW AERIAL BUCKET TRUCK to Robert H. Hoover & Sons, Inc., the lowest qualified bidder. (B2020-128)
- 8. Awarding a Contract for the furnishing and delivery of DISPOSAL OF USED TIRES NO. II to Rubbercycle, LLC, the sole qualified bidder. (B2020-130)
- 9. Awarding a Contract for the furnishing and delivery of FIXED HAMMERS, INSERTS, AND WEAR PARTS FOR VARIOUS EQUIPMENT NO. II to Eagle Truck Equipment, Inc., the sole qualified bidder. (B2020-134)
- Amending a Resolution adopted on 8/5/2020 awarding PARTS AND ACCESSORIES FOR VEHICLES AND EQUIPMENT 15,000 GVWR OR GREATER to C&M Auto Parts, Inc., to extend their contract pricing to "County Cooperative Contract Purchasing System Participants". (B2020-93)
- Amending a Resolution adopted on 9/2/2020 awarding CONSTRUCT T-HANGAR AND TAXILANES to reflect the correct certification of funds amount of \$2,806,441.50. (B2020-118CE)
- J. CONTRACTS

- 1. Awarding a Professional Services Contract to C&S Engineers, Inc. to provide Professional Engineering Consulting Services at the Ocean County Airport for the Construction Administration and Construction Observation of the Rehabilitate Apron (Design) Phase I project, in an amount not to exceed \$574,000.00. (QP2020-103)
- 2. Amending a Contract with Robert W. Allison, CPA, RMA, PSA to provide Auditing Services for the OCCARES Grant Agreement Adherence and Expenditure Claims Assessment, an increase in the amount of \$150,000.00. (QP2020-4)
- 3. Amending a Competitive Contract Award for Year Two, Older Americans Act Title III Area Plan Contracts to Community Services, Inc., a decrease in the amount of \$804.00. (CC2019-147)
- 4. Amending a Competitive Contract Award for Year Two, Older Americans Act Title III Area Plan Contracts to Community Services, Inc., an increase in the amount of \$11,090.00. (CC2019-148)
- 5. Amending a Competitive Contract Award for Year Two, Older Americans Act Title III Area Plan Contracts to Community Services, Inc., a decrease in the amount of \$148.00. (CC2019-149)
- 6. Amending a Competitive Contract Award for Year Two, Older Americans Act Title III Area Plan Contracts to Community Services, Inc., a decrease in the amount of \$21,553.00. (CC2019-152)
- 7. Amending a Competitive Contract Award for Year Two, Older Americans Act Title III Area Plan Contracts to Community Services, Inc., a decrease in the amount of \$15,672.00. (CC2019-153)
- 8. Amending a Competitive Contract Award for Year Two, Older Americans Act Title III Area Plan Contracts to Long Beach Island Community Center, Inc., a decrease in the amount of \$2,014.00. (CC2020-42)
- 9. Awarding a Purchase Order to Maser Consulting, Inc. to provide Environmental Consulting Services for the OC Natural Lands Trust Fund Program, in an amount not to exceed \$4,800.00. (QP2020-96)
- Awarding a Purchase Order to T&M Associates to provide Environmental Consulting Services for the OC Natural Lands Trust Fund Program, in an amount not to exceed \$3,425.00. (QP2020-96)
- 11. Awarding a Purchase Order to SHI International Corp. (NJ Bergen County Cooperative CK04, Sub Contract No. 19-34) to provide new Kronos In-touch 9100 Time Clocks with hardware support, in an amount not to exceed \$181,719.90.
- 12. Awarding a Purchase Order to CDW Government (ESCNJ Contract No. 18/19-03) to provide hardware and software for a new surveillance camera system to be installed at the Election Drop Boxes in Ocean County for the upcoming election, in an amount not to exceed \$29,045.38.
- 13. Awarding a Purchase Order to Network Cabling (NetQ Multimedia Co.) (NJ State Contract No. 88739) to provide network wiring for the installation of a surveillance system at the Election Drop Boxes in Ocean County for the upcoming elections, in an amount not to exceed \$20,000.00.

- 14. Awarding an emergency Purchase Order to Packetalk Corporation to provide hardware and software for new thermal imaging systems in various County facilities for the Office of Information Technology, in an amount not to exceed \$15,000.00.
- 15. Awarding a Purchase Order to Remington & Vernick Engineers, Inc. to provide Construction Project Management services related to the Traffic Signal Contract 2019C, Proposed Traffic Signal, 14th Street at North Hope Chapel Road (CR 639), Township of Lakewood, in an amount not to exceed \$134,668.01. (QP2019-139)
- 16. Awarding a Purchase Order to Van Cleef Engineering Associates, LLC to provide Construction Project Management services related to the Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019D, in an amount not to exceed \$119,314.35. (QP2019-139)
- 17. Amending the award of a Purchase Order to Stantec Consulting Services, Inc. to provide additional Traffic Engineering Professional Services related to the Cross Street (CR 626) Reconstruction, Augusta Boulevard to East Veterans Highway (CR 528), Jackson and Lakewood Townships, an increase to the contract in an amount not to exceed \$11,599.31. (PP2018-60)

### K. APPOINTMENTS AND REAPPOINTMENTS

- 1. Appointing Peter A. Curatolo, Forked River; and reappointing Carl Jablonski, Beachwood; Dana Lancellotti, Toms River; Danielle C. Triolo, Toms River; Lori Pepenella, Barnegat; Michael Redpath, Toms River; Michael Forcella, Ortley Beach; Jeremy Grunin, Toms River; Tina Pilot, Forked River; Ben Waldron, Lanoka Harbor; and Sandra Lazzaro, Seaside Heights as members of the OC TOURISM BUSINESS ADVISORY COUNCIL for a term of three (3) years, term to expire 9/30/2023.
- 2. Appointing Alfonso Manforti, Jr., Toms River; and Frank Holman, Waretown; and reappointing Michael J. Fiure, Toms River; James R. Pine, West Creek; and Stephen Scaturro, Brick as members of the OC COLLEGE TRUSTEE SEARCH COMMITTEE for a term of one (1) year, term to expire 10/2/2021.
- 3. Appointing OC Mental Health Director, Toms River; Nicole Desalvo-Rogan, Toms River; Maria Roussos, Toms River; Brian Preiser, Barnegat; and Sandra Rodriguez, Toms River; and reappointing Director, OC Youth Shelter, Toms River; Probation Division Manager, Toms River; Director, OC Human Services, Toms River; OC Superintendent of Schools, Toms River; OC Superintendent of Vocational Schools, Toms River; Mary Jo Buchanan, Toms River; Kim Liguori, Toms River; Tara Rivera, Jackson; Tara Chalakani, Brick; Gina Polese-Grosso, Toms River; Abigail Thompson, Toms River; and Gina Opauski, Toms River as members of the OC YOUTH SERVICES COMMISSION for a term of three (3) years, term to expire 9/15/2023.
- 4. Reappointing Dr. Steven Yergeau, Rutgers Cooperative Extension, Toms River as a member of the OC ENVIRONMENTAL AGENCY for a term of three (3) years, term to expire 10/5/2023.

### L. RECEIVED ITEMS

### M. RESOLUTIONS FROM GOVERNING BODIES

- 1. OC Vocational Board of School Estimate, Resolution No. 04-01-2020-I determining \$19,572,080 as the amount of County funds necessary for the operational and capital expenditures of the OC Vocational Technical School district for the school year commencing 7/1/2020 and extending through 6/30/2021.
- 2. OC Vocational Board of School Estimate, Resolution No. 04-01-2020-II approving capital improvements to district sites and buildings.
- 3. OC Board of Health, Resolution No. 248(20) approving the recommendation of the 2020 County Comprehensive Alcoholism and Drug Abuse Grant based on the Local Advisory Committee on Alcoholism and Drug Abuse recommendation, effective 9/16/2020.
- 4. OC Board of Health, Resolution No. 249(20) recommending appointments to the Local Advisory Committee on Alcoholism and Drug Abuse (LACADA).
- 5. OC Board of Health, Resolution No. 250(20) proclaiming 9/28/2020 as "World Rabies Day" in Ocean County.
- 6. Township of Plumsted, Resolution No. 2020-256 supporting racial equality.
- 7. Township of Plumsted, Resolution No. 2020-271 strongly encouraging the right of in-person machine voting for the November 3, 2020 General Election.
- 8. Township of Plumsted, Resolution No. 2020-269 urging the State to provide representation from Monmouth and Ocean Counties on the State Board of Public Utilities.
- 9. Township of Plumsted, Resolution No. 2020-277 supporting Assembly Bill No. 4571 (Sponsored by Assemblyman Ronald S. Dancer and Assemblyman Robert D. Clifton, District 12).
- 10. Pine Beach Borough, Resolution strongly encouraging the right of in-person machine voting for the November 3, 2020 General Election.
- 11. Pine Beach Borough, Resolution No. 2020-82 requesting that the next opening on the Board of Public Utilities go to a qualified individual from the Monmouth / Ocean County region.
- 12. Pine Beach Borough, Resolution No. 2020-83 supporting Assembly Bill No. 4571 (Sponsored by Assemblyman Ronald S. Dancer and Assemblyman Robert D. Clifton, District 12).
- 13. Pine Beach Borough, Resolution No. 2020-85 requesting that JCP&L and its parent company, First Energy Company, implement an immediate reimbursement program due to prolonged power outages caused by Tropical Storm Isaias and for future events when prolonged outages occur.
- 14. Borough of Franklin, Resolution No. 2020-70 regarding the November 2020 Election.
- 15. County of Monmouth, Resolution No. 2020-0661 petitioning the State to appoint a representative from the Monmouth/Ocean County area to the State Board of Public Utilities.

- 1. OC Workforce Development Board Meeting Minutes of 2/11/2020.
- 2. OC Planning Board Meeting Minutes of 8/19/2020.
- 3. OC Board of Health Meeting Minutes of 8/12/2020.
- 4. OC Commission for Individuals with Disabilities Meeting Minutes of 5/15/2020.
- 5. OC Mental Health Board, 9/14/2020 Meeting Notice.
- 6. OC Commission on Child Safety and Awareness, 9/23/2020 Meeting Notice.
- 7. OC Office for Individuals with Disabilities, 9/18/2020 Meeting Notice.
- 8. OC Shade Tree Commission Meeting Minutes of 7/9/2020.

### O. APPROVALS

1. Division of Local Government Services approval of three (3) items of revenue.

### P. CORRESPONDENCE

- 1. State of New Jersey, Department of Transportation, letter dated 9/1/2020 regarding the Resolution adopted by the OC Board of Chosen Freeholders requesting that the NJ Department of Transportation reconsider its decision to abandon the Route 9 corridor improvements from Toms River through Lakewood Township.
- 2. State of New Jersey, Division of Rate Counsel, letter dated 9/2/2020 regarding JCP&L Storm Reimbursement to Ocean County residents.
- 3. State of New Jersey, Board of Public Utilities, letter dated 9/4/2020 regarding Jersey Central Power & Light Company's Base Rate Case.
- 4. Borough of Bay Head, letter dated 9/1/2020 endorsing the comments made by OC Freeholder Director Joseph H. Vicari regarding a proposed rate increase by Jersey Central Power & Light Co.
- 5. NJ Transit, Senior Citizen & Disabled Transportation Assistance Program Informational Public Hearing Notice.
- 6. The White House, letter dated 9/9/2020 regarding the use of in-person voting machines, in conjunction with mail-in balloting, for the November 3, 2020 General Election.
- 7. Township of Barnegat, Public Notice, Ordinance No. 2020-11.
- 8. Township of Barnegat, Public Notice, Ordinance No. 2020-12.

### Q. FREEHOLDER COMMENTS

R. PUBLIC COMMENTS - "Comments from members of the audience are invited at this time with a limit of five (5) minutes per speaker."

### S. ADJOURNMENT

### BILL COMMITTEE REPORT COUNTY OF OCEAN SUMMARY OF VOUCHERS

#### SUMMARY OF BILLS

### CERTIFICATE# 18

тo

MASTER VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT

I, THE UNDERSIGNED, DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION HAVE EXAMINED THE VOUCHERS SUBMITTED HERE WITHIN FOR THE PURPOSE OF RECOMMENDING TO THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS PAYMENT THEREOF ON 09/16/2020.

I, HEREBY CERTIFY THESE VOUCHERS, IN THE TOTAL AMOUNT OF \$15,235,853.36 WHICH ARE CONTAINED IN THE ATTACHED REPORT, TO BE VALID CLAIMS, AND I RECOMMEND APPROVAL AND PAYMENT THEREOF.

GARY QUINN DEPUTY DIRECTOR APPROVED

GERRY P. LITTLE FREEHOLDER

JOSEPH H. VICARI FREEHOLDER DIRECTOR

JOHN P. KELLY FREEHOLDER ORDERED PAID

VIRGINIA E. HAINES FREEHOLDER MARY ANN CILENTO CLERK OF THE BOARD OF CHOSEN FREEHOLDERS

#### RESOLUTION

#### **SEPTEMBER 16, 2020**

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, THAT THE DIRECTOR IS HEREBY AUTHORIZED AND INSTRUCTED TO EXECUTE MASTER VOUCHER-CERTIFICATE #18 FOR CERTIFICATION OF SAID MASTER VOUCHER CONSISTING OF 75 PAGES WITH VOUCHERS TOTALING IN THE AMOUNT OF \$15,235,853.36 WHICH ARE DEEMED TO BE VALID CLAIMS AS RECOMMENDED BY THE DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION

BE IT FURTHER RESOLVED THAT THE COMPTROLLER OF THE COUNTY OF OCEAN IS HEREBY AUTHORIZED AND DIRECTED TO PAY EACH AND EVERY ONE OF THE AFORESAID BILLS ATTACHED TO THIS MASTER VOUCHER-CERTIFICATE AND, UPON EXECUTION OF SAME BY SAID DIRECTOR, IF AND WHEN FUNDS ARE AVAILABLE.

### <u>R E S O L U T I O N</u> September 16, 2020

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement November 20, 2018 with the Contractor, C.J. Hesse, Inc. for work and services in relation to the Construction of Horizontal Curve High Friction Surface Treatment, Berkeley, Lacey, Ocean and Plumsted Townships, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Final Estimate No. 4 dated September 16, 2020 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

Total Cost of Construction:	\$1,194,662.60
Less 2% of Total:	\$0.00
Subtotal:	\$1,194,662.60
Less Partial Estimate #1: \$353,626.39 Less Partial Estimate #2: \$497,990.67 Less Partial Estimate #3: \$161,273.24	
Total Partial Payments Made to Date:	\$1,012,890.30

WHEREAS, the Final Estimate No. 4 shows:

AMOUNT NOW DUE CONTRACTOR:

\$181,772.30

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.

The Department of Finance is hereby authorized and 2. directed to pay said Contractor the amount of One hundred eighty one thousand seven hundred seventy two and 30/100 dollars (\$181,772.30) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

### <u>R E S O L U T I O N</u> September 16, 2020

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement on December 18, 2019 with the Contractor, Earle Asphalt Company for work and services in relation to the Construction of Traffic Signal Upgrades, Contract 2019B, Brick Township, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 3 dated September 16, 2020 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 3 shows: Total Cost of Construction: \$301,858.84

Less 2% of Total:

Subtotal:

Less Partial Estimate #1: \$184,498.85 Less Partial Estimate #2: \$ 89,852.03 Total Partial Payments Made to Date:

AMOUNT NOW DUE CONTRACTOR:

\$21,470.78

\$6,037.18

\$295,821.66

\$274,350.88

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.

2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Twenty one thousand four hundred seventy and 78/100 dollars (\$21,470.78) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

CONTRACT NO. B2017-25E

<u>RESOLUTION</u> September 16, 2020

WHEREAS, Contract No. B2017-25E was entered into on March 1, 2017 with Edward H. Cray, Inc., Contractor, for work and services in relation to the Construction of Long Beach Boulevard Traffic Signal Upgrades Phase A, Group 3, Long Beach Boulevard, Long Beach Township, Ocean County, New Jersey; and

WHEREAS, during the course of construction minor modifications to contract quantities have become necessary to improve conditions and due to actual field measured conditions; and

WHEREAS, the County Engineer of the County of Ocean has duly filed with this Board a request for a Change Order stating the facts involved and certifying that the proposed Change Order is consistent with regulations for such Change Orders promulgated by the New Jersey Department of Community Affairs, Division of Local Government Services, under authority of N.J.S.A. 52:27BB-32; and

WHEREAS, the Contractor has agreed to accept these changes to the Contract pursuant to the provisions of Sections 104 and 109 of the Standard Specifications; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The County Engineer is hereby authorized to issue Amendatory Contract and Change Order No. 1 to Edward H. Cray, Inc. as follows: Extra Work Order in the amount of \$20,398.52 and Reduction Order in the amount of \$29,163.94, in connection with the project known as Construction of Long Beach Boulevard Traffic Signal Upgrades Phase A, Group 3, Long Beach Boulevard, Long Beach Township, Ocean County, New Jersey.

2. The Director and Clerk of this Board are hereby authorized and directed to enter into an Amendatory Contract with Edward H. Cray, Inc. to cover the Change Order No. 1.

3. A certified copy of this resolution shall be sent to the County Engineer, the County Treasurer, the County Auditor and Edward H. Cray, Inc.

### R E S O L U T I O N September 16, 2020

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement, August 21, 2019 with the Contractor, Midlantic Construction, LLC for work and services in relation to the Replacement of Ridgeway Boulevard Bridge (Structure No. 1518-002), Ridgeway Boulevard Over the Ridgeway Branch of the Toms River, Manchester Township, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 7 dated September 16, 2020 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 7 shows:

Total Cost of Construction:	\$1,193,359.80
Less 2% of Total:	\$23,867.20
Subtotal:	\$1,169,492.60
Less Partial Estimate #1: \$257,997.15 Less Partial Estimate #2: \$90,585.34 Less Partial Estimate #3: \$55,723.01 Less Partial Estimate #4: \$166,771.32 Less Partial Estimate #5: \$113,469.29 Less Partial Estimate #6: \$273,752.65	
Total Partial Payments Made to Date:	\$958,298,76

AMOUNT NOW DUE CONTRACTOR:

\$211,193.84

CONTRACT NO. B2019-127E PAGE 2

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.

2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Two hundred eleven thousand one hundred ninety three and 84/100 dollars (\$211,193.84) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

### <u>R E S O L U T I O N</u> September 16, 2020

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement June 17, 2020 with the Contractor, Earle Asphalt Company for work and services in relation to the Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019B, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 1 dated September 16, 2020 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

AMOUNT NOW DUE CONTRACTOR:

\$380,340.83

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.

The Department of Finance is hereby authorized and 2. directed to pay said Contractor the amount of three hundred eighty thousand three hundred forty and 83/100 dollars (\$380,340.83) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

### <u>R E S O L U T I O N</u> September 16, 2020

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement April 15, 2020 with the Contractor, A. Takton Concrete Corp. for work and services in relation to the Replacement of Curb and Sidewalk at Various Locations in Ocean County, Contract 2020, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 2 dated September 16, 2020 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 2 shows: Total Cost of Construction: \$209,840.70 Less 2% of Total: \$4,196.81 Subtotal: \$205,643.89

Less Partial Estimate #1: 108,350.47

AMOUNT NOW DUE CONTRACTOR:

\$97,293.42

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.

2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Ninety seven thousand two hundred ninety three and 42/100 dollars (\$97,293.42) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

### RESOLUTION

#### September 16, 2020

WHEREAS, New Jersey voters, in this 2020 General Election, will be asked to approve or disapprove an amendment to the State Constitution that legalizes the recreational use of cannabis and cannabis-related products, including marijuana, for persons 21-years-of-age and older; and

WHEREAS, this constitutional amendment will not limit the amount of tetrahydrocannabinol (or THC, the chemical in cannabis that induces the "high") that can be present in these recreational cannabis products and could have 99% THC content; and

WHEREAS, it is a well-established medical fact that the habitual use of cannabis products with high THC content can have detrimental mental health effects. Young adults whose brains are still developing are susceptible to severe psychosis, such as schizophrenia; and

WHEREAS, this constitutional amendment also does not limit the types of cannabis products that can be sold and consumed; and can be sold in candy-form, such as gummies and chocolates, which are attractive to young children, and as oils used in vaping devices; and

WHEREAS, THC consumed via cannabis edibles can take hours to be absorbed into the human system and provide the sought-after "high," so it is very common for these consumers to overdose on these edibles thereby inducing hallucinations, paranoia, or severe nausea; and

WHEREAS, this constitutional amendment provides municipalities that have previously banned cannabis stores can be forced to allow pot stores within their borders; and

WHEREAS, a bill to accomplish the same ends could not even gain enough support in the NJ Legislature to be voted on; and

WHEREAS, according to the NJ Legislature's non-partisan professional staff, the constitutionally-imposed tax on cannabis products will raise only \$126 million in State revenue or just 0.031% of Governor Murphy's \$40 billion-plus proposed FY'21 budget; and

WHEREAS, this paltry new revenue is not likely to cover the lost revenues from the local businesses adversely affected by legalized recreational cannabis combined with the new costs from the added regulatory bureaucracy and from the negative health consequences of legalized cannabis, costing New Jersey taxpayers money; and

WHEREAS, this meager amount of revenue cannot make up for the costly potential impact and loss of life associated with individuals operating motor vehicles under the influence of marijuana; and

WHEREAS, the preceding facts clearly demonstrate that it is utterly inappropriate and dangerous to use the Constitution of the State of New Jersey as the means to legalize the recreational use of marijuana.

**NOW, THEREFORE, BE IT RESOLVED** that the Board of Chosen Freeholders of the County of Ocean **oppose** the constitutional amendment legalizing recreational cannabis use and sales and, accordingly, urges voters to vote "No" on the ballot question.

**BE IT FURTHER RESOLVED** that copies of this resolution be sent to the municipal governing bodies of this County, the Boards of Education responsible for educating students of the County, and local media outlets.

#### RESOLUTION

September 16, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

**BE IT FURTHER RESOLVED**, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

#### RESOLUTION

#### September 16, 2020

WHEREAS, the Ocean County Department of Corrections recognizes the need for Adult Basic Education for criminal offenders; and

WHEREAS, the Toms River Board of Education of the Toms River Regional School District has agreed to provide these services, and


WHEREAS, funds for this agreement shall be encumbered from the Trust Account entitled the Inmate Welfare Food / Commissary Account, Account No. 210-200-0106.

WHEREAS, the total agreement shall not exceed \$35,000.00 for the period of July 1, 2020 through June 30, 2021.

WHEREAS, the Ocean County Department of Corrections wished to enter into an Inter-Governmental Agreement with the Toms River Board of Education of the Toms River Regional School District to provide Adult Basic Education for criminal offenders.

NOW, THERFORE, BE IT FURTHER RESOLVED, BY THE BOARD OF CHOSEN FREEHOLDERS, COUNTY OF OCEAN, STATE OF NEW JERSEY that the Freeholder Director and Clerk of the Board are hereby authorized to execute an Inter-Governmental Agreement between Ocean County Department of Corrections and the Toms River Board of Education of the Toms River Regional School District to provide Adult Basic Education for criminal offenders, in an amount not to exceed \$35,000.00 for the period of 7/1/2020 through 6/30/2021.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, County Department of Finance, Department of Corrections and the Toms River Board of Education of the Toms River Regional School District.



The following is a true excerpt taken from the minutes of a Regular Meeting and Budget Hearing Meeting of the Board of Education of the Toms River Regional Schools held on April 29, 2020:

A motion was made by Mr. Mizenko, seconded by Mrs. Polozzo and carried that the Approval Intergovernmental Services Agreement with the Toms River Board of Education and Ocean County Department of Corrections be approved:

On roll call the following vote:

Ayes: Eagan, Horgan, Howe, Kidney, Mizenko, Nardini, Williams, Rhine, Polozzo Noes: None Abstained: None Absent: None

#### Certification

I, Wendy L. Saxton, Board Secretary to the Toms River Regional Schools, hereby certify the foregoing is a true excerpt taken from the minutes of the Board of Education of the Toms River Regional Schools held on April 29, 2020.

Wendy V. Daxton Wendy L. Saxton, Board Secretary

### RESOLUTION OF THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN AUTHORIZING THE EXECUTION OF A TENDER AGREEMENT

### September 16, 2020

WHEREAS, the County of Ocean and Kline Construction Co., Inc. ("Kline") entered into a contract on February 6, 2019, in the amount of \$407,235.00 (the "Contract") for certain labor and material to be furnished by Kline for the Construction of Union Trail – Plumsted Township Extension from Monmouth Road to New Egypt High School, Plumsted Township, Ocean County (the "Project"); and

WHEREAS, Selective Insurance Company of America, ("Surety"), issued a surety Performance Bond and Payment Bond, both bearing bond no. 1211871 (collectively, the "Bond"), and both in the penal sum of \$407,235.00, in favor of the County of Ocean, as obligee, in connection with the Contract; and

WHEREAS, thereafter, the County of Ocean issued a notice of termination and default to Kline under the Contract (the "Notice of Termination"); and

WHEREAS, the County of Ocean made demand upon Surety under the Performance Bond to, among other things, complete all remaining work under the Contract in accordance with Surety's obligations under the Performance Bond; and

WHEREAS, Surety timely responded to Owner's demand; and

WHEREAS, the Surety is willing and desires to procure the performance of the work by CTX Infrastructure ("CTX") as completing contractor as a measure of cooperation with the Owner and as a measure to minimize excess costs; and

WHEREAS, said Tender Agreement has been reviewed by the County Attorney and the County Engineer and both have recommended the execution of same.

**NOW, THEREFORE, BE IT RESOLVED** that the Board of Chosen Freeholders of the County of Ocean, State of New Jersey, hereby authorizes the Freeholder Director and the Clerk of the Board to execute the Tender Agreement attached hereto and made a part hereof.

**BE IT FURTHER RESOLVED** that copies of this Resolution shall be forwarded to the following:

- 1. Selective Insurance Company of America
- 2. CTX Infrastructure
- 3. County Engineer
- 4. County Counsel

# MEMORANDUM

**To:** Members of the Board of Chosen Freeholders

From: Carl W. Block, County Administrator

**Date:** July 16, 2020

#### Subject: Summary of Pre-Board Meeting of June 24, 2020

**Copies to:** MaryAnn Cilento, Clerk of the Board Michael J. Fiure, Assistant County Administrator Robert Greitz, Director, Employee Relations

Freeholder Director Joseph Vicari opened the meeting at 4:00 PM and read the Statement of Compliance with the Open Public Meetings Act. The Clerk of the Board called the roll.

Present:

Freeholder Director Joseph H. Vicari Freeholder Virginia P. Haines Freeholder Deputy Director John P. Kelly Freeholder Gerry P. Little Freeholder Gary Quinn

Carl W. Block, County Administrator Christine Allen, Recording Secretary MaryAnn Cilento, Clerk of the Board Robert Greitz, Director of Human Resources Michael J. Fiure, Assistant County Administrator John Ernst, County Engineer Julie N. Tarrant, Comptroller/CFO John C. Sahradnik, Jr., County Counsel

This Pre-Board Meeting was held in Room 119 to abide by social distancing guidelines set forth by Governor Murphy. There were 10 participants in the room at a time. A nurse interviewed and took temperatures of all in attendance. Carl Block stated that the Pre Board meeting was open to the public following guidelines for room capacity.

Freeholder Director Vicari opened the meeting by calling upon Freeholder Little to give a Coronavirus update. Freeholder Little gave the stats as of June 24, 2020. There were 27 new cases and 9,453 cases in Ocean County thus far. 52.2% of those infected are females, and 47.2% are males. 32% of all cases are age 65 and over which accounts for 85% of all deaths. There were 9 new deaths, totaling 866 in the County. There were 54 COVID-19 tests performed on 6/24/20, and 5,135 total at the OCC testing site.

Freeholder Director Vicari spoke about a tax rebate for senior citizens which would affect 70,000 of the County's seniors. He said that many seniors are having difficulties

Members of the Board of Chosen Freeholders July 16, 2020 Summary of the Pre-Board meeting of June 24, 2020 Page 2

dealing with the changes that have taken place during the pandemic. The home delivered meals are extremely important at this time. New Jersey has removed two vital programs for the Ocean County state budget. The Freeholder Director feels these two budget items need to be made permanent. The County will be sending letters to the State of New Jersey asking for relief for seniors and veterans as well. Ocean County will be the first in the State to come forth and fight for these programs to be reinstated.

Freeholder Haines stated that the municipalities can "stop the clock" and hold off on balancing their budgets until September.

Mr. Block told the Board that the proper wording for the resolution regarding the senior tax break will need to be finalized before the Board meeting on July 1, 2020.

Freeholder Haines and Mr. Agliata reported on two Open Space acquisitions that have been recommended by the Natural Lands Trust Fund Advisory Committee. There is a 2.75-acre property in Ocean Township which borders 57 acres of preserved NLTF property located off Lighthouse Drive. The landowner accepted a negotiated offer of \$7,000.00. The NLTF has also reviewed the acquisition of 167.52 acres consisting of multiple tracts off North Bay Avenue and Church Road adjacent to over 460 acres of Natural Lands property near Ocean County College in Toms River. These are owned by the Township, but contain environmentally sensitive areas that could be potentially sold and developed privately. The Township accepted the County's offer of \$1,880,000.

Freeholder Quinn provided an update on the 2020 Household Shredding Program which will run from July 11, 2020 through October 24, 2020 at various locations throughout the County.

Mr. Ernst and Freeholder Kelly reviewed the items listed on the attached Engineering Department agenda which included the reconstruction and resurfacing contract 2019D that spans 7 miles of County roadways in Berkeley, Toms River, Manchester and Plumsted. A memo was issued requesting the rescinding of the award of the reconstruction and resurfacing of River Avenue from West End Avenue to Central Avenue in the Borough of Island Heights to Seacoast Construction dated June 17, 2020 due to a clerical error, and requesting the award be granted to Earle Asphalt instead. A new professional service contract was awarded to Greenman-Pedersen, Inc. for professional engineering services for a local preliminary engineering study for the Garden State Parkway Exit 83 southbound exit not to exceed \$999,998.34. This is reimbursable contingent on NJDOT approval. There were no questions or comments and all items will be listed on the Board Agenda for the July 1, 2020 Board meeting.

Ms. Cilento reviewed the Clerk of the Board's agenda for the Board meeting of July 1, 2020. There were no questions or comments.

Members of the Board of Chosen Freeholders July 16, 2020 Summary of the Pre-Board meeting of June 24, 2020 Page 3

Freeholder Director Vicari asked the Board members for comments.

Freeholder Haines discussed a Zoom meeting that she participated in regarding Ocean County College. Jon Larsen, the President of Ocean County College, said that the school is ranked the number 1 County College in the State. He mentioned a 14% increase in summer enrollment, while 2 North Jersey County Colleges are failing. Ocean County College received funding that will enable students to stay enrolled during difficult times.

Freeholder Director Vicari said the Ocean County Mall will be opening soon with social distancing modifications in place. The Freeholder reported that the County has been working with small businesses to assist them in getting grants and loans to help them stay afloat during the pandemic.

There were no additional comments.

Ms. Cilento read the resolution to move to closed session.

On a motion by Freeholder Quinn, seconded by Freeholder Little, the meeting moved to Closed Session at 4:41pm for personnel discussion, appointments, reappointments, property acquisition and possible litigation. The motion was unanimously carried.

The meeting returned to Open Session at 5:21pm. There being no further business, on a motion by Freeholder Kelly, seconded by Freeholder Haines, the meeting adjourned at 5:22pm.

CWB/ca

#### REVISED - FINAL

#### ENGINEERING DEPARTMENT AGENDA

Pre-Board Meeting of:

For Board Meeting of:

June 24, 2020

July 1, 2020

#### RECOMMEND ADVERTISEMENT

1. Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019D

#### **MISCELLANEOUS**

- 1. Bond Release Resolution.
- 2. Memo requesting the rescinding of the award of the Reconstruction and Resurfacing of River Avenue, West End Avenue to Central Avenue, Borough of Island Heights to Seacoast Construction, Inc., dated June 17, 2020, due to a clerical error, and requesting the award be granted to Earle Asphalt Company.
- 3. Resolution authorizing a Shared Services Agreement between the County of Ocean and the Borough of Seaside Park for the reconstruction of Stormwater Facilities along 12th Avenue and Bayview Avenue in the Borough of Seaside Park.
- New Professional Service Contract Greenman-Pedersen, Inc. Professional Engineering Services for Local Preliminary Engineering Study, Garden State Parkway Interchange 83, Toms River Township - Not to Exceed: \$999,998.34 Contingent Upon NJDOT Approval

#### MOTION

#### June 24, 2020

# BE IT RESOLVED, THAT A CLOSED SESSION WILL BE HELD AT THIS TIME TO DISCUSS:

- Personnel Leaves of absence, change of position, titles and updates on filling of positions and promotional appointments.
- Appointments Natural Lands Trust Fund Advisory Committee

Reappointments None

BE IT FURTHER RESOLVED THAT THE MINUTES OF THIS MEETING WILL BE MADE AVAILABLE TO THE PUBLIC UPON FINAL ACTION BEING TAKEN IN ACCORDANCE WITH THE PROVISIONS OF SAID LAW.

# No Associated Documents

#### MOTION

#### September 16, 2020

Motion approving the distribution of Requests for Proposals and/or Requests for Qualifications for Professional Services and/or Extraordinary Unspecifiable Services and approving the selection criteria contained therein for the following projects in accordance with N.J.S.A. 19:44A-20.1.

Requests for Proposals/Qualifications:

On-line Auction Services for Vehicles and Equipment

Special Conflict / Litigation Counsel Services

General County Counsel Services

Assistant County Counsel Services

Architect Services

**General Appraisal Services** 

Auditing Services for the Department of Employee Relations, Division of Risk Management; Department of Senior Services; and Office of the Fire Marshal

Radiology and Other Medical Imaging Services

Insurance Brokerage Services

**Occupational Medicine Services** 

Small Road and Bridge Design Services, Various Locations throughout Ocean County, Where and As Directed by the County Engineer

**Behavioral Health Services** 

Disability Services for Children and Adults



COUNTY OF OCEAN DEPARTMENT OF FINANCE

JULIE N. TARRANT County Comptroller & CFO CATHY A. ERNST Assistant Comptroller

September 11, 2020

Board of Chosen Freeholders Ocean County Administration Building Toms River, New Jersey 08754

Dear Board Members:

Accompanying this letter, you will find a copy of the Master Payroll for the payment of all employees of the County of Ocean, setting forth the amounts to be paid on September 16, 2020. This is for the payroll period of August 20, 2020 through September 2, 2020, and for the payroll period of September 3, 2020 through September 16, 2020. These payments were made in accordance with the Resolution passed by your Board on June 21, 1972.

Very truly yours Julie N. Tarrant Comptroller

JNT/mb Pay 20-19 Pd. 09/16/2020

<u>}</u>> 11 ço  $c\pi i$  $\overline{\mathbf{O}}$ 

#### COUNTY OF OCEAN, NJ DEPARTMENT OF FINANCE MASTER PAYROLL CERTIFICATION

09/11/20

AMOUNT \$ 5,722,542.64

PERIOD

FROM: August 20, 2020 TO: September 2, 2020

FROM: September 3, 2020 TO:

September 16, 2020

FUND	BANK #	CHECK #	AMOUNT	
016	01	wire	5,009,955.64	
630	24	24-	0.00	
905	26	transfer	5,765.08	
209	67	wire	659,432.66	
210	68	transfer	44,288.47	
207	73	73-	0.00	
225	97	transfer	3,100.79	
			<u> </u>	

Julie N. Tarrant \_\_\_\_\_ being duly sworn according to law, upon her oath, depose and says that

the within County Payroll has been examined by her and has approved the amount of wages for each

person as submitted by the various Department Heads.

Comptrolle

Received by the Board of Chosen Freeholders

Clerk of the Board

# No Associated Documents

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS

#### RESOLUTION

September 16, 2020

WHEREAS, on July 21, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of ICE AND SNOW REMOVER for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Lavallette Hardware, LLC 1601 Grand Central Ave. Lavallette, NJ 08735 (732) 830-5551 Name and Address of Bidder

East Coast Salt Dist., Inc. 621 Wright Debow Rd. Jackson, NJ 08527 (732) 833-2973

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance be accepted, namely, that of LAVALLETTE HARDWARE, LLC. No bids were received for Item No. 2, it will be rebid.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract, accepting the bid for the furnishing and delivery of Ice and Snow Remover for the County of Ocean, for the contract period effective from date of award through September 15, 2021, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A 40A:11-15, as follows: **BID AWARD RESOLUTION** 

LAVALLETTE HARDWARE, LLC for one (1) item, to wit: ITEM NO. 1.

2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-111.

4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Superintendent of Buildings and Grounds, Central Supply Warehouse, and Lavallette Hardware, LLC the successful bidder.


#### LAVALLETTE HARDWARE, LLC

# Proposal for the furnishing and delivery of ICE AND SNOW REMOVER for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. () - YES (XX) - NO

#### PRICE SCHEDULE

Item		Est. Qty.	Unit of Meas.	Unit Price	Total Price
JI	Howard Johnson's Zero Ice #H39 9587, 50 lb. Bag, <b>NO SUBSTITUTIONS,</b> Truck Load Quantity 2.	,400	BAG	\$ 10.80	\$ 25,920.00
	Manufacturer: Howard Johnson's				
	Type/Style: Zero Ice Melt #9587 50LB. Bag	I			
	Delivery, A.R.O.: <u>10-14 Days</u>				
2	Liquid Calcium Chloride 32%, 250 Gallon Tote, As Specified, or Equal	2	TOTE	\$	<u>\$</u>
	Manufacturer:				
	Type/Style:				
	Delivery, A.R.O.:				



#### RESOLUTION

September 16, 2020

WHEREAS, on August 4, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the

following bidders:

Name and Address of Bidder

American Forest Products, LLC DBA Tulnoy Lumber 1620 Webster Avenue Bronx, NY 10457 (718) 583-3434

Traffic Safety Service, LLC 601 Hadley Road South Plainfield, NJ 07080 (908) 561-4800 Name and Address of Bidder

Madison Township Lumber & Supply Co., Inc. PO Box 376 Matawan, NJ 07747 (732) 566-5555

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, AMERICAN FOREST PRODUCTS, LLC DBA TULNOY LUMBER; MADISON TOWNSHIP LUMBER & SUPPLY CO., INC. and TRAFFIC SAFETY SERVICE, LLC. No bids were received for Item Nos. 14, 42, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 67, 83, 85, 88, 90 and 188. All no bid items will be rebid.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Lumber and Lumber Supplies for the County of Ocean, for the contract period from date of award through September 15, 2021, a period of one (1) year, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15 as follows: BID AWARD RESOLUTION

A. <u>AMERICAN FOREST PRODUCTS LLC DBA TULNOY LUMBER</u> for fifty two (52) items, to wit:

ITEMS NO. 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 35, 36, 38, 43, 46, 47, 48, 49, 79, 80, 81, 82, 84, 89, 92, 95, 97, 99, 101, 103, 110, 111, 113, 115, 136, 140, 141, 142, 176, 177, 200, 202, 203, 204, 205, 206, 207, 208, 209, 210, 213 and 214.

B. <u>MADISON TOWNSHIP LUMBER & SUPPLY, CO., INC.</u> for one hundred thirty nine (139) items, to wit:

ITEMS NO. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 31, 34, 37, 39, 40, 41, 44, 45, 63, 64, 65, 66, 68, 69, 70, 71, 72, 73, 74, 75, 76, 86, 87, 91, 93, 94, 96, 98, 100, 102, 104, 105, 106, 107, 108, 109, 112, 114, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 137, 138, 139, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 201, 211 and 212.

C. TRAFFIC SAFETY SERVICE, LLC for two (2) items, to wit:

ITEMS NO. 77 and 78.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-120.

4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Bridge Department, County Superintendent of Buildings and Grounds, County Engineer, Fire/First Aid Training Center, County Department of Parks and Recreation, County Road Supervisor and the successful bidders.

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 26 of 34 Delivery A.R.O.
SECT (Cont	FION 1 - Nominal Lumber, Douglas t'd)	Fir #2 o	or Better I	Hemp Fir Una	cceptable (excej	pt as noted)
	eyor Stakes(Cont'd)					
21	Surveyors Grade Stakes – l" x 2" x 18" – Hardwood Stakes, smooth on all sides, 50 per bundle	144	BDL	\$ NO BID	\$	
22	Surveyors Hubs – 2" x 2" x 15" – Hardwood Hubs, smooth on all sides, 25 per bundle	250	BDL	\$ NO BID	_\$	
	TION 2 - Pressure Treated Lumber,	Copper	Base, No	Arsenate, Ye	llow Pine #2 or J	Better
123	2" x 4" x 8'	224	PC	\$ 6.92	\$ 1,550.08	<u>2 - 3 days</u>
124	2" x 4" x 10'	240	PC	\$ 7.05	\$ 1,692.00	2 - 3 days
125	2" x 4" x 16'	444	PC	\$ 13.13	\$ 5,829.72	2 - 3 days
126	2" x 4" x 20'-ACQ	350	PC	\$ 24.80	\$ 8,680.00	3 - 4 weeks
127	2" x 6" x 8'	220	PC	\$ 7.44	<b>\$</b> 1,636.80	2 - 3 days
	2" x 6" x 12'	350	PC	\$ 13.14	\$ 4,599.00	2 - 3 days
V29	2" x 6" x 16'	224	PC	\$ 17.16	\$ 3,843.84	2 - 3 days
130	2" x 6" x 20'-ACQ	124	PC	\$ 23.25	\$ 2,883.00	2 - 3 days
31	2" x 8" x 16'	252	PC	\$ 27.53	\$ 6,937.56	2 - 3 days
132	2" x 8" x 20'-ACQ	350	PC	\$ 34.40	<b>\$12,040.00</b>	2 - 3 days
133	2" x 10" x 8'	124	PC	\$ 14.81	\$ 1,836.44	2 - 3 days
34	2" x 10" x 10'	124	PC	\$ 21.87	\$ 2,711.88	2 - 3 days
135	2" x 10" x 16'	344	PC	\$ 33.80	\$ 11,627.20	2 - 3 days
136	2" x 10" x 20'-ACQ	350	PC	\$ 42.75	<u>\$14,962.50</u>	2 - 3 days
37	2" x 12" x 16'	246	PC	\$ 35.04	\$ 8,619.84	2 - 3 days
138	2" x 12" x 20' ACQ	155	PC	\$ 55.50	\$ 8,602.50	2 - 3 days
39	4" x 4" x 8'	160	PC	\$ 21.92	\$ 3,507.20	2 - 3 days
40	4" x 4" x 12'	196	PC	\$ 31.92	\$ 6,256.32	2 - 3 days
41	4" x 4" x 16'	588	PC	\$ 43.04	\$ 25,307.52	2 - 3 days
42	4" x 4" x 20'-ACQ	200	PC	\$ NO BID	\$	
<b>√</b> 43	6" x 6" x 14'	50	PC	\$ 68.67	\$ 3,433.50	2 - 3 days
44	6" x 6" x 16'	300	$\mathbf{PC}$	\$ 83.09	\$ 24,927.00	2 - 3 days
45	6" x 6" x 18'-ACQ	150	PC	\$103.28	\$ 15,492.00	2 - 3 days
<b>J</b> 46	6" x 8" x 20'-ACQ	200	PC	<b>\$</b> 138.00	\$ 27,600.00	8 - 10 weeks

						Page 27 of 34
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery A.R.O.
SEC1 (Cont	ION 2 - Pressure Treated Lumber, t'd)	Copper	Base, No	Arsenate, Yel	llow Pine #2 or ]	Better
147	8" x 8" x 16'	125	PC	\$ 134.40	\$ 16,800.00	8 - 10 weeks
48	8" x 8" x 20' Treated CCA .40	125	PC	\$ 184.01	\$ 23,001.25	8 - 10 weeks
<b>1</b> 49	12" x 12" x 16'-ACQ	74	PC	\$ 370.08	\$ 27,385.92	8 - 10 weeks
	IION 3 - Bridge Material-Must Con	tain 2.5	pounds of	f dry salt per (	cubic foot of tim	ıber
50	3" x 6" x 14'	100	EA	\$ NO BID	\$	<u></u>
51	3" x 8" 14'	11 <b>2</b>	EA	\$ NO BID	\$	
52	3" x 10" x 14'	100	EA	\$ NO BID	\$	
53	3" x 10" x 20'	100	EA	\$ NO BID	\$	
54	3" x 10" x 26'	100	EA	\$ NO BID	\$	
55	6" x 8" x 18'	100	EA	\$ NO BID	\$	<u> </u>
56	Tongue & Groove, 2" x 6" x 12'	124	EA	\$ NO BID	\$	<u>_</u>
57	Tongue & Groove, 2" x 8" x 12'	124	EA	\$ NO BID	\$	<u>, , , , , , , , , , , , , , , , , ,</u>
58	Tongue & Groove, 2" x 10" x 12'	200	EA	\$ NO BID	\$	<u> </u>
59	Tongue & Groove, 4" x 10" x 18'	150	EA	\$ NO BID	\$	
<b>SEC</b> 60	<b>FION 4 - Bridge Decking</b> 4" x 10" x 12'-ACQ, #1 Dense					······
61	Yellow Pine, Treated .6CF S4S, Bridge Decking 4" x 10" x 20'-ACQ, #1 Dense	124	PC	\$ NO BID	\$	
62	Yellow Pine, Treated .6CF S4S, Bridge Decking 4" x 10" x 16' -ACQ, #1 Dense	124	PC	\$ NO BID	\$	
02	Yellow Pine, Treated .6CF S4S, Bridge Decking	110	PC	\$ NO BID	\$	
SECI	FION 5 - Composite Decking, Azek,	Arbor (	Collection			
63	<sup>3</sup> /4" x 3 <sup>1</sup> /2" x 18" white - Azek trim, traditional	48	РС	\$ NO BID	\$	
64	$\frac{3}{4}$ " x 5 $\frac{1}{2}$ " x 18" white - Azek trim, traditional	48	PC	\$ NO BID	\$	
65	$\frac{3}{4}$ " x 7 $\frac{1}{4}$ " x 18" white - Azek trim, traditional	48	PC	\$ NO BID	\$	
66	1" x 5 ½" x 18" white - Azek trim, traditional	48	PC	\$NO BID	<u> </u>	

						Page 28 of 34
Item #	Description	Est. Qty.	Unit of <u>Meas.</u>	Unit Price	Total Price	Delivery A.R.O.
	CION 5 - Composite Decking, Azek,	Arbor (	Collection	(Cont'd)		
67	1" x 5 ½" x 20" ( color to be specified )	48	PC	§ NO BID	\$	
68	1" x 9 ¼" x 18" white - Azek trim, traditional	48	PC	\$ NO BID	\$	
SECT	FION 6 - ACQ Treated Plywood					
69	4' x 8' x ½", 5 ply, AC, ACQ Treated Plywood	150	PC	\$ NO BID	\$	
70	4' x 8' x ¾", 5 ply, AC, ACQ Treated Plywood	160	PC	\$ NO BID	<u>\$</u>	<u> </u>
SECT	LION 7 - Plywood, Exterior, Fir, Go	od One	Side, A/C	Grade Stamp	ed	
71	<sup>1</sup> /4" x 4' x 8'	350	SHT	\$ 43.44	\$ 15,204.00	2 days
7 <b>2</b>	1/4" x 4' x 8', Luan Underlayment	135	SHT	\$16.13	\$ 2,177.55	2 days
73	¾" x 4' x 8'	338	SHT	\$ 44.93	\$ 15,186.34	2 days
74	<sup>1</sup> ⁄2" x 4' x 8'	512	SHT	\$ 51.27	\$ 26,250.24	2 days
75	5∕s" x 4' x 8'	146	SHT	\$ 54.20	\$ 7,913.20	2 days
76	<sup>3</sup> ⁄4" x 4' x 8'	507	SHT	\$ 59.81	\$ 30,323.67	2 days
SECT	IION 8 - Plexiglas & Lexan, 4' x 8' S	Sheets				
77	Lexan, <sup>1</sup> /4"	48	SHT	<u>\$ 228.00</u>	<b>\$ 10,944.00</b>	3 - 5 days
78	Lexan, <sup>1</sup> / <sub>8</sub> "	54	SHT	<b>\$</b> 150.00	\$ 8,100.00	3 - 5 days
179	Non-Glare Plexi, ¼"	24	SHT	\$ 102.00	\$ 2,448.00	3 - 5 days
180	Plexi, ¼"	54	SHT	<u></u> \$ 180.00	\$ 9,720.00	3 - 5 days
SECT	IION 9 - Veneer Plywood and Cabin	iet Grad	de, 4' x 8' :	Sheets		
81	¼" Birch Veneer Plywood A/C	65	SHT	\$ 25.60	\$ 1,664.00	2 - 3 days
<b>1</b> 82	1/4" Oak Veneer Plywood A/C	53	SHT	\$ 34.56	\$ 1,831.68	2 - 3 days
83	¼" Poplar Veneer Plywood A/C	29	SHT	\$ NO BID	<u> </u>	· · · · · · · · · · · · · · · · · · ·
84	1/4" Walnut Veneer Plywood A/C	17	SHT	\$ 80.64	<u>\$ 1,370.88</u>	2 - 3 days
85	%" Cedar T-1-11, 8" Space	270	eur	\$ NO BID	\$	
86	Between Tongue & Groove ¾" Birch Plywood, Cabinet Grade, Good Both Sides	270 82	SHT SHT	\$ 76.80	\$ \$ 6,297.60	2 - 3 days
87	¾" Oak Plywood, Cabinet Grade, Good Both Sides	82	SHT	\$ 108.00	\$ 8,856.00	2 - 3 days

Page 28 of 34

Item Unit of Unit Est. Delivery # Price Description Qty. Meas. **Total Price** A.R.O. SECTION 10 - 1 and 5/4" Nominal Size, Clear Pine, #2 Pine & Hardwood, and Western Red Cedar **Face Frame Materials** 88 1/4" Western Red Cedar Plywood, \$ NO BID 4" x 8' Faced 15 SHT \$ 189 3/3" x 5" x 8'-16', Atlantic White Western Red 1 - 2 weeks \$ 677.50 Cedar Rough Sawn Siding 250 LF \$2.71 90 3/4" x 8" x 16'. \$ NO BID \$ Western Red Cedar Board 40 PC 91 1" x 6" x 8'-12', Clear White Oak, \$ 5.48 **§ 926.12** 1 - 2 weeks 169 LF No Knots **J**92 1" x 6" x 8'-12' Lengths Only, \$ 4.13 \$ 1,395.94 1 - 2 weeks Clear Birch, No Knots 338 LF 1" x 6" x 8'-12' Lengths Only. 93 \$ <sup>3.75</sup> 1 - 2 weeks 315.00 Clear Red Oak, No Knots 84 LF \$ 94 1" x 6" x 8'-12' Lengths Only, **\$** 9.75 1 - 2 weeks \$ 4,875.00 500 LF Clear Walnut, No Knots **√**95 1" x 6" x 8'-16', Atlantic White Western Red 1 - 2 weeks **\$** 2.80 644 LF \$ 1,803.20 Cedar Rough Sawn 1" x 6" x 12' Lengths Only, Clear R/L 4128 \$<sup>2.10 / LF</sup> 96 \$ 8,668.80 LF 1 - 2 weeks White Pine, "C" Grade, No Knots -PC-्रम्यः 197 1" x 8" x 8'-12' Lengths Only, \$ 3,45 \$ 1,186.80 1 - 2 weeks LF Clear Poplar, No Knots 344 98 1" x 8" x 8'-12' Lengths Only, **\$** 4.43 1 - 2 weeks \$ 1,275.84 Clear Red Oak, No Knots 288 LF 199 1" x 8" x 8' -16', Atlantic White Western Red \$ 1,925.00 1 - 2 weeks \$ 3.85 LF Cedar Rough Sawn 500 1" x 8" x 12' Lengths Only, Clear R/L 1512 100 \$ 4,233.60 1 - 2 weeks LF \$<sup>2.80/LF</sup> White Pine, "C" Grade, No Knots ₽€ 126 **J**101 1" x 8" x 16' Lengths Only, \$ 1,228.80 R/L 1536 LF 1 - 2 weeks \$ .80 / LF #2 Premium, White Pine 96 Pe 102 1" x 12" x 12'-16' Lengths Only, Clear White Pine, "C" Grade, \$ 2,508.80 1 - 2 weeks **\$4.90** LF No Knots 512 V103 5/4" x 4" x 8'-16', Atlantic White Western Red 1 - 2 weeks **\$** 2.12 \$ 1,484.00 Cedar Rough Sawn 700 LF 5/4" x 6" x 8'-12' Lengths Only. 104 \$ 2,747.44 1 - 2 weeks Clear Birch, No Knots 488 \$ 5.63 LF 5/4" x 6" x 8'-12', Clear Red Oak, 105 1 - 2 weeks **\$** 4.80 \$ 1,382.40 LF 288 No Knots 106 5/4" x 8" x 8'-12', Clear Red Oak, \$ 6.38 1 - 2 weeks \$ 1,837.44 LF No Knots 288

Page 29 of 34

Page 30 of 34 Item Est. Unit of Unit Delivery # Description Qty. Meas. Price **Total Price** A.R.O. SECTION 10 - 1 and 5/4" Nominal Size, Clear Pine, #2 Pine & Hardwood, and Western Red Cedar Face Frame Materials (Cont'd) 5/4" x 6" x 8'-12', Clear White 107 \$ 961.92 1 - 2 weeks Oak, No Knots 144 LF \$ 6.68 108 5/4" x 6" x 8'-12', Clear White 1 - 2 weeks \$ 3.30 \$ 937.20 LF Poplar, No Knots 284 109 5/4" x 6" x 12' Lengths Only, Clear 1 - 2 weeks **\$ 3.38** \$ 1,162.72 White Pine, "C" Grade, No Knots R/L 344 LF **√**110 5/4" x 8" x 8'-12'. Clear White \$ 868.28 \$ <sup>4.43</sup> 1 - 2 weeks 196 LF Poplar, No Knots 111 5/4" x 8" x 12' Lengths Only, 1 - 2 weeks **\$** 346.50 #2 Premium, White Pine \$ 2.25 **R/L** 154 LF 5/4" x 8" x 12' Lengths Only, Clear 112 1 - 2 weeks \$ 1,548.00 s 4.50 White Pine, "C" Grade, No Knots 344 LF √113 5/4" x 8" x 16', Clear White Pine, 1 - 2 weeks **R/L** 96 \$ 4.50 "C" Grade, No Knots LF \$ 432.00 5/4" x 12" x 12'-16' Lengths Only, 114 Clear White Pine, "C" Grade, 1 - 2 weeks LF \$ 7.86 \$ 1,320.48 No Knots 168 **√**115 \$ 4,527.96 1 - 2 weeks \$ 11.67 2" x 10" x 8' Western Red Cedar R/L 388 LF SECTION 11 - Dowels & Closet Pole, Hardwood C or Better EA \$ NO BID 116 <sup>1</sup>⁄4" x 3' 29 \$ \$ NO BID \$ 29 EA <sup>3</sup>/<sub>8</sub>" x 3' 117 \$ 29 EA 118 1/2" x 3' \$ NO BID \$ \$ NO BID 29 EA 119 <sup>3</sup>⁄4" x 3' \$ 29 EA 120 7/s" x 3' \$ NO BID 29 <u>\$ NO BID</u> \$ EA 121 1" x 3' \$ NO BID \$ 29 ĒΑ 122 1 3/8" x 3/8" x 8' \$ NO BID \$ 123 1 3/8" x 12' 29 EA SECTION 12 - Drywall & Gypsum Products 85 \$ NO BID \$ 124 Greenboard, 1/2" x 4' x 8' SHT 125 Homasote Boards, <sup>1</sup>/<sub>2</sub>" x 4' x 8', **\$ 27.84** 2 - 3 days \$ 1,336.32 SHT 48 No Backing 126 Joint Compound/All Purpose, 61.7 lb. (28 kg), Ready Mix/ \$ NO BID EA \$ Non-Asbestos, Green Lid USG 53

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 31 of 34 Delivery A.R.O.
	TION 12 - Drywall & Gypsum Produ	ucts (Co	nt'd)			
127	Joint Compound/Lightweight, All Purpose, 4.5 gal. (17.0 L), Ready Mix/Non-Asbestos, Blue					
	Lid USG	53	EA	\$ NO BID	\$	······
128	Metal Corner Bead for Sheetrock, 8' Lengths	180	PC	\$ NO BID	_\$	
129	Sheetrock, <sup>3</sup> / <sub>8</sub> " x 4' x 8'	24	SHT	\$ NO BID	\$	
130 1 <b>31</b>	Sheetrock, <sup>1</sup> / <sub>2</sub> " x 4'x 8', Fire Coated Sheetrock, <sup>1</sup> / <sub>2</sub> " x 4'x 12',	144	SHT	\$ NO BID	_\$	
	Fire Coated	24	SHT	\$ NO BID	\$	
132 133	Sheetrock, <sup>5</sup> %"x 4'x 8', Fire Coated Sheetrock, <sup>5</sup> %" x 4'x 12',	298	SHT	\$ NO BID	\$	<u> </u>
	Fire Coated	35	SHT	\$ NO BID	\$	
134	Sheetrock Tape, 250' Roll	89	ROLL	\$ NO BID	\$	
135	Purple XP Drywall Panel, 1/2" X 4' X 8'	75	SHT	\$ NO BID	\$	
J <sub>136</sub>	Tempered Hard Board, 1/4" x 4' x 8'	36	SHT	<u>\$ 12.72</u>	\$ 457.92	2 - 3 days
137	Tempered Peg Board, 1/4" x 4' x 8'	24	SHT	\$ 26.40	\$ 633.60	2 - 3 days
SECT	FION 13 - "CDX" Sheathing, Pressi ity Overlay, 4'x 8' Sheets	ıre Trea	ted, No A	rsenate Plywo	od, "MDO" M	edium
138	<sup>3</sup> / <sub>8</sub> " CDX-FIR	60	SHT	<b>\$ 27.60</b>	\$ 1,656.00	2 - 3 days
139	½" CDX-FIR	482	SHT	\$ 36.05	\$ 17,376.10	2 - 3 days
√140	½" MDO (Medium Density Overlay), Two-Sided	145	SHT	\$ 55.20	\$ 8,004.00	2 - 3 days
J141	1/2" Wolmanized Plywood	60	SHT	\$ 43.29	\$ 2,597.40	2 - 3 days
<b>1</b> 42	¾" MDO (Medium Density Overlay), Two-Sided	170	SHT	\$ 69.60	\$ 11,832.00	2 - 3 days
	FION 14 - Molding, Clear White Pin	ie, No F	inger Join	ts, Random L	engths Accepta	ble (However
<b>по les</b> 143	ss than 7') 2" Astragal (Mullion Center), Clear White Pine	60	LF	\$ NO BID	\$	
144	Backhand Molding for Picture Frame, <sup>5</sup> / <sub>8</sub> " x 1 <sup>1</sup> / <sub>8</sub> "	60	LF	\$ NO BID	\$	
145	Base Cap, 1 1/3" Clear White Pine	144	LF	\$ NO BID	\$	
146	Chair Rail, 9/16" x 2 ½"	96	LF	\$ NO BID	\$	
147	Clam Shell Trim, 2 ¼" Clear White Pine	1 <b>44</b>	LF	\$ NO BID	\$	
148	Clam Shell Base, 3" Clear White Pine	144	LF	\$ NO BID	\$	<u></u>

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 33 of 34 Delivery A.R.O.
SECT	TON 16 - Miscellaneous					
175	15 lb. Felt Paper	53	ROLL	\$ 24.00	\$ 1,272.00	2 - 3 days
J176	Cork Board, ½" x 3' x 4'	58	PC	<b>\$172.50</b>	\$ 10,005.00	2 - 3 days
<b>1</b> 177	Cork Board, ½" x 4' x 8'	58	PC	\$172.50	\$ 10,005.00	2 - 3 days
178	Clear Plastic, 20 ft. x 100 ft., 4 mil	41	ROLL	\$ 63.30	\$ 2,595.30	2 - 3 days
1 <b>79</b>	2" x 4" x 48", 14 ga. Galvanized Fence Wire, 50 ft. roll	17	ROLL	\$ NO BID	\$	
180	Nails, 5 # Bright Common - 8d	26	BX	\$ 14.50	\$ 377.00	2 - 3 days
181	Nails, 5 # Bright Common - 10d	27	BX	<u>\$</u> 14.50	\$ 391.50	2 - 3 days
182 183	Screws, 5# Boxes - 2 ½" Premium Deck Screws Red Cedar Shingles,	31	BX	<u>\$</u> 35.95	<b>\$</b> 1,114.45	2 - 3 days
185	Butted & Sanded, 18"Perfections, <sup>1</sup> / <sub>4</sub> Sq. Bundle Red Cedar Shingles, Butted & Sanded, 24" Royals,	12	BDL	\$ NO BID	\$	
	1/4 Sq. Bundle	12	BDL	\$ NO BID	\$	
185	Undercourse Shingles, 25 Square Foot Bundle	48	BDL	\$ 26.00	\$ 1,248.00	2 - 3 days
186	Dimensional Roof Shingles,	120	50	\$ NO BID	\$	
187	Timberline GAF, Assorted Colors Timberline Cap Shingles, 20 ft. per Bundle, Color: Cedar	128 118	SQ BDL	\$ NO BID	\$	· · · · · · · · · · · · · · · · · · ·
188	90 lb. Roll Roofing	12	EA	\$ NO BID	\$	
189	Metal Roof Edge, 2" x 2" (Approx.), 10' Lengths	80	EA	\$ NO BID	\$	
190	Flashing, .013 Gauge Aluminum, 12" x 50' Roll	34	ROLL	\$ NO BID	\$	
<b>19</b> 1	Termite Shield, 6" x 50'	29	EA	\$ NO BID	\$	· · · · · · · · · · · · · · · · · · ·
192	Ice and Water Protector Shield, 3'W x 65-75' Length Rolls, 55 mil Thick, Self-Adhesive, Self-Sealing Around Roof and Nails	46	ROLL	\$ NO BID	\$	
193	2" x 2" x 8' Pine - Not Treated	60	PC	\$ NO BID	\$	
194	2" x 2" x 10' Pine - Not Treated	60	PC	\$ NO BID	\$	
195	4' x 8' x 7/16" Oriented Strand Board, Not Treated, Not Tongue and Groove 3 <sup>1</sup> / <sub>2</sub> " x 15" x 32", R-13 Insulation,	148	SHT	\$ 24.24	\$3,587.52	2 - 3 days
	Encapsulated/Comfort Therm, 40 sq. ft. roll	24	ROLL	\$ 68.80	\$ 1,651.20	2 - 3 days

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 34 of 34 Delivery A.R.O.
SECT	TON 16 - Miscellaneous (Cont'd)					
197	3 ½" x 15" x 94", R-13 Insulation,					
	Craft Face/Wood Framing,			NADE		
	88.12 sq. ft. roll	48	ROLL	\$ NO BID	\$	<u> </u>
198	3 <sup>1</sup> / <sub>2</sub> " x 15" x 94", R-11 Insulation,					
	Unfaced/Wood Framing,				<u>^</u>	
100	88.12 sq. ft. roll	24	ROLL	\$ NO BID	\$	
199	3 <sup>5</sup> / <sub>8</sub> " x 16" x 96", R-11 Insulation, Unfaced/Metal Framing, Thermal					
	Shield and Sound Shield,					
/	170.66 sq. ft. roll	24	ROLL	\$ 64.00	\$ 1,536.00	2 - 3 days
V200	6 ¼" x 15" x 94", R-19 Insulation		11022			
	Unfaced, 48.96 sq. ft. roll	24	ROLL	\$ 25.60	\$ 614.40	2 - 3 days
201	35' Class 5, CCA, Southern Yellow			<u></u>		
	Pine Utility Pole, ANSI 05.1 Grade	10	EA	<b>\$</b> NO BID	\$	
SECT	[ION 17 - 48" x 96" Laminates and A					
1				<b>☆ 70 00</b>	↑ 770.00	1 maale
~ 202	Almond, 030-60 Wilsonart	11	SHT	\$70.00	\$ 770.00	1 week
√203	Black, 1595-60 Wilsonart	17	SHT	\$ 70.00	\$ 1,190.00	1 week
√ <sub>204</sub>	Figured Mahogany,			06.22		2 - 3 weeks
,	7040A-60 Wilsonart	6	SHT	\$ 96.32	\$ 577. <del>9</del> 2	
205	Golden Oak, 7888-60 Wilsonart	6	SHT	<b>\$ 96.32</b>	<b>\$</b> 577.92	2 - 3 weeks
,		Ť	•			
<b>√</b> 206	Gray, 1500-60 Wilsonart	11	SHT	\$ 96.32	<u>\$ 1,059.52</u>	2 - 3 weeks
1207		20	OLET	\$ <sup>96.32</sup>	<b>§</b> 2,793.28	2 - 3 weeks
207	Grey Nebula, 4622-60 Wilsonart	29	SHT	2	<u> </u>	
7 208	Gunstock Walnut, W313A-60 Wilsonart	6	SHT	<b>\$ 96.32</b>	\$ 577.92	2 - 3 weeks
1						
- 209	Hunter Green, D79-60 Wilsonart	11	SHT	<u>\$ 96.32</u>	\$ 1,059.52	2 - 3 weeks
<b>√2</b> 10	Windsor Mahogany,	~		e 06 22	<b>\$</b> 577.92	2 - 3 weeks
211	7039-60 Wilsonart	6	SHT	\$ 96.32	<b>3</b> J11.92	
211	Contact Cement, Dap-Weldwood, Original 1 gal. (Red) Can	26	CAN	<b>\$ 40.51</b>	<b>\$ 1,053.26</b>	1 week
212	Contact Cement, Dap-Weldwood,	20		_ <del>Ψ</del>		
/ 12	Poly Acrylic, 1 gal (Blue) Can	8	CAN	<b>\$</b> 77.82	\$ 622.56	1 week
$\sqrt{213}$	Formica Brand Products,	-		<u> </u>		
	Non-flammable Contact					1 week
1	Adhesive Solvent, 5 gal. can	5	CAN	\$ 268.35	<u>\$ 1,341.75</u>	1 WOOR
√214	Seam Filler to Match Laminate			<mark>s</mark> 36.00	\$ 396.00	1 week
	Color, 4 oz. tube	11	TUBE	\$ 20.00	<u>3 330.00</u>	<u>_</u>

Page 25 of 34

Proposal for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( ) - YES ( ) - NO

#### PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery A.R.O.
SECI	<b>ION 1 - Nominal Lumber, Douglas</b> 2" x 4", Pre-Cuts	<b>FIF #2 0</b> 160	г вепег н РС	1emp Fir Una \$ 4.49		pt as noted)
1						- Well
	2" x 4" x 8', NOT Pre-Cut	1,284	PC	\$ 5.40	\$6,933.60	1 week
J3 /	2" x 4" x 10'	122	PC	\$ 6.69	\$ 816.18	- Week
√4	2" x 4" x 12'	244	PC	\$ 7.80	\$ 1903.20	- week
15	2" x 4" x 16'	319	PC	\$11.30	\$3604.70	I week
16	2" x 4" x 20'	160	PC	\$ 14.00	\$2,240.00	- week
$\sqrt{7}$	2" x 6" x 8'	160	PC	\$ 7.49	\$1.198.40	Iweek
18	2" x 6" x 10'	160	PC	\$ 9.39	\$1,502.40	1WEEK
J9	2" x 6" x 12'	160	PC	\$11.48	\$1836.80	IWERK
√ <u>1</u> 0	2" x 6" x 16'	244	PC	\$15.69	\$ 3,828.36	IWSSK
õ	2" x 8" x 16'	196	PC	\$ 20.89	\$ 4,094.44	/ WEek
$\int_{12}$	2" x 10" x 16'	244	PC	\$ 25.78	\$6,290.32	WEEK
v13	2" x 12" x 16'	222	PC	\$ 32.48	\$7,210.56	IWEEK.
14	4" x 8" x 18'	124	PC	\$	\$	
Spruc	e					
15	5/4" x 3" x 12', 8 pcs/bundle	244	BDL	\$24.88	\$6,070.72	1 week
16	5/4" x 3" x 16', 8 pcs/bundle	172	BDL	\$ 34.66	\$5961.52	+ Week
<b>Л</b> 7	Spruce Firring Strips, #2 Grade or Better, 1" x 2" x 12', 12 pcs/bundle	75	BDL	\$24.29	\$1,821.75	1 week
	yor Stakes			_		, ,
18 19	Mason Lath, 50/bundle Surveyors Lath $-\frac{1}{2}$ " x 48"	166	BDL	\$12.69	\$2,106.54	1 week
$ $	Hardwood Lath, smooth on all sides, 25 per bundle Surveyors Grade Stakes –	24	BDL	\$.36.00	\$ 86 4.00	2 weeks
	1" x 2" x 15" – Hardwood Stakes, smooth on all sides, 50 per bundle	48	BDL	\$56.00	\$2,688.00	2 weeks

-

.

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 26 of 34 Delivery A.R.O.
SECT (Cont	TON 1 - Nominal Lumber, Douglas 'd)	Fir #2 o	r Better H	lemp Fir Una	cceptable (excep	ot as noted)
	eyor Stakes(Cont'd)					
<b>v</b> 21	Surveyors Grade Stakes – 1" x 2" x 18" – Hardwood Stakes, smooth on all sides, 50 per bundle	144	BDL	\$ 59.00	\$ 8,496.00	2-3 weeks
<b>1</b> 22	Surveyors Hubs – 2" x 2" x 15" – Hardwood Hubs, smooth on all sides, 25 per bundle	250	BDL	\$ 39.00	\$9,750.0D	2-3wsaks
SECT	TION 2 - Pressure Treated Lumber,	Copper	Base, No	Arsenate, Yel	low Pine #2 or ¥	Better
23	2" x 4" x 8'	224	PC	\$ 7.89	\$ 1767.36	7-10 days
24	2" x 4" x 10'	240	PC	\$9.69	\$2.325.60	7-10 days
25	2" x 4" x 16'	444	PC	\$15.98	\$7095.12	7-10 days
26	2" x 4" x 20'-ACQ	350	PC	\$ 25.98	\$9093.00	7-10 days
27	2" x 6" x 8'	220	PC	\$9.29	\$2043.80	7-10 days
28	2" x 6" x 12'	350	PC	\$13.89	\$4861.50	7-10 days
29	2" x 6" x 16'	224	PC	\$18.89	\$4231.36	7-10 days
30	2" x 6" x 20'-ACQ	124	PC	\$34.98	\$4337.52	1-10 days
<b>√</b> 31	2" x 8" x 16'	252	PC	\$25.80	\$6501.60	7-10 days
32	2" x 8" x 20'-ACQ	350	PC	\$34.98	\$12,243.00	1-10days
33	2" x 10" x 8'	124	PC	\$16.89	\$ 2.094.36	7-10 day 5
<b>J</b> 34	2" x 10" x 10'	124	PC	\$ 20.98	\$2601.52	7-10 days
35	2" x 10" x 16'	344	PC	\$33.89	\$11,658.16	7-10 days
36	2" x 10" x 20'-ACQ	350	PC	\$59.90	\$ 20965.00	7-10 day 5
37	2" x 12" x 16'	246	PC	\$ 34.95	\$ 8597.70	1-10 days
38	2" x 12" x 20' ACQ	155	PC	\$ 79.80	\$12,369.00	7-10 days
<b>J</b> 39	4" x 4" x 8'	160	PC	\$19.98	\$ 3196.80	1-10 days
<b>√</b> 40	4" x 4" x 12'	196	PC	\$29.98	\$ 58 76.08	1-10 days
41	4" x 4" x 16'	588	PC	\$39.98	\$23,508.24	1-10 days
42	4" x 4" x 20'-ACQ	200	PC	\$	\$	· · · · · · · · · · · · · · · · · · ·
43	6" x 6" x 14'	50	PC	\$-71.89	\$3594.50	2-3 WEEKs
-44	6" x 6" x 16'	300	PC	\$ 82.97	\$ 24, 891.00	2-3w2245
45	6" x 6" x 18'-ACQ	150	PC	\$95.95	\$14,392.50	2-3 weeks
46	6" x 8" x 20'-ACQ	200	PC	\$	\$	<u> </u>

Page 27 of 34 Item Est. Unit of Unit Delivery Price **Total Price** A.R.O. # Description Qty. Meas. SECTION 2 - Pressure Treated Lumber, Copper Base, No Arsenate, Yellow Pine #2 or Better (Cont'd) 47 8" x 8" x 16' 125 PC \$ ---\$ \$ 48 8" x 8" x 20' Treated CCA .40 PC 125 \$ -PC \$ 49 12" x 12" x 16'-ACO 74 \$ SECTION 3 - Bridge Material-Must Contain 2.5 pounds of dry salt per cubic foot of timber 50 100 \$ 3" x 6" x 14' EA \$ 3" x 8" 14' \$ 51 \$ 112 EA \$ 52 3" x 10" x 14' 100 EA \$ 53 3" x 10" x 20' 100 EA \$ \$ 54 3" x 10" x 26' \$ \$ 100 EA 6" x 8" x 18' 100 \$ 55 EA \$ \$ \$ 56 Tongue & Groove, 2" x 6" x 12' 124 EA 57 Tongue & Groove, 2" x 8" x 12' 124 EA \$ \$ 58 Tongue & Groove, 2" x 10" x 12' 200 \$ \$ ĒΑ 59 Tongue & Groove, 4" x 10" x 18' 150 EΑ \$ \_ \$ **SECTION 4 - Bridge Decking** 4" x 10" x 12'-ACO, #1 Dense 60 Yellow Pine, Treated .6CF S4S, 124 PC **Bridge Decking** \$ \$ 61 4" x 10" x 20'-ACO, #1 Dense Yellow Pine, Treated .6CF S4S. 124 PC \$ Bridge Decking \$ 4" x 10" x 16' -ACQ, #1 Dense 62 Yellow Pine, Treated .6CF S4S, PC \$ **Bridge Decking** 110 \$ SECTION 5 - Composite Decking, Azek, Arbor Collection √63 3/4" x 3 1/2" x 18" white - Azek trim, 48 PC \$25.98 \$1,247.04 traditional. √64 <sup>3</sup>/<sub>4</sub>" x 5 <sup>1</sup>/<sub>2</sub>" x 18" white - Azek trim, \$1,871.04 PC \$38.98 traditional 48 J65 <sup>3</sup>/<sub>4</sub>" x 7 <sup>1</sup>/<sub>4</sub>" x 18" white - Azek trim, \$2,495.04 \$51.98 traditional 48 PC /66 1" x 5 ½" x 18" white - Azek trim, \$53.98 \$2,591.04 traditional 48 PC

Page 28 of 34

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery A.R.O.
SECT	ION 5 - Composite Decking, Azek, A	Arbor (	Collection	(Cont'd)		
67	1" x 5 ½" x 20" ( color to be specified )	48	PC	\$	\$	
168	1" x 9 ¼" x 18" white - Azek trim,	40	re	<u> </u>		·
	traditional	48	PC	\$ 78.98	\$4,271.04	7 days
	FION 6 - ACQ Treated Plywood					
√69 ∕	4' x 8' x ½", 5 ply, AC, ACQ Treated Plywood	150	PC	\$ 97.98	\$14,697.00	4 Decks
10	4' x 8' x ¾", 5 ply, AC, ACQ				\$15 996.80	11-5
	Treated Plywood	160	PC			tweeks
,	ION 7 - Plywood, Exterior, Fir, Goo					. (
11	'⁄4" x 4' x 8'	350	SHT	\$ 26.98		1 week
J12	¼" x 4' x 8', Luan Underlayment	135	SHT	\$ 15.89	\$ 2,145.15	1WESt
-73 -74	¾" x 4' x 8'	338	SHT	\$ 27.98	\$9,457.24	1 What
-174	½" x 4' x 8'	512	SHT	\$ 36.86	\$18,872.32	I WEEK
-/15	<b>⅔</b> ″ x 4' x 8'	146	SHT	\$ 37.80	\$5,518.80	Juset.
16	¾" x 4' x 8'	507	SHT	\$ 41.80	\$21, 192.60	IWEEK
SECI	TION 8 - Plexiglas & Lexan, 4' x 8' S	heets				
77	Lexan, ¼"	48	SHT	<u>\$                                    </u>	\$	
78	Lexan, <sup>1</sup> / <sub>8</sub> "	54	SHT	<u>\$</u>	\$	
79	Non-Glare Plexi, <sup>1</sup> / <sub>8</sub> "	24	SHT	\$	\$	
80	Plexi, ¼"	54	SHT	\$	\$	
SECT	TION 9 - Veneer Plywood and Cabin	et Grad	le, 4' x 8' i	Sheets		
81	'/4" Birch Veneer Plywood A/C	65	SHT	\$ 31.79	\$ 2,066.35	1WSSK
82	1/4" Oak Veneer Plywood A/C	53	SHT	\$ 34.89	\$ 1849.17	-I WEak
83	1/4" Poplar Veneer Plywood A/C	29	SHT	\$	\$	
84	1/4" Walnut Veneer Plywood A/C	17	SHT	\$	\$	
85	%" Cedar T-1-11, 8" Space Between Tongue & Groove	270	SHT	\$	\$	
<b>1</b> 86	3/4" Birch Plywood, Cabinet Grade,			- <del></del>		
. 107	Good Both Sides	82	SHT	\$-12.96	\$5,982:12	- WEast
₩8/	3/4" Oak Plywood, Cabinet Grade, Good Both Sides	82	SHT	\$79.98	\$ 6,557.36	1WEak

Page 29 of 34 Item Est. Unit of Unit Delivery Price **Total Price** # Description Oty. Meas. A.R.O. SECTION 10 - 1 and 5/4" Nominal Size, Clear Pine, #2 Pine & Hardwood, and Western Red Cedar **Face Frame Materials** <sup>1</sup>/<sub>4</sub>" Western Red Cedar Plywood. 88 15 4" x 8' Faced SHT \$ \$ 89 3/8" x 5" x 8'-16', Atlantic White \$ ----Cedar Rough Sawn Siding 250LF \$ 1 90 34" x 8" x 16', \$ Western Red Cedar Board 40 PC \$ **J**91 1" x 6" x 8'-12', Clear White Oak. \$ 672.62 10-15 days No Knots 169 LF \$ 3.98 92 1" x 6" x 8'-12' Lengths Only, \$1,686.62 2 WEEKS \$ 4.99 Clear Birch, No Knots 338 LF <u>\_</u>/93 1" x 6" x 8'-12' Lengths Only, \$3.59 \$ 30156 10-10 days Clear Red Oak, No Knots 84 LF J94 1" x 6" x 8'-12' Lengths Only, \$ 8.99 \$4.495.00 10-15 days LF Clear Walnut, No Knots 500 95 1" x 6" x 8'-16', Atlantic White \$ ----\$ Cedar Rough Sawn 644 LF **1**96 1" x 6" x 12' Lengths Only, Clear \$ 7.905.12 White Pine, "C" Grade, No Knots 344 PC \$22.98 10-15 days 97 1" x 8" x 8'-12' Lengths Only, Clear Poplar, No Knots \$1.338.16 344 LF \$ 3.89 10-15 days 198 1" x 8" x 8'-12' Lengths Only. \$1 120.32 10-15 days \$<u>3.89</u> Clear Red Oak, No Knots 288 LF 99 1" x 8" x 8' -16', Atlantic White \$ 500 Cedar Rough Sawn LF \$ -----**V100** 1" x 8" x 12' Lengths Only, Clear \$3913.48 10-15 days White Pine, "C" Grade, No Knots 126 PC\$ 30.98 101 1" x 8" x 16' Lengths Only. \$40.98 \$3,934.08 #2 Premium, White Pine 96 PC 10-15d **1**02 1" x 12" x 12'-16' Lengths Only, Clear White Pine, "C" Grade, 10-15 days \$ 2,196.48 \$4,29 No Knots 512  $\mathbf{LF}$ 5/4" x 4" x 8'-16', Atlantic White 103 \$ Cedar Rough Sawn 700 LF \$ ----104 5/4" x 6" x 8'-12' Lengths Only, \$2,337.52 \$4.79 10-150lays Clear Birch, No Knots 488 LF $\sqrt{105}$ 5/4" x 6" x 8'-12', Clear Red Oak, \$1120.32 10-15 daws \$3,89 No Knots 288 LF  $\sqrt{106}$ 5/4" x 8" x 8'-12', Clear Red Oak, \$4.79 \$1,379.52 10.15 days No Knots 288 LF

Page 30 of 34 Item Est. Unit of Unit Delivery # Description Qty. Meas. Price **Total Price** A.R.O. SECTION 10 - 1 and 5/4" Nominal Size, Clear Pine, #2 Pine & Hardwood, and Western Red Cedar Face Frame Materials (Cont'd) 5/4" x 6" x 8'-12', Clear White 107 \$891.36 10-15 days \$6.19 Oak, No Knots 144 LF 108 5/4" x 6" x 8'-12', Clear White \$883.24 10-13d Poplar, No Knots 284 LF \$3.// ×109 5/4" x 6" x 12' Lengths Only, Clear White Pine, "C" Grade, No Knots 344 LF \$2.99 \$1028.56 10-1 5/4" x 8" x 8'-12', Clear White 110 \$4.49 \$ 880.04 Poplar, No Knots 196 LF 5/4" x 8" x 12' Lengths Only, 111 \$ 2.69 LF \$4 #2 Premium, White Pine 154  $\sqrt{112}$ 5/4" x 8" x 12' Lengths Only, Clear \$ /372.56 White Pine, "C" Grade, No Knots LF \$ 3.99 344 113 5/4" x 8" x 16', Clear White Pine, \$ 670.08 10 LF \$6.98 "C" Grade, No Knots 96 114 5/4" x 12" x 12'-16' Lengths Only, Clear White Pine, "C" Grade, \$6.99 \$1174.32 LF No Knots 168 \$ 115 2" x 10" x 8' Western Red Cedar 388 LF \$ SECTION 11 - Dowels & Closet Pole, Hardwood C or Better \$ 28.71 \$.99  $\sqrt{116}$ 1/4" x 3' 29 EA \$ 28.71 117 .99 29 \$ 3/8" x 3' ΕA \$ 46.11 118 \$ 1.59 1/2" x 3<sup>1</sup> 29 EA \$ 1.99 \$ 57.71 119 29 EA 3⁄4" x 3' \$ 112.81 120 \$ 3.89 7∕8" x 3' 29 EA 121 \$2.99 \$ 86.71 1" x 3' 29 EA \$10.95  $\sqrt{122}$ \$317.55 1 <sup>3</sup>/<sub>8</sub>" x <sup>3</sup>/<sub>8</sub>" x 8' 29 EA \$605.81 123 \$20.89 1 %" x 12' 29 EA **SECTION 12 - Drywall & Gypsum Products** 124 \$14.99 \$1274.15 Greenboard, 1/2" x 4' x 8' 85 SHT J125 Homasote Boards, 1/2" x 4' x 8', \$24.98 \$1199.04 SHT 48 No Backing  $\sqrt{126}$ Joint Compound/All Purpose, \$27.69 \$1520.57 / wEEK 61.7 lb. (28 kg), Ready Mix/ Non-Asbestos, Green Lid USG 53 EA

-

-

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 31 of 34 Delivery A.R.O.			
SECTION 12 - Drywall & Gypsum Products (Cont'd)									
<b>√</b> 127	Joint Compound/Lightweight, All Purpose, 4.5 gal. (17.0 L),								
	Ready Mix/Non-Asbestos, Blue								
1	LidUSG	53	EA	\$ 17.89	\$ 948.17	Idays			
√128 ∕	Metal Corner Bead for Sheetrock, 8' Lengths	180	PC	\$ 1.19	\$214.20	7 days			
129	Sheetrock, 3/8" x 4' x 8'	24	SHT	\$11.98	\$287.52	I days			
√130 √131	Sheetrock, <sup>1</sup> / <sub>2</sub> " x 4'x 8', Fire Coated Sheetrock, <sup>1</sup> / <sub>2</sub> " x 4'x 12',	144	SHT	\$11.96	\$1,722.24	7 days			
	Fire Coated	24	SHT	\$18.96	\$ 455.04	Idays.			
182	Sheetrock, <sup>5</sup> / <sub>8</sub> "x 4'x 8', Fire Coated Sheetrock, <sup>5</sup> / <sub>8</sub> " x 4'x 12',	298	SHT	\$ 11.69	\$ 3 4 8 3.62	- rdays			
4155	Fire Coated	35	SHT	\$16.49	\$ 577-15	Tdays			
134	Sheetrock Tape, 250' Roll	89	ROLL	\$2.37	\$ 210.93	-7 days			
J <sub>135</sub>	Purple XP Drywall Panel, 1/2" X 4' X 8'	75	SHT	\$ 14.87	\$1,116-00	7 days			
136	Tempered Hard Board, ¼" x 4' x 8'	36	SHT	\$14.98	\$ 539.28	1 days			
137	Tempered Peg Board, 1/4" x 4' x 8'	24	SHT	\$18.89	\$ 453.36	- Idays			
SECI	TON 13 - "CDX" Sheathing, Pressu	re Trea	ted, No A		ood, "MDO" M	edium			
	ty Overlay, 4'x 8' Sheets								
138	¾" CDX-FIR	60	SHT	\$20.98	\$1,259.90	1 week			
√ <u>1</u> 39	<sup>1</sup> / <sub>2</sub> " CDX-FIR	482	SHT	\$29.88	\$14,402.16	1 week_			
140	½" MDO (Medium Density Overlay), Two-Sided	145	SHT	\$64.50	\$9.396.00	Iweek+10 days			
141		60	SHT	\$59.98	\$3 598.50	3-4 winks			
141 1 <b>42</b>	<sup>1</sup> / <sub>2</sub> " Wolmanized Plywood <sup>3</sup> / <sub>4</sub> " MDO (Medium Density	00	5111						
	Overlay), Two-Sided	170	SHT	\$ 79.85	\$13,574.50	WK+ 10 days			
	ION 14 - Molding, Clear White Pin	e, No Fi	inger Join	ts, Random I	engths Accepta	ble (However			
$\sqrt{143}$	s than 7') 2" Astragal (Mullion Center),								
v 145 /	Clear White Pine	60	LF	\$,99	\$59.40	1days			
√144	Backhand Molding for Picture Frame, %" x 1 1/3"	60	LF	\$ .99	\$ 59.40	1 days			
J <sub>1,45</sub>	Base Cap, 1 3%" Clear White Pine	144	LF	\$ 1.69	\$243.36	-Idails			
1/46	Chair Rail, 9/16" x 2 1/2"	96	LF	\$ 1.96	\$ 188.16	-7 days			
~147	Clam Shell Trim, 2 ¼" Clear White Pine	144	LF	\$ .99	\$142.56	7 days			
<b>√</b> 148	Clam Shell Base, 3" Clear White Pine	144	LF	\$1.29	\$185.76	- 1 days			

Page 32 of 34

						Page 32 of 34
- Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery A.R.O.
	ION 14 - Molding, Clear White Pine	, No Fing	ger Joints	, Random Ler	ngths Acceptable	e (However
<b>uo les</b> 149	s than 7') (Cont'd) Colonial Casing, 2 <sup>1</sup> / <sub>2</sub> " Clear White					
/	Pine	288	LF	\$ 1.05	\$ 302.40	1 week
· <b>√</b> 150	Colonial Casing, 3 <sup>1</sup> / <sub>2</sub> " Clear White Pine	288	LF	\$ 1.61	\$ 463.68	Iwark
<b>J</b> 151	Colonial Trim, 2 <sup>1</sup> / <sub>4</sub> " Clear White Pine	144	LF	\$.99	\$ 142.52	Iwell
152	Colonial Trim, 3" Clear White Pine	144	LF	\$ 1.59	\$ 228.96	Iward
153	Cove, <sup>3</sup> / <sub>4</sub> " x <sup>3</sup> / <sub>4</sub> "	96	LF	\$ .99	\$ 95.04	Jusst
154	Cove, 1 5/8"	96	LF	<u>\$.99</u>	\$ 95.04	IWSG K
1,55	Crown Molding, 9/16"x 3 5/8"	144	LF	\$ 1.75	\$ 252.00	-I wsek
-156 -157	Crown Molding, 11/16" x 4 <sup>5</sup> / <sub>8</sub> "	144	LF	\$2.48	\$357.12	INZEK
-7157	Outside Corner, <sup>3</sup> / <sub>4</sub> " x <sup>3</sup> / <sub>4</sub> ", Clam Type	288	LF	\$ ,65	\$ 187.20	1 wshk
<b>1</b> 58	Outside Corner, 1"x 1", Clam Type	288	LF	\$ 72	\$207.36	1WEEK
159	Door Stop, ¾" x 1 ¾", Clam Type	96	LF	<u>\$,99</u>	\$ 95.64	what
√160 -√161	Door Stop, <sup>1</sup> / <sub>2</sub> " x 1 <sup>5</sup> / <sub>8</sub> ", Clam Type Door Stop, <sup>1</sup> / <sub>2</sub> " x 1 <sup>5</sup> / <sub>8</sub> ",	96	LF	\$.99	\$ 95.04	- Juhak
(101	Colonial Type	96	LF	\$ .99	\$95.04	week
-162	Picture Frame Molding, 11/16"x 3/8"	60	LF	\$ 1.35	\$81.00	- WEEK-
√163	Picture Frame Molding, 11/16"x 2 1/16"	60	LF	\$ 2.25	\$ 135.00	/with
164	Quarter Round, <sup>3</sup> / <sub>4</sub> " x <sup>3</sup> / <sub>4</sub> "	96	LF	\$ .69	\$ 66.24	1 uset
35)165-164N	Sanitary Casing, 2 ½" Clear White Pine	288	LF	\$ 1.05	\$302.40	weak
Ð166 <del>165</del> √	Sanitary Casing, 3 <sup>1</sup> / <sub>2</sub> " Clear White Pine	432	LF	\$ 1.75	\$ 156.00	1 wsgk
<b>1</b> 67	Screen Molding, <sup>1</sup> / <sub>4</sub> " x <sup>3</sup> / <sub>4</sub> "	288	LF	\$.49	\$ 141.12	1wsgk
168	Shoe Molding	144	LF	\$,59	\$ 84.94	1 WEEK
SECT	TION 15 - Metal Studs and Track, 18	Gauge				
<b>√</b> 169	Studs, 2 1/2"D x 12'	60	PC	\$ 10.99	\$659.40	1 days
<b>√</b> 170	Studs, 3 <sup>5</sup> / <sub>8</sub> "D x 8'	96	PC	\$ 8.89	\$ 853.44	7 days
√ <u>1</u> 71	Studs, 3 <sup>5</sup> / <sub>8</sub> "D x 10'	96	PC	\$10.89	\$1,045.44	Idays
√172	Studs, 3 <sup>5</sup> / <sub>8</sub> "D x 12'	96	PC	\$ 12.89	\$1237.44	I days
$\int_{173}$	Track, 2 1/2" x 10' Lengths	48	PC	\$ 7.89	\$ 378.72	7days
√ <sub>174</sub>	Track, 3 <sup>5</sup> / <sub>8</sub> " x 10' Lengths	96	PC	\$8.59	\$853.44	<u>Idays</u>

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 33 of 34 Delivery A.R.O.		
SECTION 16 - Miscellaneous								
√175	15 lb. Felt Paper	53	ROLL	\$ 17.99	\$ 953.47	WERK		
176	Cork Board, ½" x 3' x 4'	58	PC	<u> </u>	<u>\$ - NOT</u>	HAULE ACTURED		
177	Cork Board, ½" x 4' x 8'	58	PC	\$179.89	\$10,433.62	2-3W246		
<b>1</b> 78	Clear Plastic, 20 ft. x 100 ft., 4 mil	41	ROLL	\$ 46.97	\$ 1925.77	Iwaal		
<b>√</b> 179	2" x 4" x 48", 14 ga. Galvanized					1 cck		
/	Fence Wire, 50 ft. roll	17	ROLL	\$47,98	\$ 815.66	/wart-		
-180	Nails, 5 # Bright Common - 8d	26	BX	\$ 9.99	\$ 259.74	week		
-181 -182	Nails, 5 # Bright Common - 10d	27	BX	\$ 9.99	\$269.73	WEEK		
<b>√</b> 182	Screws, 5# Boxes - 2 ½" Premium Deck Screws	31	BX	\$20.98	\$ 650.38	IWGG4-		
183	Red Cedar Shingles,	51	DA	Ψ20-11	<u>* 6 301.30</u>	100000		
	Butted & Sanded, 18"Perfections,			<b>.</b>		2. 1. 11.		
$\sqrt{184}$	¼ Sq. Bundle Red Cedar Shingles,	12	BDL	\$126.00	\$1512.00	-W224S		
₹104	Butted & Sanded, 24" Royals,					a k.		
1	¼ Sq. Bundle	12	BDL	\$ 147.00	\$1,764.00	2 W2215		
√185	Undercourse Shingles,	40	זרנט		\$ 618.72	1 1060 11		
186	25 Square Foot Bundle Dimensional Roof Shingles,	48	BDL	\$ 12.59	\$ 6/8,12	1 WW		
,	Timberline GAF, Assorted Colors	128	SQ	\$149.00	\$19,072.00	2 WSELS		
√ <sub>187</sub>	Timberline Cap Shingles,		·		··· , ···	Dustalia		
	20 ft. per Bundle, Color: Cedar	118	BDL	\$ 89.89	\$10,607.02	2119210		
188	90 lb. Roll Roofing	12	EA	\$	\$			
√189	Metal Roof Edge, 2" x 2" (Approx.), 10' Lengths	80	EA	\$ 7.99	\$639.20	161524		
<b>√</b> 190	Flashing, .013 Gauge Aluminum,					1 1 1		
/	12" x 50' Roll	34	ROLL	\$59.98	<u>\$2,039.32</u> \$260.71	1W22L		
191 192	Termite Shield, 6" x 50'	29	ΈA	\$ 8.99	\$260.71	/ WEGK		
√192	Ice and Water Protector Shield, 3'W x 65-75' Length Rolls, 55 mil Thick,							
	Self-Adhesive, Self-Sealing Around					1		
1	Roof and Nails	46	ROLL	\$ 49.98	\$2,244.08	In/sal		
J193	2" x 2" x 8' Pine - Not Treated	60	PC	\$ 8.99	\$539.40	12052L 2-3 W22KS 2-3 W22KS		
$\sqrt{194}$ $\sqrt{195}$	2" x 2" x 10' Pine - Not Treated	60	PC	\$9.99	\$599.40	2-31221US		
<b>√</b> 195	4' x 8' x 7/16" Oriented Strand Board, Not Treated, Not Tongue and							
1	Groove	148	SHT	\$20.98	\$3,105.04	1W22K		
196	3 1/2" x 15" x 32", R-13 Insulation,							
	Encapsulated/Comfort Therm, 40 sq. ft. roll	24	ROTI	\$ 49 99	\$1,199.74	Indans		
	70 ay. 11. 1011	47	110 LUL	<u>_~//-//</u>	<u>*1,1 1.1.19</u>	- 112 court		

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Page 34 of 34 Delivery A.R.O.			
SECTION 16 - Miscellaneous (Cont'd)									
<b>√</b> 197	3 ½" x 15" x 94", R-13 Insulation,								
	Craft Face/Wood Framing,	40	POLT	e 12 BQ	· 2057 72	10-11-days			
<b>198</b>	88.12 sq. ft. roll 3 ½" x 15" x 94", R-11 Insulation,	48	ROLL	\$44.89	\$ 20 30. 72	10-14 days			
~ 190	Unfaced/Wood Framing,								
1	88.12 sq. ft. roll	24	ROLL	\$ 34.98	\$ 839.52	10-14 days			
<b>√</b> 199	3 5/4" x 16" x 96", R-11 Insulation,								
	Unfaced/Metal Framing, Thermal								
	Shield and Sound Shield,	24	POLI	66590	\$12112 52	10-14 dave			
200	170.66 sq. ft. roll 6 ¼" x 15" x 94", R-19 Insulation	24	KOLL	\$ 22.11	<u>\$1,775.32</u>	10-14 days			
	Unfaced, 48.96 sq. ft. roll	24	ROLL	\$34.98	\$ 839.52	10-14 days			
201	35' Class 5, CCA, Southern Yellow					•			
	Pine Utility Pole, ANSI 05.1 Grade	10	EA	\$519.00	\$5190.00	2 weeks			
CT CT	Pine Utility Pole, ANSI 05.1 Grade 10 EA <u>\$519.00</u> <u>\$5,196.00</u> <u>2 weeks</u> SECTION 17 - 48" x 96" Laminates and Accessories								
	-			<b>6</b>	<b>•</b>				
202	Almond, 030-60 Wilsonart	11	SHT	<u> </u>	<u>s                                    </u>	<u></u>			
203	Black, 1595-60 Wilsonart	17	SHT	\$	<u> </u>				
204	Figured Mahogany,		<b>.</b>		* <del></del>				
	7040A-60 Wilsonart	6	SHT	<u>\$</u>					
205	Golden Oak, 7888-60 Wilsonart	6	SHT	\$	\$				
206	Gray, 1500-60 Wilsonart	11	SHT	\$	\$	······································			
007	O Mahala 4622 60 Williamment	29	SHT	\$	\$				
207 208	Grey Nebula, 4622-60 Wilsonart Gunstock Walnut,	29	SILL						
208	W313A-60 Wilsonart	6	SHT	\$	\$				
				at	ф				
209	Hunter Green, D79-60 Wilsonart	11	SHT	<u> </u>	<u> </u>	·			
210	Windsor Mahogany, 7039-60 Wilsonart	6	SHT	\$	\$	<b></b>			
/211	Contact Cement, Dap-Weldwood,	0							
4 211	Original 1 gal. (Red) Can	26	CAN	\$ 34.98	\$909.48	WEak			
$\sqrt{212}$	Contact Cement, Dap-Weldwood,					1			
	Poly Acrylic, 1 gal (Blue) Can	8	CAN	\$69.98	\$559.84	WELL			
213	Formica Brand Products,								
	Non-flammable Contact Adhesive Solvent, 5 gal. can	5	CAN	\$	\$				
214	Seam Filler to Match Laminate	5		<u> </u>					
414	Color, 4 oz. tube	11	TUBE	\$	\$				
	··· · · ·								


#### TRAFFIC SAFETY SERVICE, LLC

Page 28 of 34 Item Est. Unit of Unit Delivery **Total Price** A.R.O. # Description Qty. Meas. Price SECTION 5 - Composite Decking, Azek, Arbor Collection (Cont'd) 1" x 5 ½" x 20" 67 BiD (color to be specified) 48 PC \$ 68 1" x 9 ¼" x 18" white - Azek trim, 48 PC traditional \$ **SECTION 6 - ACO Treated Plywood** 4' x 8' x ½", 5 ply, AC, ACQ 69 Treated Plywood 150 PC \$ 70 4' x 8' x <sup>3</sup>/<sub>4</sub>", 5 ply, AC, ACQ  $\mathcal{I}_{2}$ Treated Plywood 160 PC \$ SECTION 7 - Plywood, Exterior, Fir, Good One Side, A/C Grade Stamped 71 1/4" x 4' x 8' 350 \$ \$ SHT 72 1/4" x 4' x 8', Luan Underlayment SHT \$ \$ 135 \$ 73 3/8" x 4' x 8' 338 SHT \$ 74 1/2" x 4' x 8' 512 SHT \$ 75 5/8" x 4' x 8' 146 SHT \$ \$ 76 3⁄4" x 4' x 8' 507 SHT SECTION 8 - Plexiglas & Lexan, 4' x 8' Sheets \$ 226.67 \$10,880.16 14 MAYS 177 Lexan, ¼" 48 SHT **V**78 \$ 1,328.31 Lexan, <sup>1</sup>/<sub>8</sub>" 54 SHT \$ 135.71 14 NA45 \$ 4,620,24 \$ 192.51 79 SHT 14 NAYS Non-Glare Plexi, <sup>1</sup>/<sub>8</sub>" 24 \$ 11,185.56 \$ 207.14 80 Plexi, 1/4" 54 SHT 14 DAYS SECTION 9 - Veneer Plywood and Cabinet Grade, 4' x 8' Sheets 81 1/4" Birch Veneer Plywood A/C 65 SHT \$ \$ \$ \$ 82 <sup>1</sup>/<sub>4</sub>" Oak Veneer Plywood A/C 53 SHT \$ \$ 83 1/4" Poplar Veneer Plywood A/C 29 SHT ŝ \$ 84 1/4" Walnut Veneer Plywood A/C. 17 SHT 5/8" Cedar T-1-11, 8" Space 85 \$ Between Tongue & Groove 270 SHT 86 3/4" Birch Plywood, Cabinet Grade, Good Both Sides 82 \$ \$ SHT

82

87 3/4" Oak Plywood, Cabinet Grade, Good Both Sides

\$ SHT \$



#### RESOLUTION

September 16, 2020

WHEREAS, on August 11, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of HEATING SYSTEMS ANNUAL SERVICE AND REPAIRS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the

following bidders:

Name and Address of Bidder

PDM Group 1258 South River Road Cranbury, NJ 08512 (609) 655-8880

Falasca Mechanical, Inc. 3329 North Mill Road Vineland, NJ 08360 (856) 794-2010

Mack Industries, Inc. 560 Perry Street Trenton, NJ 08618 (609) 396-9257 Name and Address of Bidder

Core Mechanical, Inc. 7905 Browning Rd., Ste. 110 Pennsauken, NJ 08109 (856) 665-0636

Unitemp, Inc. 26 Worlds Fair Drive Unit D Somerset, NJ 08873 (908) 753-4800

McCloskey Mechanical Contractors, Inc. 445 Lower Landing Road Blackwood, NJ 08012 (856) 784-5080

Peterson Service Company 234 Route 70 Medford, NJ 08055 (609) 714-3699

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid according to specifications namely, that of PDM GROUP, be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the HEATING SYSTEMS ANNUAL SERVICE AND REPAIRS for the County of Ocean, for the contract period effective from date of award through September 15, 2021, a period of one (1) year, or until delivery is complete unless otherwise stated. The County reserves the right to extend the contract for one (1) additional year by mutual agreement between the County and the contractor with no increase in base price. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows: PDM GROUP for twenty nine (29) items, to wit:

<u>ITEMS NO.</u> 1, 2, 3, 4a, 4b, 5a, 5b, 5c, 6a, 6b, 7, 8, 9a, 9b, 10a, 10b, 10c, 10d, 11a, 11b, 11c, 11d, 12a, 12b, 12c, 12d, 13a, 13b and 13c.

For a Total Lump Sum Award (Item Nos. 1 - 13c) of \$386,475.00.

2. The acceptance made in Paragraph 1. is made with the understanding that the successful bidder will enter into a written contract for the faithful performance of their bid.

3. Payments for the services to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

4. WHEREAS, funds for services shall be available within the following funding Sources: County Department of Building & Grounds; County Library and County Department of Parks and Recreation O.E.

5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-122.

6. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Superintendent of Buildings and Grounds, County Library, County Department of Parks and Recreation and PDM Group, the successful bidder. PDM GROUP

Proposal for the furnishing and delivery of HEATING SYSTEMS ANNUAL SERVICE AND REPAIRS for the County of Ocean.

To the Board of Chosen Freeholders of the County of Ocean

Gentlemen:

. . . .

The undersigned hereby declare\_ that \_he\_ ha\_ carefully examined the advertisements and specifications for the **HEATING SYSTEMS ANNUAL SERVICE AND REPAIRS** that they will complete the said contracts to all respects according to the specifications.

#### PRICE SCHEDULE


Item #	Description			Unit of Meas.	Total Price
ANNUA	AL PRESEASON SERVICES				
$\sqrt{1}$	129 Hooper Ave (2 Units)			LS	\$ 200.00
$\sqrt{2}$	119 Hooper Ave (2 Units)			LS	\$ 200.00
$\sqrt{3}$	101 Hooper Ave. (4 Units)			LS	\$ 400.00
J4a	114 Hooper Ave. (6 Units)			LS	\$ 600.00
√4b	114 Hooper Ave., Jail Expansion (2 Units)			LS	\$ 200.00
√5a	118 Washington St. (4 Units)			LS	\$ 400.00
√,5b	118 Washington St., West Wing - Steam (2 Units)			LS	\$ 200.00
√5c	118 Washington St., West Wing (1 Unit)			LS	\$ 100.00
Jра	175 Sunset Ave., (1 Unit)			LS	\$ 100.00
J <sub>1</sub> 6b	175 Sunset Ave., (1 Unit)			LS	\$ 100.00
$J_{\gamma}$	165 Sunset Ave., (2 Units)			LS	<u>දි</u> දි ද ද ද ද
J_8	Route 530 & Mule Rd. (2 Units)			LS	\$ 200.00
1 pa	162 Chestnut St. (1 Unit)			LS	\$ 100.00
$J_{9b}$	162 Chestnut St. (1 Unit)			LS	\$ 100.00
<u>Item</u> #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
	or Other Than Preseason Service gs & Grounds Dept.				
J10a	Mechanic's Rate - Regular working hours	1,500	HR	\$ 78.00	\$ 117,000.00
<i>1</i> 06	Mechanic's Rate - Overtime working hours	250	HR	\$ 117.00	\$ 29,250.00
-10c	Helper's Rate - Regular working hours	700	HR	\$ 30,00	\$ 21,000,00
J <sub>10d</sub>	Helper's Rate - Overtime working hours	100	HR	\$ 45.00	\$ 4500.00

#### PDM GROUP

. . . .

Page 46 of 46

					Page 46 of 46
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
Labor f	or Other Than Preseason Service (Cont'd)				
Parks I	epartment				
Jia	Mechanic's Rate - Regular working hours	300	HR	\$ 78.00	\$ 23,400.00
J11b	Mechanic's Rate - Overtime working hours	45	HR		\$ 5,265.00
√11c	Helper's Rate - Regular working hours	80	HR	\$ 30.00	\$ 2400.00
/11d	Helper's Rate - Overtime working hours	45	HR	\$ 45,00	\$ 2025,00
Library	,				
$\sqrt{\frac{1}{2a}}$	Mechanic's Rate - Regular working hours	315	HR	\$ 78	\$ 24570.00
/12b	Mechanic's Rate - Overtime working hours	90	HR	\$ 117.00	\$ 10,530.00
J <sub>120</sub>	Helper's Rate - Regular working hours	157	HR	\$ 30.00	\$ 4710.00
<b>√</b> 12d	Helper's Rate - Overtime working hours	45	HR	\$ 45,00	\$ 2025.00
Materials for Preseason Service and Repairs, net cost plus mark-up. Example: (\$1,000 x 10%) + \$1000 = \$1,100					
√13a	Buildings & Grounds Department (\$115,000 x <u>5</u> %) + \$115,000 =			·	<u>\$ 120,750.00</u>
√13b /	Parks Department (\$12,000 x <u>/O</u> %) + \$12,000 =				<u>\$ 13, Zoo.co</u>
√ <sub>13c</sub>	Library System (\$2,500 x <u>/O</u> %) + \$2,500 =				
	TOTAL L	UMP S	UM (Add	Items 1-13c):	<u>\$ 2,750.00</u> <u>\$ 386,475.0</u> 0



#### RESOLUTION

September 16, 2020

WHEREAS, on August 18, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: NEW CAMERA TRUCK for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder CUES, Inc.

Address of Bidder 3600 Rio Vista Avenue Orlando, FL 32805 (800) 327-7791

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, CUES, INC. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Camera Truck for the County of Ocean, for the contract period from date of award through September 15, 2021, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows: CUES, INC. for five (5) items, to wit:

ITEMS NO. 1, 1a, 1b, 1c and 1d.

For a Total Lump Sum Award of Item Nos. 1-1d of \$945,600.00

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. WHEREAS, funds for the equipment and services shall be available within the following funding Sources: County Engineering Department and Vehicle Services O.E.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-125.

5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Engineering Department, Vehicle Services and CUES, Inc., the successful bidder.

### Page 26 of 54

#### <u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL	COMPLIANCE	
ENGINE Code 99N: 7.3L 2V DEVCTNA PFI V8 Gas (standard)	<u>YES</u> _X	<u>NO</u>
<b>TRANSMISSION</b> Code 44G: TorqShift 10-speed automatic. Including selectable drive modes: normal, tow/haul, eco, deep sand/snow and slippery (standard)	_X	
Transmission with oil cooler	_X	
AXLE RATIO Limited slip with 4.88 Axle Ratio	<u>    X     </u>	
<b>TIRES/WHEELS</b> Wheels: 19.5" X 6" argent painted steel, including hub covers (center ornaments not included)	<u> </u>	
Tires: 225/70R X 19.5G BSW A/P (standard)		
PRIMARY PAINT Oxford White	_X_	<b></b>
Clearcoat paint	<u> </u>	<u></u>
MECHANICAL Rear-wheel drive	<u>X</u>	
78-Amp/Hour 750CCA Maintenance-Free battery with run down protection	<u>X</u>	
HD 240 Amp Alternator	<u> </u>	
Towing equipment including trailer sway control	<u> </u>	
Trailer wiring harness	<u>x</u>	<u> </u>
9,550 lb. maximum payload with 16,500 lb. payload package	<u> </u>	
HD Shock absorbers	<u>    X     </u>	
Front and rear anti-roll bars	<u>X</u>	
Firm suspension	<u> </u>	
Hydraulic power-assist steering	_X	<del></del>
40 gallon fuel tank	<u>X</u>	<del>_,,</del>
Single stainless steel exhaust	<u>X</u>	

Page 27 of 54

### VITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT 1	, <u>COMPL</u>	IANCE
MECHANICAL (Cont'd)	<u>YES</u>	<u>NO</u>
Dual rear wheels	_ <u>x</u> _	
Front suspension with coil springs	_ <u>X_</u>	
Leaf rear suspension with leaf springs	_X_	
4-Wheel disc brakes with 4-wheel ABS, front and rear vented discs and brake assist	X	
Upfitter switches	<u> </u>	
<b>EXTERIOR</b> Chrome front bumper with black rub strip/fascia accent and two (2) tow hooks	<u> </u>	
Black fender flares	X	
Black side window trim and front windshield trim	<u> </u>	
Black door handles	_X_	
Black manual side mirrors with manual folding	_X	
Manual extendable trailer style mirrors	_X_	
Fixed rear window		
Light tinted glass	<u> </u>	
Variable intermittent wipers	X	
Aluminum panels	_X_	
Front splash guards	X	
Black grille	_X_	
Front license plate bracket	<u> </u>	
Autolamp fully automatic aero-composite halogen daytime running lights preference setting headlamps with delay-off	<u>X</u>	
Cab clearance lights	X	·
<b>INTERIOR</b> 4-Way Driver's and passenger's seat including manual recline and full cloth headliner	<u> </u>	
Manual Tilt/Telescoping steering column	_X	
Gauges: speedometer, odometer, oil pressure, engine coolant temperature, tachometer, transmission fluid temperature, engine hour meter, trip odometer, and trip computer	<u> </u>	

# Page 28 of 54 <u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> <u>205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL</u> (CONT'D)

		<b><u>COMPLIANCE</u></b>		
	YES	<u>NO</u>		
INTERIOR (Cont'd) FordPass Connect 4G LTE WiFI Mobile hotspot internet access	<u> </u>			
Manual A/C, illuminated locking glove box, interior trim including chrome interior accents	<u>X</u>			
Urethane gear shifter material	_X			
Day-Night rearview mirror, passenger visor vanity mirror	<u> </u>	<b></b>		
Two (2) 12Volt DC Power outlets	_X	<u></u>		
Front Map Lights, Fade to off interior lighting, under hood lights	<u> </u>			
Full Vinyl/Rubber floor covering	_X			
Smart device remote engine start	X	. <u> </u>		
Instrument Panel Covered Bin and Dashboard Storage	_X			
Manual first row windows	<u> </u>			
Systems monitor, outside temperature gauge, analog display, manual adjustable front head restraints, air filtration	<u> </u>			
SAFETY Driveline traction control	X			
Side impact beams	_X	<b></b>		
Dual stage driver and passenger seat-mounted side airbags, and front airbags with passenger off switch	<u>_X</u>			
Safety canopy system curtain first row airbags	_X_			
Outboard front lap and shoulder safety belts with head adjusters	<u> </u>	<u>_</u>		
WARRANTY Basic three (3) years/36,000 miles	<u> </u>			
Drivetrain five (5) years/60,000 miles	_X 、			
Corrosion five (5) years/Unlimited miles	_X			
Roadside Assistance five (5) years/60,000 miles	_ <u>X</u>			
ADDITIONAL EQUIPMENT XL Décor Group including chrome front bumper (17F)	_X			

#### Page 29 of 54

#### VITEM #1 - MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

	<u>COMPL</u>	LANCE
ADDITIONAL EQUIPMENT (Cont'd)	<u>YES</u>	<u>NO</u>
Power Equipment Group – Including deletion of passenger side lock cylinder, upgraded door trim panel, accessory delay, advanced security pack, Securilock Passive Anti-theft System (PATS), and inclination/intrusion sensors, MyKey, owner controls feature, power locks, remote keyless entry, folding trailer tow mirrors with power heated glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, power front side windows, 1-touch up/down driver/passenger window (90L)	Χ	
	<u>_</u>	
XL Value package including XL Décor Group, Chrome Front Bumper, Steering Wheel-mounted cruise control (96V)	<u> </u>	
Radio with seek-scan, AM/FM Steror with MP3 Player including four (4) speakers	_X	
Fixed antenna	<u> </u>	
SYNC Communications and entertainment system including enhanced voice recognition, 911 assist, 4.2" LCD center stack screen, applink, One (1) smart charging USB-C port and steering wheel audio controls	_X	
ADDITIONAL MECHANICAL EQUIPMENT Trailer brake controller including smart trailer tow connector, verified to be compatible with electronic actuated drum brakes only (52B)	<u>X</u>	
Transmission power take-off provision including mobile and stationary PTO modes (62R)	<u>X</u>	
ADDITIONAL EXTERIOR EQUIPMENT Platform running boards (18B)	<u>X</u>	
Six (6) tone hydraulic jack	_ <u>X</u>	
ADDITIONAL INTERIOR EQUIPMENT Exterior backup alarm (pre-installed) including custom accessory (76C)	<u> </u>	
AIR CONDITIONING Manual Air Conditioning	<u> </u>	<b>_</b>
Roof top air conditioner, 13,500 BTU with heat strip	_X_	
STANDARD EQUIPMENT - MECHANICAL Rear wheel drive		
Dual rear wheels	<u>X</u>	
Power steering	<u> </u>	
Power 4-wheel disc brakes	<u> </u>	

#### Page 30 of 54

#### VITEM #1 - MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

	Ó <u>COMPLIA</u>	NCE
	<u>YES</u>	<u>NO</u>
CARGO BOX 16' X 8" X 7"	<u> </u>	
LED stop/turn/tail and clearance lights	_X	
Full width Barn doors with CAM (Pipe) Locks on each door Two (2) Master Lock	<u> </u>	
Gray Kemlite on inside of rear doors	<u>_X</u>	
Back-Up Alarm	<u> </u>	
LIGHTING Traffic Advisr, Whelen Tir 3 super LED #tam83 rear	<u> </u>	
<ul> <li>Amber LED strobe lights (Buyers #8891600, or Equal)</li> <li>Eight (8) Lights Total <ul> <li>Two (2) mounted on front grill</li> <li>Two (2) mounted on front corners of box</li> <li>Four (4) mounted on top and bottom rear corners of box</li> <li>Switch mounted on 4-switch box</li> </ul> </li> </ul>	<u>_X</u>	
SAFE ENTRY/EXIT BUMPER Safe entry/exit rear bumper system (S.E.E. Bumper); three (3) steps evenly placed	<u>X</u>	
Bottom folds up for ground clearance	<u> </u>	
Safety Grab Handle	<u> </u>	
<b>POWER BOOM</b> Power boom crane with LED lighting. Power actuated boom extends and retracts up to 24" at the touch of a button, 750 lb. capacity. Yellow Retrieval Hook, 75' x 5/32" cable length, floor mounted, 12VDC, push button 4-function detachable 12' pendant control, powder coat finish. High intensity LED lighting to help light up the manhole to assist in deployment/retrieval of the transporter/camera.	_X	
KICKPLATE TRANSPORTER STORAGE Lockable storage compartment for camera and transporter	_X	
Kickplate two-door aluminum storage	<u> </u>	

# Page 31 of 54 ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D		LIANCE
	<u>YES</u>	NO
EXTERIOR LIGHTING & CONTROL ROOM		
<ul> <li>Two (2) Amber LED Strobe Warning Beacons</li> </ul>		
<ul> <li>Two (2) Adjustable LED Floodlights Rear of Vehicle Area Illumination Control Room</li> </ul>		
Lonseal lonplate flooring (interior)		
• Kemlite wall and ceiling covering (interior)		
• One (1) Bulkhead wall with passage door from control room to equipment room		
• One (1) Tinted viewing window in bulkhead wall and door		
• One (1) Above-desk control console with rack mount for electronic equipment		
One (1) Desktop/Work Area		
• One (1) 12V High intensity LED light fixture		
• Two (2) Electrical outlets with dual receptacles		
• One (1) Fire extinguisher with bracket, 10 BC rating		
• One (1) Operator's chair, swivel with casters		
• One (1) Breaker box storage area with locking positive latch		
One (1) Closet in control room		
One (1) Storage cabinet under control room desktop		
• One (1) Curbside door with fold down steps for Evolution 3.0		
• One (1) Bench seat with cushion in control room	<u> </u>	
GENERAL		
16,500 lb. GVWR	_X	
AM/FM Radio	••	
	X	
Back-up color camera system	X	
Wall mounted electric heater	<u> </u>	
	v	
Tool Chest, Moduline, 5-Drawer	_ <u>X</u>	
Truck-mounted intercom system	<u> </u>	
Foul Weather door	<u> </u>	<u> </u>
Equipment room tool closet	X	
Interior camera storage rack	<u> </u>	

#### Page 32 of 54

#### **<u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> <u>205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL</u> (CONT'D**

	<u>COMPI</u>	LIANCE
	<u>YES</u>	<u>NO</u>
VAN EQUIPMENT ROOM		
Lonseal lonplate flooring		
Kemlite Wall and Ceiling Covering		
One (1) Electrical outlet with dual receptacles		
One (1) 12V high Intensity LED Light Fixture		
• 15-Minute courtesy timer located at rear door area for 12V LED interior lights	<u> </u>	
JPPER AND LOWER STORAGE CABINET IN EQUIPMENT ROOM		
• One (1) lower storage cabinet/work top with sink and faucet		
Upper wall mounted storage cabinet	<u> </u>	
ADDITIONAL LIGHTING/OUTLET		
• One (1) light mounted above worktop		
Duel receptacle outlet above worktop	<u>X</u>	<u></u>
WASHDOWN SYSTEM		
Shall be a 30-Minute System and shall include:		
One (1) 30-Gallon Fresh Water Tank		
One (1) Electric Water Pump		
• One (1) Retractable hose reel with 25' water hose with nozzle	<u> </u>	
2" REAR FLATSCREEN MONITOR COMPONENTS		
Mounted in bulkhead wall		
• Cable assembly – video monitor to monitor in control room		
• Electrical outlet	<u>X</u>	<del></del>
GENERATOR COMPARTMENT UNIT		
Under chassis mount		
Lockable external access door		
Commercial Power Supply receptacle. 25' cord and plug		
Electrical supply center with circuit breaker box		
Commercial power and generator power connectors		
Automatic power transfer switch	X	

Page 33 of 54

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT')	D	
		LIANCE
	<u>YES</u>	<u>NO</u>
SYTEM ENGINEERING PANEL		
• Four (4) function AC power meter displaying critical power information including	ug:	
o Voltage o Hertz		
o Hertz o Amperage		
<ul> <li>Active Power (watts)</li> </ul>		
<ul> <li>Front panel selector switch for two (2) modes of operation:</li> </ul>		
• Fixed reading		
o Continuous		
Generator Battery Meter to display starting and charging voltage		
Generator hour meter		
Generator remote start/stop control switch		
• On/Off switch for emergency warning beacons (switch to illuminate when on)	<u> </u>	
PAN & TILT ZOOM M/C LED CAMERA		
Solid state color sewer TV camera		
• Pan & Rotate camera head, 40:1 Zoom ratio, 10x Optical zoom, 4x digital zoom		
NTSC Color standard with 4x light integration		
• 4 X 5W Cluster LED's for 6" through 72" lines		
Camera transportation and storage case	<u>X</u>	
Built in Sonde for Mainline Camera shall include a built in transmitter, 512 Hz	<u> </u>	<u>.                                 </u>
CAMERA TRANSPORTER		
Steerable unit designed to turn 360° within its own radius	<u> </u>	<u> </u>
wo (2) speed transmission to maximize torque in large diameter pipe with manual		
hifter on camera carrier	<u>    X     </u>	<u>++,, +, _</u>
Unit shall have forward, free wheel and power reverse	_X	
Set of six (6) driven rubber wheels to inspect 8" pipe	<u> </u>	
All six (6) wheel drive transporter assembly to include motor and enclosed drive train	_ <u>X_</u>	
Tip up rear connector	<u>    X     </u>	
10" – 15" Rubber tire kit	<u> </u>	
10" – 15" spacer kit for SPR/PR	<u> </u>	
8"+ Pneumatic tire kit	x	

#### Page 34 of 54

#### **ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL** (CONT'D

	<u>COMPI</u>	<b>JANCE</b>
CARTER A TER ARCHORDER (Classed a)	<u>YES</u>	<u>NO</u>
CAMERA TRANSPORTER (Cont'd) 12" – 15" Pneumatic Tire Kit	<u>    X    </u>	
Electric camera lift	<u> </u>	
Quick cable lock pigtail coupler kit	_ <u>X</u>	
Rear view camera (lift mount) shall be a color NTSC camera and have a lightring with twelve (12) solid state white LEDs	<u>_X</u>	
BRASS COMP STEERABLE CAM TRANS Steerable unit designed to turn 360° with in its own radius	<u>X</u>	<del></del>
Set of driven rubber wheels to inspect 6" pipe	<u> </u>	
Two (2) speed transmission to maximize torque in large diameter pipe with one (1) manual shifter on camera carrier	<u>_X</u>	<u> </u>
Unit shall have forward, free wheel, and power reverse capabilities	<u> </u>	
All six (6) wheel drive transporter assembly to include one (1) motor and enclosed drive train	X	
Tip up rear connector	<u> </u>	<b>_</b>
8" Rubber wheel kit for compact transporter	<u> </u>	<u></u>
10" - 15" Rubber wheel kit for compact transporter	<u>x</u>	
12" – 15" Pneumatic tire kit for compact transporter	<u> </u>	
Electric camera lift for compact transporter	<u> </u>	
Quick cable lock pigtail coupler kit	<u> </u>	
Rear view camera (lift mount) shall be a color NTSC camera and have a lightring with twelve (12) solid state white LEDs	<u> </u>	
ADDITIONAL FEATURES Two (2) HD Cable termination to standard 12-pin termination adapter cable	<u>_X</u>	

#### Page 35 of 54

#### COMPLIANCE YES NO ADDITIONAL FEATURES (Cont'd) One (1) 1500' HD 12 Pin Multi-Conductor Cable, .450 dia. with the following: • 1500' Gold multi conductor Kevlar fiber armored cable • Kevlar armored cable terminal connector with coaxial pin 12-pin dummer protector plug ٠ Cable strain relief X ٠ TV Reel Assembly, Mechanical Footage for Summit Black thermoplastic powder coated frame Power levelwind and multi ratio manual transmission • • Footage meter with local counter and remote electronic counter Transmission control at viewing station • Local reel mount electrical and mechanical control Sealed continuous contact collector assembly • Removable drip pan for cleaning ٠ X TV Reel shall be configured for HD camera use X\_\_\_\_ Automatic payout system for recl shall be installed X\_\_\_ Cable assembly, test, system selection, CATVs Two (2) 19" (minimum) flatscreen color industrial TV monitor NTSC/PAL color X \_ standards X One (1) PCU Assembly One (1) CCU Assembly Rack Mount including the following: • One (1) Alpha numeric information display, with multi paging and defect coding Remote "QWERTY" Keyboard Χ\_\_\_ One screen footage display X \_\_\_\_ Test cable $\mathbf{X}$ 8.7" mini keyboard X \_. Logitech controller with bracket

<u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D

#### CUES, INC. Page 36 of 54 ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D COMPLIANCE YES <u>NO</u> **ADDITIONAL FEATURES (Cont'd)** Wired USB Controller including: Joystick control for Pan and Tilt Zoom Camera to include • 360° Rotate and Optical Pan Joystick control for all steering functions and forward/reverse direction for transporter Camera lift control for optional electronic camera lift Х All other control for the Camera to include: • Iris and Focus Override and Zoom Lights and shutter control for light enhancement • Χ\_\_\_\_ Diagnostics and auto home x \_ Cruise control to set speed of the transporter for hands off operation Х All reel controls to include: Retrieve, release, and variable speed (excluding dolly) Rack-Mount Computer HD Ready, GraniteNet Premium, or equal, to include (at minimum): Motherboard with Intel 8th generation LGA 1151 Socket; Intel Z370 Chipset ٠ Intel Core i7-8700 Processor at 3.2 GHz ٠ Intel UHD Graphics 630 with HDMI/DVI/VGA • 8 GB DDR4 RAM, 240 MHz • Two (2) Intel Gigabit Network adapters ۰ Intel AC 7265 Dual Band Wireless adapter; 802.11 a/b/g/n/ac ٠ Bluetooth 4.2 ٠ Six (6) USB 3.1 Gen 1 ports (Four (4) rear, Two (2) front) ٠ Two (2) USD 3.1 Gen 2 ports (1 type A, 1 type C) • 250 Gigabyte M.2 Solid State Drive • 1 Terabyte SATA Hard Drive, 7200 RPM •

- DVD +/- RW Optical Drive
- USB Video Capture Device for MPEG 1/2/4 WMV
- Two (2) RS232 Serial Comm Ports
- 500 Watt 1U ATX Power supply
- Industrial hardened case slim 2U Design for 19" rack
- Windows 10 Professional 64-bit operating system
- GraniteNet Premium Software
- Visual Display Adapter, 2 GB, HDMI/DVI Display output

HP OfficeJet Color Printer

#### Page 37 of 54

#### ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D

		LIANCE
	<u>YES</u>	<u>NO</u>
ADDITIONAL FEATURES (Cont'd)	v	
GraniteNet Premium Software Support Plan	<u> </u>	
PACP and MACP Module GraniteNet Software	X	
NODE Inspection Module GraniteNet Software	<u> </u>	
GraniteNet Office Kit	X	
GraniteNet Office Support Plan	X	
Downhole Standard Kit to include:		
Toproller Assembly, manhole, TV Only, AI		
<ul> <li>Claw hook, Manhole adapter, f/WT319</li> </ul>		
<ul> <li>Hook assembly, retrieval (SNGL, SHTY/LMP/PR)</li> </ul>		
• Six (6) pole assembly, retrieval/downhole tl, 58"		
<ul> <li>Three (3) additional downhole poles</li> </ul>		
<ul> <li>Roller assembly, invert f/WT319</li> </ul>	X	
		·
Multi Conductor TV Only Tool Kit shall include:		
Milliampeter Tool		
Electrical Tape		
Needle Nose Pliers		
Six-in-One Screwdriver		
• 6" adjustable wrench		
Anti-seize grease		
• 9-piece allen wrench kit		
Solder iron kit		
• Pliers		
• 5/32 T-Handle Hex Wrench	<u>_X</u>	
Redi Evaluation Kit Shall Include:		
Rugged weather proof storage case		
Digital hi-resolution wide angle web camera		
• Diagnostics test box to include:		
<ul> <li>Voltage test points</li> </ul>		
<ul> <li>Built-in Mini Camera</li> </ul>		
Footage test box		
• Digital multi-meter		
USB Diagnostic tool		
Video cables and adapters	X	

# ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D COMPLIANCE YES NO EXTERIOR The vehicle shall include front and rear amber LED warning beacons mounted on the roof. The on/off switch for the beacons shall be located in the cab of the truck to give

roof. The on/off switch for the beacons shall be located in the cab of the truck to give the operator the ability to turn them on before exiting the vehicle. Beacon switches that are mounted in a location other than the cab of the truck shall be deemed unacceptable.	<u>_X</u>	
Two (2) adjustable 12V LED floodlights (work lights) shall be mounted inside of the vehicle box, at the rear header. Floodlights that are mounted on the outside of the vehicle shall be deemed unacceptable.	_X	
<ul> <li>INTERIOR</li> <li>Interior shall be divided into two (2) areas:</li> <li>Operator's control room</li> <li>Equipment/storage room.</li> </ul>	X	
A full width laminate covered bulkhead wall constructed with cabinet grade plywood with an operator pass through door shall divide the two (2) areas.	X	
The bulkhead wall will have a 3" aluminum kick plate (minimum 1/8" thick) attached at the base for protection from possible damage caused by impact.	_ <u>X</u>	
Seat shall be HD Vinyl 40/20/40, Medium Earth Gray; Seat type shall be split bench with center armrest, cup holder, storage and driver's side manual lumbar	X	
CONTROL ROOM Control room shall be located at the front of the van body.	<u></u>	
All cabinets and hinged cabinet doors shall be constructed of 7-ply cabinet grade plywood.	<u></u>	
All cabinets will be mounted above the floor surface on 1/4" nylon spacers	<u> </u>	<b></b>
A 3" aluminum kick plate (minimum 1/8" thick) will be installed at the base of all cabinets and walls to provide maximum protection. Cabinets not constructed of 7-ply cabinet grade plywood shall be deemed unacceptable	<b>X</b> .	
All hinged cabinet doors will have a metal flush (recessed) mounted positive latch, eliminating the unwanted opening of doors during transit.	<u> </u>	
Plastic door latches or surface mounted barrel bolt type latches shall be deemed unacceptable	х	

#### Page 39 of 54

#### **<u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> <u>205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL</u> (CONT'D)**

	<u>COMPLIANCE</u>		COMPLIANCE	
	<u>YES</u>	<u>NO</u>		
CONTROL ROOM (Cont'd)				
Cabinets installed directly on the floor surface without nylon spacers and cabinets constructed with particle/MDF board shall be deemed unacceptable	X			
Cabinets installed without a 3" aluminum kick plate at the base shall be deemed				
unacceptable	X			
The control room floor shall be constructed of a 3/4" cabinet grade plywood substrate with 1/4" tall water relief channels attached to the bottom of the floor	x			
	x			
The plywood substrate shall be covered with lonseal flooring.	<u> </u>			
The control room walls and ceiling will be covered with a seamless Kemlite laminate.	<u> </u>			
The Kemlite laminate on the walls and ceiling shall be void of any seams or exposed				
screws for easy cleaning. Laminate wall and ceiling covering that is not void of seams				
and screws will be deemed unacceptable due to the difficulty of cleaning.	_X	<u>.    </u>		
A plywood control console shall be used for mounting all electronic components.	<u> </u>			
The control console shall be designed to being all controls within much of the enumerous	x			
The control console shall be designed to bring all controls within reach of the operator.				
The control console shall be positioned so the operator can see the equipment room				
area through a tinted window in the bulkhead wall.	<u> </u>			
The control console shall be equipped with 19" industrial rack rails for the electronic				
components.	<u> </u>			
A 1" thick countertop constructed with 7-ply cabinet grade plywood shall be provided.	х			
Y I mick councilop constructed with 7-pry caomet grade prywood shan of provided.		- <b></b>		
The counter top shall be covered with an industrial grade standard laminate (.062" thick)	<u>X</u>	<u> </u>		
A 12V "high intensity" LED indirect light fixture shall be supplied for optimum lighting				
in the control room. Direct or halogen lighting shall be deemed unacceptable.	<u> </u>	<u> </u>		
Two (2) duplex interior electrical outlet shall be supplied in the control room.	X	<del></del>		
Roof mounted air conditioner	x			
Wall mounted electric heater	<u></u>			
Curbside and side entry doors shall be provided with fold-down steps	<u>X</u>			

## Page 40 of 54 ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE. AS SPECIFIED OP FOULT (CONTIN)

205" WHEELBASE, 120" CAB TU AXLE, AS SPECIFIED OR EQUAL (CONT'D	) <u>COMPLL</u> <u>YES</u>	ANCE NO
CONTROL ROOM (Cont'd) Storage cabinet under control room desktop	<u>X</u>	
Cushion for bench seat	<u> </u>	
EVO 3.0 high cube van equipment room interior	<u> </u>	
EQUIPMENT/STORAGE ROOM The equipment/storage room will be located in the rear of the truck body.	<u>X</u>	
The equipment/storage room floor shall be constructed of 3/4" cabinet grade plywood substrate with 1/4" tall water relief channels attached to the bottom of the floor	<u>_X</u>	
The plywood substrate shall be covered with lonseal flooring. Aluminum diamond plate flooring shall be deemed unacceptable	<u> </u>	
The side walls, rear doors, and ceiling shall be constructed of 3/8" plywood and covered with a protective washable Kemlite laminate. The Kemlite laminate on the walls and ceiling of the equipment room shall be void of any seams or exposed screws. Laminate wall and ceiling covering that is not void of seams and screws will be deemed unacceptable	<u>X</u>	
The electrical system shall be designed to fully meet the environmental, safety, and electrical requirements of the vehicle as specified. All electronics will be housed in a climate-controlled cabinet.	<u>X</u>	
A 12V "high intensity" LED indirect light fixture shall be supplied for optimum lighting in the equipment room.	<u> </u>	
All equipment room electrical boxes, outlets, and wiring conduit will be UL approved for exterior use in a wet environment.	X	
One (1) duplex interior electrical outlet will be supplied in the equipment room area. No exposed wiring will be acceptable.	X	
All electrical wiring shall be in accordance with applicable electrical codes including NEC.	<u> </u>	
An automatic transfer switch for shore/generator power shall be installed and will be activated upon receipt of power with a minimum forty (40) second delay to protect all electronic components and assemblies.	<u>_X</u>	

#### <u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EOUAL (CONT'D)

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL	(CONT <sup>7</sup> D) <u>COMPLI</u>	LANCE
EQUIPMENT/STORAGE ROOM (Cont'd)	<u>YES</u>	<u>NO</u>
Brackets shall be mounted on the passenger side rear door to hold all downho invert rollers and manhole adapter hooks when required.	le poles,	
One (1) 30-gallon wash-down system with retractable hose reel with 25' wate nozzle	r hose and X	<del>_</del>
One (1) 30-gallon fresh water tank with a water pump to maintain water press wash down of all cameras, transporters, and other related equipment.	sure for X	
EQUIPMENT ROOM CABINETRY There shall be a workbench with a plywood worktop covered with lonseal lor flooring mounted on the passenger side (curbside) of the equipment room.	aplate X	
A gooseneck faucet will be mounted on top of the plywood worktop for the s	ink. <u>X</u>	<u> </u>
An upper storage cabinet will be mounted over the lower storage cabinet.	X	
There shall be additional lighting and outlet in equipment room	<u> </u>	
Light and a dual receptacle outlet shall be mounted above the worktop.	<u> </u>	
There shall be one (1) interior camera storage rack	<u> </u>	
MONITOR One (1) 32" color flat screen monitor shall be a high quality, ultra-thin, indus color unit.	trial grade	
Shall be compatible with both NTSC and PAL signals.	X	
Shall include an auto-detect function that has the ability to identify the signal being input and automatically switch from NTSC or PAL.	that is	
Shall have the ability to automatically monitor / adjust the video input and op display settings without manual adjustments.	timize theX	
Shall include an on-screen menu for adjusting monitor parameters.	<u></u> X	
The menu shall include a user-friendly graphical interface to guide users through the customization of features and individual preferences.	ugh theX	
Shall operate from 120v ac or 230V AC power sources.	X	

### Page 42 of 54 ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)	<u>COMPLL</u>	ANCE
	<u>YES</u>	<u>NO</u>
GENERATOR Shall be black in color with a metallic finish.	<u> </u>	
Gasoline generator w/electric start - 7000 watt	X	<b>_</b>
<ul> <li>The power source for the system will be a 7000-watt commercial grade alternating current gasoline powered EFI (electronic fuel injection) generator consisting of the following:</li> <li>Shall be an EFI (electronic fuel injection) unit.</li> <li>Shall be designed for commercial mobile applications capable of handling the load of intermittent heavy-duty use for sewer line television inspection units.</li> <li>Shall be capable of continuously producing 7000 watts of power (58.3 amps) at 12 volts AC while rotating at 2880 rpm without undue heating, wear or vibration.</li> <li>Shall be enclosed in a sound-attenuated housing and furnished with a 4-point mour system with coil spring vibration isolators to ensure quiet operation.</li> <li>Shall include self-diagnostic capabilities to simplify troubleshooting.</li> <li>Shall include digital voltage regulation to ensure voltage stability as loads change.</li> <li>Shall include an integral USDA forest service-approved spark-arrestor muffler.</li> </ul>	l :0 nting	
Exhaust System for Generator shall be extended and vented at the roofline. Housing containing vent pipe shall be vertically mounted on passenger side front of cube body with heat shield and rain cap. All stainless steel construction.	X	<u></u>
Size: 33.6 in L X 22.2 in W X 16.7 in H	<u>    X     </u>	
Weight: 290 lbs.	X	
Sound level: 69db (a) at 10 ft., typical installation, full load engine	<u> </u>	
Shall be an OHY, 4-cycle, 90 degree v-twin, two-cylinder gasoline unit developing at least 14 BHP.	<u>X</u>	
Shall be designed to operate the generator at 60 cycles + or - 2 CPS and shall be governor controlled to maintain these cycles under varying load conditions.	_X	
Shall be equipped with pressurized through-flow cooling system and an oil alert system to automatically shut off the engine to prevent damage when the oil level drops below the recommendation level.	<u>x</u> _	
Shall be equipped with electrical starting control (electronic ignition) for local and remote start/stop operation.	X	

#### Page 43 of 54

#### ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

<u>205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL</u> (CONT'I	•	LIANCE NO
GENERATOR (Cont'd) Power (max); gasoline fueled models at 2880 r/min; 14 BHP ignition system; electronic magneto type with resistor plugs.	<u>X</u>	
Fuel consumption: 1.22 gal/hr. gasoline @ full load	<u> </u>	
GENERATOR COMPARTMENT A 30-amp external shore power receptacle shall be provided.	<u> </u>	
Shore power to generator switchover shall be accomplished through a UL approved automatic changeover switch with suitable time delay	X	
A 25 foot, 30 a shore power extension cable shall be supplied.	<u>_X</u>	
SYSTEM ENGINEER PANEL The engineering panel shall provide monitoring of the power supply to the system.	<u> </u>	
The panel circuitry shall be assembled in a rack-mounted chassis for installation in a built in control console.	<u> </u>	
The faceplate shall be heavy gauge aluminum finished with an industrial grade surface and shall have permanent labels designating the function of the various switches and controls.	<u>_x</u>	
<ul> <li>Provisions shall be made on the panel for the following items:</li> <li>AC volt readout</li> <li>AC frequency readout (58-62 hertz)</li> <li>generator remote start/stop</li> <li>generator run time readout</li> <li>flood light switch</li> </ul>	<u>_X</u>	
<b>OPTICAL ZOOM, PAN, AND TILT LED CAMERA AND TRANSPORTER</b> The pan, tilt, and zoom camera shall be designed for use in 6" diameter relined pipe and larger.	<u>_X</u>	
The unit will be designed to provide close-up views of pipe walls during inspection including minute defects and voids.	<u> </u>	
The unit will be color, shall operate optimally through a maximum of 4000' multi-conductor or 2000' single conductor cable	<u> </u>	
Must have a 4-step light enhancement feature that increases the light sensitivity of the camera when encountering challenging light conditions	<u></u>	

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)		
	<u>COMP</u> YES	<u>LIANCE</u> <u>NO</u>
<b>OPTICAL ZOOM, PAN, AND TILT LED CAMERA AND TRANSPORTER (Cont</b> <sup>2</sup> Must have built in field replaceable lighting that provides directional lighting 6"-72" pipe with no requirement to added external lighting. Replaceable light rings will not be accepted. Cameras that require external non-directional lighting to be added to inspect this pipe size range will be deemed not acceptable. Cameras that do not contain field replaceable lighting will be deemed not acceptable.		110
replaceable righting will be deened not acceptable.		
Must have built in diagnostics that display on screen on demand that include a humidity sensor, serial number, temperature sensor, camera amperage, and light voltage. Cameras without built in diagnostics will not be acceptable.	X	
Must have the ability to accept built in directional lighting with built in directional LED lamps for 6"-72" lines. The LED lamps must be field replaceable.	<u>x</u> _	
Must have the option to add precision laser measurement system built into the head of the camera to measure cracks, offsets, and separations in the pipe and display the readings on screen.	X	
Must have built in sonde; sondes mounted outside of the camera body will be deemed unacceptable.	<u>X</u>	
Must have option to add in built in inclinometer.	<u>X</u>	
Individual light modules must be readily field replaceable with limited down time	<u>X</u>	
Camera transporter and the camera must be controlled via a wireless hand held pendant controller that integrates the control for all transporter motions to include speed, forward, reverse, steering and all camera pan and title, rotation, auto centering, iris, and focus overrides plus electric camera lift functions and reel functions. The integrated hand held pendant control must transmit wirelessly or it shall be deemed unacceptable.	X	
Camera transporter must have a rear tip-up waterproof bulkhead connector that minimizes the stress/strain on the connections and interface cable during insertion and retrieval. Transporters with stationary connectors that do not move to reduce the stress on the connections and interface cables will be deemed unacceptable.	X	
Camera transporter shall have a built in two-speed transmission that doubles the torque of the transporter drive train when the large diameter tires are installed. Large Line Kits that require assembly and disassembly when switching from inspecting small diameter pipe to large diameter pipe shall be unacceptable.	X	

#### Page 45 of 54

#### VITEM #1 - MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE

	YES	NO
OPTICAL ZOOM, PAN, AND TILT LED CAMERA AND TRANSPORTER (Cont	'd)	
Camera transporter shall be available in light and heavy weight body options	<u> </u>	
Camera transporter shall have the ability to accept a digital slide scanning camera	<u>X</u>	
Camera transporter shall have the ability to accept a manual or electric camera lift to optically center the camera for large pipe inspections	_X	
Camera transporter shall have a six (6) wheel configuration in 8"-15" pipe to maximize surface area contact and traction to increase pulling capability.		
Camera transporter shall have the ability to be retrieved in freewheel mode by the cable reel with motors disengaged		
Camera must connect directly into the wheeled transporter cradle into a built in receptacle in the transporter assembly. External cables shall not be accepted.	X	
Camera shall have a 4-step light enhancement feature that increases the light sensitivity	_X	
Camera must have built in field replaceable lighting that provides directional lighting for 6"-72" pipe with no requirement to added external lighting. Replaceable light rings will not be accepted. Cameras that require external non-directional lighting to be added to inspect this pipe size shall not be accepted. Cameras that do not contain field replaceable lighting shall not be accepted.	<u>x</u>	
Camera must have built in diagnostics that display on screen on demand that include a humidity sensor, serial number, temperature sensor, camera amperage, and light voltage. Cameras without this feature shall be deemed unacceptable.	x	
Camera, when used with the transporter, must be able to pan and tilt in a 5" diameter pipe	<u>x</u>	
Camera must have the ability to accept built in directional lighting with built in directional LED lamps for $6" - 72"$ lines. The LED lamps must be field replaceable by the operator in field or will be deemed unacceptable.	<u>    X     </u>	
Camera must have the option to add precision laser measurement system built into the head of the camera to measure crack, offsets, and separations in the pipe and display the readings on screen.	X	
Camera must have a built in sonde and the option to add built in inclinometer. Sondes mounted outside will be unacceptable.	<u>X</u>	

#### Page 46 of 54

#### <u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

	COMPLIANCE	
	<u>YES</u>	<u>NO</u>
OPTICAL ZOOM, PAN, AND TILT LED CAMERA AND TRANSPORTER (Cont	'd)	
Camera to be supplied on the compact transporter must be in production for a	v	
minimum of one (1) year.	<u>X</u>	
Individual light modules must be field replaceable within ten (10) minutes with a		
phillips head screwdriver.	Х	
Length of the steerable camera/wheeled transporter assembly cannot exceed 20".		
It must operate in 6" relined through 48" pipe.	Х	
Transporter must have optional high traction steel wheel sets for 6" and larger pipe		
Inspection	<u> </u>	
Transporter must be supplied with rubber tires for 6"-48" pipe inspection and		
pneumatic tires for 15"-48" pipe inspection with heavy debris.	<u> </u>	
Transporter and camera must be controlled via wireless hand held pendant controller		
that integrates the control of all transporter motions to include speed, forward,		
reverses, steering and all camera pan and tilt rotation, auto centering, zoom, lights,		
4-step light enhancement, diagnostics, iris and focus overrides plus electric camera		
lift functions and reel functions. The hand held pendant control must transmit wirelessly or it shall not be accepted.	х	
whelessiy of it shall not be accepted.		
Transporter must have a rear tip-up waterproof bulkhead connector that minimizes		
the stress/strain on the connections and interface cable during insertion and retrieval.		
Transporters with stationary connectors will not be acceptable.	Х	
Transporter shall have a built in two-speed transmission that doubles the torque of the		
drive train when the large diameter tires (7.9") are installed. Large line kits that		
require assembly and disassembly will not be accepted.	<u> </u>	
Transporter must have an optional manual or electric lift to optically center the camera		
in 15"-48" lines.	<u> </u>	
Transporter shall have the ability to be retrieved in freewheel mode by the cable reel	v	
with motors disengaged	<u> </u>	
Transmenter shall be evailable in light and beauty weight body outland	x	
Transporter shall be available in light and heavy weight body options.	<u></u>	
Video cable reel must have an auto payout feature for the video cable to coordinate		
the speed of the video cable with the pulling speed of the camera transporter. Auto		
assist without this feature will be unacceptable.	X	

#### ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE YES NO **OPTICAL ZOOM, PAN, AND TILT LED CAMERA AND TRANSPORTER (Cont'd)** Video cable shall be furnished in length of a minimum of 1200 feet to facilitate inspection of multiple sections with only one set up Х Video cable must be a minimum of .450" diameter, have 2000 lb. break strength, and Х weigh no more than 110 lbs. per 1000 feet. TV Cable reel shall be heavy duty, built into a rugged steel frame designed for fixed mounting into a TV unit. The reel shall be powered by a variable speed electric motor driven through a multi-gear radio transmission. The transmission shall have multiple speeds. The reel shall be equipped with an automatic level wind assembly to evenly pay out or rewind the cable. Lightweight aluminum frame portable TV cable reels Х shall not be accepted. Heavy duty truck mounted steel frame video cable reel shall be supplied. Lightweight Х shall not be accepted. TV cable reel shall have the ability to retrieve the transporter through the pipe into the invert without the need for the motor to be engaged and driving in reverse. Х Cable shall have helically wound conductors, including the coax, so the conductors and the coax are longer than the total length of the cable. Cables where the coax is not Х centered or helically wound are not acceptable. DATA COMPONENTS Data acquisition software must have the ability to click on an asset and display all of the corresponding inspections in chronological order. Х Data acquisition system shall display unlimited images for an observation report and Х shall not be limited to two (2) images. Data acquisition system set up screen must be customizable to fit the specified setup requirements. Х Data acquisition system must be capable of logging continuous defects and next Х various defects within in the start and end of the continuous defect. Data system must be capable of burning DVD or CD media with a one-click simple path. Third party software, such as NERO, shall not be accepted. Х Data acquisition system must be demonstrated to be compatible with Granite XP software and the Granite XP software bi-directional Hansen Interface. Х

# Page 48 of 54 ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)	) COMPI	JANCE
	<u>YES</u>	<u>NO</u>
<b>DATA COMPONENTS (Cont'd)</b> Prospective bidders shall provide proof of registration with ESRI, and should be listed as a valid business partner on their website.	<u>X</u>	
Prospective bidders should own the rights to the software code they are offering; no third parties shall be accepted.	<u>X</u>	
ADDITIONAL COMPONENTS Equipment supplied with this bid shall be compatible with the County's existing CUES truck mounted system.	<u>    X    </u>	
Truck interior must be completely built and assembled by the manufacturer of the CCTV equipment.	<u>X</u>	
<b>DIAGNOSTIC TEST KIT</b> The supplied diagnostic test kit shall provide easy access to CUES Technicians, parts specialists and engineers	<u> </u>	
Shall have a high resolution web camera for two-way video conferencing with CUES technicians.	<u> </u>	
Shall contain a footage test box to substitute the footage head encoder so footage can be generated if encoder malfunctions.	X	
Shall contain a mini camera that will send back video through the TV cable to test the TV camera	X	
Kit shall include a USB diagnostic tool to trouble shoot the computer relating to the five (5) volt power supply and any USB peripherals that are connected to the computer.	<u>X</u> .	
Kit shall be housed in a rugged weather proof storage case.	<u>X</u>	
<b>CAMERA</b> Chassis construction shall include 100% solid state circuitry designed to withstand shocks and vibration normally sustained while being pulled through a pipe.	<u>X</u>	
The camera module shall be an industrial model only. Repackaged consumer grade cameras (i.e. camcorders) will be deemed unacceptable	X	

#### Page 49 of 54

#### <u>ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB,</u> 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D	-	TANIZIT
	<u>COMPI</u> YES	
CAMERA (Cont'd)	165	<u>NO</u>
Operating temperature ranges of the camera shall be 32°F to 120°F. Cameras incorporating built in lighting systems that generate heat exceeding the operating temperature parameters listed by the base stock camera manufacturer will not be		
acceptable.	<u> </u>	<u>_</u>
The camera shall develop a true color and transmit a sharp image picture on the video bandwidths only.	_X	
Picture transmission systems that require the use of R.F. Suppressors and are subject to local transmitter interference shall not qualify as being equal.	_X	<b>_</b>
Full color video bandwidths shall be provided with no sacrifice of low frequency response. There shall be no visible streaking of the low frequency test bars when viewing a standard EIA test chart.	X	<del></del>
Shall not exceed an overall length of 17.7", a head length of 6.6", and a camera barrel diameter of 3"	_X	
CAMERA OPTICAL AND DIGITAL ZOOM Optical & digital zoom and zoom & focus speeds shall be selectable from the maintenance terminal.	_ <u>x</u>	
Remote control of pan, tilt, pan and tilt homing, optical zoom, manual focus, automatic focus, shutter speed, frame integration, manual iris, diagnostics and internal lights shall be provided.	<u>_X</u>	
Optical zoom range: 10x	<u> </u>	<u></u>
Digital zoom range: 4x (40x with optical zoom) total effective zoom ratio: 40:1	<u>X</u>	
The lens shall be an automatic iris type with a manual override (controlled from the control console) to control the illumination range for an acceptable picture between 3 and 10,000 lux. Pan and rotate speeds	X	
Full pan (no load): 56 deg/sec, full pan in 5-7 seconds	<u> </u>	
Full rotation (no load): 31 deg/sec, full rotation in 11-13 seconds	X	
CAMERA HOUSING		
The camera mechanics and electronics shall be housed in a high strength, damage resistant, aluminum housing with a stainless steel tube.	<u>X</u>	

Page 50 of 54

#### ITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

	<u>COMPLL</u>	
CAMERA HOUSING (Cont'd)	<u>YES</u>	<u>NO</u>
The rear portion of the camera shall not exceed 3 inches in diameter to allow for operation i n skids and self-propelled units that are designed for 3-inch diameter cameras.	<u> </u>	
The housing shall be 1/8" minimum wall thickness.	<u>    X     </u>	<b></b>
Housings with thinner stainless steel walls or aluminum walls that easily dent on impact will not be considered equal.	<u> </u>	
The front of the camera head housing shall have a view port of optical grade sapphire.	<u>X</u>	
The rear of the housing shall have a recessed bell to protect the indexed cable connector.	X	
<b>MOUNTING FORK</b> The forward portion of the camera shall not exceed 4.5 inches in diameter and will include the mounting fork, camera head and lighting.	×	
The camera forks must be rounded or chamfered and be the same diameter as the forward portion of the camera to eliminate any sharp corners that can become caught on obstructions.	<u>X</u>	<b></b>
Camera forks that exceed the diameter of the camera housing that are subject to damage inside the pipe are not acceptable.	<u> </u>	
The mounting fork will rotate 360° with an optical viewing angle of 400° and shall allow the camera head to pan mechanically 285° with a pan viewing angle of 331°	<u> </u>	
CAMERA LIGHTING Shall be remotely controlled from the control console.	_ <u>X</u>	
Shall be integrated into the camera and four 5 watt, equaling 20 watts shall provide adequate lighting in pipe sizes from 6" - 72"	<u>X</u>	
Cameras that require external mounted non-directional lighting for 36" through 72" pipe are not acceptable.	<u> </u>	
Electrical specifications and camera requirements	<u> </u>	

#### Page 51 of 54

### TIEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2WD REGULAR CAB, 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)

		COMPL	IANCE
		YES	NO
OP	<b>L</b> IONS		
hA.	Diagnostic Tools / Test Equipment		
1.	Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop,		
	software, cabling, and adapters) and special tools required to perform the		
	full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine,		
	transmission, brakes, hydraulics, and all additional equipment (if applicable).	_x_	
2.	All laptop computers will be of the newest available technology and have		
	sufficient storage and memory to operate all required software.	X	
3.	Provide a list of all test/diagnostic/programming equipment and special tools		_
	being supplied at the time of bid.	_X_	
4.	All software installations and activations will be completed by the successful		
	bidder at no cost to the County.	X	
5.	All software updates and renewal will be provided at no cost to the County		
	for a period of five (5) years from the acceptance of the equipment.	_X	
6.	All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the		
	County for a period of five (5) years from the acceptance of the equipment.	X	
7.	Training shall be provided on all items in this section at a County location.	_ <u>X</u>	
,			

#### **1B.** <u>Two-Way Radio Power and Wiring Requirements for New Vehicles</u>

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with

grounded metal surfaces.

#### V1C. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

#### <u>X</u>

### Page 52 of 54 2WD REGULAR CAB.

<u>VITEM #1 – MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2W</u> 205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT'D)		AK CAB,
205 WHEELBASE, 120 CAB TO AALE, AS SPECIFIED ON EQUAL (CONT D)		JANCE
	YES	NO
OPTIONS		
► 1C. Installation of County Supplied Two Way Radio and Accessories(Cont'd) These wires shall be encased in plastic wire loom and routed from their source Into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.	_X	
In The Lord Course of		
$\sqrt{1D. \underline{\text{Technical Support}}}$ Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.	X	
The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.	<u>X</u>	
Technical support may be requested in the following areas: 1. Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location. 2. Transmission – 1 day at each location 3. Electrical – 1 day at each location 4. Brakes – 1 day at each location		
<ul> <li>5. Hydraulic system (dump body, spreader, snow plow) – 1 day at each location</li> <li>6. Upfitter (dump body, sweeper, etc.) – 1 day at each location</li> </ul>	<u>X</u>	
A technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and		
the successful bidder.	<u> </u>	·
For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel. Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled.	X	
Before the training is scheduled, Vehicle Services and the contractor will agree on the		
scope of the training, and the type and quantity of manuals, etc. that are necessary for proper coverage.	<u>X</u>	

#### VEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XI. MODEL

VITEM #1 - MODEL YEAR 2020, OR NEWER, FORD SUPER DUTY F-450 XL 2		ge 53 of 54 AR CAB,
205" WHEELBASE, 120" CAB TO AXLE, AS SPECIFIED OR EQUAL (CONT')	-	JANCE
	<u>YES</u>	NO
OPTIONS		
V1D. <u>Technical Support</u> (Cont'd) Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative:		
<ul> <li>Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm)</li> </ul>		
b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050	<u>X</u>	
Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location.	<u>_X</u>	
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.	<u>X</u>	
Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.	X	

Proposal for the furnishing and delivery of MOTOR VEHICLE: NEW CAMERA TRUCK for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( X) - YES ( ) - NO

#### PRICE SCHEDULE

T4		Est.	Max.	Unit of	Tiude Duites	Total Detas
<u>  Item #</u>	Description	Qty.	Qty.	Meas.	Unit Price	Total Price
NI	Model Year 2020, or Newer, Ford					
	Super Duty F-450 2WD Regular Cab,					
	205" Wheelbase, 120" Cab to Axle, As		-	-	A AAA 100 00	AAAA 100 00
	Specified or Equal	1	3	EA	\$ 298,100.00	\$298,100.00
	Year, Mfr., Model: 2020 Ford Super D	uty F-45	50 DRW	(F4G) XL	2WD Reg Cab	205" WB 120" CA
	Engine Engine: 7.3L 2V DEVC	<u>CT NA P</u>	FI V8 G	as (STD)	<u> </u>	
	Transmission TorgShift 10-Speed Au	tomatic				
	Delivery, A.R.O. 120 Days					
	Warranty: See Chassis Specification	ons				
	Remarks					
	·····				_	
	<b>OPTIONS</b>					
$\sqrt{1a}$	Diagnostic Tools/Test Equipment,					
	As Specified	1	3	<b>SET</b>	\$ 17,100.00	\$ 51,300.00
<b>1</b> 1b	Two-Way Radio Power and Wiring					···
	Requirements for New Vehicles,					
	As Specified	1	3	EA	S No additional charge	\$
Vic .	Installation of County Supplied Two-	•	2		<u> </u>	
-10	Way Radio and Accessories,					
	As Specified	1	3	EA	SNo additional charge	¢.
Alta	-	L	5	LA	Die autional cua ge	φ
<b>√</b> 1u	Technical Support,				•	<b>.</b>
	As Specified or Equal	1	180	HOUR	\$ No additional charge	: \$
		TO	TAT T 1	NTD STIM	74441 145	\$ EL 200.00
		10	IALLU	INT. SOM	(Add 1-1d):	<u>\$ 51.300.00</u>

#### EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

#### IF PROPOSING OTHER THAN SPECIFIED, VENDOR SHALL INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL

#### VENDOR SHALL INCLUDE WARRANTY DETAILS ON ALL ITEMS WITH BID PROPOSAL



#### RESOLUTION

September 16, 2020

WHEREAS, on August 18, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of SUPPLEMENTARY CORRUGATED POLYETHYLENE DRAINAGE PIPE for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the

following bidders:

Name and Address of Bidder

Chemung Supply Corp. PO Box 527 Elmira, NY 14902 (607) 733-5506

Core & Main LP 228 Williamstown Road Berlin, NJ 08009 (856) 753-5566

Hajoca Corporation 10 Eagle Avenue, Ste. 100A Mt. Holly, NJ 08060 (609) 534-2294

#### Name and Address of Bidder

Brent Material Company 325 Columbia Turnpike Ste. 308 Florham Park, NJ 07932 (973) 325-3030

Ferguson Ent., LLC 190 Oberlin Ave. Lakewood, NJ 08701 (732) 901-4792

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, CHEMUNG SUPPLY CORP., be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract for the furnishing and delivery of Supplementary Corrugated Polyethylene Drainage Pipe for the County of Ocean, for the contract period from date of award through April 14, 2021, as follows: **BID AWARD RESOLUTION** 

<u>CHEMUNG SUPPLY CORP.</u> for seven (7) items, to wit: <u>ITEMS NO.</u> 1, 2, 3, 4, 5, 6 and 7.

This vendor has extend this contract to County Cooperative Contract System Participants.

2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidder in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-126.

4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Engineer, County Road Department and Chemung Supply Corp., the successful bidder.

#### CHEMUNG SUPPLY CORP.

. . . .

#### Proposal for the furnishing and delivery of SUPPLEMENTARY CORRUGATED POLYETHYLENE DRAINAGE PIPE for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(x)-YES ()-NO

The undersigned hereby declare\_that he ha carefully examined the Notice to Bidders, Specifications and Instructions for the furnishing and delivery of CORRUGATED POLYETHYLENE DRAINAGE PIPE, listed below and that, if awarded the Contract he will carry out the work as specified at the location delineated by the ordering department and he will further agree to furnish any additional units, should the Board of Freeholders determine the need for additional units, at the unit prices bid from date of award until the expiration of the contract on April 14, 2021. The contract will be awarded on a line item basis.

#### PRICE SCHEDULE

ttem #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
$\sqrt{1}$	12" Corrugated High Density Polyethylene Drainage Pipe, Type S	2,000	ĹF	\$ 5.50	\$ 11,000.00
$\sqrt{2}$	15" Corrugated High Density Polyethylene Drainage Pipe, Type S	3,000	LF	\$ 7.20	\$ 21,600.00
/3	18" Corrugated High Density Polyethylene Drainage Pipe, Type S	3,000	LF	\$ 9.25	\$ 27,750.00
$\int_{4}$	24" Corrugated High Density Polyethylene Drainage Pipe, Type S	3,000	LF	<b>\$ 15.75</b>	\$47,250.00
J <sub>5</sub>	30" Corrugated High Density Polyethylene Drainage Pipe, Type S	3,000	LF	\$ 24.00	\$ 72,000.00
J6	36" Corrugated High Density Polyethylene Drainage Pipe, Type S	5,000	LF	\$ 28.25	\$ 141,250.00
$\sqrt{7}$	42" Corrugated High Density Polyethylene Drainage Pipe, Type S	1,000	ĹF	\$ 35.00	\$35,000.00

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS  $\circ$ 

#### RESOLUTION

September 16, 2020

WHEREAS, on August 18, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of FIELD NETTING REPLACEMENT FOR BEAVER DAM COUNTY PARK NO. III for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Tex-Net, Inc. 763 B Railroad Ave., PO Box 92 Florence, NJ 08518 (609) 499-9111

Cross Country Cowboy, Inc. 233 13<sup>th</sup> Street Hammonton, NJ 08037 (609) 561-0830

PMY Construction Corp. 124 Park Avenue Lyndhurst, NJ 07071 (201) 866-409

#### Name and Address of Bidder

Accent Fence, Inc. 1450 Bremen Ave. Egg Harbor City, NJ 08215 (609) 965-6400

Giacorp Contracting, Inc. 11 Bradhurst Avenue Hawthorne, NY 10532 (914) 440-0300

WBE Fence Company, Inc. 11 Deer Court Brewster, NY 10509 (845) 279-5335

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, namely that of, TEX-NET, INC., be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Field Netting Replacement for Beaver Dam County Park No. III for the County of Ocean, for the contract period from date of award through September 15, 2021, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows: TEX-NET, INC. for one (1) item, to wit:

<u>ITEM NO.</u> 1

2. Payments for the materials and services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-127.

4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Department of Parks and Recreation and Tex-Net, Inc., the successful bidder.

#### TEX-NET, INC.

Page 21 of 23

# FIELD NETTING REPLACMENT FOR BEAVER DAM COUNTY PARK NO. III SUMMARY OF WORK

#### COMPLIANCE YES NO

#### PART 1 GENERAL

#### 1.01 DESCRIPTION OF WORK

- A. This project involves the demo and installation of approximately a total of 400 lineal feet, 50' height, of ball control netting at Beaver Dam Creek Park. The project includes furnishing all materials and labor of the following items:
  - a. Mobilization of equipment and materials to the site. (No separate payment for this item.)
  - b. Furnish and install all hardware cable & panels of rope edge polyester netting between the poles.
  - c. Demo existing net, cable and hardware.

#### 1.02 UNIT PRICE SCHEDULE

- A. Unit Price Item No. Turnkey
  - a. Description: Demo, not disposal. Furnish and install all netting. Include all netting, cables, helical anchors for vertical cables, and snap hook connectors. Poles will be straightened and plumbed as much as possible.

#### 1.03 TECHNICAL SPECIFICATIONS

- A. Hardware
  - a. Hardware for interior poles: Horizontal support cables shall be attached to the poles (on the range side) using a 5-3/4" long three bolt, galvanized steel cable clamp. The clamps shall have a 13/16" galvanized sheave wheel bolted to the center of the three bolt clamp to anchor the vertical support cable to the pole.
  - b. Hardware for end poles: Three (3), 5/8" diameter x 11 galvanized steel, threaded rods shall bed drilled into the bottom, middle and top of each end pole. The horizontal cables shall be attached on the inside of each end pole to a 5/8" eye nut bolted to each 5/8" diameter threaded rod. The vertical cable shall be attached to each end pole with two (2) bolted 13/16" sheave wheels located at the bottom and top of each pole. On the outside of the end pole, an eye nut will be bolted to each of the top two (2) threaded rods. Guy wires will be attached to these two (2) eye nuts and anchored into the ground at a 45 ° angle with a helical ground anchor.

# TEX-NET, INC.

Page 22 of 23

ON ODD TANKOTS

# FIELD NETTING REPLACMENT FOR BEAVER DAM COUNTY PARK NO. II SUMMARY OF WORK (Cont'd)

	<u>COMPL</u>	<b>JANCE</b>
	<u>YES</u>	NO
(Cont'd)		
SPECIFICATIONS (Cont'd)		
(Cont'd)		
orner poles shall be treated as end poles. However, the own guy wires should be opposite each direction of the fencing.		
ence netting shall consist of knitted polyester netting (Poly 2000 ith a $\pm 1.75$ " mesh, as manufactured by Tex-Net (800-541-1123 equal. Il netting shall be rope bordered. The mesh should be UV stabilized with carbon black. etting shall have a minimum tensile breaking strength of 150 lb etting shall be transported, stored and installed in accordance w anufacturer's specifications. Cables	), s.	
hree support cables shall run horizontally and be attached at e top, middle and bottom of each pole. Vertical cables shall be tached to each pole. All vertical, bottom and middle cables all be $\frac{1}{4}$ ", 7 strand, galvanized steel strand wire. The Top will be 16" diameter ehs strand. If horizontal cables for the netting panels shall be tensioned allow a sag of 6 inches (± 1 inch) over the length of the cable. Not	be _/	
alvanized snap hooks shall be used to attach each netting panel the top, bottom, and vertical cables. hap hooks shall be installed at a minimum 2 foot spacing. hap hooks shall have a minimum working strength of 90 lbs. nchors		 
elical anchors should be made of galvanized steel. or end or corner poles, use a 10"helical x 96" x 1.25" shaft. he anchor should be located as far as possible from the pole.	<u> </u>	
11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		



#### PART 1 GENERAL (O

#### 1.03 **TECHNICAL S**

- Hardware ( Α.
  - c. Cor dov

#### Β. Netting

- a. Fer wit or e
- b. All
- c. The
- d. Net
- e. Net ma
- C. Support C
  - a. Thi the atta sha 5/1
  - b. All to a
- D. Snap Hook
  - a. Gal to t
  - b. Sna
  - c. Sna
- E. Helical An
  - a. Hel
  - b. For The

#### Proposal for the furnishing, delivery, and installation of FIELD NETTING REPLACEMENT FOR BEAVER DAM COUNTY PARK NO. III for the County of Ocean.

To the Board of Chosen Freeholders of the County of Ocean:

Ð

The undersigned hereby declares that the bidder has carefully examined the advertisements and specifications for **FIELD NETTING REPLACEMENT FOR BEAVER DAM COUNTY PARK NO. II** and that they will complete the said contracts to all respects according to the specifications.


#### PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Total Price
<b>J</b> 1	Furnishing, Delivery and Installation of Field Netting Replacement for Beaver Dam County Park, As Specified Herein Warranty: <u>See AHA+CNed</u>	1	LS	\$ 39,000.00
	Remarks: This is for no new 504400 rip And repa		les ju	A 400

#### **EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN DETAILS ON BIDDER'S LETTERHEAD**

#### VENDOR SHALL INCLUDE DESCRIPTIVE LITERATURE AND TECHNICAL SPECIFICATIONS WITH BID SUBMISSION





#### RESOLUTION

September 16, 2020

WHEREAS, on August 25, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: NEW AERIAL BUCKET TRUCK for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Robert H. Hoover & Sons, Inc. 149 Gold Mine Rd. Flanders, NJ 07836 (973) 347-4210 Name and Address of Bidder

Terex Utilities 3140 15<sup>th</sup> Ave. SE Watertown, SD 57201 (605) 868-1740

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, ROBERT H. HOOVER & SONS, INC. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Aerial Bucket Truck for the County of Ocean, for the contract period from date of award through September 15, 2021, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows: ROBERT H. HOOVER & SONS, INC. for seven (7) items, to wit:

ITEMS NO. 1, 1a, 1b, 1c, 1d, 1e and 1f.

For a Total Lump Sum Award (Item Nos. 1 -1f) of \$985,260.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. WHEREAS, funds for the equipment and services shall be available within the following funding Sources: County Road Department and Vehicle Services O.E.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-128.

5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Road Department, Vehicle Services and Robert H. Hoover & Sons, Inc., the successful bidder.

ROBERT H. HOOVER & SONS, INC.	ъ	100 26 of 52
VITEM #1 MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASS		age 26 of 53 OUNTED
AERIAL LIFT, AS SPECIFIED OR EQUAL		
		<u>LIANCE</u>
MODEL	YES	<u>NO</u>
Set Back Axle Truck	]	
Straight Truck Provision		
Left Hand Primary Steering		
GENERAL		
Front Axle GAWR: 13,220 LBS.		
Rear Axle GAWR: 23,000 LBS.		<u> </u>
Total GVWR: 36,220 LBS.		
ENGINELS 3000 2000 PPM CHA \$ 1300		
ENGINE (9 300 2000 RPM 510 8/300 Cummins 6.7L 300 HP@2600 RPM, 660lb.ft.torque@1600. CHMMINS L9		
Must be of parent bore cylinder bore design for durability, electronic fuel injection,		
Must be of parent bore cylinder bore design for durability, electronic fuel injection, and latest electronics for simple service and diagnosis when needed.	/	
and fatest electromes for simple service and diagnosis when needed.		
Displacement shall be 6.7 liters. 8.9 L	/	
ENGINE EQUIPMENT Latest EPA/carb emission certification	/	
Oil Check and Fill mounted on side of engine with extended oil fill tube	/	
Air intake through side of hood with Donaldson air cleaner, firewall mounted		
All make unough side of hood with Donaldson an cleaner, mewan mounted		
DR 12v, 160 amp, 28-si alternator		
Two (2) Alliance Group 31-12V, 2,000 CCA threaded stud batteries	1	
Two (2) Annance Group 51-12 v, 2,000 CCA inteaded stud batteries		
Battery box frame mounted with non-polished cover		
Circle betterne beer former mensues alleft bend side surden ook	1	
Single battery box frame mounted left hand side under cab		
Battery shut off switch left hand floor driver side		
	1	
Jump start studs on frame next to starter		
18.7 cfm air compressor with air compressor governor	/	
Electrical engineered integral shutdown protection		·····
Single right hand under-step mounted after treatment device	1	
Horizontal exhaust pipe right hand side		·····
Kysor on/off rear air fan clutch		

# Page 27 of 53

# VITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

	<u>COMPLIANCE</u>	
	YES	NO
ENGINE EQUIPMENT (Cont'd) Automatic control without dash switch	/	
Automatic control without dash switch		
Fuel filter heated with water separator		
Six (6) gallon DEF tank		
1,115 square inch radiator	_/	
Antifreeze to -34°F	_/	
Gates blue stripe coolant hoses	/	
Constant tension hose clamps for coolant hoses	/	
Phillips-Temro 750 watt/115 volt block heater	_/	
Chrome engine heater receptical mounted under left hand door	_/	····;
Air intake warmer	/	
Delco 12v 39mt HD starter with OCP	/	
TRANSMISSION & EQUIPMENT Allison RDS-3000 6-speed automatic transmission		
Oil cooler in radiator end tank		<u> </u>
Vehicle interface wiring back of cab		
Transmission customer access connector on firewall	_/	
Programming package 223		
Check and fill tube with crossover to clear left hand PTO	_/	
Electronic oil level check		<u> </u>
Magnetic drain plugs: Engine Transmission Axles		
Synthetic lube transmission and all axles		<u> </u>
Dash mounted push button shift control		

Page 28 of 53

# ✓ ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

<u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT D)	COMPLIA	NCE
FRONT AXLE & SUSPENSION	<u>YES</u>	NO
Detroit DA-F-13-3, 13,300 lb. drop single front axle		
Meritor 16.5 x 5" q+ cast spdr cam frt		<u></u>
Brakes, Double Anchor, Fabricated Shoe		
Non-asbestos front brake lining	/	
Conmet cast iron front brake drums	/	
Front brake dust shields		
Front oil seals	/	
Vented front hub caps, with window and side plug -synthetic oil	/	
Meritor automatic front slack adjusters	/	
Trw thp-60 power steering	/	<u></u>
Two (2) quart see through power steering reservoir		
13,300# taper leaf front suspension		. <u> </u>
Maintenance free rubber bushings		······································
Front shock absorbers		·····
REAR AXLE & SUSPENSION Meritor rs-23-161 r-series single rear axle at 23,000 lb.		
5.63 axle ratio	/	
Heavy duty iron rear axle carrier housing		
176t Meritor main driveline with half round yokes	<u></u>	
Driver controlled traction differential		<u>.</u>
For single rear axle driver control differential lockout with indicator light		
Synthetic oil 75w-90w all axles	/	
Meritor 16.5 x 7 q+ cast spider cam		

Page 29 of 53

# VITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT/D)	<b>COMPLIANCE</b>	
REAR AXLE & SUSPENSION (Cont'd) Rear brakes, double anchor, fabricated shoes	<u>YES</u>	<u>NO</u>
Non-asbestos rear brake lining		
Conmet cast iron rear brake drums	_/	
Rear brake dust shields		
Chicago rawhide scotseal rear oil seals	_/	
Wabco Tri-Stop D longstroke-drive axle spring		- <b></b>
Parking chambers rear of axle mounted	_/	
Standard spindle nuts for all axles	_/	
23000 lb. flat leaf rear spring suspension with helper and radius rod; fore/aft control rod;	s	
BRAKE SYSTEM EQUIPMENT Wabco 4s/4m abs w/o traction control enhancement	_/	
Air brake trailer tow provision end of frame	_/	
Reinforced nylon, fabric braid & wirebraid chassis air lines	<u> </u>	
Standard brake system valves; Combo-abs/service brake valve with 5-8 psi crack pressure	/	
BW-AD-9SI air dryer with heater	<u>/</u>	<del>_</del> ,
Air dryer inboard frame mounted		
Aluminum air brake reservoirs; Pull cables on all air reservoirs		<del></del>
FRAME & WHEELBASE 204" wheelbase 138" clear cab to axle steel frame		
120,000 psi 26.80sm, 3,217,200 rbm	<u> </u>	
75 in. Overhang Clear frame rails outboard BOC to front of rear suspension	_/	
Square end of frame	/	
Heavy duty suspension center c-channel crossmember		

#### Page 30 of 53

	<u>COMPI</u>	<u>LIANCE</u>
	YES	<u>NO</u>
CHASSIS EQUIPMENT 14" painted steel bumper	/	
Front tow hooks – frame mounted	/	
Grade 8 chassis fasteners	/	·
Front fender mud flaps	/	
<b>FUEL TANKS AND EQUIPMENT</b> No righthand fuel tank; 50 gallon / aluminum fuel tank lefthand mounted	_/	<b></b>
Short rectangular fuel tank; Painted steel fuel tank bands; Fuel tank forward	/	
Eqiflo inboard fuel system	/	
High temperature.nylon fuel hose		
Fuel water separator with heater and primer pump		
FRONT TIRES, HUBS AND WHEELS 11R X 22.5 16 ply highway tread tires		
Conmet preset plus premium iron front hubs	/	
Accuride 28828 22.5x8.25" 10-hub pilot, 2-hand steel disc front wheels		
REAR DRIVE TIRES, HUBS AND WHEELS 11R X 22.5 16 ply mud and snow drive tread	_/	<del></del>
Conmet preset plus premium iron rear hubs		<del></del>
Accuride 28828 22.5x8 .25 10-hub pilot, 2-hand steel disc rear wheels	_/	<u> </u>
CAB EXTERIOR 108" bbc conventional aluminum cab	/	
Right and left hand cab door w/55 degree door stop	1	
Air cab mounts		
No fender extensions		
Chrome hood mounted intake grille inserts		· <u> </u>
Left and right hand grab handles with rubber insert		

# VITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

# Page 31 of 53

' m

AERIAL LIFT, AS SPECIFIED ON EQUAL (CONT D)	<u>COMPI</u>	
	YES	NO
CAB EXTERIOR (Cont'd) Stationary mounted grille	1	
Tunnel/firewall liner	/	
Fiberglass hood	/	· · · · · · · · · · · · · · · · · · ·
Air horn, single under deck	/	
Single electric horn	/	
Doors & ignition keyed the same ft-1007	/	
Single halogen composite headlamps with bright bezels	/	
Aerodynamic LED marker lights	/	
Integral LED stop/tail/backup lights	_/	
Standard front turn signal lamps		
Dual bright finish HTD mirrors	/	
Door mounted mirrors	/	
102" equipment width	<u>.   </u>	
Left and Right hand 8" convex mirrors, bright finish, mounted under primary mirrors	/	<u>.</u>
One (1) 63"x14" tinted rear window	<i>′</i>	<u>.                                    </u>
Tinted door glass left and right hand with tinted operating wing windows		
Electric door window regulators		
Tinted windshield	/	
Eight (8) liter windshield washer reservoir with fluid level indicator		
CAB INTERIOR Opal gray interior with convenience package	/	
Left hand and right hand molded door panel with upper vinyl & lower vinyl inserts with aluminum kick plate lower doors	_/	
Black vinyl mats with single insulation	/	

## **ITEM #1 -- MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED** AERIAL LIFT, AS SPECIFIED OR EOUAL (CONT'D)

# Page 32 of 53

# ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

<u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT <sup>9</sup> D)	<b>COMPLIANCE</b>	
CAB INTERIOR (Cont'd)	YES	<u>NO</u>
Dash mounted ash tray & lighter	_/	
Map pocket, left door	_/	
Cook hook and dual cup holders	/	
Gray flat dash	/	<b>Vale-1-20-2-2-2-2</b>
One (1) 5 lb. Fire extinguisher	/	
One (1) 12 volt dash mount power supply	/	<u> </u>
Heater defroster and air conditioner; Main HVAC controls	/	<u> </u>
Main fresh air inlet with snow shield		<u></u>
Heater plumbing with ball shut off at supply lines	/	····
Valeo compact air conditioner	_/	
Compressor; Radiator mounted A/C condenser	_/	
Binary control, R-134A	1	
Cab insulation premium		
Solid state circuit protection with spare fuse kit	/	
Center mounted dome light and left and right hand courtesy light in kick panels		
Cab door latches with electric door locks		
Triangular reflectors without flares		<u> </u>
Front mounted turn signals	/	
Premium high back driver seat with adj. Lumbar and dual arm rests		
2 man tool box passenger seat		
Black or gray w/vinyl insert, driver's and passenger seat	_/	
3-point driver & passenger (outside) with seat belt retrieve; 2-point (inside)	<u> </u>	
Adjustable tilt and telescoping steering column		

#### Page 33 of 53

# VITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

	<u>COMPL</u>	<u>JANCE</u>
	<u>YES</u>	<u>NO</u>
CAB INTERIOR (Cont'd) 450mm (18") black steering wheel	_/	
Driver/passenger interior sun visors	_/	
INSTRUMENT PANELS & CONTROLS Electronic gauge multiplex package		
Black gauge bezels	/	
Multiplex instrument cluster mounted panel		
Woodgrain center instrument panel with flat gauge insert		
Low air pressure light and buzzer	/	
Primary & secondary air pressure gauges	/	
Intake mounted air restriction gauge without graduations	/	
87 db to 112 db self-adjusting backup alarm		
Cruise control; electronic controls on dash; Key operated ignition switch with electric start wired through ignition	_/	
Warning light bar display mounted in instrument cluster NGI		
Diagnostic interface connector, 9 pin, SAE J1587/1708/1939, located below dash	<u></u>	<u> </u>
Electric fuel gauge	<u> </u>	
Electrical engine coolant temp gauge		·
Throttle connector in engine compartment		
Engine remote interface with park brake and neutral interlocks	/	
Pre wire for electronic brake control with 7 way trailer cable receptacle	/	
Engine and trip hour meters integral within driver display		<u> </u>
PTO mounting left hand and right hand sides of transmission		
Multiplexed engine oil pressure gauge	/	<del></del>
2" transmission oil temp gauge		

Page 34 of 53

<u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)		OUNTED
	<u>COMPL</u> YES	<u>JANCE</u> <u>NO</u>
<b>INSTRUMENT PANELS &amp; CONTROLS</b> (Cont'd) Overhead instrument panel; AM/FM WB stereo radio; two (2) radio speakers (cab only)	_/	· <b></b>
Left hand roof mounted antenna	/	
Multiplex speedometer w/LCD MSG display, odometer & trip odometer	/	
Driver information display; Multiplexed tachometer 3000 rpm; Voltmeter; multiplexed	/	
Single electric windshield wiper motor with delay		
Three (3) position rotary headlamp switch with separate marker light interrupter switch dimmer with interior dome	/	
One valve parking brake system with warning indicator		
Self cancelling turn signal switch with wiper controls		
Standard heavy duty flasher	/	
PAINT Paint: one solid color	/	
Cab color A: White N0006EA Imron	1	<del>.</del>
Chassis color: Black High Solids		<u></u>
Polyurethane	/	
Front wheel color: vendor black front wheels/rims	/	
Rear wheel color: vendor black rear wheels/rims		
EXTENDED WARRANTY/MANUALS 5 year 100,000 mile engine warranty includes ATS, turbo and injectors	1.	
5 year unlimited transmission warranty	/	
5 year unlimited mileage towing warranty		
One (1) complete set filters and belts chassis		
Three (3) sets of manufacturer's chassis line sheets		
One (1) Front and one (1) rear spare tires and rims assembly		

#### Page 35 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

ARRIAD EIFT. AS ST ECHTED ON EQUAL (CONT D)	COMPLI	ANCE
	YES	NO
EXTENDED WARRANTY/MANUALS (Cont'd)	/	
Three (3) parts & service manuals chassis cd or USB	<u> </u>	
SPECIFICATIONS FOR THE 70 FT. FORESTRY TRUCK LIFT		
INTENT		
The lift shall have a platform height of not less than 70'3" and shall have a 44.8 ft. reach at a working height of 28.7 ft.	/	_
The lift shall have a lifetime warranty on all structural components and shall be designed in accordance with ANSI A92.2 Standard for Vehicle Mounted Elevating and Rotating Aerial Devices.	/	
GENERAL AERIAL DEVICE		
The height from the ground to bottom of the platform floor (based on a 41" chassis height) shall be not less than 70'3"	/	
The working height shall be not less than 75'3" (based on a 41" chassis height)	/	
The maximum reach to edge of platform with upper boom non-overcenter shall be no less than 44'8" at 28'7" platform height.	/	
The maximum reach to edge of platform with upper boom overcenter shall be no less than 48'4" at 9'8" platform height.	/	
The booms shall be mounted in a side by side configuration for low travel height and easy platform access.	/	<u> </u>
PEDESTAL		
The pedestal shall be designed with a 33 inch reverse tapered offset mast assembly and a heavy duty base and tubular sub-frame assembly.	/	<u> </u>
A pilot operated relief and hydraulic locking valve shall be installed directly onto the hydraulic rotation motor.	/	<u></u>
Rotation bearing support ring shall be 1-5/8 inches thick.	/	
The turntable shall be fabricated from 3/4 inch thick reinforced side plates welded to a One (1) inch thick ring gear mounting plate, providing a 36 inch offset between the lower pivot and the center-line of rotation.	/	
For ease of maintenance, the hydraulic reservoir shall be mounted on the base plate of the unit outside of the pedestal and protected with a hinged cover. Since cracks and leaks can easily develop from all of the forces placed on the pedestal area during operation, Units with reservoirs located inside the pedestal will be deemed unacceptable.	/	<u> </u>

# Page 36 of 53 <u>ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

AEXIAL LIFT, AS SPECIFIED OK EQUAL (CONT D)	<b>COMPLIANCE</b>	
BEDESTAL (Constal)	YES	NO
<b><u>PEDESTAL</u></b> (Cont'd) The hydraulic reservoir shall include a 100 mesh suction strainer with bypass, and a Ten (10) micron return line filter with replaceable type element.	_/	
Rotation shall be fully continuous, accomplished by worm gear drive, equipped with extended shaft for manual rotation, driving a shear ball bearing rotation gear.	/	
The fully adjustable rotation drive assembly includes an external eccentric ring adjustment of the gearbox pinion gear to the main rotation bearing, permitting the ability to easily adjust backlash, reduce boom side play and ensure proper tooth contact	/	
Pedestal shall be fabricated from a 16-inch outside diameter x 0.5 inch wall (406 x 13 mm) steel tube welded into a fabricated elevator structure.	/	
All bearing attachment bolts are easily accessed from outside the pedestal and inside the turntable.		
System shall be capable of rotating full rated platform capacity up a 5° slope (9% grade).		
Gear box shall be rated at no less than 22,378 inch pounds using 0.75 inch attachment bolts.		
A removable magnetic filter plug is to be incorporated into the reservoir for removal of any metal that may flow through the hydraulic system.	/	
A bolt on grab handle for turntable shall be provided.	/	
<b>ELEVATOR</b> The elevator shall be comprised of a subbase section, a lower linkage, a riser, an upper linkage, and a pedestal section.	_/	
Elevator link arms shall be mechanically compensated to provide 10 feet of directly vertical lift to the aerial device, with articulation of the elevator arms from stowed to 90°	/	
The elevator section shall be mounted parallel with the chassis frame rails providing maximum use of the space available for body bins, lower control platform		
The elevator assembly shall be attached to the chassis frame by means of 0.5 inch thick steel shear plates.	/	
All pivot bearings shall be greaseless, with only 4 grease fittings required for the elevator lift cylinders.		
When the elevator is fully extended (vertical), it shall provide an additional 10 feet of working height.		

,

# Page 37 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)	<b>COMPLIA</b>	NCE
	<u>YES</u>	<u>NO</u>
<b>ELEVATOR</b> (Cont'd) Operating the unit with the elevator partially or fully extended shall not reduce any posted performance ranges or capacities.	/	
<b>LOWER BOOM</b> Boom shall be manufactured from 12" x 12" x 1/4" wall steel tubing.	_/	
The length of the lower boom from center line lower pivot to the center-line outer pivot shall be 276 inches.	_/	
The lower boom hydraulic cylinder shall be equipped with internal holding valves which lock and hold the boom in position in the event of a hydraulic line failure or loss of power Units using external holding valves will be deemed unacceptable.		
The lower boom hydraulic cylinder shall be equipped with a cushion valve for controlled deceleration.	·	
A filament wound fiberglass insert, $11-3/8$ " square x 5/8" wall thickness shall be located in the lower end of the boom.	/	
The insulation in the lower boom shall provide a 15" clear isolation gap.		
The insulating value of the installed insert, and all components crossing it, shall be rated at 50 KV-AC for a duration of three minutes.	<u> </u>	
Elevation of the lower boom shall be controlled by a single cylinder installed between th base of the lower boom and the pedestal.	e /	
The lower boom articulation shall be 0 to 125°		
The lower boom elevation cylinder shall have two pad mounted, pilot operated hydraulic lock valves.		
The lower boom elevation cylinder shall be secured by two 1-3/8 inches pins installed through bearing lined bosses.	/	
Heavy duty bearings and a 2-1/2 inches O.D. anchor pin shall be installed to support the lower boom to the pedestal.	/	
Boom out of stow indicator shall be provided	_/	
Lower Boom Insulator shall be 15 inches of isolation.		

#### Page 38 of 53 VITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

	<u>COMPL</u>	IANCE
	YES	<u>NO</u>
<u>UPPER BOOM</u> The upper boom shall be cylindrical, made of filament wound fiberglass having a 10 inch inside diameter contains insulated conduit for routing of hydraulic lines and fully contains upper boom leveling system. The County has evaluated both cylindrical and rectangular boom design and has determined that the cylindrical design has a greater degree of deflection affording a greater margin of safety.		
The upper boom leveling system shall be contained within the boom and shall be fully insulated.	/	
The upper boom shall be equipped with heavy duty cylinders.	<i></i>	
The upper boom shall be articulated by (2) single acting hydraulic cylinders with a walking drive link system.	/	
Upper boom drive system shall be maintenance free, having no grease fittings. Units requiring grease of the upper boom drive system shall be deemed unacceptable.	/	
For safety, the upper boom guard shall be easy to inspect on a daily basis.		<del></del>
The hydraulic cylinder shall be equipped with internal pilot operated holding valves which lock and hold the boom in position in the event of a hydraulic line failure or loss of power. Units using external holding valves will be deemed unacceptable.		
The lower end of the upper boom shall have a steel tube base welded to a cast steel cable sheave support.	/	, ····
The upper boom articulation shall be 0 to 270 degrees in relation to lower boom.		
Hydraulic operated upper boom stow latch securing system with support cradle shall be provided.	/	
Boltron upper boom covers shall be provided		
To improve dielectric integrity by keeping moisture from wicking along the hoses, and to retain the hoses from keeping them from hitting the leveling rods and causing or being damaged, all hydraulic lines shall be placed along the inside of the boom into brackets which clamp the hoses to the inside of the boom structure.	/	
End of boom shaft has ring for attachment of fall protection system lanyard.		
PLATFORM ASSEMBLY The platform shall be designed for one person and be manufactured of molded fiberglass		
The platform capacity shall be 400 lbs.		

## Page 39 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

	COMPLIANCE	
	YES	NO
PLATFORM ASSEMBLY (Cont'd)	1	
The platform shall be side-mounted.	_/	
The interior dimensions shall be $24 \times 24 \times 39$ inches deep maximum.		
Platform controls with safety interlock and interlock guard shall be shaft mounted nearest the upper boom.		
The platform control shall operate forward/back operates lower boom down/up, tiller operates rotation CW/CCW, and up/down operates upper boom up/down.	/	
The tiller control shall control all boom functions. Raising of the elevator shall be accomplished by twisting the handle.	/	
The platform mounting bracket shall be woven into the fiberglass of the upper boom. Units using flange head mounting studs installed through the side walls of the platform and glued in place for both the platform mounting and the control mounting will be deemed unacceptable.	/	
A platform step shall be located on the side of the platform nearest the elbow in the stowed position.	_/	
The platform hydraulic control valve shall be housed within a molded fiberglass removable cover, mounted toward the front side of the platform assembly.		
A hydraulic dump valve shall be located at a position easily accessible to the platform operator. In case of emergency, the operator shall be able to activate the hydraulic dump valve stopping all hydraulic functions created by operation of the platform hydraulic control.		
All hydraulic hoses shall be routed inside the boom and covered to protect them from contact with tree limbs, tools, and similar hazards.		
Two (2) sets of tool couplers for open center tools, one (1) set located on each side of the platform shall be provided.		
A tool system relief pressure set at 2,250 psi shall be provided.		<u> </u>
The platform shall be covered by a neoprene-nylon shower cap type cover, having a sewn-in elastic retainer and safety cord and snap.	/	
The platform shall be able to reach the ground from either the over-center or under-center in order to remove an injured operator.	/	
The platform shall be designed to use dump pins to attach it to the platform shaft.	<u> </u>	

# ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE YES NO **PLATFORM ASSEMBLY** (Cont'd) The platform shall tip to the ground below horizontal by the release of a single pin, enabling easy cleanout or the removal of an injured operator. PLATFORM LEVELING Platform leveling, achieved by a single leveling chain and 3/4" fiberglass rods in the upper and lower booms shall be provided. Adjustment of the platform shall be accomplished by turnbuckles located inside the leveling cover on the lower boom and by adjusting studs accessible from the lower end of the upper boom. A mechanical, parallelogram tension system shall maintain the platform level relative to pedestal base plate during all normal operations. / Both the upper boom and lower boom leveling system shall be separately adjustable. 1 Platform level adjustment is easily accessible from external location on lower pivot. / A mechanical pin type allows easy removal of water or debris from the platform. PLATFORM INSULATING LINER An easily removable platform liner shall be provided. The liner shall be fabricated of polyethylene, 24 x 24 x 39 inches. Each liner shall be capable of withstanding an immersion dielectric proof test of 50 KV-AC for 60 seconds without puncture. Each liner shall be identified according to serial number, test date and test voltage. A thermoplastic, non-skid floor liner with molded step shall be installed within the liner to protect the liner floor and provide a non-skid surface for the operator to stand on. A 24 x 24 inches scuff pad with step insert shall be provided for protection of the platform liner FALL PROTECTION SYSTEM A fall protection system mounted to the boom shaft shall be provided, so a platform operator can connect his system directly onto the platform end of the upper boom. The attachment eye shall maintain its vertical position relative to the platform through all boom movements. Fall Protection System to include one body harness and decelerating type lanyard

ROBERT H. HOOVER & SONS, INC.

Page 40 of 53

# Page 41 of 53 VITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

ALALIE LIFT, AS STECHTED ON EQUAL (CONTED)	<u>COMPL</u>	IANCE
EALL DROTECTION SVSTEM (Control)	<u>YES</u>	<u>NO</u>
FALL PROTECTION SYSTEM (Cont'd) Harness shall include adjustable slide buckle on shoulder straps, Velcro chest strap, and interlocking buckles on leg straps and nylon web loop fall arrest attachment on back.	/	
Platform structure has ring for attachment of fall protection system lanyard	$\square$	
<b><u>HYDRAULIC SYSTEM</u></b> The hydraulic system shall power the aerial lift unit, hydraulic tool circuits, and dump-chip body.	/	
The hydraulic system shall be open center (full pressure), maximum flow of 6.0 to 6.5 gpm	/	
The hydraulic pump shall have a maximum operating pressure of 3,000 PSI. Units using gear pumps have been evaluated by the County and have been deemed unacceptable.	/	
For safety, the system shall have a relief valve preset to relieve at 3,000 PSI.	<u> </u>	
The reservoir capacity shall be not less than 30 gallons.	_/	<u> </u>
Sight and Temperature gauge for hydraulic reservoir shall be provided.	1	
The hydraulic outrigger control valves shall be provided.	_/	<u> </u>
The lower control values shall be one single spool selector value and one three spool open center mono-bloc value with override.	/	<u> </u>
Each boom spool shall be connected internally to allow operation of two or more functions simultaneously to prevent the evacuation of oil from any hydraulic line, creating the potential for electrical arcing, a vacuum flashover protection system shall be provided per ANSI A92.2.	/	
HVI-22 hydraulic oil shall be provided.	/	<b></b>
A hot shift Muncie PTO for automatic transmission shall be provided.	/	
A standard pump for PTO shall be provided.	_/	
Standard PTO/Transmission Functionality for Automatic Transmissions shall be provided. If chassis is in gear, and PTO switch is activated, PTO will not engage and chassis will remain in gear. If chassis is already in neutral with PTO engaged and operator tries to shift into gear, PTO will disengage and transmission will shift into gear.	/	
There shall be two (2) hydraulic tool outlets at the platform.		

#### Page 42 of 53 ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

ALAIN LIFT, AS STECHTED ON EQUAL (CONT D)	<b>COMPLIANCE</b>	
	YES	NO
<b><u>HYDRAULIC SYSTEM</u></b> (Cont'd) Both sets of hydraulic tool outlets at the platform shall be engaged by a lever control, properly labeled for function.	/	
All hydraulic control knobs shall be labeled for their function and direction.	/	
A set of overriding controls shall be located at the pedestal turntable to override all platform control functions.	/	
A selector lever at the pedestal controls shall select the upper or lower valve operation. This control knob of the lever shall be painted red for emergency identification.		
All hydraulic hose installed in the aerial device booms shall be insulated, orange colored, high pressure all bonded constructed hose, manufactured to rigid quality standards for dielectric integrity, superior strength, and precision sized.	_/	
For safety, all hoses shall be housed within booms, having properly supported protective covers. Exposed hoses around the upper boom or the outer portion of the lower boom will not be accepted.	/	
All hose ends shall be equipped with crimped face seal fittings, capable of being hand- tightened to withstand 3,000 PSI.	/	
The pump suction line shall be a synthetic rubber hose reinforced with heavy-duty hose clamps.	/	<del>- ,, , , , , , , , , , , , , , , , , , </del>
OUTRIGGER STABILIZERS Primary A-Frame Outriggers with 5-degree swivel shoe shall be provided	/	
Outrigger stabilizers and sub-frame assembly shall be constructed of rectangular steel tubing and welded into one assembly.	/	
The outrigger assembly shall be easily attached to the chassis frame and shall have square tubing telescoping inner tubes operated by hydraulic cylinders.	/	
Each cylinder shall have a dual pilot check valve incorporated into the top of the cylinder. One check valve shall prevent the outrigger from collapsing in the event of line failure, the other shall prevent the outrigger from creeping out when stowed.	. /	
Ground contact shall be from two (2) one pin universal swivel pads (12 in. X 12 in.)		<u> </u>
The spread between the swivel pad pins at ground level shall be 140 inches based on a 41" chassis frame rail height.	/	
Ground penetration shall be 7 to 11 inches depending on chassis frame rail height. For operator safety on uneven or soft ground, units with less penetration will be deemed unacceptable.	/	

#### Page 43 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

COMPLIANCE YES         NO           OUTRIGGER STABILIZERS (Cont'd)	<u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)		
OUTRIGGER STABILIZERS (Cont'd)         Each outrigger stabilizer shall have a hydraulic control lever, having a properly labeled         knob for function and direction         In compliance with ANSI A92.2, each control shall be mounted at the outrigger for safe and easy access from the ground by the operator. The operator shall be capable of visually observing each outrigger pad as it nears the ground, while operating the control vaive.         The outrigger shall have a unit selector control located near the outrigger controls, allows operator to divert hydraulic oil from machine circuit for outrigger operation. This reduces the potential for inadvertent outrigger movement during machine operation if outrigger controls are bumped.         An Outrigger Interlock System shall be provided. It will not allow the unit to be operated until the outrigger pads with handle (18" x 18" x 1") shall be provided.         Outrigger pads holders (20" L x 20" W x 3" H) shall be provided. <i>LECTRICAL ACCESSORIES</i> Lights and reflectors in accordance with FMVSS #108 lighting package.         (Complet LED, including LED reverse lights) shall be provided.         An outrigger motion alarm shall be installed at rear         An electrical panel and switches shall be provided.         Mathematical reger motion alarm shall be provided.         Mathematical reger motion alarm shall be provided.         An outrigger motion alarm shall be provided.         An outrigger motion alarm shall be provided.         An outrigger motion alare grommet mounted lights, front lights mounted at fr			
knob for function and direction       /		/	
and easy access from the ground by the operator. The operator shall be capable of         visually observing each outrigger pad as it nears the ground, while operating the         control valve.         The outrigger shall have a unit selector control located near the outrigger operation. This reduces         the potential for inadvertent outrigger movement during machine operation if outrigger         outrigger Interlock System shall be provided. It will not allow the unit to be operated         until the outriggers have been at least partially deployed         Plastic outrigger pads with handle (18" x 18" x 1") shall be provided.         Qutrigger pad holders (20" L x 20" W x 3" H) shall be provided.         An outrigger motion alarm shall be provided. <u>ELECTRICAL ACCESSORIES</u> Lights and reflectors in accordance with FMVSS #108 lighting package.         (Complete LED, including LED reverse lights) shall be provided.         An vertiger motion alarm shall be installed at rear         A 7-way RV trailer receptacle shall be installed at rear         A PTO Indicator light installed in cab shall be provided. <u>MISCELLANEOUS</u> The entire aerial unit's service manual shall be deemed unacceptable.         The earial unit's service manual shall not require inspections more than once a year.		/	
control valve.       ////////////////////////////////////	and easy access from the ground by the operator. The operator shall be capable of	7	
operator to divert hydraulic oil from machine circuit for outrigger operation. This reduces the potential for inadvertent outrigger movement during machine operation if outrigger controls are bumped.         An Outrigger Interlock System shall be provided. It will not allow the unit to be operated until the outriggers have been at least partially deployed         Plastic outrigger pads with handle (18" x 18" x 1") shall be provided.         Qutrigger pad holders (20" L x 20" W x 3" H) shall be provided.         An outrigger motion alarm shall be provided.         ELECTRICAL ACCESSORIES         Lights and reflectors in accordance with FMVSS #108 lighting package.         (Complete LED, including LED reverse lights) shall be provided.         An telectrical panel and switches shall be installed at rear         An electrical panel and switches shall be provided.         MilsCELLANEOUS         The entire aerial unit's service manual shall not require inspections more than once a year.		/	
until the outriggers have been at least partially deployed       /         Plastic outrigger pads with handle (18" x 18" x 1") shall be provided.       /         Outrigger pad holders (20" L x 20" W x 3" H) shall be provided.       /         An outrigger motion alarm shall be provided.       /         ELECTRICAL ACCESSORIES       ////////////////////////////////////	operator to divert hydraulic oil from machine circuit for outrigger operation. This reduce the potential for inadvertent outrigger movement during machine operation if outrigger		
Outrigger pad holders (20" L x 20" W x 3" H) shall be provided.		<u> </u>	
An outrigger motion alarm shall be provided.	Plastic outrigger pads with handle (18" x 18" x 1") shall be provided.		
ELECTRICAL ACCESSORIES         Lights and reflectors in accordance with FMVSS #108 lighting package.         (Complete LED, including LED reverse lights) shall be provided.         Amber LED, front and rear grommet mounted lights, front lights mounted at front corners of cab guard, wired hot with guarded switch shall be provided.         Dual tone back-up with outrigger motion alarm shall be provided.         A 7-way RV trailer receptacle shall be installed at rear         An electrical panel and switches shall be provided.         A PTO Indicator light installed in cab shall be provided.         MISCELLANEOUS         The entire aerial unit shall have no more than ten (10) grease fittings. Units having more than ten (10) grease fittings will be deemed unacceptable.         The aerial unit's service manual shall not require inspections more than once a year.	Outrigger pad holders (20" L x 20" W x 3" H) shall be provided.	/	
Lights and reflectors in accordance with FMVSS #108 lighting package.	An outrigger motion alarm shall be provided.	<u> </u>	
Lights and reflectors in accordance with FMVSS #108 lighting package.	RI ROTHICAL A CORREQUER		
corners of cab guard, wired hot with guarded switch shall be provided.	Lights and reflectors in accordance with FMVSS #108 lighting package.	/	
A 7-way RV trailer receptacle shall be installed at rear       /         An electrical panel and switches shall be provided.       /         A PTO Indicator light installed in cab shall be provided.       /         MISCELLANEOUS       /         The entire aerial unit shall have no more than ten (10) grease fittings. Units having more than ten (10) grease fittings will be deemed unacceptable.       /         The aerial unit's service manual shall not require inspections more than once a year.       /			
A PTO Indicator light installed in cab shall be provided.	Dual tone back-up with outrigger motion alarm shall be provided.	/	
A PTO Indicator light installed in cab shall be provided.	A 7-way RV trailer receptacle shall be installed at rear		
A PTO Indicator light installed in cab shall be provided.	An electrical panel and switches shall be provided.	/	
The entire aerial unit shall have no more than ten (10) grease fittings. Units having more than ten (10) grease fittings will be deemed unacceptable.	A PTO Indicator light installed in cab shall be provided.	/	
The entire aerial unit shall have no more than ten (10) grease fittings. Units having more than ten (10) grease fittings will be deemed unacceptable.			
	The entire aerial unit shall have no more than ten (10) grease fittings. Units having more	/	
Units requiring inspections, bolts to be re-torqued, etc. Shall be deemed unacceptable.	The aerial unit's service manual shall not require inspections more than once a year. Units requiring inspections, bolts to be re-torqued, etc. Shall be deemed unacceptable.	/	

## Page 44 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

ALRIAL LIFT, AS SPECIFIED OK EQUAL (CONT D)	<b>COMPLIANCE</b>	
MISCELLANEOUS (Cont'd)	<u>YES</u>	NO
For operator safety, all hydraulic cylinder rod ends are to be welded and threaded. Units providing only one means of securing the rods ends will be deemed unacceptable.	/	- <u></u>
Walking link system features uniform speed, smooth and continuous articulation and low maintenance operation shall be provided.	/	
A Maintenance free elbow shall be provided to increase hardness, nitride to prevent rust, and eliminates the need for grease at the elbow.	_/	
Small Boom tip profile shall be provided.	<u> </u>	<b></b> ,,,,,,,
A 140" long cab guard shall be provided with 12 gauge sheet metal with non-skid surfac and expanded metal section at front, black Lexzar coating.	e	<u> </u>
An ICC (underride protection) bumper installed at rear shall be provided.	<u>/</u>	<u> </u>
A set of safety chain loops, fixed mounting shall be provided.		
During aerial lift operations, the maximum operating RPM shall not exceed 1100 RPM.		
For safety, the lower control valve shall include an overriding function which provides complete takeover of the platform controls, enabling a ground person to operate the unit in the event the platform operator becomes disabled.	/	
An outrigger down alarm shall be provided.	/	
An electric backup alarm shall be provided.		
The platform cover shall be Foam-filled, soft 24 x 24 inches.	/	
LED stop and turn lights shall be provided.		
A pintle hook shall be provided.		
For safety, a "BOOM OUT OF REST LIGHT" shall be provided.		
Two (2) corner strobe lights shall be mounted on the underside of the cab guard.		<u> </u>
A captive air controlled remote truck engine START/STOP switch with a secondary stowage system, which includes pump and motor, operates from chassis battery.	<u> </u>	
An air blow off system shall be provided for the cleaning of sawdust from tools. It shall include a hand held nozzle, coil air hose and proper attachment to the chassis air system.	/	
A cover for hydraulic reservoir shall be provided.		

# Page 45 of 53

# VITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)

AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)	COMPLIA	NCE
	<u>YES</u>	<u>NO</u>
MISCELLANEOUS (Cont'd) An electric brake controller shall be provided.	_/	
A body up indicator light shall be provided.		
LED rope lighting shall be provided inside tool compartments.	_/	<u> </u>
Underbody storage box 24"L x 18"W x 24"H shall be provided	/	
A cone holder on front bumper shall be provided	/	
A Go Light wireless remote spotlight shall be provided.	/	
Hydraulic tool circuit, curbside front-beside pedestal shall be provided.	/	
Four (4) scene lights shall be mounted to the sides of the chip dump body, Two (2) each side.	/	
A vise & bracket shall be provided	_/	
A RVS-77 7" Color TFT-LCD rear view vision camera shall be provided.	/	
Five (5) gallons of recommended use hydraulic oil	_/	<u> </u>
(1) Complete set of all fluid filters, air filters and belts for engine, transmission, final drives, mounted equipment, optional equipment, and all accessories that have replaceable filters.	/	
CHIP DUMP BODY (ALTEC OR EQUAL) A chip dump body shall be provided having all components fabricated from galvaneal coated steel, except structural members.	/	
The body shall be 96" wide x 60 high x 132" long, having a capacity of 14.5 cubic yards.	/	
The body shall include structural stringer channels and floor channels.	/	
The body shall have 12 gauge floor plate, 14 gauge sides and front with full length die formed reinforcing ribs, 14 gauge roof, rear top and sides of body reinforced for lower boom support, and a 12 gauge rear under body skirt panels with brackets for remounting chassis lights.		
A 26-1/2 inches (673 mm) high tailgate, hinged curb side with provision to hold open for dumping shall be provided.	/	
The interior of chip body finished with scratch and corrosion resistant liner, and the underside of chip body shall be undercoated (except stringer channels).	/	

## Page 46 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

<u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT D)		
	<u>COMPLIA</u>	
	<u>YES</u>	<u>NO</u>
CHIP DUMP BODY (ALTEC OR EQUAL) (Cont'd) The shire hadre budger lies down haids in stalling hadre a 45% down and and	. /	
The chip body hydraulic dump hoist installation shall include a 45° dump angle and	/	
body prop.	<u> </u>	<u> </u>
A LED lighting protogo with wining hornoop in output time type to an shall be granidad.		
A LED lighting package with wiring harness in automotive type loom shall be provided.	<u> </u>	<u> </u>
Two (2) LED strokes mounted in the unner root corners of the dump hady shall be	1	
Two (2) LED strobes mounted in the upper rear corners of the dump body shall be provided.		
provided.		<del></del>
A curbside built-in ladder compartment 12" wide x 25" high with rear roller and internal	1	
security chain,		
security cham.	_/	<u> </u>
A 11" high pole pruner compartment above ladder compartment with dual shelves and	1	
rear locking door.		
teat locking door.	_/	
Street side compartments shall include a single compartment (66 inches L x 50 inches H		
· · · · ·		
x 26.5 inches D) with two (2) barn-style doors and one (1) vertical door. Two (2) full width abalyze fixed at 11 inches and 25 inches from ten. By the matting (0.125 inch this	1-)	
width shelves fixed at 11 inches and 25 inches from top. Rubber matting (0.125 inch thic	<sup>(K)</sup>	
in bottom on left side for chainsaw storage. Right side has access to horizontal through		
compartment extending to curbside.		<u> </u>
Curbride commente chell include a cincle commenter (41 incluse 1 - 50 incluse II)		
Curbside compartments shall include a single compartment (41 inches L x 50 inches H x $2(5 \text{ inches } D)$ with two (2) have stale bases. Left inches L x 50 inches H x $2(5 \text{ inches } D)$ with two (2) have stale bases.		
26.5 inches D) with two (2) barn-style doors. Left side has two (2) full width shelves fixe		
at 11 inches and 25 inches from top. Right side has six (6) material hooks (3-0-3). Platfo	ITN	
mounted behind compartment 12 inches high x 25 inches wide x 26.5 inches deep.		
Horizontal through compartment (6 inches high) recessed 12 inches, open to StreetSide		
with vertical partitions spaced 10 inches, 6 inches and 9 inches wide with drop-down doo	or.	
Access step to T-box compartment top.	<del>/_</del>	<u> </u>
A rigid access step under through box side access platform shall be provided.	<del></del>	<u> </u>
Dolt on waters down down looks shall be exercised	/	
Bolt-on rotary slam door locks shall be provided.	<u> </u>	
Gen shoeld door holders shall be provided	1	
Gas shock door holders shall be provided.		<u> </u>
Door looks shall be sincle point with leaking articlers	1	
Door locks shall be single point with locking cylinders	_/	
Two (2) 14 gauge wheel chock carriers 11-1/2" W x 12" D with 15° rearward taper for		
retention shall be provided.	1	
rowmon shan of provided.	······································	<u> </u>
A pair of wheel chocks 9.75" L X 7.75" W X 5.00" H shall be provided.		
TA puir of whole chocks 5.75 1528 7.75 W 28 5.00 11 shall be provided.		
A 3 gallon water cask with brackets shall be provided.		
The Brend Land on the Line of Andrew Charles of Brounded		·····
Two (2) mud flaps shall be provided.		
······································	<u></u>	

Page 47 of 53

AERIAL LIFT, AS <u>SPECIFIED OR EQUAL</u> (CONT'D)	COMP	LIANCE
. · · ·	YES	<u>NO</u>
CHIP DUMP BODY (ALTEC OR EQUAL) (Cont'd)	/	
A driveway safety kit shall be provided.	<u> </u>	<u>.</u>
Slope indicator assembly shall be provided.		
CHASSIS SPECIFICATIONS		
The frame rail height shall not exceed 41 inches	<u> </u>	<u></u>
UNDERCOATING		
Entire truck chassis, underside of cab and underside of added body dump, utility, platform) to be coated with Tectyl 2423 haps free black	,	
Which is a low VOC, high solids, emulsion corrosion preventive coating.		
<u>PAINT</u> Aerial Device shall be painted with a powder coat process which provides a finish-pa	ainted	
urface that is highly resistant to chipping, scratching, abrasion and corrosion.		
Paint is to be electro-statically applied to the inside as well as outside of fabricated paint is to be electro-statically applied to the inside as well as outside of fabricated paints are as the statement of t	arts	
hen high temperature cured prior to assembly ensuring maximum coverage and	/	
protection.		
Color of cab, body and boom shall be the County of Ocean's color of "White".	<u> </u>	
TEST AND CERTIFICATION		
Each of the following tests are to be completed and documented and submitted at the	time of deliver	y.
Stability Test 1: 1-1/2 times rated load on level ground.		
Stability test 2: 1-1/3 times rated load on a 5° slope.	/	
State the name and address of the facility where the stability tests required by the bid performed.	specification v	vere
Facility: ALTEC INDUSTRIES		
Address: 1550 AERIAL DO CREEDMOUR, N.C.		
Electrical Test 1: Upper boom @ 100 KVAC for three (3) minutes.		<u> </u>
Electrical Test 2: Lower boom @ 50 KVAC for five (5) minutes.		
Electrical Test 3: Combined upper and lower boom @ 100 KVAC for three (3) minu	ites.	

#### Page 48 of 53 <u>ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

# COMPLIANCEYESNO

1

/

1

#### TEST AND CERTIFICATION (Cont'd)

State the name and address of the facility where the electrical test required by this specification were performed.

Facility: ALTEC INDUST ALTES Address: 15TO AERIAL DA CREEDMONTALC.

Holding Valve Test 1: Upper boom both directions.

Holding Valve Test 2: Lower boom both directions.

Holding Valve Test 3: Rotation both directions.

Speed Test 1: Upper boom.

Speed Test 2: Lower boom.

Speed Test 3: Rotation.

#### WARRANTY

Manufacturer's warranty on aerial device by manufacturer to provide lifetime warranty on structural integrity of the following major components is to be warranted for so long as the initial purchaser owns the product: Booms, boom articulation links, hydraulic cylinder structures, outrigger weldments, pedestals, subbases and turntables.

Manufacturer's warranty on aerial device and components shall be one for (1) year on parts, labor and travel time.

Manufacturer's warranty with stipulations requiring expensive annual inspections by a distributor will be rejected without further review.

#### ANNUAL SAFETY INSPECTION

An on-site annual safety inspection and dielectric testing program shall be provided for each of the first three (3) years of ownership.

The device shall be given a comprehensive safety inspection and dielectric test. The County shall be provided with a full written report and certification by the inspecting factory certified technician while he is on-site.

The inspection shall include all preventive maintenance items, platform control covers, "D"-ring lanyard safety belt, truck engine/auxiliary engine interlock switch, platform emergency shut-off switch, platform step, and all OSHA-MADDAC required decals. Missing decals shall be replaced.

#### Page 49 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

:	AERIA	<u>L LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)		
			COMPLIANCE	
	A NINITI A	L SAFETY INSPECTION (Cont'd)	<u>YES</u>	<u>NO</u>
	At the ti off fluid	me of inspection the inspector shall also change the hydraulic oil filter, top levels, lubricate boom and other appropriate points, adjust the leveling system, k/adjust all hydraulic pressures. Parts and labor shall be included.	/	
	Bidder s	hall submit with his proposal a sample copy of the inspection report.	1	
:	safety in	hall submit a list of New Jersey governmental entities for which a similar 3-year spection program has been (or is being) performed. Such list shall include contactone and equipment covered.	t 	
J.		<u>NS:</u> <u>d Department Paint Color Scheme</u> Bus Yellow from the bottom of the windows down		
		y Blue #5240 from the bottom of the windows up to and including and back		
		from bottom of windshield to a point on the hood to make a "V" of the road department fleet	<u> </u>	
;	Shall be	base coat clear coat	<u>/</u> <u>/</u> /	
I	(Note: N	ot all Vehicles will be painted this way)		
1	1C. <u>Dia</u> g Cummin	cial Paint Colors Not On the Standard Color Chart OTHER THAN STANDARD WHITE gnostic Tools / Test Equipment is Quickserv Unlimited Service plan, with renewals, shall be provided at no the county for a period of five (5) years from the acceptance of the equipment	/	
	1.	Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).	_/	
	2.	All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.	/	
	3.	Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.	/	<u> </u>
	4.	All software installations and activations will be completed by the successful bidder at no cost to the County.	/	

Page 50 of 53

#### <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL (CONT'D)</u>

	<u>COMPLIANCE</u>		
	<u>YES</u>	<u>NO</u>	
( <u>OPTIONS</u> (Cont'd)			
V1C. <u>Diagnostic Tools / Test Equipment</u> (Cont'd)	,		
5. All software updates and renewal will be provided at no cost to the County			
for a period of five (5) years from the acceptance of the equipment.			
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.	/		
7. Training shall be provided on all items in this section at a County location.		<b>-</b>	
<b>1D.</b> <u>Two-Way Radio Power and Wiring Requirements for New Vehicles</u> For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:			
1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.			
2. #12 AWG BLACK wire connected to chassis ground.			
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.			
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with	/		

**J** 1E. <u>Installation of County Supplied Two Way Radio and Accessories</u> Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment,

For the purpose of installing two-way radios into new County vehicles and equipment the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

2. #12 AWG BLACK wire connected to chassis ground.

grounded metal surfaces.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces. \_

Page 51 of 53

NO

COMPLIANCE

YES

#### ✓ <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

# OPTIONS (Cont'd)

✓ 1F. <u>Technical Support</u>

Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.

The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.

Technical support may be requested in the following areas:

- 1. Engine (cooling, fuel, ignition, lubrication systems) -1 day at each location.
- 2. Transmission -1 day at each location
- 3. Electrical 1 day at each location
- 4. Brakes 1 day at each location
- 5. Hydraulic system (dump body, spreader, snow plow) 1 day at each location
- 6. Upfitter (dump body, sweeper, etc.) 1 day at each location

A technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder.

For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel. Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled.

Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper coverage.

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative:

a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm)

b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location.

# Page 52 of 53 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 108SD CHASSIS, WITH MOUNTED</u> <u>AERIAL LIFT, AS SPECIFIED OR EQUAL</u> (CONT'D)

		<u>YES</u>	<u>IANCE</u> <u>NO</u>
7	OPTIONS (Cont'd) 1F. <u>Technical Support</u> (Cont'd) Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.	/	
	Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.	/	

.

Page 53 of 53

Proposal for the furnishing and delivery of MOTOR VEHICLE: NEW AERIAL BUCKET TRUCK for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. (~) - YES () - NO

#### PRICE SCHEDULE

Item		Est.	Max.	Unit of		
$\sqrt{\frac{\#}{1}}$	Description	Qty.	Qty.	Meas.	Unit Price	Total Price
<b>N</b> 1	Model Year 2021, or Newer, Freightliner 108SD Chassis, with Mounted Aerial Lift,		_		- 700 000	n Que este an
	As Specified or Equal	1	3	EA	\$710,337.0	<u>x \$ 811,011.00</u>
	Year, Mfr., Model: 2021 FREIO	FHTZ	INER	1085D	-	
	Engine: <u> </u>	·····			<u>_</u>	
	Engine: <u>L9 CUMMINS</u> Transmission: <u>3000 R.D.S MLLI</u> Delivery A.B.O. <u>200 ANS</u>	SON			_	
	Delivery, A.R.O.: <u>300 A4YS</u>	,,,		ę)	_	
	Warranty: / YEAR BASIC + EXT,	END E	o Wan	CRANTY		
	Remarks:				_	
1.	OPTIONS					
<b>1</b> 1a	Road Department Color Scheme, As Specified	1	3	EA	\$ 39 26.00	\$11,778.00
116	Special Paint Colors, Not on the Standard		2		<i>,</i>	
	Color Chart	1	3	EA	<u>▶ 25 00.00</u>	\$ 7,500,00
lc	Diagnostic Tools/Test Equipment,					· ··········
	As Specified	1	3	SET	\$20,417.00	\$61.251.00
<b>1</b> 1d	Two-Way Radio Power and Wiring					$\mathfrak{D}$
	Requirements for New Vehicles, As Specified	1	3	EA	\$ 500.00	
1c	*	•	5			<u></u>
V IC	Installation of County Supplied Two-Way Radio and Accessories, As Specified	1	3	EA	\$ 740.00	\$ 2,220,00
<b>1</b> If	Technical Support, As Specified or Equal	1	180	HOUR	\$ 500.00	\$ 90,000,00
	നവ	ГАТ Т <b>т</b>	IMP STI	маан	(tem #'s 1-1f):	\$ 985,260.0
	101		JVIF SU	un (Ann 1		\$700, <u>~6</u> 070

# EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

IF PROPOSING OTHER THAN SPECIFIED, VENDOR SHALL INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL

VENDOR SHALL INCLUDE WARRANTY DETAILS ON ALL ITEMS WITH BID PROPOSAL

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS

#### RESOLUTION

September 16, 2020

WHEREAS, on August 25, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of DISPOSAL OF USED TIRES NO. II for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder Rubbercycle, LLC

Address of Bidder 1985 Rutgers University Blvd. Lakewood, NJ 08701 (732) 313-0203

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, in each instance, be accepted namely that of RUBBERCYCLE, LLC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the transporting, storage and Disposal of Used Tires No. II, for the County of Ocean, from date of award through September 15, 2021, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

**BID AWARD RESOLUTION** 

<u>RUBBERCYCLE, LLC.</u> for three (3) items, to wit: <u>ITEMS NO.</u> 1, 2 and 3.

2. The acceptance made in Paragraph 1. is made with the understanding that the successful bidders will enter into written contracts for the faithful performance of their bid.

3. Payments for the services to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-130.

5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Solid Waste Management, Vehicle Services and Rubbercycle, LLC the successful bidder.

#### RUBBERCYCLE, LLC

Proposal for the furnishing and delivery of DISPOSAL OF USED TIRES for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. 🖌 - YES

( )-NO

#### PRICE SCHEDULE

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
$\sqrt{1}$	Transporting, Storage and Disposal of Used Tires	70 ¥			
	Per Ton, As Specified	90	TON	\$ 600	\$ 54000
	End Use:				
	Trailer Size:				
	Length:				
	Width:				
	Height:				
	Capacity: 14 Tons				
√2	Disposal of Used Tires, Sizes Range from Motorcycle to 1020's, Per Ton, As Specified	5	TON	\$ <sup>200</sup>	\$ 1000
	Rubbermulch				
<b>J</b> 3	Disposal of Used Tires, Sizes Range from Any Tire Larger than 1020 to 26.5 x 28 Loader Tires, Per Ton, As Specified	5	TON	<b>\$</b> 600	<b>\$</b> 3000
	End Use: Rubbermulch				
	Bidder's Storage and Disposal Location:				
	Address: Rubbercycle LLC 1985 Rutgers University	Blvd.			
	Lakewood, NJ 08701				
	Contact Person:				
	Phone #: 732-904-0524				

### **BIDDERS SHALL ATTACH PHOTOCOPY OF PERMITS AS INDICATED ON PAGE 20** BIDDERS SHALL ATTACH AFFIDAVIT OF PERMITS

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS 21

#### September 16, 2020

WHEREAS, on September 1, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of FIXED HAMMERS, INSERTS, AND WEAR PARTS FOR VARIOUS EQUIPMENT NO. II for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder Eagle Truck Equipment, Inc. Address of Bidder PO Box 119 40 Pottstown Pike Uwchland, PA 19480 (610) 458-5333

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, be accepted, namely that of, EAGLE TRUCK EQUIPMENT, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Fixed Hammers, Inserts, and Wear Parts for Various Equipment No. II for the County of Ocean, for the contract period from date of award through August 18, 2021, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows: BID AWARD RESOLUTION

PAGE 2

EAGLE TRUCK EQUIPMENT, INC. for one (1) item, to wit: ITEM NO. 1.

This vendor has extended this contract to County Cooperative Contract System Participants.

2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-134.

4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, Solid Waste Management, and Eagle Truck Equipment, Inc., the successful bidder. . .

1

#### Proposal for the furnishing and delivery of FIXED HAMMERS, INSERTS, AND WEAR PARTS FOR VARIOUS EQUIPMENT NO. II for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. (X) - YES () - NO

#### PRICE SCHEDULE

, Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
√ 6	Side Plates for Scarabs, Part #SC3200, As Specified or Equal	10	SETS	\$ 6,930.04	\$ 69.306.40
	Mfr. Model: 5C 3200 Delivery A.R.O.: 4 Day Tran Remarks: In Stock to 5h	isit ip s	Jame ?	Dary	

.

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOLCHERS	
NOB2020-93	

September 16, 2020

WHEREAS, on August 5, 2020 a resolution was adopted which awarded

### contract B2020-93 for PARTS AND ACCESSORIES FOR VEHICLES AND

EQUIPMENT 15,000 GVWR OR GREATER for the County of Ocean; and

WHEREAS, it has been recommended to this Board that an Amendment to the resolution is necessary as a successful bidder, C & M Auto Parts, Inc., wishes to extend contract prices to "County Cooperative Contract Purchasing System Participants";

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to amend the Resolution for PARTS AND ACCESSORIES FOR VEHICLES AND EQUIPMENT 15,000 GVWR OR GREATER for the County of Ocean.

2. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Purchasing Agent, Department of Finance, Buildings and Grounds Department, Parks Department, Road Department, Solid Waste Management Department, Transportation Department, Vehicle Services Department, and C & M Auto Parts, Inc.



## C & M AUTO PARTS, INC.

Ref – Bid # B2020-93 Vendor – C & M Auto Parts, INC.

Jennifer Bowens,

We are the vendor that got awarded Bid # B2020-93 and would like to extend our Contract pricing for Co-op. Please update us for this amendment.

Thank yoy. Onur Guneren **General Manager** ٩

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS 020 - 118CE

September 16, 2020

WHEREAS, on September 2, 2020, a contract was awarded for the project entitled CONSTRUCT T-HANGAR AND TAXILANES for the County of Ocean; and

WHEREAS, upon further review of the contract documents, the Purchasing Agent has recommended to this Board that an Amendment to the resolution is necessary due to typographical errors.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Freeholder Director and Clerk of this Board are hereby authorized and directed to amend the Resolution BID AWARD RESOLUTION PAGE 2 September 2, 2020, certifying that funds are available in the amount of \$2,806,441.50 for the Construct T-Hangar and Taxilanes project.

2. All other provisions of the resolution and contract documents shall remain in full force and effect.

3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-118CE.

BE IT FURTHER RESOLVED that certified copies of this resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Director of the Planning Board, and C&S Engineers, Inc., the consulting engineer.

# No Associated Documents

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS

#### R E S O L U T I O N September 16, 2020

WHEREAS, the County of Ocean owns Ocean County Airport at Robert J. Miller Airpark in Berkeley and Lacey Townships, Ocean County; and

WHEREAS, there exists a need to design for the rehabilitation of the airport's apron; and

WHEREAS, on March 4, 2020 the County authorized a grant application to the Federal Aviation Administration (FAA) for up to \$540,000.00 to cover ninety percent (90%) of the grant project costs—in addition to a local match from either or both the County of Ocean or the New Jersey Department of Transportation (NJDOT) covering the remainder of all costs up to \$60,000.00—of the Rehabilitate Apron (Design) Phase I project; and

WHEREAS, on June 18, 2020 the County received a grant award from the FAA for \$586,000.00 to cover one hundred percent (100%) of the grant project costs of the Rehabilitate Apron (Design) Phase I project; and

**WHEREAS,** on August 5, 2020 the County formally accepted the FAA's coverage of one hundred percent (100%) of the grant project costs, clarifying that no financial contribution in the form of a local match will be required by either the County of Ocean or the NJDOT; and

WHEREAS, the FAA maintains a consultant selection review process as outlined in FAA Advisory Circular 150/5100-14E; and

WHEREAS, the County advertised a Request for Qualifications on December 6, 2018 for professional engineering and consulting services for the Airport, according to FAA requirements, for securing architectural, engineering, and planning consultant services for airport improvement projects; and

WHEREAS, the five-year contract for professional engineering and consulting services under the Airport Capital Improvement Program was awarded to the submitter of the most qualified proposal, C&S Engineers, Inc. of Syracuse, New York, commencing on January 1, 2019; and

WHEREAS, this award was made in accordance with the provisions of N.J.S.A. 19:44A-20.4 et seq. through an open and fair process; and

WHEREAS, the FAA has approved a cost proposal from C&S Engineers, Inc. for completion of Construction Administration and Construction Observation of the Rehabilitate Apron (Design) Phase I project in an amount not to exceed \$574,000.00; and

WHEREAS, the Department of Planning has determined that C&S Engineers, Inc. is qualified and eligible to provide and be awarded the contract for these services; and

**WHEREAS,** the Department of Finance will certify funds in the amount of \$574,000.00 in Account Number 017-810-V086 pending approval of the grant amendment to the 2020 County Budget to cover the costs of this contract.

- 1. The Freeholder Director and Clerk of the Board are hereby authorized to execute a Professional Services Contract with C&S Engineers, Inc., having its offices at 499 Colonel Eileen Collins Boulevard, Syracuse, NY 13212, in the amount of \$574,000.00 for the completion of Construction Administration and Construction Observation of the Rehabilitate Apron (Design) Phase I project.
- 2. Copies of the Resolution together with a copy of the contract for such services set forth above shall be placed on file and be kept available for public inspection in the Office of the Clerk of the Board during normal business hours.

## RESOLUTION PAGE 2

- 3. The contract number shall be placed on all papers, documents, invoices, and vouchers pertaining to this Agreement, the number being <u>QP2020-103</u>.
- 4. The Freeholder Director, Clerk of the Board, and other designated County officials are hereby authorized and directed to execute any necessary subsequent related documents.
- 5. Copies of this resolution shall be made available to the County Administrator, County Finance Director, County Management & Budget Director, County Planning Director, FAA Harrisburg Airport District Office, NJDOT Division of Aeronautics, and C&S Engineers, Inc.

September 16, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders on March 18, 2020 adopted a "Proclamation of the Emergency" to protect health and safety of all County residents; and

WHEREAS, on March 18, 2020 the Board of Chosen Freeholders adopted a Proclamation of Emergency in response to the Coronavirus including authorizing to the County Purchasing Agent to issue or award emergency purchase orders pursuant to N.J.S.A. 40A:11-6, N.J.S.A. 5:34-6.1 and Local Finance Board Notice 2020-06; and

WHEREAS, due to the COVID-19 epidemic and uncertainty of the length of time the epidemic; and

WHEREAS, on January 2, 2020 contract QP2020-4 was awarded for auditing services to Robert W. Allison, CPA, RMA, PSA; and

WHEREAS, it is necessary to amend the contract amount to include services for OCCARESgrant Agreement Adherence and Expenditure Claims Assessment as outlined in the proposal dated September 2, 2020; and

WHEREAS, funds will be made available from the appropriation entitled CARES Act Coronavirus Relief Fund account number 9999-019-015-0003 in the amount of \$150,000.

- 1. Contract QP2020-4 is hereby increased from \$295,500 to \$445,500.
- 2. The proposal dated September 2, 2020 will serve as the amendment to the original contract. A copy of this Agreement shall be kept on file and available for public inspection at the Office of the Clerk of the Board of Chosen Freeholders, Ocean County Administration Building, 101 Hooper Avenue, Toms River, New Jersey.
- 3. This contract is awarded as a "Professional Services" in accordance with the Local Public Contracts Law, N.J.S.A. 40A:11-5(1)(a), as the services required in connection with this Agreement shall be provided by licensed accountants and constitute professional services as defined therein.
- 4. A notice of this action shall be published once as required by law.
- 5. The contractor shall include the contract number on all papers, documents, invoices and vouchers pertaining to said contract.

6. Certified copies of this resolution shall be made available to Ocean County Department of Finance and the County Auditor.

CONTRACT NO. MUST BE ON ALL
PAPERS, DOCUMENTS, INVOKCES, VOUCHERS
AA2010 1117
$m_{c}$ CC2019-147
and the second se

#### RESOLUTION September 16, 2020

WHEREAS, on December 18, 2019 the Ocean County Board of

Chosen Freeholders awarded a contract to Community Services, Inc. of Ocean

County to provide services to the elderly of Ocean County; and

WHEREAS, the original amount of the contract \$46,248.00 is decreased to the total amount of \$45,444.00.

#### NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF

#### CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW

JERSEY, that the contract dated December 18, 2019 is now amended to decrease their contract for services as follows:

Organization	Original Amount	Decreased Amount	Revised Amount
Ocean Area Plan Grant 017-820-V004	\$46,248.00	(\$804.00)	\$45,444.00
Total	\$46,248.00	(\$804.00)	\$45,444.00

BE IT FURTHER RESOLVED, that the contract number must

be placed on all papers, documents, invoices and vouchers pertaining to said agreement, the number being <u>CC2019-147</u>

BE IT FURTHER RESOLVED that the Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, the Department of Finance, the Director of the Office of Senior Services, and the Director of Community Services, Inc. of Ocean County.

#### September 16, 2020

WHEREAS, on December 18, 2019 the Ocean County Board of Chosen Freeholders awarded a contract to Community Services, Inc. of Ocean County to provide home delivered meals to the elderly of Ocean County; and

WHEREAS, additional funds are available to increase these support services from accounts maintained by the Ocean County Office of Senior Services; and

WHEREAS, the original amount of the contract \$1,564,422.00 was amended on June 17, 2020 to increase their total contract to \$1,776,596.00; and

WHEREAS, the amended amount of \$1,776,596.00 is now increased to the total amount of \$1,787,686.00.

NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the contract dated December 18, 2019 is now amended to increase their contract for services as follows:

	Original	Increased	Revised
Organization	Amount	Amount	Amount
Ocean Area Plan Grant			
017-820-V004	\$302,235.00	\$5,855.00	\$308,090.00
State COLA			
017-820-V036	\$40,622.00	\$0	\$40,622.00
USDA			
017- <b>82</b> 0-V096	\$70,792.00	\$5,235.00	\$76,027.00
HDM Covid-19			
017-820-V011	\$212,174.00	\$0	\$212,174.00
Office of Senior Services			
016-215-5058	\$1,150,773.00	\$0	\$1,150,773.00
Total	\$1,776,596.00	\$11,090.00	\$1,787,686.00

**BE IT FURTHER RESOLVED** that the contract number must be placed on all papers, documents, invoices and vouchers pertaining to said agreement, the number being <u>CC2019-148.</u>

**BE IT FURTHER RESOLVED** that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, the Department of Finance, the Director of the Office of Senior Services, and the Director of Community Services, Inc. of Ocean County.

#### September 16, 2020

WHEREAS, on December 18, 2019 the Ocean County Board of

Chosen Freeholders awarded a contract to Community Services, Inc. of Ocean County to provide Home Delivered Meals to the elderly of Ocean County; and

WHEREAS, the original amount of the contract \$39,672.00 is decreased to the total amount of \$39,524.00.

NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the contract dated December 18, 2019 is now amended to decrease their contract for services as follows:

Organization	Original Amount	Decreased Amount	Revised Amount
Medicaid Match 017-820-V038	\$39,672.00	(\$148.00)	\$39,524.00
Total	\$39,672.00	(\$148.00)	\$39,524.00

BE IT FURTHER RESOLVED, that the contract number must be placed on all papers, documents, invoices and vouchers pertaining to said agreement, the number being <u>CC2019-149</u>.

**BE IT FURTHER RESOLVED** that the Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, the Department of Finance, the Director of the Office of Senior Services, and the Director of Community Services, Inc. of Ocean County.

## RESOLUTION September 16, 2020

WHEREAS, on December 18, 2019 the Ocean County Board of Chosen

NO.

Freeholders awarded a contract to Community Services Inc. of Ocean County. to provide services to the elderly of Ocean County; and

WHEREAS, the original amount of the contract \$448,749.00 is decreased

to the total amount of \$427,196.00.

## NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that

the contract dated December 18, 2019 is now amended to decrease their contract for services as follows:

Organization	Original Amount	Decrease Amount	Revised Amount
Ocean Area Plan			-
Grant			
017-820-V004	\$141,619.00	(\$21,553.00)	\$120,066.00
State COLA			
017-820-V036	\$63,689.00	\$0	\$63,689.00
Office of Senior			
Services			
016-215-5058	\$243,441.00	<u>\$0</u>	\$243,441.00
010 215 5050	<u>\$275,771.00</u>	<u>40</u>	<u></u> ,++1.00
Total	\$448,749.00	(\$21,553.00)	\$427,196.00

BE IT FURTHER RESOLVED that the contract number must be placed on all

papers, documents, invoices and vouchers pertaining to said agreement, the number being

CC2019-152

**BE IT FURTHER RESOLVED** that the Director and Clerk of the Board are

hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, the Department of Finance, the Director of the Office of Senior Services and the Director of Community Services Inc. of Ocean County.

#### CONTRACT NO, MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS NO. CC2019-153

## RESOLUTION

#### September 16, 2020

WHEREAS, on December 18, 2019 the Ocean County Board of Chosen Freeholders awarded a contract to Community Services, Inc. of Ocean County to provide Congregate Meal Service to the elderly of Ocean County; and

WHEREAS, the original amount of the contract \$782,173.00 was amended on June 17, 2020 to increase their total contract to \$940,124; and

WHEREAS, the amended amount of \$940,124.00 is now decreased to the total amount of \$924,452.00.

NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the contract dated December 18, 2019 is now amended to decrease their contract for services as follows:

	Original	Decreased	Revised
Organization	Amount	Amount	Amount
Ocean Area Plan Grant	<u> </u>		
017-820-V004	\$433,898.00	(\$15,672.00)	\$418,226.00
USDA			
017-820-V096	\$53,971.00	\$0.00	\$53,971.00
Office of Senior Services			
016-215-5058	\$294,304.00	\$0.00	\$294,304.00
Congregate Covid-19			
017-820-V012	157,951.00	\$0	157,951.00
Total	\$940,124.00	(\$15,672.00)	\$924,452.00

BE IT FURTHER RESOLVED, that the contract number must be placed on all papers, documents, invoices and vouchers pertaining to said agreement, the number being <u>CC2019-153.</u>

**BE IT FURTHER RESOLVED** that the Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, the Department of Finance, the Director of the Office of Senior Services, and the Director of Community Services, Inc. of Ocean County.

	CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS
0.	CC2020-42

#### September 16, 2020

WHEREAS, on January 15, 2020 the Ocean County Board of Chosen Freeholders awarded a contract to Long Beach Island Community Center, Inc. to provide services to the elderly of Ocean County; and

WHEREAS, the original amount of the contract \$392,485.00 is decreased to the total amount of \$390,471.00.

NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that

the contract dated January 15, 2020 is now amended to decrease their contract for services as follows:

Organization	Original Amount	Decrease Amount	Revised Amount
Ocean Area Plan			
Grant			
017-820-V004	\$138,817.00	\$0	\$138,817.00
State COLA			
017-820-V036	\$30,078.00	\$0	\$30,078.00
Ocean Area Plan			
State			
017-820-V006	\$114,854.00	(\$2,014.00)	\$112,840.00
Office of Senior			
Services			
016-215-5058	<u>\$108,736.00</u>	<u>\$0</u>	<u>\$108,736.00</u>
Total	\$392,485.00	(\$2,014.00)	\$390,471.00

BE IT FURTHER RESOLVED that the contract number must be placed on all

papers, documents, invoices and vouchers pertaining to said agreement, the number being

CC2020-42

**BE IT FURTHER RESOLVED** that the Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, the Department of Finance, the Director of the Office of Senior Services and the Director of Long Beach Island Community Center, Inc.

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS 2020-96

#### RESOLUTION September 16, 2020

WHEREAS, on March 4, 2020 the Ocean County Board of Chosen Freeholders approved the acquisition of Block 79, Lots 52 and 68; Block 104, Lot 3; and Block 116, Lots 6, 10, 24 and 29 in the Township of Manchester under the Ocean County Natural Lands Trust Fund, by resolution # 2020000343; and

**WHEREAS**, environmental consulting services are required to identify any potential or existing environmental contamination liabilities prior to the transfer of title from the seller to the County of Ocean; and

*WHEREAS*, the Consultant Selection Review Committee recommended ten (10) firms to be qualified to provide Environmental Consulting Services to be performed on an as needed basis, where and as directed by Ocean County; and

**WHEREAS,** the Ocean County Board of Chosen Freeholders acknowledged that the ten (10) firms are qualified and eligible to provide Environmental Consulting Services by resolution dated August 5, 2020 referred to as contract number QP2020-96; and

*WHEREAS*, the County of Ocean has received a proposal from Maser Consulting, Inc., Red Bank, New Jersey; and

WHEREAS, the bidder submitted a proposal for environmental services in the lump sum fee of \$ 4,800.00; and

WHEREAS, this contract is awarded in compliance with the provisions of N.J.S.A 19:44A-20.4 et seq., the New Jersey "Pay-to-Play" Law.

- 1. It authorizes the expenditure for environmental consulting services to Maser Consulting, Inc. in an amount not to exceed \$ 4,800.00 from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.
- 2. Certified copies of this Resolution shall be made available to County Administrator, County Planning Director, County Finance Director, County Auditor, County Counsel, and Maser Consulting, Inc.

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOKES, VOUCHERS P2020-96

#### R E S O L U T I O N *September 16, 2020*

WHEREAS, on March 18, 2020 the Ocean County Board of Chosen Freeholders approved the acquisition of Block 1211, Lots 11-14 in the Township of Berkeley under the Ocean County Natural Lands Trust Fund, by resolution # 2020000397; and

*WHEREAS*, environmental consulting services are required to identify any potential or existing environmental contamination liabilities prior to the transfer of title from the seller to the County of Ocean; and

*WHEREAS,* the Consultant Selection Review Committee recommended ten (10) firms to be qualified to provide Environmental Consulting Services to be performed on an as needed basis, where and as directed by Ocean County; and

WHEREAS, the Ocean County Board of Chosen Freeholders acknowledged that the ten (10) firms are qualified and eligible to provide Environmental Consulting Services by resolution dated August 5, 2020 referred to as contract number QP2020-96; and

WHEREAS, the County of Ocean has received a proposal from T&M Associates, Middletown, New Jersey; and

**WHEREAS**, the bidder submitted a proposal for environmental services in the lump sum fee of \$ 3,425.00; and

WHEREAS, this contract is awarded in compliance with the provisions of N.J.S.A 19:44A-20.4 et seq., the New Jersey "Pay-to-Play" Law.

- 1. It authorizes the expenditure for environmental consulting services to T&M Associates in an amount not to exceed \$ 3,425.00 from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.
- 2. Certified copies of this Resolution shall be made available to County Administrator, County Planning Director, County Finance Director, County Auditor, County Counsel, and T&M Associates.

#### September 16, 2020

WHEREAS, there exists a need for 60 new Kronos In-touch 9100 time clocks with hardware support to replace old hardware in various Ocean County departments that is end of life; and

WHEREAS, the Ocean County Office of Information Technology has determined that new Kronos In-touch 9100 time clocks with hardware support are essential to the efficient operation of Ocean County time keeping system; and

WHEREAS, this is awarded in compliance with the Bergen County Cooperative, CK04; and

WHEREAS, upon review of the quote submitted, the County is desirous of entering into an agreement with SHI International, Corp., Sub Contract No. 19-34 to provide new Kronos In-touch 9100 time clocks with hardware support, as set forth in their proposal dated July 30, 2020; and

WHEREAS, the funds shall be encumbered for said agreement under account number 016-085-6010 in the amount not to exceed \$181,719.90. Terms subject to the availability of funds.

- 1. This agreement is awarded under the terms and conditions of New Jersey Bergen County Cooperative, CK04 Sub Contract No. 19-34.
- 2. The Freeholder-Director and Clerk of the Board are hereby authorized and directed to enter into any necessary subsequent documents with SHI International, Corp. 290 Davidson Ave., Somerset, NJ 08873.
- 3. A notice of this action shall be published once as required by law.
- 4. The Contract number must be placed on all documents pertaining to this Agreement.
- 5. A Certified copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Chosen Freeholders.
- 6. A Certified Copy of this resolution shall be made available to the Ocean County Comptroller, Ocean County Department of Information Technology, and SHI International, Corp.

#### September 16, 2020

WHEREAS, there exists a need for hardware and software for the surveillance camera system that will be installed at the Election Drop Boxes in Ocean County for the upcoming elections; and

WHEREAS, the Ocean County Office of Information Technology has determined that hardware and software for the surveillance camera is needed to record the election drop boxes and is essential to the installation of a surveillance camera system at the Election Drop Boxes; and

WHEREAS, this is awarded in compliance with the NJ State approved co-op #65MCESCCPS, Educational Services Commission of New Jersey; and

WHEREAS, the County is desirous of entering into an agreement with CDW Government, Sub. Contract No. ESCNJ18/19-03 to provide the hardware and software related to the installation of the surveillance camera system; and

WHEREAS, the funds shall be encumbered for said agreement under account number 9999-210-015-0166 in the amount not to exceed \$29,045.38.

- 1. This agreement is awarded under the terms and conditions of NJ State approved co-op #65MCESCCPS, Educational Services Commission of New Jersey, Sub. Contract #ESCNJ18/19-03.
- 2. The Freeholder-Director and Clerk of the Board are hereby authorized and directed to enter into any necessary subsequent documents with CDW Government, 75 Remittance Drive, Suite 1515, Chicago, IL 60675.
- 3. A notice of this action shall be published once as required by law.
- 4. The Contract number must be placed on all documents pertaining to this Agreement.
- 5. A Certified copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Chosen Freeholders.
- 6. A Certified Copy of this resolution shall be made available to the Ocean County Comptroller, Ocean County Department of Technology, and CDW Government.

#### September 16, 2020

WHEREAS, there exists a need for network wiring for the installation of a surveillance system at the Election Drop Boxes in Ocean County for the upcoming elections; and

WHEREAS, the Ocean County Office of Information Technology has determined that a draw down PO from Network Cabling (also known as NetQ Multimedia Co.) is essential to the installation of a surveillance system at the Election Drop Boxes; and

WHEREAS, the County is desirous of entering into an agreement with Network Cabling (NetQ Multimedia Co.), Sub Contract No. 88739 to provide network wiring services related to the installation of the surveillance system; and

WHEREAS, the funds shall be encumbered for said agreement under account number 9999-210-015-0166 in the amount not to exceed \$20,000.00.

- 1. This agreement is awarded under the terms and conditions of New Jersey State Contract No. T2989 Sub Contract No. 88739.
- 2. The Freeholder-Director and Clerk of the Board are hereby authorized and directed to enter into any necessary subsequent documents with Network Cabling 919 Route 33, Suite 52 Freehold, NJ 07728.
- 3. A notice of this action shall be published once as required by law.
- 4. The Contract number must be placed on all documents pertaining to this Agreement.
- 5. A Certified copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Chosen Freeholders.
- 6. A Certified Copy of this resolution shall be made available to the Ocean County Comptroller, Ocean County Department of Technology, and Network Cabling.

#### September 16, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders on March 18, 2020 adopted a "Proclamation of the Emergency" to protect health and safety of all County residents; and

WHEREAS, on March 18, 2020 the Board of Chosen Freeholders adopted a Proclamation of Emergency in response to the Coronavirus including authorizing the County Purchasing Agent to issue or award emergency purchase orders pursuant N.J.S.A 40A:11-6, N.J.S.A 5:34-6.1 and Local Finance Board Notice 2020-06; and

WHEREAS, due to the COVID-19 epidemic and uncertainty of the length of time the epidemic; and

WHEREAS, Ocean County wants to implement measures to ensure the health and safety of our employees and visitors to Ocean County facilities; and

WHEREAS, an elevated temperature is one way to identify a person who may have a COVID-19 infection; and

WHEREAS, thermal imaging systems can be used to measure a person's temperature; and

WHEREAS, Ocean County is desirous of implementing thermal imaging system in various County facilities; and

WHEREAS, Packetalk Corporation has provided quote #221281 in the amount of \$15,000.00 which includes all necessary hardware and software to provide thermal imaging systems; and

WHEREAS, the funds are now available in account 9999-019-015-0003 in the amount not to exceed \$15,000.00.

- 1. The County Purchasing Agent is hereby authorized to issue a purchase order to Packetalk Corporation as outlined in quote #221281 in the amount of \$15,000.00 with funds for said purchase order available in account 9999-019-015-0003-45IT.
- 2. A Certified Copy of this resolution shall be made available to the Ocean County Comptroller, Ocean County Department of Technology, and Packetalk Corporation.

September 16, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders has determined that a need exists for Construction Project Management and Inspection Services for the Traffic Signal Contract 2019C, Proposed Traffic Signal, 14<sup>th</sup> Street at North Hope Chapel Road (CR 639), Township of Lakewood, Ocean County; and

WHEREAS, the Board considers it necessary and desirable to engage Construction Project Management and Inspection Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Chosen Freeholders on December 4, 2019 and referred to as contract number QP2019-139; and

WHEREAS, Remington & Vernick Engineers, Inc. is qualified to provide the required Construction Project Management and Inspection Services in accordance with their proposal at a not to exceed cost of \$134,668.01; and

- The Board of Chosen Freeholders does hereby authorize the issuance of a purchase order in an amount not to exceed \$134,668.01 to Remington & Vernick Engineers, Inc. for Construction Project Management and Inspection Services from Capital Budget Account Number 300-185-X008-6600; and
- Certified copies of this Resolution shall be forwarded to the Ocean County Engineer, Ocean County Department of Finance, Ocean County Department of Purchasing, and Remington & Vernick Engineers, Inc.

CONTRACT NO. MUST BE ON ALL. PAPERS, DOCUMENTS, INVOICES, VOUCHERS 7019-139

#### September 16, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders has determined that a need exists for Construction Project Management and Inspection Services for the Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019D, Ocean County; and

WHEREAS, the Board considers it necessary and desirable to engage Construction Project Management and Inspection Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Chosen Freeholders on December 4, 2019 and referred to as contract number QP2019-139; and

WHEREAS, Van Cleef Engineering Associates, LLC is qualified to provide the required Construction Project Management and Inspection Services in accordance with their proposal at a not to exceed cost of \$119,314.35; and

- The Board of Chosen Freeholders does hereby authorize the issuance of a purchase order in an amount not to exceed \$119,314.35 to Van Cleef Engineering Associates, LLC for Construction Project Management and Inspection Services from Capital Budget Account Number 300-185-X009-6600; and
- Certified copies of this Resolution shall be forwarded to the Ocean County Engineer, Ocean County Department of Finance, Ocean County Department of Purchasing, and Van Cleef Engineering Associates, LLC.

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOKES, VOUCHERS PP2018-60

#### September 16, 2020

WHEREAS, on September 19, 2018 a resolution was adopted awarding a purchase order to Stantec Consulting Services, Inc. for Traffic Engineering Professional Services under contract PP2018-60 for the lump sum fee of FOUR HUNDRED FORTY THREE THOUSAND NINE HUNDRED TWENTY SEVEN AND 77/100 DOLLARS (\$443,927.77); and

WHEREAS, it has been determined that additional Traffic Engineering Professional Services be conducted in the project area; and

WHEREAS, funds are available in the Account Number 417-185-C908-6600 in the amount of ELEVEN THOUSAND FIVE HUNDRED NINETY NINE AND 31/100 DOLLARS (\$11,599.31) to cover this additional work; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the project specific proposal is amended to include these additional Traffic Engineering Professional Services for Cross Street (CR 626) Reconstruction, Augusta Boulevard to East Veteran's Highway (CR 528), Jackson and Lakewood Townships,.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to Ocean County Finance Director, County Auditor, County Counsel, Ocean County Engineer, Ocean County Department of Purchasing and Stantec Consulting Services, Inc.

# No Associated Documents

#### **September 16, 2020**

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that PETER A. CURATOLO, Forked River is hereby appointed as a new member of the OCEAN COUNTY TOURISM BUSINESS ADVISORY COUNCIL for a term of three (3) years, term to expire September 30, 2023:

**BE IT FURTHER RESOLVED** that the following individuals are hereby reappointed as members of the **OCEAN COUNTY TOURISM BUSINESS ADVISORY COUNCIL** for a term of three (3) years, term to expire September 30, 2023.

> CARL JABLONSKI DANA LANCELLOTTI DANIELLE C. TRIOLO LORI PEPENELLA MICHAEL REDPATH MICHAEL FORCELLA JEREMY GRUNIN TINA PILOT BEN WALDRON SANDRA LAZZARO

Beachwood Toms River Toms River Barnegat Toms River Ortley Beach Toms River Forked River Lanoka Harbor Seaside Heights

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the Ocean County Tourism Business Advisory Council and to each appointee.

#### September 16, 2020

**BE IT RESOLVED** by the **BOARD OF CHOSEN FREEHOLDERS** of the **COUNTY OF OCEAN, STATE OF NEW JERSEY** that the following individuals are hereby appointed as new members of the **OCEAN COUNTY COLLEGE TRUSTEE SEARCH COMMITTEE** for a term of one (1) year, term to expire October 2, 2021:

ALFONSO MANFORTI, JR.	<b>Toms River</b>
FRANK HOLMAN	Waretown

**BE IT FURTHER RESOLVED** that the following individuals are hereby reappointed as members of the **OCEAN COUNTY COLLEGE TRUSTEE SEARCH COMMITTEE** for a term of one (1) year, term to expire October 2, 2021:

MICHAEL J. FIURE	<b>Toms River</b>
JAMES R. PINE	West Creek
STEPHEN SCATURRO	Brick

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the Ocean County College Trustee Search Committee, Ocean County Clerk and to each appointee.

#### September 16, 2020

**BE IT RESOLVED** by the **BOARD OF CHOSEN FREEHOLDERS** of the **COUNTY OF OCEAN, STATE OF NEW JERSEY** that the following individuals are hereby reappointed as members of the **OCEAN COUNTY YOUTH SERVICES COMMISSION** to serve without salary or other compensation for a term of three (3) years, term to expire September 15, 2023:

Director, OC Youth Shelter	<b>Toms River</b>
Probation Division Manager	<b>Toms River</b>
Director, OC Human Services	<b>Toms River</b>
OC Superintendent of Schools	<b>Toms River</b>
OC Superintendent of Vocational Schools	<b>Toms River</b>
Mary Jo Buchanan	<b>Toms River</b>
Kim Ligouri	<b>Toms River</b>
Tara Rivera	Jackson
Tara Chalakani	Brick
Gina Polese-Grosso	<b>Toms River</b>
Abigail Thompson	<b>Toms River</b>
Gina Opauski	<b>Toms River</b>

**BE IT FURTHER RESOLVED** by the **BOARD OF CHOSEN FREEHOLDERS** of the **COUNTY OF OCEAN**, **STATE OF NEW JERSEY**, that the following individuals are hereby appointed as members of the **OCEAN COUNTY YOUTH SERVICES COMMISSION** to serve without salary or other compensation for a term of three (3) years, term to expire September 15, 2023:

OC Mental Health Director
Nicole Desalvo-Rogan
Maria Roussos
Brian Preiser
Sandra Rodriguez

Toms River Toms River Toms River Barnegat Toms River

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be forwarded to the Youth Services Commission of Ocean County and to each appointee.

#### September 16, 2020

**BE IT RESOLVED** by the **BOARD OF CHOSEN FREEHOLDERS** of the **COUNTY OF OCEAN**, **STATE OF NEW JERSEY** that **DR**. **STEVEN YERGEAU**, **Rutgers Cooperative Extension**, **Toms River** is hereby reappointed to serve, without additional salary or other compensation, as a member of the **OCEAN COUNTY ENVIRONMENTAL AGENCY** for a term of three (3) years, term to expire October 5, 2023.

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the Ocean County Environmental Agency and to the appointee.

# No Associated Documents