

## Ocean County Board of Chosen Freeholders

OFFICE OF THE OCEAN COUNTY FREEHOLDERS

Director John C. Bartlett, Jr.
Deputy Director Gerry P. Little
Freeholder John P. Kelly
Freeholder James F. Lacey
Freeholder Joseph H. Vicari

101 Hooper Ave Toms River, New Jersey 08754-2191

Tel: 732-929-2005 Fax: 732-505-1918

## **Board Meeting Agenda**

Date: September 16, 2015 - 4:00 PM

Location: Administration Building

Room 119

101 Hooper Avenue Toms River, NJ 08754

- A. Call to Order
- B. STATEMENT Compliance with the Open Public Meetings Act
- C. The Pledge of Allegiance and Prayer
- D. RESOLUTION PUBLIC HEARING
  - 1. Accepting the recommendation of the Ocean County Natural Lands Trust Fund Advisory Committee to participate in the acquisition of various Blocks and Lots, Berkeley Township, in an amount not to exceed \$11,225,000.00
- E. Authorizing Payment of Bills in Bill Committee Report No. 18.
- F. Authorizing Engineering Payments to Contractors as listed below.
  - 1. GREEN CONSTRUCTION, INC. Improvements to Garden State Parkway Interchange 91, Brick Township Partial Estimate #9 \$672,990.24.
  - 2. EARLE ASPHALT COMPANY Replacement of Miller Road Culvert, Lakewood Township Change Order #1 E-\$47,211.03, R-\$0.00.
  - 3. EARLE ASPHALT COMPANY Stormwater Management Contract 2014A, Reconstruction of Cross Street Drainage, Lakewood Township Change Order #2 E-\$0.00, R-\$0.01.

- 4. EARLE ASPHALT COMPANY Stormwater Management Contract 2014A, Reconstruction of Cross Street Drainage, Lakewood Township Final Estimate #2 \$141,303.62.
- 5. EN-TECH CORP. D/B/A EN-TECH OF NEW JERSEY CORP. Stormwater Management Contract 2015C (Hyers Street Storm Drain Rehabilitation), Toms River Township Partial Estimate #1 \$597,598.69.
- 6. MARBRO, INC. Construction of Clean Water Barnegat Bay Watershed Project S344080-04 Manufactured Treatment Devices, Various Townships Partial Estimate #2 \$234,796.14.
- 7. EARLE ASPHALT COMPANY Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2015C Partial Estimate #5 \$290,824.49.

### G. RESOLUTIONS

- 1. Authorizing the County Personnel Resolution.
- 2. Honoring Kathy Durante as she receives the "2015 Women's Advocate of the Year Award", given by the Ocean County Commission on the Status of Women.
- 3. Authorizing an Amendment to the 2015 OC Budget for the program entitled Schedule "C" Transportation, in the amount of \$100,000.00 for the OC Health Department.
- 4. Authorizing an Amendment to the 2015 OC Budget for the program entitled Workforce Development Partnership FY15, in the amount of \$301,082.00.
- 5. Authorizing an Amendment to the 2015 OC Budget for the program entitled Schedule "C" Engineering, in the amount of \$96,600.00 for Beach Haven Borough, Berkeley Township, Harvey Cedars Borough, Lakewood Township, Little Egg Harbor Township, Long Beach Township, Ocean Gate Borough, Pine Beach Borough, Point Pleasant Beach Borough, Ship Bottom Borough, South Toms River Borough, Stafford Township, Surf City Borough and the Ocean County Vocational Technical School.
- 6. Authorizing an Amendment to the 2015 OC Budget for the program entitled Rehabilitate Runway 6/24 Pavement/Lighting (Design) Phase I, in the amount of \$540,440.00 and matching funds in the amount of \$60,049.00.
- 7. Authorizing a Grant Application for the Hospital Preparedness Program and Public Health Emergency Preparedness FY16.
- 8. Authorizing the execution of a Grant Agreement for the Title IV-D Reimbursement FY15/16.
- 9. Authorizing the execution of an Agreement with Electronic Recyclers International, Inc. for the collection, transport and recycling of electronic equipment.
- 10. Authorizing the execution of ten (10) Shared Services Agreements with various municipalities for the OC Leaf and Vegetative Waste Composting Progam.
- 11. Authorizing a Consent Resolution with Verizon Communications, Inc. for the continued use of the streets and public ways in the County of Ocean by Verizon New Jersey, Inc. for its telecommunications facilities.

- 12. Amending Professional Services Contracts with Michael Baker, Inc. to reflect a change in the company name to Michael Baker International, Inc.
- 13. Amending a Resolution adopted on 6/17/2015 for the FY14 Emergency Management Agency Assistance Grant due to typographical errors.
- 14. Amending a Resolution adopted on 7/15/2015 to Mid-Atlantic Salt, LLC for Deicing Salt due to a typographical error.
- 15. Amending a Resolution adopted on 12/3/2014 for Certified Training Instructors at the OC Police Academy, to change the current rate to \$25.00 per hour.
- 16. Authorizing the Competitive Contracting Process for Physician and Medical Services for the Ocean County Department of Juvenile Services.

### H. MOTIONS

- 1. Authorizing the Clerk of the Board to record and/or accept Legal Instruments.
- 2. Approving the Distribution of Requests for Proposals and/or Requests for Qualifications for: 1) Labor Consultant Services 2) Drug & Alcohol Collection and Testing 3) Professional Medical Services 4) Auditing Services for the Department of Employee Relations, Division of Risk Management and the Department of Services 5) Occupational Medicine Services for On-The-Job Injuries 6) Radiology and Other Medical Imaging Services
- 3. Approving the Minutes of the Pre-Board Meeting of 8/12/2015.
- 4. Approving the Minutes of the Board Meeting of 8/19/2015.
- 5. Approving the OC Master Payroll paid on 9/9/2015 for the payroll period of 8/13/2015 through 8/26/2015 and for the payroll period of 8/27/2015 through 9/9/2015, in the amount of \$5,070,068.91.
- 6. Approving the Plans and Specifications and authorizing the County Engineer to advertise for the receipt of bids for the Reconstruction of East County Line Road (County Route 526) (Apple Street to Route 549), Phase IV: Ridge Avenue/Joe Parker Road Intersection, Lakewood Township.
- 7. Approving the Plans and Specifications and authorizing the County Engineer to advertise for the receipt of bids for the Replacement of Curb and Sidewalk at Various Locations in Ocean County, Contract 2015.
- 8. Approving the Plans and Specifications and authorizing the County Engineer to advertise for the receipt of bids for the Rehabilitation of Wrights Bridge, Toms River Township.
- 9. Authorizing the acquisition of Right-of-Way and/or Easement(s) by gift, purchase, exchange or condemnation for the repair of drainage pipes located along Melrose Drive, Toms River Township, for purpose of improving drainage (two parcels).
- 10. Authorizing the acquisition of Right-of-Way and/or Easement(s) by gift, purchase, exchange or condemnation for Road Improvement on Route 547, South Hope Chapel Road, Jackson Township (one parcel).

## I. TRAFFIC SAFETY IMPROVEMENTS

- 1. Consenting to Lavallette Borough's Ordinance #2015-06(1142) Two Hour Time Limit Parking on C.R. #87 (Bay Boulevard).
- 2. Authorizing the execution of an Electrical Agreement for a Traffic Signal at C.R. #16 (Burrsville Road) and Garden State Parkway Ramps NBX and NB1E, Brick Township.
- 3. Authorizing the execution of an Electrical Agreement for a Traffic Signal at C.R. #63 (Burnt Tavern Road) and The Boulevard, Brick Township.
- 4. Authorizing the execution of an Electrical Agreement for a Traffic Signal at C.R. #63 (Burnt Tavern Road) and C.R. #12 (Lanes Mills Road), Brick Township.
- 5. Authorizing the execution of an Electrical Agreement for a Traffic Signal at C.R. #12 (Lanes Mills Road) and Garden State Parkway Ramp NB3E and Jughandle Ramps A and C, Brick Township.
- 6. Authorizing the installation of a Traffic Signal at C.R. #88 (Airport Road) and GSP Interchange 89, Lakewood Township.

### J. BID AWARDS

- 1. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: FORKLIFT to Eastern Lift Truck Co., Inc., the sole qualified bidder.
- 2. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: NEW EXCAVATORS AND LOADERS to Jesco, Inc., the sole qualified bidder.
- 3. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: NEW CARS, SUV'S, PICK-UP TRUCKS, VANS & WAGONS to Winner Ford, the lowest qualified bidder.
- 4. Awarding a Contract for the furnishing and delivery of ICE AND SNOW REMOVER to Lavallette Hardware, LLC, the lowest qualified bidder.
- 5. Awarding a Contract for the furnishing and delivery of SIGN BLANKS, SIGN MATERIALS AND SIGN STRIPPING to Garden State Highway Products, Inc., the lowest qualified bidder.
- 6. Awarding Contracts for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES to U.S. Lumber, Inc.; American Forest Products, LLC DBA Tulnoy Lumber and Madison Township Lumber & Supply Co., Inc., the lowest qualified bidders. No bids were received for Items No. 79 and 197. Item No. 79 will be rebid. Item No. 197 will not be rebid, as it is no longer needed. Recommendation is made to reject Item No. 74 as unresponsive, it will be rebid.
- 7. Awarding Contracts for the furnishing and delivery of UNPAINTED SNOW FENCE AND DUNE GRASS to Church's Garden Center & Farms, Inc. and Accent Fence, Inc., the lowest qualified bidders.

- 8. Awarding Contracts for the furnishing and delivery of UNIFORMS FOR VARIOUS DEPARTMENTS to Bob's Uniform Shop, Inc. and Red The Uniform Tailor, the lowest qualified bidders. Recommendation is made to reject ninety seven (97) items. Section III (items 35a-48), Section IV (items 49-82) and Section VI (items 103-120) are rejected as vendors were unresponsive. They will be rebid. Section VII (item #121) will be rebid to obtain additional vendors.
- 9. Awarding contracts for the furnishing and delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS to Ennis Paint, Inc.; Potters Industries, LLC; Garden State Highway Products, Inc.; Ozark Materials, LLC; and The Sherwin-Williams Company, the lowest qualified bidders.
- 10. Awarding Contracts for the furnishing and delivery of SEPTIC TANK AND SEWAGE EJECTOR PIT PUMPING & DISPOSAL to Brewer Septic and Construction, Inc., the lowest qualified bidder, and a secondary contract to Russell Reid Waste Hauling & Disposal Service Co., Inc., for a total lump sum of \$37,643.50 as per Page 19 of the specifications "AWARD OF BID".
- 11. Awarding a Contract for the RECONSTRUCTION AND RESURFACING OF PORTIONS OF CERTAIN COUNTY ROADS, CONTRACT 2015D to Stavola Contracting Company, Inc., the lowest qualified bidder, in an amount not to exceed \$1,325,000.00.
- 12. Awarding a Contract for the RECONSTRUCTION OF EAST COUNTY LINE ROAD (COUNTY ROUTE 526) (APPLE STREET TO ROUTE 549), PHASE II: SOMERSET AVENUE INTERSECTION, TOWNSHIP OF LAKEWOOD to Earle Asphalt Company, the lowest qualified bidder, in an amount not to exceed \$948,513.13.
- 13. Awarding a Contract for the RECONSTRUCTION OF HOPE CHAPEL ROAD (COUNTY ROAD 547) FROM JOINT BASE MCGUIRE-DIX-LAKEHURST TO COUNTY ROAD 527, MANCHESTER AND JACKSON TOWNSHIPS to Earle Asphalt Company, the lowest qualified bidder, in an amount not to exceed \$986,613.13.

#### K. CONTRACTS

- 1. Awarding a Contract to Ocean First for Banking and Investment Services for the College Capital Improvement Bonds, Series 2015B.
- 2. Awarding a Contract to Ocean First for Banking and Investment Services for the College Improvement Bonds, Series 2015A.
- 3. Awarding a Contract to Investors Bank for Banking and Investment Services for the General Improvement Bonds, Series 2015.
- 4. Authorizing the execution of a Proposal with Public Financial Management, Inc. for a Financial Analysis of Options related to work schedules.

## L. APPOINTMENTS AND REAPPOINTMENTS

1. Appointing Tadd Maffucci, Toms River as an alternate member of the OC WORKFORCE INVESTMENT BOARD for an initial term to expire 6/1/2017.

- 2. Reappointing Dr. Neil Brodsky, M.D. to the position of Assistant Medical Examiner for a term of one (1) year, term to expire 9/21/2016.
- 3. Reappointing Daniel J. Hennessy, Point Pleasant Beach; Raymond Gormley, Little Egg Harbor; Deborah Gries, Toms River; Michael J. Fiure, Toms River; and Stephen Scaturro, Brick to the OC COLLEGE TRUSTEE SEARCH COMMITTEE for a term of one (1) year, term to expire 10/2/2016.
- 4. Reappointing Kevin T. Aiello, Brick; Blanche Krubner, Jackson; and John Protonentis, OC Health Department to the OC ENVIRONMENTAL AGENCY for a term of three (3) years, term to expire 10/5/2018.
- 5. Reappointing Jim DeAngelis, Lakewood; JoAnn Guglielmelli, Jackson; Renee Kennedy, Ship Bottom; Anne Hammill Pasqua, Toms River; and Mark C. Speaker, Lavallette to the OC TOURISM BUSINESS ADVISORY COUNCIL for a term of three (3) years, term to expire 9/30/2018.

### M. RECEIVED ITEMS

#### N. RESOLUTIONS FROM GOVERNING BODIES

- 1. Morris County opposing S-2444 and A-4224 that sets a schedule for increasing the overall percentage of electricity generated by renewable energy sources over the period 2015 through 2050 from 11% to 80%.
- 2. Manchester Township supporting A-4435, mediation for OPRA.
- 3. OC Board of Health proclaiming September 28, 2015 as "World Rabies Day".

#### O. MINUTES AND MEETING NOTICES

- 1. OC Planning Board Meeting Minutes of 8/12/2015.
- 2. OC Utilities Authority Meeting Minutes of 7/23/2015.
- 3. OC Board of Health Meeting Minutes of 8/12/2015.
- 4. OC Workforce Investment Board Meeting Minutes of 2/10/2015 and 5/12/2015.
- 5. OC Advisory Commission on the Status of Women Meeting Minutes of 5/12/2015 and 7/14/2015.
- 6. OC Library Commission Meeting Minutes of 8/17/2015 and Meeting Notice of 9/21/2015.

### P. APPROVALS

1. Division of Local Government Services approval of 36 items of revenue.

## Q. REPORTS

1. OC Treasurer's Report for the period ending July 2015.

## R. CORRESPONDENCE

1. Atlantic City Electric Notice of Public Hearing concerning rate increases/decreases.

## S. FREEHOLDER COMMENTS

T. PUBLIC COMMENTS - Comments from members of the audience are invited at this time with a limit of five (5) minutes per speaker.

## U. ADJOURNMENT

## RESOLUTION September 16, 2015

- WHEREAS, the voters of Ocean County authorized the Ocean County Natural Lands Trust Fund to provide funds for the acquisition and preservation of natural lands, open spaces and farmland; and
- WHEREAS, the Ocean County Natural Lands Trust Fund Advisory Committee was established by the Board of Chosen Freeholders to review nominations to the program and forward recommendations for acquisition to the Board of Chosen Freeholders; and
- WHEREAS, the Natural Lands Trust Fund Advisory Committee has received a nomination for numerous blocks and lots in Berkeley Township known as NJ Pulverizing, identified in Addendum A, totaling approximately 775 acres located on Hickory Lane; and
- WHEREAS, the property is adjacent to an unconstructed segment of the Barnegat Branch Trail; and
- WHEREAS, the Ocean County Utilities Authority has identified a portion of the property for a potential acquisition which would occur through a separate transaction; and
- WHEREAS, the property is encumbered by a pre-existing easement that reserves an area for the possible future construction of the Western Boulevard Extension which shall allow a touchdown with Route 9 at a location to be determined; and
- WHEREAS, two (2) professional appraisals were authorized to establish the fair market value of the property; and
- WHEREAS, the Natural Lands Trust Fund Advisory Committee has determined the property's attributes are consistent with the Ocean County Open Space Plan and Recreation Inventory; and
- WHEREAS, the Township of Berkeley has indicated a willingness to rescind restoration requirements associated with the mining permit, as successional vegetation covers most of the property and provides many diverse and important environmental habitats; and
- WHEREAS, the County of Ocean would acquire the property for an amount not to exceed \$11,225,000; and
- WHEREAS, the property also contains several small inholding lots which are under various other and uncertain ownerships. The Natural Lands Trust Fund Program allows condemnation actions in limited cases including situations where clouded title and legal ownership of a parcel cannot be determined; and
- WHEREAS, a public hearing on the proposed acquisition was conducted by the Board of Chosen Freeholders on September 16, 2015, as required by PL 1997, c24.

## NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. It accepts the recommendation of the Ocean County Natural Lands Trust Fund Advisory Committee to participate in the acquisition of property identified in Addendum A in Berkeley Township, totaling approximately 775 acres located on Hickory Lane.
- 2. It authorizes the expenditure not to exceed \$11,225,000 in acquisition funds from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.
- 3. It authorizes the Freeholder Director and Clerk of the Board to execute any agreements for additional funding and or partnerships made available for this purchase.
- **4.** It authorizes eminent domain action as necessary to acquire the small inholding lots within the larger property so as to clear any access or title concerns.

5. If necessary, funding from the Barnegat Branch Trail ordinance accounts may be allocated for any portion of the property connected to the development of the trail including a potential trailhead location.

#### BE IT FURTHER RESOLVED THAT

- 1. The proper officers of the Board are authorized and directed to sign all necessary documents in order to effectuate these purchases.
- 2. The purchase of the property is to be contingent upon the County's acquisition by purchase, deed or gift of the necessary rights-of-way along the County roads bordering the property as determined by the County Engineer.
- 3. Seller shall provide affirmative assurance that all mining and related activities and associated sites have been terminated in conformance with all federal, state and local laws, and any bonds required by a public entity are posted by seller in accordance with the requisite laws prior to closing. All restoration requirements are the responsibility of the seller unless specifically waived by the applicable agency.
- 4. The offices of Ocean County Counsel and County Administrative staff are hereby authorized to take all actions necessary to consummate this transaction and have the fully executed Deeds or Easements recorded in the County Clerk's Office.
- 5. The Township of Berkeley must support the acquisition of the property for preservation prior to closing.
- 6. Copies of this Resolution shall be made available to the County Administrator; County Planning Director; County Finance Director; County Auditor; County Counsel; County Natural Lands Trust Fund Advisory Committee; the Ocean County Utilities Authority; the Township of Berkeley; and the landowner(s).

## ADDENDUM A

NJ Pulverizing, Berkeley Township Block and Lot Listing To Be Confirmed by Survey and Title Search

<u>BLOCK</u>	<u>LOT</u>
836	1, 2, 4.01, 13, 17, 31, 32.01, 52, 53.01
836.01	3
836.02	2
836.03	110
837	17

### BILL COMMITTEE REPORT COUNTY OF OCEAN SUMMARY OF VOUCHERS

## SUMMARY OF BILLS

CERTIFICATE# 18

## MASTER VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT

I. THE UNDERSIGNED. DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION HAVE EXAMINED THE VOUCHERS SUBMITTED HERE WITHIN FOR THE PURPOSE OF RECOMMENDING TO THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS PAYMENT THEREOF ON 09/16/15.

I. HEREBY CERTIFY THESE VOUCHERS, IN THE TOTAL AMOUNT OF \$17,981,348.52 WHICH ARE CONTAINED IN THE ATTACHED REPORT, TO BE VALID CLAIMS, AND I RECOMMEND APPROVAL AND PAYMENT THEREOF.

JAMES F, LACEY FREEHOLDER	APPROVED
JOHN P. KELLY FREEHOLDER	JOHN C. BARTLETT, JR. FREEHOLDER DIRECTOR
JOSEPH H. VICARI FREEHOLDER	ORDERED PAID
GERRY P. LITTLE FREEHOLDER	BETTY VASIL CLERK OF THE BOARD OF CHOSEN FREEHOLDERS

#### **SEPTEMBER 16, 2015**

FREEHOLDERS OF THE COUNTY OF OCEAN, THAT THE DIRECTOR BE AND IS
HEREBY AUTHORIZED AND INSTRUCTED TO EXECUTE MASTER
VOUCHER-CERTIFICATE #18 FOR CERTIFICATION OF SAID MASTER VOUCHER
CONSISTING OF 76 PAGES WITH VOUCHERS TOTALING IN THE AMOUNT
OF \$17,981,348.52 WHICH BILLS ARE DEEMED TO BE VALID CLAIMS AS
RECOMMENDED BY THE DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION

BE IT FURTHER RESOLVED THAT THE COUNTY COMPTROLLER OF THE COUNTY
OF OCEAN IS HEREBY AUTHORIZED AND DIRECTED TO PAY EACH AND EVERY
ONE OF THE AFORESAID BILLS ATTACHED TO THIS
MASTER VOUCHER-CERTIFICATE AND, UPON EXECUTION OF SAME BY SAID
DIRECTOR, IF AND WHEN FUNDS ARE AVAILABLE.

September 16, 2015

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement dated September 3, 2014 with the Contractor, Green Construction, Inc. for work and services in relation to the Improvements to Garden State Parkway Interchange 91, Brick Township, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 9 dated September 16, 2015 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 9 shows:

Total Cost of Construction: \$8,029,114.40

Less 2% of Total: \$160,582.29

Subtotal: \$7,868,532.11

Less Partial Estimate #1: \$ 648,463.84 Less Partial Estimate #2: \$ 616,345.69

Less Partial Estimate #3: \$ 492,363.80 Less Partial Estimate #4: \$ 576,417.25 Less Partial Estimate #5: \$1,335,423.91

Less Partial Estimate #6: \$ 799,884.77

Less Partial Estimate #7: \$1,082,928.01

Less Partial Estimate #8: \$1,643,714.60

Total Partial Payments Made to Date: \$7,195,541.87

\$672,990.24 AMOUNT NOW DUE CONTRACTOR:

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Six hundred seventy two thousand nine hundred ninety and 24/100 dollars (\$672,990.24) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

September 16, 2015

WHEREAS, Contract No. B2015-70E was entered into on May 20, 2015 with Earle Asphalt Company, Contractor, for work and services in relation to the Replacement of Miller Road Culvert, Lakewood Township, Ocean County, New Jersey; and

WHEREAS, during the course of construction minor modifications to contract quantities have become necessary to improve conditions; and

WHEREAS, the County Engineer of the County of Ocean has duly filed with this Board a request for a Change Order stating the facts involved and certifying that the proposed Change Order is consistent with regulations for such Change Orders promulgated by the New Jersey Department of Community Affairs, Division of Local Government Services, under authority of N.J.S.A. 52:27BB-32; and

WHEREAS, the Contractor has agreed to accept these changes to the Contract pursuant to the provisions of Sections 104 and 109 of the Standard Specifications; and

WHEREAS, adequate funds are available in Account No. 407-185- C506-6800 in the amount of \$47,211.03.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The County Engineer is hereby authorized to issue Amendatory Contract and Change Order No. 1 to Earle Asphalt Company as follows: Extra Work Order in the amount of \$47,211.03, in connection with the project known as Replacement of Miller Road Culvert, Lakewood Township, Ocean County, New Jersey.

- 2. The Director and Clerk of this Board are hereby authorized and directed to enter into an Amendatory Contract with Earle Asphalt Company, to cover the Change Order No. 1.
- 3. A certified copy of this resolution shall be sent to the County Engineer, the County Treasurer, the County Auditor and Earle Asphalt Company.

September 16, 2015

WHEREAS, Contract No. B2014-42E was entered into on April 2, 2014 with Earle Asphalt Company, Contractor, for work and services in relation to the Stormwater Management Contract 2014A, Reconstruction of Cross Street Drainage, Lakewood Township, Ocean County, New Jersey; and

WHEREAS, during the course of construction minor modifications to contract quantities have become necessary due to actual field measured conditions; and

WHEREAS, the County Engineer of the County of Ocean has duly filed with this Board a request for a Change Order stating the facts involved and certifying that the proposed Change Order is consistent with regulations for such Change Orders promulgated by the New Jersey Department of Community Affairs, Division of Local Government Services, under authority of N.J.S.A. 52:27BB-32; and

WHEREAS, the Contractor has agreed to accept these changes to the Contract pursuant to the provisions of Sections 104 and 109 of the Standard Specifications; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The County Engineer is hereby authorized to issue Amendatory Contract and Change Order No. 2 to Earle Asphalt Company as follows: Reduction Order in the amount of \$0.01, in connection with the project known as Stormwater Management Contract 2014A, Reconstruction of Cross Street Drainage, Lakewood Township, Ocean County, New Jersey.

- 2. The Director and Clerk of this Board are hereby authorized and directed to enter into an Amendatory Contract with Earle Asphalt Company, to cover the Change Order No. 2.
- 3. A certified copy of this resolution shall be sent to the County Engineer, the County Treasurer, the County Auditor and Earle Asphalt Company.

## R E S O L U T I O N

September 16, 2015

WHEREAS, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement dated April 2, 2014 with the Contractor, Earle Asphalt Company, for work and services in relation to the Stormwater Management Contract 2014A, Reconstruction of Cross Street Drainage, Lakewood Township, Ocean County, New Jersey; and

WHEREAS, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Final Estimate No. 2 dated September 16, 2015 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Final Estimate No. 2 shows:

Total Cost of Construction: \$412,233.98

Less 2% of Total: \$0.00

Subtotal: \$412,233.98

Less Partial Estimate #1: \$270,930.36

AMOUNT NOW DUE CONTRACTOR:

\$141,303.62

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of One hundred forty one thousand three hundred three and 62/100 dollars (\$141,303.62) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

September 16, 2015

WHEREAS, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement dated July 1, 2015 with the Contractor, En-Tech Corp. D/B/A En-Tech of New Jersey Corp. for work and services in relation to the Stormwater Management Contract 2015C (Hyers Street Storm Drain Rehabilitation), Toms River Township, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 1 dated September 16, 2015 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 1 shows:

Total Cost of Construction: \$609,794.58

Less 2% of Total: \$12,195.89

-----
Subtotal: \$597,598.69

AMOUNT NOW DUE CONTRACTOR:

\$597,598.69

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- The furnished work under this contract, to the extent 1. covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Five hundred niney seven thousand five hundred ninety eight and 69/100 dollars (\$597,598.69) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

## R E S O L U T I O N

September 16, 2015

WHEREAS, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement dated February 18, 2015 with the Contractor, Marbro, Inc. for work and services in relation to the Construction of Clean Water Barnegat Bay Watershed Project \$344080-04 Manufactured Treatment Devices, Various Townships, Ocean County, New Jersey; and

WHEREAS, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 2 dated September 16, 2015 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 2 shows:

Total Cost of Construction: \$406,730.50

Less 2% of Total: \$8,134.61

Subtotal: \$398,595.89

Less Partial Estimate #1: \$163,799.75

AMOUNT NOW DUE CONTRACTOR:

\$234,796.14

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Two hundred thirty four thousand seven hundred ninety six and 14/100 dollars (\$234,796.14) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

September 16, 2015

WHEREAS, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement dated April 1, 2015 with the Contractor, Earle Asphalt Company, for work and services in relation to the Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2015A, Ocean County, New Jersey; and

WHEREAS, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 5 dated September 16, 2015 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 5 shows:

Total Cost of Construction: \$1,813,892.95

Less 2% of Total: \$36,277.86

Subtotal: \$1,777,615.09

Less Partial Estimate #1: \$ 86,940.40 Less Partial Estimate #2: \$532,422.27 Less Partial Estimate #3: \$819,877.18 Less Partial Estimate #4: \$ 47,550.75

Total Partial Payments Made to Date: \$1,486,790.60

AMOUNT NOW DUE CONTRACTOR: \$290,824.49

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Two hundred ninety thousand eight hundred twenty four and 49/100 dollars (\$290,824.49) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.



## Resolution Ocean County Board Of Chosen Freeholders

Administration Puilding Toms Riber, New Jersey

## **September 16, 2015**

WHEREAS, on Saturday, September 16, 2015, the Ocean County Advisory Commission on the Status of Women will hold it's 2015 Women's Advocate of the Year Celebration at the Toms River Hotel, Toms River, New Jersey to honor:

## KATHY DURANTE

as she receives the "2015 Women's Advocate of the Year Award" for her personal, professional and community contributions; and

WHEREAS, KATHY DURANTE is one of the founders of the OceanFirst Foundation and currently serves as the Executive Director and Secretary, a position she has held since 2003; and

WHEREAS, created in 1996, the OceanFirst Foundation is the first foundation to be established by a bank as part of an initial public offering. Since its inception, the Foundation has invested more than \$25 million in community initiatives and programs with more than 5000 grants awarded to more than 600 nonprofits and schools in Ocean, Monmouth and Middlesex Counties; and

WHEREAS, under KATHY DURANTE'S leadership, the Foundation launched new initiatives and partnerships focused on meeting the needs of the local community including the Model Classroom Grant Program, Home Runs for Heroes, OceanFirst Scholarship Program, OceanFirst Charity Challenge on Crowdrise and a special grant program to support Hurricane Sandy relief and recovery efforts.

NOW, THEREFORE, BE IT RESOLVED that the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY join in applauding, thanking and congratulating KATHY DURANTE for her leadership and service to the citizens of Ocean County.

Attest:	John C. Bartlett, Jr., Freeholder Director
Betty Vasil	
Clerk of the Board	Gerry P. Little, Deputy Director
	John P. Kelly, Freeholder
	James F. Lacey, Freeholder
7/\>	Joseph H. Vicari, Freeholder
<b>7</b>	JOSCIM II. Viciali, Freeholder

### September 16, 2015

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

### SECTION 1

**SECTION 2** 

**BE IT FURTHER RESOLVED**, that a certified copy of this Resolution and one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance, County Auditor, and the Transportation Department.

#### September 16, 2015

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

### **SECTION 2**

**BE IT FURTHER RESOLVED**, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

## September 16, 2015

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

## SECTION 1

BE IT FURTHER RESOLVED, that a certified copy of this Resolution and one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance, County Auditor, and the Engineering Department.

## September 16, 2015

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

## SECTION 1

## SECTION 2

## **SECTION 3**

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

# **RESOLUTION**September 16, 2015

Whereas, the Sheriff of the County of Ocean received notification from the Central East Healthcare Coalition regarding the availability of funds from the FY 2016 (HPP-PHEP) Hospital Preparedness Program and Public Health Emergency Preparedness cooperative agreement, and;

Whereas, the purpose of the award is to furnish funding that will significantly aid during the emergency evacuation of Long Term Healthcare Facilities in the County.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF Ocean, STATE OF NEW JERSEY that the Freeholder Director and Clerk of the Board hereby authorizes the Sheriff's Department to submit an on-line application for the grant entitled Central East Regional Healthcare Emergency Preparedness Coalition 2015 – 2016 Grant.

**BE IT FURTHER RESOLVED,** that the Freeholder Director, Clerk of the Board and Sheriff are hereby authorized to execute any corresponding and necessary subsequent documents.

**BE IT FURTHER RESOLVED,** that copies of this resolution shall be made available to the County Auditor, Department of Finance, Sheriff's Office and the State Office of the Attorney General.

## **September 16, 2015**

WHEREAS, the County of Ocean has previously received funding from the State of New Jersey, Division of Family Development for Title IV-D; and

WHEREAS, the Sheriff's Office has received the renewal agreement for the Title IV-D Reimbursement Agreement between the New Jersey Division of Family Development and the Ocean County Sheriff's Department, for the Contract period of October 1, 2015 through September 30, 2016; and

WHEREAS, the purpose of this agreement is to establish procedures for arrest services for the Title IV-D cases.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute the above said grant agreement on behalf of the Sheriff's Department, and accept the terms and conditions specified in the agreement.

**BE IT FURTHER RESOLVED,** that the Freeholder Director and the Clerk of the Board are hereby authorized to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED, that certified copies of this Resolution shall be made available to the County Auditor and the State of New Jersey

Department of Human Services, Division of Family Development, the Ocean

County Department of Finance and the Ocean County Sheriffs Office.

# September 16, 2015

WHEREAS, as of January 1, 2011 New Jersey residents may no longer place old computers, monitors, laptops, portable computers and televisions out at the curb for pickup as garbage. Such electronic waste, also known as e-waste, must now be recycled pursuant to the New Jersey Electronics Waste Management Act; and

WHEREAS, the County of Ocean must designate a vendor for the collection, transport and recycling of electronic equipment as required by the New Jersey Electronics Management Act; and

WHEREAS, the marketing of recyclable materials recovered through a recycling program is exempt from bidding pursuant to N.J.S.A. 40A:11-5(1) (s); and

WHEREAS, the County of Ocean has received a proposal from Electronic Recyclers International, Inc. for these services; and

WHEREAS, the Ocean County Department of Solid Waste Management recommends that an agreement be awarded to Electronic Recyclers International, Inc, to provide such services as set forth in its proposal and as more specifically set forth in the agreement.

NOW THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter in and execute an agreement with Electronic Recyclers International, Inc, 7815 North Palm Ave. #140, Fresno, CA 93711, for the collection, transport and recycling of electronic equipment.
- The Contract number must be placed on all papers, documents, invoices and vouchers pertaining to this Agreement.

- 3. A certified copy of this Resolution, together with a copy of the Agreement executed by the parties, shall remain on file and be available for public inspection at the office of the Clerk of the Board of Chosen Freeholders.
- 4. Certified copies of this Resolution shall be made available to:

Electronic Recyclers International, Inc Ocean County Purchasing Department, Ocean County Department of Solid Waste Management, Ocean County Counsel.

## September 16, 2015

WHEREAS, the County of Ocean has created and established a Leaf and Vegetative Waste Composting Program to assure sufficient composting sites for leaves and brush generated by all municipalities in Ocean County; and

WHEREAS, there exists in ten (10) Ocean County municipalities an additional composting facility permitted by the New Jersey Department of Environmental Protection to compost leaves and process brush; and

WHEREAS, these ten (10) municipalities and the County of Ocean wish to include this site in the Ocean County Leaf and Vegetative Waste Composting Program and the parties have agreed to enter into a Shared Services Agreement providing for the same; and

WHEREAS, the Uniform Shared Services and Consolidation Act, N.J.S.A. 40A:65-1 et seq. authorizes local units as defined in said Act to enter into joint agreements for the provisions of governmental services, such as those provided for herein.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Director and Clerk of the Board are hereby authorized and directed to enter into and execute a Shared Services Agreement with ten (10) municipalities providing for the operation of a leaf and vegetative waste compost facility at (see Appendix A for list of municipalities and block/lot numbers), as more particularly set forth in said Agreement, which shall be open to public inspection and kept on file in the Office of Clerk of the Board.
- 2. A certified copy of this Resolution shall be forwarded to the Ocean County Board of Chosen Freeholders, Ocean County Department of Solid Waste Management, Ocean County Counsel, and Township of Toms River.

# APPENDIX A: MUNICIPALITIES AND FACILITY BLOCK/LOT NUMBERS

(1) Township of Toms River:

Block 413 Lot 12, Block 539, Lot 5 and 7 and Block 231, Lot 7, 10, and 11.

(2) Township of Brick:

Block 1422, Lot 4, 20, 21 and 25.

(3) Township of Berkeley:

Block 23, Lot 2.

(4) Township of Manchester:

Block 116, Lot 13.

(5) Township of Lacey:

Block 1837, Lot 5.

(6) Township of Plumsted:

Block 80, Lot 4.

(7) Township of Jackson:

Block 2201, Lot 21.

(8) Township of Little Egg Harbor:

Block 124, Lot 10.01.

(9) Borough of Beachwood:

Block 8.44, Lot 2.

(10) Borough of Lakehurst:

Block 23, Lot 1.

### **September 16, 2015**

A RESOLUTION REGULATING THE STATUTORY AUTHORITY OF VERIZON NEW JERSEY INC., ITS SUCCESSORS AND ASSIGNS TO USE THE VARIOUS PUBLIC STREETS, ROADS, AVENUES, HIGHWAYS AND OTHER PUBLIC WAYS IN THE COUNTY OF OCEAN, NEW JERSEY, FOR ITS LOCAL AND THROUGH LINES AND OTHER COMMUNICATIONS FACILITIES AND PRESCRIBING THE CONDITIONS THEREOF.

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that:

SECTION 1: Pursuant to the provisions of N.J.S.A. 48:17-10, N.J.S.A. 48:17-11 and N.J.S.A. 48:17-12, permission and consent is hereby granted to Verizon New Jersey Inc.. (the "Company"), its successors and assigns, to install, operate, inspect, maintain, repair, replace and remove its communications facilities and other transmission or process equipment, including underground facilities such as conduits, manholes, cables, wires and all other facilities appurtenant thereto, and above-ground facilities, such as cables, wires, antennas, poles, posts, supports, guys, pedestals, cable termination and distribution cabinets and all other facilities appurtenant thereto, in, through, upon, along, over, under and across all of the various public streets and ways, which include the roads, avenues, right-of-way, sidewalks, highways, bridges, waterways and other public places, and parts thereof, throughout their entire length, and to effect the necessary street openings and lateral connections to curb poles, property lines and other facilities in the County of Ocean (the "County") for said Company's local and through lines and other communications facilities in connection with the transaction of its business. In the event that any public street or way where the Company has facilities is vacated by the County, the County agrees to reserve unto said Company the rights granted the Company by the present Resolution.

SECTION 2: All poles, posts, pedestals, cabinets or other facilities shall be located and placed back of the curb lines where shown on the official map(s) of the County. The poles and posts, however, shall be located within eighteen (18) inches of the face of such curb line or as may otherwise be mutually agreed by both parties, or at the points or places now occupied by the poles, posts, pedestals, cabinets or other facilities of the Company, its successors and assigns, and where there are no curb lines, at other convenient points or places in, upon, along, adjacent, or across the public streets and ways as may be mutually agreed upon between the parties.

SECTION 3: The Company may bury its local and through communications facilities such as cables, conduit, manholes and associated equipment, fixtures, process equipment and appurtenances within the right-of-way of the various public streets and ways and at such locations as shall be mutually agreed upon by the parties for said Company's local and through lines and communications facilities. Underground conduits and associated facilities, as aforementioned, shall be placed at least eighteen (18) inches below the surface of said public streets and ways and with the exception of lateral branches to curb poles and property lines and other facilities, the same shall generally not be constructed more than ten (10) feet from the curb line, unless obstructions make it necessary to deviate from such course or unless the parties mutually agree to another location. Manholes shall be located at such points along the line of underground conduits as may be necessary or convenient for placing, maintaining and operating the facilities, as aforementioned, which the Company may from time to time use in connection with its underground conduit system and shall be so constructed as to conform to the cross-sectional and longitudinal grade of the surface so as not to interfere with the safety or convenience of persons or vehicles.

SECTION 4: Before proceeding with any new construction or relocation work in an area covered by this Resolution, the Company shall give prior notice in writing thereof to the County, through its designated representative, of its intention to perform such work. The Company shall obtain such street opening or excavation permits as may be lawfully required by any applicable Resolutions regulating such openings or excavations. Any such area affected by the Company in constructing its facilities shall be restored to as good condition as it was before the commencement of work thereon. No public streets or ways shall be encumbered for a period longer than shall be reasonable to execute the work.

SECTION 5: The Company agrees to indemnify and save harmless the County from and against all claims and liabilities resulting from any injury or damage to the person or property of any person, firm or corporation caused by or arising out of road conditions resulting from any negligent or faulty excavations, installation or maintenance connected with the work or equipment of said Company, and not attributable to the fault or negligence of the County, except that if such injury or damage shall be caused by the joint or concurring negligence or fault of the Company and the County, the same shall be borne by them to the extent of their respective fault or negligence.

SECTION 6: Whenever a curb line shall be established on streets where one does not now exist or where an established curb line shall be relocated in order to widen an existing street in conjunction with road

construction being performed by the County, the Company shall change the location of its above-ground facilities covered by this Resolution in accordance with applicable law, so that the same shall be back of, and adjacent to, the new curb line so long as the County has acted in accordance with applicable law and with reasonable care in establishing the new curb line and providing notice thereof.

SECTION 7: Any company or corporation having legal authority to place its facilities in the public streets and ways of the County may jointly use the Company's poles, posts, pedestals or other structures for all lawful purposes, provided the Company consents to such use, on terms and conditions acceptable to the Company and not inconsistent with the provisions of the present Resolution.

SECTION 8: The Company shall provide space, to the extent available, on its poles so long as said poles are occupied by the Company and space, to the extent available, in its main conduits existing on the date of passage of this Resolution, but not exceeding one (1) duct of standard size, for the sole benefit of the County during the pendency of this Resolution. Such space shall be provided for the exclusive use of the County which use shall be limited to accommodating the wires or electrical conductors required for one-way signal control in connection with municipal police patrol, fire alarm signal control and traffic signal control systems only; but for no other uses or purposes, either alone or in conjunction therewith; nor for circuits for the supply of electrical energy for traffic or other signals; nor for wires, conductors, cable or the equivalent which provide a means of transmitting any signal to a private, commercial or residential location, and which is normally provided by a nongovernmental supplier; provided, further, that no such use or attachment by the County shall interfere with the plant or facilities of or the use thereof by the Company. All costs or expenses incurred by the Company in connection therewith shall be paid by the County. It shall be the obligation of the County to attach its wires to the poles or place its electric conductors in the conduits or manholes of the Company, provided that before proceeding with said work, either by itself or by a person, firm or corporation engaged to perform such work, the County shall give the Company thirty (30) days prior notice in writing. All such work shall be performed under the supervision of said Company. The County agrees to indemnify and save harmless the Company from and against all claims and liabilities resulting from any injury or damage to the person or property of any person, firm or corporation caused by or arising out of the County's installation maintenance, operation or removal of wires or facilities or the County's use or enjoyment of the Company's plant or facilities as provided under this Section, except that if such injury or damage shall be

caused by joint or concurring negligence of the Company and County, the same shall be borne by them to the extent of their respective fault or negligence.

SECTION 9: If any or all of the said streets or ways are later taken over by a municipality or the State of New Jersey, such municipality or State shall have such rights and privileges and be subject to the same terms, conditions and limitations of use as apply herein to the County, provided, however, that satisfactory prior arrangements as may be necessary are made with the County and the Company for the full protection of the respective interest of each.

SECTION 10: The term "County" as used in this Resolution shall be held to apply to and include any form of municipality or government into which the County or any part thereof may at any time hereafter be changed, annexed or merged.

SECTION 11: The permission and consent hereby granted shall apply to and cover all communications facilities of the Company existing at any time, and related structures, process equipment, and appurtenances heretofore or hereafter erected, constructed, reconstructed, removed, located, relocated, replaced, maintained, repaired or operated by the Company, its predecessors, successors or assigns within the County. This Resolution shall cancel and supersede all prior consent Resolutions between the County and the Company regarding the subject matter hereof.

SECTION 12: This Resolution shall continue in full force and effect for a period of fifty (50) years from the date it becomes effective subject to the right of the Company to seek such changes herein as may be deemed necessary from time to time prior to the expiration of said period, said changes to be approved by the County. The Company shall maintain its property within the County and shall comply with applicable law for the provision of safe, adequate and proper service at just and reasonable rates. At and after the term of this Resolution, the Company shall safeguard the public interest in continuous and uninterrupted service within the County.

SECTION 13: In the event that any provision herein shall for any reason be illegal or unenforceable under applicable law, such illegality or unenforceability shall not affect any other provisions of this Resolution, and this Resolution shall be construed as if such illegal or unenforceable provision(s) had never been contained herein.

SECTION 14: The Company shall pay the expenses incurred for advertising required in connection with the passage of this Resolution, after the date of its first reading, within thirty (30) days after

the Company has received a bill for said advertising from the publisher. Following final passage of this Resolution, the Clerk of the County Board of Freeholders shall provide the Company with written notice thereof by certified mail. As provided by applicable law, this Resolution, and any subsequent amendments, shall not become effective until acceptance thereof by the Company and approval thereof by the Board of Public Utilities.

BE IT FURTHER RESOLVED that certified copies of this Resolution be made available to the County Engineer, County Counsel and Verizon Communications, Inc. (Verizon New Jersey Inc.).

## <u>RESOLUTION</u>

## **September 16, 2015**

WHEREAS, the County of Ocean has awarded numerous Professional Services Contracts to Michael Baker Jr., Inc.; and

WHEREAS, notification has been received informing the County that Michael Baker Jr., Inc. has changed their company name to Michael Baker International, Inc.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that all current Professional Services Contracts (PP2014-171-Small Road and Bridge Design; PP2015-111-On-Call Environmental Engineering and PP2015-52 On-Call Traffic Engineering) with Michael Baker Jr., Inc. reflect the name change to Michael Baker International, Inc. and all other terms of the contracts and resolutions shall remain the same.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Department of Finance, Department of Purchasing, County Engineer, County Counsel and Michael Baker International, Inc.



September 3, 2015

Office of the Ocean County Engineer 129 Hooper Avenue, Third Floor Toms River, NJ 08754

Attention: Frank S. Scarantino

Subject: Notification of Name Change

Dear Mr. Scarantino:

On July 1, 2015 Michael Baker Jr., Inc., a Pennsylvania corporation currently registered to do business in New Jersey and authorized to practice Engineering and Land Surveying, changed its name to Michael Baker International, Inc. Please note that all other pertinent matters, including the Federal Employer Identification Number (25-1228638), project managers, and executive management remain the same. To continue to do business in the State of New Jersey, Michael Baker International, Inc. (formerly Michael Baker Jr., Inc.) filed the necessary paper work to update its name with the appropriate state entities. As this is a name change only, it will not legally affect Michael Baker International, Inc.'s (formerly Michael Baker Jr., Inc.) existing agreements and proposals with its clients, and Michael Baker International, Inc. will continue to operate in the same fashion as it had prior to July 1, 2015. Michael Baker International, Inc. is fully committed its clients and their success. We look forward to a continued relationship with Ocean County.

Should you have any questions or if you need any additional information, please do not hesitate to contact me at (609) 807-9522.

Sincerely,

MICHAEL BAKER INTERNATIONAL, INC.

Mu, J. Conoboy, P.E.

Vice President and Principle-in-Charge

September 16, 2015

**WHEREAS**, on June 17, 2015 a resolution was adopted authorizing the execution of an application for funding under the FY 14 Emergency Management Agency Assistance grant; and

WHEREAS, upon further review of the resolution it has been recommended to this Board that an amendment to the Resolution is necessary correcting a typographical error to include additional language breaking down the award amount by Federal and Local Share for Ocean County and the pass through agencies listed as follows:

County Total	Federal Award \$55,000.00	County In Kind Match \$55,000.00
Municipal	Federal Award	Municipal In Kind Match
Berkeley Twp.	\$5,000.00	\$5,000.00
Brick Twp.	\$5,000.00	\$5,000.00
Lacey Twp.	\$5,000.00	\$5,000.00
Lakewood Twp.	\$5,000.00	\$5,000.00
Toms River Twp.	\$15,000.00	\$15,000.00
Total	\$35,000.00	\$35,000.00 ;and

WHEREAS, a recommendation has been made to amend the Resolution, to include the additional language.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Director and Clerk of the Board are hereby authorized and directed to amend the Resolution to correct a typographical error to include additional language.
- 2. All other provisions of the Resolution above shall remain in full force and effect.

**BE IT FURTHER RESOLVED** that a certified copy of this Resolution shall be made available to the County Auditor, Department of Finance, Ocean County Sheriffs Department and the State of New Jersey, Department of Law and Public Safety.

## September 16, 2015

WHEREAS, on July 15, 2015, a resolution was adopted which awarded contract, B2015-71, for the furnishing and delivery of DEICING SALT for the County of Ocean; and

WHEREAS, upon further review of the contract documents, the County Purchasing Agent has recommended to this Board that an Amendment to the resolution is necessary due to a clerical error, incorrect vendor was named on page 2 of Resolution; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Director and Clerk of this Board are hereby authorized and directed to amend the Resolution for the furnishing and delivery of DEICING SALT for the County of Ocean, amending Resolution to read:
  - B. MID-ATLANTIC SALT, LLC. for one (1) item, to wit: <u>ITEM NO.</u> 1.

Secondary contract for \$75.90/ton as per page 20 of the bid specifications "AWARD OF BID".

This vendor has extended this contract to County Cooperative Contract System Participants.

 All other provisions of the resolution and contract documents shall remain in full force and effect.

BE IT FURTHER RESOLVED that certified copies of this resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Road Supervisor, and Mid-Atlantic Salt, LLC. the successful bidder.

# **September 16, 2015**

WHEREAS, on December 3, 2014 the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY adopted a resolution recognizing the need for Certified Training Instructors at the Ocean County Police Academy; and

WHEREAS, the resolution authorized the payment of fifteen dollars per hour for Certified Training Instructors for said Training; and

WHEREAS, it is the desire of the County to change the current rate to twenty-five dollars per hour, effective September 17, 2015; and

WHEREAS, the Certified Instructors are available through the municipalities within the County of Ocean; and

WHEREAS, funds for these services are available within the current approved budget under the appropriation entitled "Police Academy Other Expenses"; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, effective September 17, 2015, the hourly rate for Certified Training Instructors shall be twenty-five dollars per hour.

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the County Auditor, Department of Finance, Office of the Sheriff, and the Police Academy.

September 16, 2015

WHEREAS, there exists a need for Physician and Medical Services for the Ocean County Department of Juvenile Services: and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3 (3)(a), the Board of Chosen Freeholders must adopt a resolution authorizing the use of competitive contracting.

NOW, THEREFORE, BE IT RESOLVED, that the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Department of Juvenile Services is hereby authorized to procure Physician and Medical Services for the Ocean County Department of Juvenile Services in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et. seq.
- Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Juvenile Services.

# No Associated Documents

# No Associated Documents

# MOTION September 16, 2015

Motion approving the distribution of Requests for Proposals and/or Request for Qualifications for Professional Services and/or Extraordinary Unspecifiable Services and approving the selection criteria contained therein for the following projects in accordance with N.J.S.A. 19:44A-20.1.

# Requests for Proposals/Qualifications

Drug and Alcohol Collection and Testing

**Labor Consultant Services** 

**Professional Medical Services** 

Auditing Services for the Department of Employee Relations, Division of Risk Management and Department of Senior Services

Occupational Medicine Services for On-The-Job Injuries

Radiology and Other Medical Imaging Services

# MEMORANDU M. TOTAL

To:

Members of the Board of Chosen Freeholders

7815 SEP -4 A 10: 48

From:

Michael J. Fiure, Acting County Administrator

Date:

August 13, 2015

Subject:

Summary of Pre-Board Meeting of August 12, 2015

Copies to:

Betty Vasil, Clerk of the Board

Keith J. Goetting, Director, Employee Relations Michael J. Fiure, Director, Management & Budget

Freeholder Director John C. Bartlett opened the meeting at 4:00 PM and read the Statement of Compliance with the Open Public Meetings Act. The Clerk of the Board called the roll.

#### Present:

Freeholder Director John C. Bartlett, Jr.
Freeholder John P. Kelly
Freeholder James F. Lacey
Freeholder Joseph H. Vicari
Michael J. Fiure, Acting County Administrator
Mary Ann Cilento, Recording Secretary
Keith J. Goetting, Director of Human Resources
Frank Scarantino, County Engineer
Julie N. Tarrant, Comptroller/CFO
Christine Wioland, Deputy Clerk of the Board
Donna Flynn, Director, Public Information
John C. Sahradnik, Jr., County Counsel

Director Bartlett reviewed the recent bond refunding results noting that the Board approved some time ago the refunding of previously issued County bonds. The Director stated that this is similar to a person refinancing a house mortgage to obtain a lower rate. Director Bartlett stated that the County's financial advisor advised that the County had a fair amount of previously issues bonds that might be worthwhile refunding. Because of market conditions, it would be best to do a negotiated deal with banking and they in conjunction with the CFO advised that it was the best time to offer bonds to the market place for refunding. The Director stated that the County was successful and was able to refinance \$77 million worth of County bonds that were issued 7 and 10 years ago. The Director explained that we are not extending the debt for the bonds any longer than before, there are within the same timeframe. The goal was to save 5 percent on each issue. When the County started looking at this, we decided if we couldn't save 5 percent the County would no go

Members of the Board of Chosen Freeholders August 13, 2015 Summary of the Pre-Board meeting of August 12, 2015 Page 2

forward. Freeholder Bartlett stated that the final savings to the County in interest is \$4.7 million over the next 12 years over what the County would have paid if we did not refinance these bonds. The Freeholder pointed out that the County received such a favorable rate because of its excellent bond rating. Both Fitch and Moody's have maintained the County's Triple A bond rating with a stable outlook to the future. Director Bartlett noted that this it the highest rating you can receive from the bonding companies and Fitch advised that the County's stable financial performance reflects a history of conservative budgeting and careful capital planning.

Director Bartlett stated that the County budget did include a slight tax increase in this year's budget; however, Fitch Ratings looked on this in a positive way, stating it was a rate that meets the County's needs. The Director noted that the County increased the surplus by \$800,000 and the rating agencies looked favorable on this as well. Director Bartlett stated that Moody's advised that the County's recovery from Superstorm Sandy as being very positive due to the Shared Services Agreements and the fact that the County had \$100 million worth of expenditures without borrowing money to do this. The Director noted that the County borrowed from "itself" advising that this was all paid back to the satisfaction of FEMA. Director Bartlett stated that this demonstrates the County's tremendous ability to pay the bills and the way the County has operated over the years which has given the Triple A bond rating and a stable future.

Director Bartlett stated that the County got the job done and saved over \$4.7 million by the bond refunding; noting that very few counties in the Country can say this. Freeholder Kelly stated that the County helped towns put the County back together again and the County was in a position to do this; noting that the reconstruction couldn't begin after Superstorm Sandy until all the debris was removed. Director Bartlett stated that Ocean County was the only county in the State that could do this and did it.

Director Bartlett thanked Julie Tarrant for her professionalism and hard work, noting that the bond refunding was a very complicated process.

Freeholder Kelly noted that the Board of Health does routine testing after rain. The Freeholder noted the tremendous job of rebuilding Route 35 by the State; however, he noted that there were some runoff issues this week. The Freeholder noted that the County has been in contact with the NJ Department of Transportation (NJDOT) to determine what happened. Freeholder Kelly asked Frank Scarantino to provide an overview of the week.

Mr. Scarantino stated that last Wednesday the pump station at 8<sup>th</sup> Street in Seaside Park discharged and created a plume in the Barnegat Bay which kicked up sediment. Mr. Scarantino indicated that the pump kicked on for the first time and there were some difficulties with the electrical controls for the pump. The pump station on 8<sup>th</sup> Street malfunctioned and came on full force. Mr. Scarantino stated that the NJDOT is taking steps to prevent this from happening again. Mr. Scarantino advised that the Ocean County Health Department immediately went to the site of the plume and took samples. They did not discover any high levels of anything hazardous to humans, everything was within acceptable levels. The Ocean County Health Department continues to monitor this. Mr. Scarantino

Members of the Board of Chosen Freeholders August 13, 2015 Summary of the Pre-Board meeting of August 12, 2015 Page 3

stated that there was no rain for a long period and this was a heavy rain for the first "flush" of the systems, flushing whatever was in the pipes. The NJDOT is looking at what can be done to identify the source of the problem. Director Bartlett noted that it could be that the force of the water coming out of the pipe churned up the bottom of the Bay. Freeholder Lacey that the first flush contained organic matter that was sitting in the pipes and a big rain flushed the material out similar to the situation at the pump station in Point Pleasant. Freeholder Kelly stated that the County has to insure at the end of the day that the system operates property, it is in our County.

Mr. Scarantino reviewed the items listed on the attached Engineering Department agenda. There were no questions or comments, and all items will be listed on the agenda for the August 19, 2015 Board meeting.

Ms. Wioland reviewed the Clerk of the Board's agenda for the Board meeting of August 19, 2015. There were no questions or comments.

Director Bartlett asked the Board members for comments.

There were no comments from the members or the Administrator.

Ms. Vasil read the resolution to move to closed session.

On a motion by Freeholder Lacey, seconded by Freeholder Vicari, the meeting moved to Closed Session at 4:40 PM for personnel discussion, appointments, reappointments, property acquisition and possible litigation. The motion was unanimously carried. Director Bartlett stated that after the Closed Session the Board will return to Open Session to formally close the meeting; however, no action will be taken when the meeting returns to Open Session.

The meeting returned to Open Session at 5:15 PM. There being no further business, on a motion by Freeholder Kelly, seconded by Freeholder Lacey, the meeting adjourned at 5:16 PM.

MJF:mac

### REVISED - FINAL

## ENGINEERING DEPARTMENT AGENDA

Pre-Board Meeting of:

August 12, 2015

For Board Meeting of:

August 19, 2015

## RECOMMEND ADVERTISEMENT

1. Reconstruction of the Hyson Road-Cooks Road Intersection, Jackson Township

### **MISCELLANEOUS**

- 1. Bond Release Resolution.
- Resolution authorizing the execution of an Agreement between the County of Ocean and the Township of Manchester for the installation of an Intersection Control Beacon at the intersection of Pinewald-Keswick Road (CR #55) and Fox Street-Pine Ridge Boulevard, Manchester Township.
- 3. Resolution authorizing the execution of an Agreement between the County of Ocean and the Township of Lakewood for the installation of a Traffic Signal at the intersection of Airport Road (CR #88) and Garden State Parkway Interchange 89, Lakewood Township.
- 4. Resolution authorizing the execution of an Agreement between the County of Ocean and the Township of Lakewood for the installation of a Traffic Signal at the intersection of Hope Chapel Road (CR #3) and Miller Road (CR #44), Lakewood Township.
- 5. Resolution authorizing the execution of an Agreement between the County of Ocean and the Township of Lakewood for the installation of a Traffic Signal at the intersection of Cedar Bridge Avenue (CR #5) and Avenue of the States, Lakewood Township.
- Resolution authorizing the release of a Maintenance Bond to Quick Chek Corporation for modifications and improvements to the traffic signal at Leesville Road-Don Connor Boulevard and Veterans Highway (County Route 528), Jackson Township.
- 7. Amend Motion to acquire right-of-way and/or easement(s) by gift, purchase, exchange or condemnation for the purpose of bridge reconstruction on East Bay Avenue (C.R. #2) Over Double Creek, Township of Barnegat (two locations).

## August 12, 2015

BE IT RESOLVED, THAT A CLOSED SESSION WILL BE HELD AT THIS TIME TO DISCUSS:

PERSONNEL - Review of Personnel Resolution


**APPOINTMENT** - To the Ocean County Human Services Advisory Council

BE IT FURTHER RESOLVED THAT THE MINUTES OF THIS MEETING WILL BE MADE AVAILABLE TO THE PUBLIC UPON FINAL ACTION BEING TAKEN IN ACCORDANCE WITH THE PROVISIONS OF SAID LAW.

# No Associated Documents



# COUNTY OF OCEAN DEPARTMENT OF FINANCE



JULIE N. TARRANT
County Comptroller & CFO

September 4, 2015

Board of Chosen Freeholders Ocean County Administration Building Toms River, New Jersey 08754

Dear Board Members:

Accompanying this letter, you will find a copy of the Master Payroll for the payment of all employees of the County of Ocean, setting forth the amounts to be paid on September 9, 2015. This is for the payroll period of August 13, 2015 through August 26, 2015 and for the payroll period August 27, 2015 through September, 2015. These payments were made in accordance with the Resolution passed by your Board on June 21, 1972.

Very truly yours,

Julie N. Tarrant Comptroller

JNTdmd Pay #15-18 Pd. 09/09/2015

#### COUNTY OF OCEAN, NJ DEPARTMENT OF FINANCE MASTER PAYROLL CERTIFICATION

09/04/16	

AMOUNT \$ 5,070,068.91

PERIOD

FROM: August 13, 2015

TO:

August 26, 2015

FROM: August 27, 2015

TO:

September 9, 2015

FUND	BANK#	CHECK #	AMOUNT	
016	01	wire	4,379,867.40	
630	24	24-	0.00	
905	26	26-1891	4,744.08	
209	67	67-1543	672,405.09	
210	68	68-3159	8,691.35	
207	73	73-1373	0.46	
201	83	N/A	0.00	
225	97	97-1427	4,360.53	••••

Julie N. Tarrant being duly sworn accord	ling to law, upon her oath, depose and says that
the within County Payroll has been examined by	her and has approved the amount of wages for each
person as submitted by the various Department I	Heads.
Approved by the Board of Chosen Freeholders	Folie N. Tarrant Comptroller
	Director

## **September 16, 2015**

On motion duly made, seconded and carried, the plans and specifications for the Reconstruction of East County Line Road (County Route 526) (Apple Street to Route 549), Phase IV: Ridge Avenue/Joe Parker Road Intersection, Township of Lakewood were approved and the proper officers of the Board were authorized and directed to advertise.

# <u>MOITON</u>

## **September 16, 2015**

On motion duly made, seconded and carried, the plans and specifications for the Replacement of Curb and Sidewalk at Various Locations in Ocean County, Contract 2015 were approved and the proper officers of the Board were authorized and directed to advertise.

# **September 16, 2015**

On motion duly made, seconded and carried, the plans and specifications for the Rehabilitation of Wrights Bridge, Township of Toms River were approved and the proper officers of the Board were authorized and directed to advertise.

## September 16, 2015

On a motion duly made, seconded and carried, the County Engineer was authorized to acquire right-of-way and/or easement(s) by gift, purchase, exchange or condemnation for the repair of drainage pipes located along Melrose Drive, Toms River Township, for purposes of improving drainage.

from:

## Parcel 1

Chelsea Square Condo Association Being a P/O Lot 25, Block 654.03 Toms River Township

## Parcel 2

Robert Hildick Being a P/O Lot 26, Block 654.03 Toms River Township

and County Counsel was authorized to prepare and record all necessary documents.

## **September 16, 2015**

On motion duly made, seconded and carried, the County Engineer was authorized to acquire right-of-way and/or easement(s) by gift, purchase, exchange or condemnation for a road improvement on Route 547, South Hope Chapel Road, Jackson Township.

from:

## Parcel 1

Diane Ault Cullen, Esq., Trustee of the Sylvia I. Tambor Trust Being a P/O Lot 26, Block 23001 Jackson Township

and County Counsel was authorized to prepare and record all necessary documents.

# No Associated Documents

September 16, 2015

WHEREAS, the Borough of Lavallette has adopted an Ordinance Number 2015-06(1142), establishing Two Hour Time Limit Parking on Bay Boulevard; and

WHEREAS, the Borough of Lavallette has requested approval of the Board of Chosen Freeholders of the County of Ocean where the Ordinance would pertain to roads under the jurisdiction of the County of Ocean; and

WHEREAS, the Board of Chosen Freeholders had reviewed this Ordinance and has no objections to the regulations which have been established.

NOW, THEREFORE, BE IT RESOLVED by the BOARD of CHOSEN FREEHOLDERS of the COUNTY of OCEAN, STATE of NEW JERSEY, as follows:

- 1. That the Ordinance of the Borough of Lavallette, entitled as above, is hereby approved where the same effect roads now under the jurisdiction of the **COUNTY** of **OCEAN**.
- 2. All Signing required for the enforcement of the regulations shall be the responsibility of the Borough of Lavallette.
- 3. That certified copies of this Resolution shall be sent to the Clerk of the Borough of Lavallette, and to the County Engineer.

#### ORDINANCE NO. 2015-06 (1142)

AN ORDINANCE OF THE BOROUGH OF LAVALLETTE AMENDING CHAPTER 89 OF THE GENERAL ORDINANCES OF THE BOROUGH OF LAVALLETTE, COUNTY OF OCEAN, STATE OF NEW JERSEY ENTITLED "VEHICLES AND TRAFFIC"

**BE IT RESOLVED** by the Mayor and Council of the Borough of Lavallette, County of Ocean, State of New Jersey, as follows:

Deletions are shown by strikethrough; additions are shown by underline.

**SECTION 1.** Section § 89-19 of the Code of the Borough of Lavallette entitled "Schedule III: Time Limited Parking" is hereby amended and supplemented to add a two-hour parking space requirement along a section of Bay Boulevard.

#### § 89-19. Schedule III: Time Limit Parking.

In accordance with the provisions of § 89-5, no person shall park a vehicle, for longer than the time limit shown, upon any of the following described streets or parts of street:

Name of Street	Sides	Time Limit	Hours	Location
Bay Boulevard	<u>East</u>	2 hours	7:00 a.m. to 7:00 p.m. (during the Lavallette bathing season)	Beginning at a point 38' north of the northerly curbline of Reese Avenue and extending to a point 20' northerly therefrom

SECTION 2. Section § 89-19 of the Code of the Borough of Lavallette entitled "Schedule III: Time Limited Parking" is hereby amended and supplemented to remove a two-hour parking space requirement along a section of Bay Boulevard.

#### § 89-19. Schedule III: Time Limit Parking.

In accordance with the provisions of § 89-5, no person shall park a vehicle, for longer than the time limit shown, upon any of the following described streets or parts of street:

Name of Street	Sides	Time Limit	Hours	Location
Bay Boulevard	East	<del>2 hours</del>	7:00 a.m. to 7:00 p.m. (during the Lavallette bathing season)	Beginning at a point 38' south of the southerly curbline of Reese Avenue and extending to a point 20' southerly therefrom

**SECTION 3**. If any section, subsection, sentence, clause, phrase or portion of this ordinance is for any reason held invalid or unconstitutional by a court of competent jurisdiction, such portion

shall be deemed a separate, distinct and independent provision, and such holding shall not affect the validity of the remaining portions hereof.

SECTION 4. All ordinances or parts of ordinances inconsistent herewith are hereby repealed.

**SECTION 5.** This ordinance shall take effect immediately upon its enactment after second reading and publication as required by law.

#### NOTICE OF PENDING ORDINANCE

#### ORDINANCE NO. 2015-06 (1142)

AN ORDINANCE OF THE BOROUGH OF LAVALLETTE AMENDING CHAPTER 89 OF THE GENERAL ORDINANCES OF THE BOROUGH OF LAVALLETTE, COUNTY OF OCEAN, STATE OF NEW JERSEY ENTITLED "VEHICLES AND TRAFFIC"

The ordinance published herewith was introduced and passed upon first reading at a meeting of the governing body of the Borough of Lavallette, in the County of Ocean, State of New Jersey, held on the 17<sup>th</sup> day of August 2015. It will be further considered for final passage after public hearing thereon, at a meeting of said governing body to be held in the Lavallette First Aid Building located at 1207 Bay Boulevard, Lavallette, New Jersey, on September 8, 2015 at 7:00 p.m. or as soon thereafter as said matter can be reached, at which time and place all persons who may be interested therein shall be given the opportunity to be heard concerning said Ordinance.

A copy of this ordinance has been posted on the bulletin board upon which public notices are customarily posted in the Borough Hall of the Borough during the week prior to and up to and including the date of such meeting; copies of the ordinance are available to the general public of the Borough who shall request such copies, at the office of the Acting Borough Clerk in said Borough of Lavallette, in the County of Ocean, New Jersey

CHRISTOPHER F. PARLOW

Municipal Clerk

LaCicero	Moved	Second	Aye	Nay	Abstain	Absent
Borowski						
Filippone			1/	,		
Zalom			1)	,		
Stogdill						
Finter						
Lamb						

September 16, 2015

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Director and Clerk of the Board are hereby authorized to execute an agreement with the Township of Brick for the purpose of electrical service, battery backup and maintenance of the traffic signal at the intersection of Burrsville Road (County Road #16) and Garden State Parkway Ramps NBX and NB1E, in the Township of Brick.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be forwarded to the County Engineer and to the Clerk of the Township of Brick.

# RESOLUTION OF THE TOWNSHIP OF BRICK, COUNTY OF OCEAN, STATE OF NEW JERSEY, AUTHORIZING THE EXECUTION OF FOUR (4) AGREEMENTS WITH THE COUNTY OF OCEAN FOR INSTALLATION OF BATTERY BACKUP SYSTEMS AND TRAFFIC SIGNALS AT CERTAIN ROADWAY INTERSECTIONS

**WHEREAS**, the County of Ocean desires to install a battery backup at two (2) existing traffic signals in the Township, and has proposed agreements for both installations, and where the traffic signals are located at:

- (1) The intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12); and
- (2) The intersection of Burnt Tavern Road (County Road # 63) and The Boulevard; and

WHEREAS, the County of Ocean desires to construct traffic signals at two (2) roadway intersections in the Township, and which include:

- (1) The intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E; and
- (2) The intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C; and

WHEREAS, the four (4) proposed Agreements each provide that the Township will provide the necessary electric current for each of the traffic signals, through the utility company, and pay for such costs, while the county will be obligated to construct the battery backups and to construct and maintain the traffic signals at such intersections; and

WHEREAS, the Township Council desires to authorize the Mayor to execute, and the Township Clerk to attest, to the four (4) proposed Agreements;

#### NOW, THEREFORE, BE IT RESOLVED:

- That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12).
- 2. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and The Boulevard.
- 3. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E.
- 4. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C.
- 5. That a copy of said Agreements shall be kept on file and made available for public inspection at the Office of the Township Clerk during normal business hours.
- That the Township Clerk shall forward a certified copy of this resolution to the County of Ocean.

#### CERTIFICATION

I, Lynnette A. lannarone, Clerk of the Township of Brick, County of Ocean, State of New Jersey, do hereby certify the foregoing to be a true and correct copy of a Resolution adopted by the Township Council of the Township of Brick at a meeting of said Township Council held on August 25, 2015.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of the Township this 25th day of August, 2015.

LYNNETTE A. IANNARONE

TOWNSHIP CLERK

Agenda # 8/ Date
25/ 15
Agenda # Date

Agenda # Date

September 16, 2015

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Director and Clerk of the Board are hereby authorized to execute an agreement with the Township of Brick for the purpose of electrical service, battery backup and maintenance of the traffic signal at the intersection of Burnt Tavern Road (County Road #63) and The Boulevard, in the Township of Brick.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be forwarded to the County Engineer and to the Clerk of the Township of Brick.

# RESOLUTION OF THE TOWNSHIP OF BRICK, COUNTY OF OCEAN, STATE OF NEW JERSEY, AUTHORIZING THE EXECUTION OF FOUR (4) AGREEMENTS WITH THE COUNTY OF OCEAN FOR INSTALLATION OF BATTERY BACKUP SYSTEMS AND TRAFFIC SIGNALS AT CERTAIN ROADWAY INTERSECTIONS

**WHEREAS**, the County of Ocean desires to install a battery backup at two (2) existing traffic signals in the Township, and has proposed agreements for both installations, and where the traffic signals are located at:

- (1) The intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12); and
- (2) The intersection of Burnt Tavern Road (County Road # 63) and The Boulevard; and

WHEREAS, the County of Ocean desires to construct traffic signals at two (2) roadway intersections in the Township, and which include:

- (1) The intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E; and
- (2) The intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C; and

WHEREAS, the four (4) proposed Agreements each provide that the Township will provide the necessary electric current for each of the traffic signals, through the utility company, and pay for such costs, while the county will be obligated to construct the battery backups and to construct and maintain the traffic signals at such intersections; and

**WHEREAS**, the Township Council desires to authorize the Mayor to execute, and the Township Clerk to attest, to the four (4) proposed Agreements;

#### NOW, THEREFORE, BE IT RESOLVED:

- That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12).
- 2. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and The Boulevard.
- 3. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E.
- 4. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C.
- That a copy of said Agreements shall be kept on file and made available for public inspection at the Office of the Township Clerk during normal business hours.
- That the Township Clerk shall forward a certified copy of this resolution to the County of Ocean.

#### CERTIFICATION

I, Lynnette A. lannarone, Clerk of the Township of Brick, County of Ocean, State of New Jersey, do hereby certify the foregoing to be a true and correct copy of a Resolution adopted by the Township Council of the Township of Brick at a meeting of said Township Council held on August 25, 2015.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of the Township this 25th day of August, 2015.

LYNNETTE A. IANNARONE

TOWNSHIP CLERK

Agenda # 8/ Date | 2.5 | 1.5 |
Agenda # Date |
Agenda # Date

September 16, 2015

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Director and Clerk of the Board are hereby authorized to execute an agreement with the Township of Brick for the purpose of electrical service, battery backup and maintenance of the traffic signal at the intersection of Burnt Tavern Road (County Road #63) and Lanes Mill Road (County Road #12), in the Township of Brick.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be forwarded to the County Engineer and to the Clerk of the Township of Brick.

# RESOLUTION OF THE TOWNSHIP OF BRICK, COUNTY OF OCEAN, STATE OF NEW JERSEY, AUTHORIZING THE EXECUTION OF FOUR (4) AGREEMENTS WITH THE COUNTY OF OCEAN FOR INSTALLATION OF BATTERY BACKUP SYSTEMS AND TRAFFIC SIGNALS AT CERTAIN ROADWAY INTERSECTIONS

**WHEREAS**, the County of Ocean desires to install a battery backup at two (2) existing traffic signals in the Township, and has proposed agreements for both installations, and where the traffic signals are located at:

- (1) The intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12); and
- (2) The intersection of Burnt Tavern Road (County Road # 63) and The Boulevard; and

WHEREAS, the County of Ocean desires to construct traffic signals at two (2) roadway intersections in the Township, and which include:

- (1) The intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E; and
- (2) The intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C; and

WHEREAS, the four (4) proposed Agreements each provide that the Township will provide the necessary electric current for each of the traffic signals, through the utility company, and pay for such costs, while the county will be obligated to construct the battery backups and to construct and maintain the traffic signals at such intersections; and

WHEREAS, the Township Council desires to authorize the Mayor to execute, and the Township Clerk to attest, to the four (4) proposed Agreements;

#### NOW, THEREFORE, BE IT RESOLVED:

- 1. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12).
- 2. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and The Boulevard.
- 3. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E.
- 4. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C.
- 5. That a copy of said Agreements shall be kept on file and made available for public inspection at the Office of the Township Clerk during normal business hours.
- That the Township Clerk shall forward a certified copy of this resolution to the County of Ocean.

#### CERTIFICATION

I, Lynnette A. Iannarone, Clerk of the Township of Brick, County of Ocean, State of New Jersey, do hereby certify the foregoing to be a true and correct copy of a Resolution adopted by the Township Council of the Township of Brick at a meeting of said Township Council held on August 25, 2015.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of the Township this 25th day of August, 2015.

LYNNETTE A. IANNARONE TOWNSHIP CLERK

Agenda # 8/ Date TOV

∖genda #

Date

September 16, 2015

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Director and Clerk of the Board are hereby authorized to execute an agreement with the Township of Brick for the purpose of electrical service, battery backup and maintenance of the traffic signal at the intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jughandle Ramps A and C, in the Township of Brick.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be forwarded to the County Engineer and to the Clerk of the Township of Brick.

## RESOLUTION OF THE TOWNSHIP OF BRICK, COUNTY OF OCEAN, STATE OF NEW JERSEY, AUTHORIZING THE EXECUTION OF FOUR (4) AGREEMENTS WITH THE COUNTY OF OCEAN FOR INSTALLATION OF BATTERY BACKUP SYSTEMS AND TRAFFIC SIGNALS AT CERTAIN ROADWAY INTERSECTIONS

**WHEREAS**, the County of Ocean desires to install a battery backup at two (2) existing traffic signals in the Township, and has proposed agreements for both installations, and where the traffic signals are located at:

- (1) The intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12); and
- (2) The intersection of Burnt Tavern Road (County Road # 63) and The Boulevard; and

WHEREAS, the County of Ocean desires to construct traffic signals at two (2) roadway intersections in the Township, and which include:

- (1) The intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E; and
- (2) The intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C; and

WHEREAS, the four (4) proposed Agreements each provide that the Township will provide the necessary electric current for each of the traffic signals, through the utility company, and pay for such costs, while the county will be obligated to construct the battery backups and to construct and maintain the traffic signals at such intersections; and

WHEREAS, the Township Council desires to authorize the Mayor to execute, and the Township Clerk to attest, to the four (4) proposed Agreements;

#### NOW, THEREFORE, BE IT RESOLVED:

- That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and Lanes Mill Road (County Road #12).
- 2. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the construction of a battery backup system for the traffic signal located at the intersection of Burnt Tavern Road (County Road # 63) and The Boulevard.
- That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Burrsville Road (County Road # 16) and Garden State Parkway Ramps NBX and NB1E.
- 4. That the Mayor is hereby authorized to execute and the Clerk to attest to an Agreement between the County of Ocean and the Township for the placement of a traffic signal at the intersection of Lanes Mill Road (County Road #12) and Garden State Parkway Ramp NB3E and Jug handle Ramps A and C.
- 5. That a copy of said Agreements shall be kept on file and made available for public inspection at the Office of the Township Clerk during normal business hours.
  - . That the Township Clerk shall forward a certified copy of this resolution to the County of Ocean.

#### **CERTIFICATION**

I, Lynnette A. Iannarone, Clerk of the Township of Brick, County of Ocean, State of New Jersey, do hereby certify the foregoing to be a true and correct copy of a Resolution adopted by the Township Council of the Township of Brick at a meeting of said Township Council held on August 25, 2015.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of the Township this 25th day of August, 2015.

LYNNETTE A. IANNARONE

TOWNSHIP CLERK

Agenda # 8/ Date
4-10 /25/15
Agenda # Date

Agenda # Date

September 16, 2015

WHEREAS, as a result of an engineering and traffic investigation it is deemed necessary to install a Traffic Signal at the intersection of County Road #88 (Airport Road) and County Road GSP Interchange 89 in the Township of Lakewood.

NOW, THEREFORE, BE IT RESOLVED by the BOARD of CHOSEN FREEHOLDERS of the COUNTY of OCEAN, in the STATE of NEW JERSEY, that:

Pursuant to the provisions of Public Law 2008, Chapter 110, the following location(s) shall be controlled by a traffic control signal based on the designated traffic signal plan

#### **LOCATION**


#### **DESIGNATED PLAN**

CR #88 (Airport Road) and GSP Interchange 89 Plan #15 088 101 Plan Sheet #209 of 981 Dated May 2012

BE IT FURTHER RESOLVED that all former resolutions in conflict, or inconsistent with the provisions of this resolution are hereby repealed.

BE IT FURTHER RESOLVED that a certified copy of this resolution shall be forwarded to the County Engineer and to the Clerk of the Township of Lakewood.

# No Associated Documents



September 16, 2015

WHEREAS, on April 25, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: FORKLIFT for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following

bidder:

Name of Bidder

Address of Bidder

Eastern Lift Truck Co., Inc.

549 E. Linwood Ave. Maple Shade, NJ 08052 (888) 779-8880

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, EASTERN LIFT TRUCK CO., INC. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: Forklift for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year or until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

EASTERN LIFT TRUCK CO., INC. for three (3) items, to wit: ITEMS NO. 1, 1a and 1b.

For a Total Lump Sum of \$108,451.60.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-119.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Solid Waste Management Department, Vehicle Services, and Eastern Lift Truck Co., Inc., the successful bidder.

### TEM #1- MODEL YEAR 2015, OR NEWER, YALE VERACITOR PNEUMATIC TIRE FORKLIFT MODEL GP050VX, AS SPECIFIED OR EQUAL

	COMPLIANCE		
DESCRIPTION:	<u>YES</u>	<u>NO</u>	
2015, or Newer, Yale Veracitor Pneumatic Tire Forklift Model GP050VX			
Nominal 5,000lb capacity at 24" load center			
<ul> <li>STANDARD EQUIPMENT:</li> <li>Continuous Stability Enhancement System</li> <li>Integrated Dashboard display</li> <li>Operator Restraint System</li> <li>Operator Presence System (OPS)</li> <li>Low Fuel Indicator</li> <li>Infinitely Adjustable Steering Column</li> <li>Floor Mat</li> </ul>	V		
POWERTRAIN: 2.4L LPG with EPA Emissions Certification with Electronic Fuel			
Injection			
TRANSMISSION: Power shift 1-speed with electronic inching and industrial grade clutch packs, gears, shafts and drive train components			
BRAKING SYSTEM: Self energizing drum brakes			
EXHAUST: Counterweight, Rear Exhaust			
HOOD: Non-vented hood			
MAST: 3 Stage full free lift. 189" max fork height/ 84" lowered/ 60" free lift/ 237" ext. height			
MAST TILT: 6 degrees forward / 6 degrees back			
CARRIAGE: 42" Class II Hook Integral Sideshifter			

### ITEM #1- MODEL YEAR 2015, OR NEWER, YALE VERACITOR PNEUMATIC TIRE FORKLIFT MODEL GP050VX, AS SPECIFIED OR EQUAL (CONT'D)

DESCRIPTION: (CONT'D)	<u>COMPL</u> YES	<u>IANCE</u> <u>NO</u>
FORKS: 42" long Class II Hook Type (1.6"x 3.9") Standard Taper		
LOAD BACKREST EXTENSION: 48" High x 42" Wide		
HOSE GROUP: 1 Aux Function, Internal Mounted		<del></del>
HYDRAULIC CONTROLS: Three function Cowl Mounted Levers shall be arranged to support non-clamping attachments		
RADIATOR: Shall be anticlog to provide enhanced cooling capacity with a clog resistant core.	<b>√</b>	
ENGINE START: Key Switch Start		<del></del>
AIR INTAKE: High Air Intake		
STEERING WHEEL: Steering Wheel shall be equipped with a Wheel Spinner Knob		
DIRECTION CONTROL: Directional Lever shall be mounted on the left side of the steering column.		
LPG TANK BRACKET: Shall be swing out tank bracket	<u> </u>	
FUEL SENSOR: Shall be equipped with a pressure based LPG Fuel Sensor and provide notice of low LPG fuel level with a visual warning on the dash display.	<u> </u>	
UL APPROVAL: Shall be equipped with a Type LP, Underwriter's laboratory label.		
INCHING CONTROL: Single Inch/Brake Pedal		

### ITEM #1- MODEL YEAR 2015, OR NEWER, YALE VERACITOR PNEUMATIC TIRE FORKLIFT MODEL GP050VX, AS SPECIFIED OR EQUAL (CONT'D)

	COMPI	LIANCE
DESCRIPTION: (CONT'D)	YEŞ	NO
OVERHEAD GUARD: Tall – 86" High	_/_	
TREAD WIDTH: Narrow Tread		
DRIVE TIRES (2): Pneumatic Shaped Solid (PSS) 28 x 9 -15	<u> </u>	
STEER TIRES (2): Pneumatic Shaped Solid (PSS) 6.50 x 10	<u> </u>	
SEAT: Shall be Non-Suspension Vinyl, and include an Operator Restraint with No-Cinch Seatbelt	<u> </u>	
SEAT ACCESSORY: Shall be equipped with a black seat belt with No-Cinch ELR (Emergency Locking Retractor) mechanism. Seat belt shall lock only when necessary to allow the seat belt to move with the operator and improve operator comfort, especially when driving in reverse.	✓	
LIGHTS: Shall be equipped with Dual Front/Single Rear Work LED Light	✓	
VISIBLE ALARM: Amber LED Strobe Light, keyswitch activated, overhead guard mounted and will not increase truck height (low mount).	✓ 	
AUDIBLE ALARM: Reverse direction activated. Self adjusting between 82-102 dB(A).	<b>√</b>	<del></del>
FUEL TANK, LPG: Standard 33.5lb designed for forklift use.		
SPARE FUEL TANK, LPG: Same size and model as provided on vehicle.	<u> </u>	
ACCESSORIES: Rear drive handle with horn button to be mounted on right rear overhead leg guard.	<u> </u>	

### ITEM #1- MODEL YEAR 2015, OR NEWER, YALE VERACITOR PNEUMATIC TIRE FORKLIFT MODEL GP050VX, AS SPECIFIED OR EQUAL (CONT'D)

	COMPI	LIANCE
<u>DESCRIPTION:</u> (CONT'D)	YES	NO
REAR TURN SIGNALS: Vehicle shall be equipped with two (2) rear turn signals.		_
DIRECTION SWITCH INDICATOR: Visually identifies the truck's travel direction as determined by the shift lever.	<b>✓</b>	
MAST CYLINDER VELOCITY FUSES: Shall prevent raised masts from freefalling down in the event of a hoist rupture.		
HYDROSTATIC POWER STEERING: Shall prevents steering wheel 'kick back' when the steer wheels come up against an immovable object.	✓ 	
LPG LOCKOFF VALVE: Shall prevent flow of LPG into the truck when the truck is turned off.		
FREELIFT AND MAIN HOIST CHAINS: Rating of chain or combinations of chain shall far exceed working loads at rated capacity.	<u></u>	
CATALYTIC CONVERTER: Shall prevent engine exhaust sparks from exiting the truck.		
INBOARD MOUNTED LPG TANKS: Shall be provided to help protect the tank from being knocked off or damaged due to impact.		
TILT CYLINDERS: Cylinders shall be mounted under the floorboard to avoid an operator trip hazard as well as to prevent oil from contacting the operator in the event of a hose rupture.		
OPERATOR STEPS: Reduces the step height when entering the operator compartment. Steps shall have a high grip surface and be self-cleaning.		
DECALS, MARKINGS: All mandatory safety signage shall be installed.		

Page 26 of 27

### ITEM#1- MODEL YEAR 2015, OR NEWER, YALE VERACITOR PNEUMATIC TIRE FORKLIFT MODEL GP050VX, AS SPECIFIED OR EQUAL (CONT'D)

DESCRIPTION: (CONT'D)	YES	<u>NO</u>
PARKING BRAKE WARNING: Shall be equipped to remind the operator to set the parking brake when leaving the operator's seat.	<u>/</u>	
WARRANTY:		
Forklift shall be warranted for a minimum period of one (1) year or 2,000 hours, parts and labor with no deductible		
Powertrain shall be warranted for a minimum period of three (3) years or 6,000 hours		
All warranties shall commence on the date the County accepts the vehicle. Date of Delivery does not constitute acceptance by the County.	✓	
PAINT:		
The Forklift shall be primed with a rust inhibitor and painted standard OEM safety yellow with non-glare matte black trim and white wheels.		***************************************
OPTIONS:	-	
1a. 72" fork extensions	<b>√</b>	
1b. Mirrors - Dual side view (LH & RH overhead guard mounted)		

Proposal for the furnishing and delivery of MOTOR VEHICLE: FORKLIFT for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(**√**) - YES ( ) - NO

#### PRICE SCHEDULE

Item *#	Description .	Oty.: Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price (Use Max Qiy.)
$_1$	Model Year 2015, or newer, Yale Veracitor Pneumatic Tire Forklift Model GP050VX, As Specified or Equal	1	4	EA	\$27,647°°	\$ 106,610.00
		Yale		50 V X		
	Engine Kubot					
	Transmission Elec	teonic	Powe	ushift	-Techtronix	
	Delivery, A.R.O. 10-13 W	ieeks				
	Warranty: VC-2000 hcs	Full To	uck/	3ur-600	ohrs Power tra	น ก
	REMARKS: Unit Price 1			•		
	Price only includes 1			_		
/	OPTIONS:					
√la	72" Fork Extensions,				40	
1.	As Specified	1	4	SET	\$ 362. °°	\$ 1448.5
√lb	Mirrors, As Specified	1	4	SET	\$ 98.49	\$ 393.60

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

County of Ocean 101 Hooper Ave Toms River N.J. 08753


Re: Bid for Hardware, related equipment and services - 12 (manuals for GLP050VX)

Attn. Ms. Michelle Gunther.

The Bid price for the 1st forklift \$27,647.00 included the requirement of 3 sets of manuals. The 2-4 Units were quoted with no manuals, at \$26,321.00 each. That shows a total bid of \$106,610.00 for four (4) forklifts. If manuals are needed for the remaining 3 units, they would be an additional cost of \$442.00 per set. Please note the forklift model GLP050VX will all use the same manuals, for all four (4) units.

If you should have any questions or desire any further information please feel free to contact me!

Thank You Fred Valloreo Eastern Lift truck co. 609-304-5569



September 16, 2015

WHEREAS, on August 26, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: NEW EXCAVATORS AND LOADERS for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following

Name of Bidder

Address of Bidder

Jesco, Inc.

bidder:

118 St. Nicholas Ave. South Plainfield, NJ 07080 (908) 753-8080

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, JESCO, INC. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Excavators and Loaders for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year or until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

<u>JESCO, INC.</u> For ten (10) items, to wit: <u>ITEMS NO. 1, 1a, 1b, 1c, 1d, 1e, 2, 2a, 2b and 2c.</u>

For a Total Lump Sum (items 1 - 1e) of \$726,326.00 For a Total Lump Sum (items 2 - 2c) of \$418,486.00

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-120.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Solid Waste Management Department, Vehicle Services, and Jesco, Inc., the successful bidder.

### ITEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEELED EXCAVATOR, AS SPECIFIED, OR EQUAL

	COMPL	<u> IANCE</u>
	YES	NO
ENGINE:	,	
Rated SAE Engine Power shall be no less than 159 net hp @ 2000 rpm		
Engine shall be Certified to EPA Interim Tier 4 / Stage III B Emissions		
Engine shall have four cylinders and a displacement of no less than 317 cu in (5.2 L)		
Engine shall have auto-idle mode to reduce engine speed when hydraulics are not in use to reduce fuel consumption and noise		
Engine oil change interval shall have a scheduled minimum five-hundred (500) hours	<u> </u>	
Cold-start aid shall be standard, such as glow plugs		
Off-level capacity shall be no less than 34 degrees		
COOLING:		
Aluminum core coolers shall be standard		
POWER TRAIN:		
The machine shall be all-wheel drive with the front axle hydraulically lockable in any	,	
position		
The transmission shall be center mounted for maximum protection by the mainframe		
The transmission shall shift down when the wheel speed is appropriate to protect both	./	
the operator and the driver  There shall be true (2) speed (high/low) with around range and concluse of on the ga		
There shall be two (2) speed (high/low) with creeper range and capable of on the go shifting		
Travel speed in creeper mode shall not exceed 1.6 mph for maximum control		<del></del>
There shall be three (3) power modes and one work mode to simplify a variety of		
applications		
Gradeability shall be at least 67% (34 degrees)		
Drawbar pull shall be at least 20,570 lb		<del></del>
AXLES/BRAKES:		
Brakes shall be maintenance free fully hydraulic wet-disk on front and rear standard		
The disc service brake at each wheel shall be spring applied, hydraulically released,	/	-
modulated by the foot pedal		
The travel motor shall have three (3) modes', inching, slow and fast travel for	1	
maximum productivity		
Axle oil change interval shall be minimum two thousand (2000) hours Brake accumulators shall be standard		
Diake accumulators shall be standard		***
HYDRAULIC SYSTEM:	/	
Hydraulic sight gauge shall be provided for quick daily checks		
System shall have two (2) variable-displacement, load sensing, axial-piston pumps		
Hydraulic return filter shall be positioned inside the hydraulic tank to protect from contamination when the hydraulic oil is changed.	/	
contamination when the hydraune on is changed.		

Page 25 of 43

### ITEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEELED EXCAVATOR, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPL</u>	<u>IANCE</u>
	<u>YES</u>	<u>NO</u>
HYDRAULIC SYSTEM: (CONT'D)	,	
The pilot pump shall be one gear.	<b>√</b>	
Maximum pressure for the travel circuit shall be not less than 4,975 psi to minimize	<del></del>	
fatigue of the hydraulic components	<b>V</b> .	
Swing speed shall be capable of 12.2 rpm		
Swing torque shall be no less than 39,091 lb-ft		
System operating pressure for implement circuit shall be 4,975 psi		
System operating pressure for travel circuits shall be 5,047 psi		
System operating pressure for swing circuits shall be 4,844 psi		
The machine shall be equipped with a quick warm-up system for pilot circuit		
The joystick controllers shall be pre-wired for auxiliary hydraulics and booms fitted		
with pre-welded bosses for auxiliary lines		
The auxiliary high-pressure circuit pedal shall be lockable		<del> </del>
Hydraulic valves shall be stackable for ease of modification and service.		
All hydraulic plumbing on boom for hydraulic coupler and rotating grapple shall be		
provided		
Hydraulic oil change interval shall be minimum five thousand (5,000) hours		
ELECTRICAL:		
****		
The circuits shall be blade type multi-fused	<u> </u>	
The battery shall have a positive battery cover		
Two (2) twelve (12) volt batteries shall be provided with 180 minute reserve capacity All wire harnesses shall be encased in nylon mesh bindings		
The electrical system shall be twenty-four (24) volt with fifty (50) amp alternator		
The electrical system shall be twenty-four (24) von with fifty (30) amp alternator		
OPERATOR STATION:		
The operator station shall be mounted on four silicone-filled cab mounts to reduce		
noise, vibration and operator fatigue		
The cab shall have a hinged roof hatch for clear visibility to overhead obstacles		
Cab shall have a twelve (12) volt port provided		
Seat shall be deluxe suspension, high-back armchair with lumbar support and with		
four (4) inch adjustable arm rests.		
The seat can be adjusted independently or together with the control console to	_	
accommodate any size operator.		
The steering column shall be tiltable for easy entry and exit and comfortable	_	
operating		
The monitor shall provide indicators for air filter restrictions, alternator charge, brake		
pressure, engine oil pressure and engine overheat		
System shall retain and display fault codes and incidents related to machine operating	/	
outside of the specified parameter		
The horn shall be operable while the machine is moving forward or in reverse		
The A/C filters shall be easy to replace with no special tools required and shall have	/	
extended replacement intervals of minimum five-hundred (500) hours.		

Page 26 of 43

### ATEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEELED EXCAVATOR, AS SPECIFIED, OR EQUAL (CONT'D)

		LIANCE NO
OPERATOR STATION: (CONT'D)	YES	<u>NO</u>
Cab shall have a large beverage holder, place for a lunch box, and a hot/cold beverage box Engine air cleaner restriction light shall be standard on the monitor An AM/FM radio with auto tuning shall be standard The cab shall have auto climate control to maintain a comfortable, programmable temperature for AC and heat The windshield washer/wiper shall have constant and intermittent speed The glass in the cab shall be tinted for operator comfort Speed shall be controlled by a single pedal Direction of travel shall be controlled by a switch located on the LH pilot lever Vandal protection bars shall be available A seat belt shall be required		
WHEELS AND UNDERCARRIAGE:		
Dual traction-type tires, 10.00-20, 16 PR with spacer shall be standard on the machine, tires shall be filled with Arnco tire sealant to prevent flats.  Four outriggers shall come standard on the machine A toolbox shall be provided on the left chassis The outriggers can be activated together, in pairs or independently Minimum ground undercarriage clearance shall be 1 ft 2 in		
<u>UPPERSTRUCTURE:</u>		
The bucket-to-arm joint shall be coated with an extremely wear resistant surface like tungsten-carbide thermal coating.  Booms, arms and mainframes shall be warranted for three years or 10,000 hours Variable-adjustable boom  The machine shall have oil-impregnated bushings to enhance durability and extend grease intervals to five-hundred (500) hours on the arm-and-boom joint and one-hundred (100) hours on the bucket joint.  The boom and arm shall be reinforced with three welded bulkhead plates to deliver maximum strength and durability  The mainframe shall be constructed with a reinforced D-channel for durability  The boom and stabilizer joints shall have reinforced resin thrust plates to reduce noise and wear  The cab door, fuel cap and service doors shall be lockable.  Right and left hand mirrors shall be standard  The machine shall have dirt seals on all bucket pins  Centralized lube banks shall be provided for the front end and for the swing bearing to make greasing easier and less time consuming.		
OVERALL MACHINE SPECS:		
Standard minimum operating weight shall be no less than 44,000 lbs		

Page 27 of 43

#### ITEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEELED EXCAVATOR, AS SPECIFIED, OR EQUAL (CONT'D) **COMPLIANCE** YES NO OVERALL MACHINE SPECS (CONT'D) Overall height to top of cab shall be no more than 10 ft 3 in Counterweight clearance shall be 4 ft 1 in Machine travel length shall be no more than 29 ft 6 in Machine travel height shall be no more than 10 ft 6 in Machine wheel base shall be 8 ft 8 in for machine stability The standard boom shall be no less than 18 ft monoblock with 8 ft 11 in arm. **OPERATING SPECIFICATIONS:** The arm force shall be no less than 20,458 lb Bucket digging force shall be no less than 27,651 lb Lifting capacity over front @ ground level 20 ft reach shall be no less than 14,420 lbs Maximum reach with monoblock boom shall be no less than 31 ft. 5 in Maximum digging depth with monoblock boom shall be not less than 19 ft 2 in. Dump height not less than 21 ft 2 in. LIGHTS: The excavator shall be equipped with two headlights, two work lights on the top of the cab, one work light on the rear of the cab and one light on the boom Turn signals and hazard lights shall be standard Brake lights shall be standard Side marker lights shall be standard **CAPACITIES:** Fuel tank shall be not less than 77 gal Cooling system shall be at least 6.6 gal Engine lubrication including filter shall be 6 gal Hydraulic tank shall be 26,42 gal Hydraulic system shall be no less than 47.55 gal ATTACHMENTS: Rockland EHKR -B2 pin grabber coupler Indeco 1500 rotating grapple as per following specifications: Equipment weight- 3,300 lbs min. Load capacity 1.1 yds minimum Jaw width thirty-nine (39) inches minimum Thirty-six (36) inch heavy duty bucket with side cutters WARRANTY/TELEMATICS: One (1) yr, one-thousand (1000) hour full machine warranty

Five (5) yr telematics providing real time machine location, utilization data and

enables machine health prognostics that suggest maintenance solutions

13

ITEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEEL	ED EXCAV	Page 28 of 4 <b>ATOR, AS</b>
SPECIFIED, OR EQUAL (CONT'D)		LIANCE NO
SPECIAL EQUIPMENT:		
Hydraulic Cab Riser elevating seven (7) ft, shall include: Full cab guard Frame modifications Hydraulic control kit Safety interlocks to lock out other hydraulic functions during cab operation All electrical, HVAC and hydraulic plumbing extensions	V	
OPTIONS:		
1A. ROCKLAND P/N EGL -B L45 GRAPPLE: 97 " maximum opening 55" lower jaw width 44" upper jaw width	\frac{1}{\sqrt{1}}	
1B. SEVEN (7) YR, FIVE-THOUSAND (5000) HOUR EXTENDED FULL MACHINE WARRANTY		
C. <u>DIAGNOSTIC TOOLS/TEST EQUIPMENT</u>		
<ol> <li>Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).</li> </ol>	<u> </u>	
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.	<u> </u>	
<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>	<u>/</u>	
<ol> <li>All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.</li> </ol>	<u>/</u>	
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location	1/	

Page 29 of 43 ITEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEELED EXCAVATOR, AS SPECIFIED, OR EQUAL (CONT'D) **COMPLIANCE** <u>OPTIONS</u>: (CONT'D) 1D. TWO-WAY RADIO POWER AND WIRING REQUIREMENTS FOR NEW VEHICLES For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The I2VDC sources shall be protected from making contact with grounded metal surfaces. 1E. <u>TECHNICAL SUPPORT</u> Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation. The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification. Technical support may be requested in the following areas: 1. Engine (cooling, fuel, ignition, lubrication systems) -1 day at each location. 2. Transmission -1 day at each location 3. Electrical – I day at each location 4. Brakes – 1 day at each location 5. Hydraulic system (dump body, spreader, snow plow) – 1 day at each location 6. Upfitter (dump body, sweeper, etc.) - 1 day at each location A technical representative(s) shall be made available for a total of 180 training/ support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder.

For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department

personnel. Actual class size will be determined by the Vehicle Services

Department at the time the classes are scheduled.

Page 30 of 43 TEM #1 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 190GW WHEELED EXCAVATOR, AS SPECIFIED, OR EQUAL (CONT'D) **COMPLIANCE** YES NO OPTIONS: (CONT'D) IE. TECHNICAL SUPPORT (CONT'D) Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper coverage. Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative: a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm) b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050 Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location. Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only. Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed 12 months from the date of placing the last unit in service.

#### Page 31 of 43 TEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL

ENGINE:  1. Shall be manufactured and warrantied by the same company as entire machine. 2. Shall be wet sleeve design with spin cast wet type engine cylinders. Parent metal bore block design will not be accepted. 3. Shall be emissions certified and must meet Interim Final 4 Emissions with after-treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF). 4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable. 5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement. 6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm 7. Torque rise shall be no less than 23 percent. 8. Minimum of 113 hp net @ 2200 rpm 9. Oil spray cooled pistons 10. Fan guard for safety 11. Replaceable valve seats; one (1) intake and two (2) exhaust valves 12. Valve totators 13. Two position tilt nod 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swinje-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 5. The hydraulic and transmission are shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION: 1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission 4. Hydraulic reverser and Electric clutch cutoff on loader lever		COMPL	IANCE
1. Shall be manufactured and warrantied by the same company as entire machine. 2. Shall be wet sleeve design with spin east wet type engine cylinders. Parent metal bore block design will not be accepted. 3. Shall be emissions certified and must meet Interim Final 4 Emissions with after-treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF). 4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable. 5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement. 6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm 7. Torque rise shall be no less than 23 percent. 8. Minimum of 113 hp net @ 2200 rpm 9. Oil spray ecoled pistons 10. Fan guard for safety 11. Replaceable valve seats: one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM: 1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coofers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			***
2. Shall be wet sleeve design with spin cast wet type engine cylinders. Parent metal bore block design will not be accepted.  3. Shall be emissions certified and must meet Interim Final 4 Emissions with after-treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF).  4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats: one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	ENGINE:		
2. Shall be wet sleeve design with spin cast wet type engine cylinders. Parent metal bore block design will not be accepted.  3. Shall be emissions certified and must meet Interim Final 4 Emissions with after-treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF).  4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats: one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission			
bore block design will not be accepted.  3. Shall be emissions certified and must meet Interim Final 4 Emissions with after-treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF).  4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats; one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	· · · · · · · · · · · · · · · · · · ·		
3. Shall be emissions certified and must meet Interim Final 4 Emissions with after-treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF).  4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a unrocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats; one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	*	1/	
treatment device which includes the diesel oxidation catalyst and diesel particulate filter (DPF).  4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats; one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	· · · · · · · · · · · · · · · · · · ·		
filter (DPF).  4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque ries shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons 10. Fan guard for safety 11. Replaceable valve seats: one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 4. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
4. DPF must be inside engine compartment for better visibility. Added DPF not from the factory is unacceptable.  5. Shall be a turbocharged dieset, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats: one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission		$\checkmark$	
the factory is unacceptable.  5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.  6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm  7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons  10. Fan guard for safety  11. Replaceable valve seats: one (1) intake and two (2) exhaust valves  12. Valve rotators  13. Two position tilt hood  14. All service checks from one side of machine  15. Unit shall require Diesel Exhaust Fluid  16. Auto idle is required which decreases engine speed when Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission			<b>v</b>
6. Shall develop a net torque of no less than 330 lbs - ft., at 1400rpm 7. Torque rise shall be no less than 23 percent. 8. Minimum of 113 hp net @ 2200 rpm 9. Oil spray cooled pistons 10. Fan guard for safety 11. Replaceable valve seats; one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when 17. Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after 18. Push button economy mode easily available to operator  COOLING SYSTEM:  18. Engine coolant should be rated to -40 degrees Fahrenheit 29. The machine shall be equipped with an oil-to-water engine 19. Oil spray the swing-out for fast radiator clean-out. 20. Remote mounted transmission and hydraulic coolers to offer 20. The hydraulic and transmission circuits shall be water cooled 20. The hydraulic and transmission circuits shall be water cooled 21. Fluid levels should be easily checked by sight gauges, dipsticks 22. Fluid levels should be easily checked by sight gauges, dipsticks 23. Or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
7. Torque rise shall be no less than 23 percent.  8. Minimum of 113 hp net @ 2200 rpm  9. Oil spray cooled pistons 10. Fan guard for safety 11. Replaceable valve seats; one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when 17. Auto shutdown shall be available which turns off the machine after 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine 18. Oil shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer 19. Determine the provided of the swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer 19. Determine the provided of the swing-out for fast radiator clean-out. 5. Remote mounted transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks 10. The hydraulic and transmission circuits shall be water cooled 10. The hydraulic and transmission circuits shall be water cooled 11. Shall be designed and built by the same manufacturer as the entire machine. 12. Five (5) speed helical gear type, Full Power-shift transmission	5. Shall be a turbocharged diesel, four (4) cylinders, 276 cu. in. displacement.		
8. Minimum of 113 hp net @ 2200 rpm 9. Oil spray cooled pistons 10. Fan guard for safety 11. Replaceable valve seats; one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM: 1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION: 1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
9. Oil spray cooled pistons 10. Fan guard for safety 11. Replaceable valve seats: one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission	•		
10. Fan guard for safety 11. Replaceable valve seats; one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM: 1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler oil cooler oil cooler oil cooler should be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
11. Replaceable valve seats; one (1) intake and two (2) exhaust valves 12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission	• • •		
12. Valve rotators 13. Two position tilt hood 14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
13. Two position tilt hood  14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
14. All service checks from one side of machine 15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION: 1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
15. Unit shall require Diesel Exhaust Fluid 16. Auto idle is required which decreases engine speed when Hydraulics not in use 17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity 18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
Hydraulics not in use  17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission			
17. Auto shutdown shall be available which turns off the machine after an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	16. Auto idle is required which decreases engine speed when		
an operator selected period of inactivity  18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	•		
18. Push button economy mode easily available to operator  COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit 2. The machine shall be equipped with an oil-to-water engine oil cooler 3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission			
COOLING SYSTEM:  1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission			<del></del>
1. Engine coolant should be rated to -40 degrees Fahrenheit  2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	18. Push button economy mode easily available to operator		
2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission	<u>COOLING SYSTEM:</u>		
2. The machine shall be equipped with an oil-to-water engine oil cooler  3. Unit shall have a coolant recovery tank provided 4. The AC condenser will be swing-out for fast radiator clean-out. 5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission	1. Engine coolant should be rated to -40 degrees Fahrenheit	1/	
oil cooler  3. Unit shall have a coolant recovery tank provided  4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	· · ·		
4. The AC condenser will be swing-out for fast radiator clean-out.  5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	* * * *		
5. Remote mounted transmission and hydraulic coolers to offer better air exchange and fewer stacked cores. 6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission	· •	_/_	
better air exchange and fewer stacked cores.  6. The hydraulic and transmission circuits shall be water cooled  7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	•		
6. The hydraulic and transmission circuits shall be water cooled 7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine. 2. Five (5) speed helical gear type, Full Power-shift transmission	· ·	./	
7. Fluid levels should be easily checked by sight gauges, dipsticks or overflow tank  TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission	<u> </u>		
TRANSMISSION:  1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission		<u>~</u>	
1. Shall be designed and built by the same manufacturer as the entire machine.  2. Five (5) speed helical gear type, Full Power-shift transmission			
2. Five (5) speed helical gear type, Full Power-shift transmission	TRANSMISSION:		
2. Five (5) speed helical gear type, Full Power-shift transmission	1 Shall be designed and built by the same manufacturer as the entire machine		
		V	

### TEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL (CONT'D)

			COMPLI	ANCE
TRANSMISS	SION: (CONT'D)		YES	<u>NO</u>
		ch torque converter with 2.63:1 stall ratio.		
Travel speeds	are as follows:			
column, 6. Multi-plate 7. The machin operator to	clutch engagement e shall have a dial t	Reverse (mph) 4.5 8.2 13.1 n/a n/a e lever mounted on steering  for on-the-fly 4WD engagement chrottle that will allow the n cruise control. With a tap of M's return to idle		
<u>FINAL DRI</u> V				
planetary to 2. The axle is to contaminant 3. A standard lon the go sh 4. The machine (MFWD) th 5. Four Wheel 6. Final drive soil bath	ts. Axle breathers a low effort different all be provided. e shall be equipped at features true 4X4 Drive must automa	hock loads. to keep out dirt and other		
brakes are ap 2. Shall be hyd inboard mou 3. Shall be self 4. Brakes shall are to operat 5. The parking 6. Parking brak 7. The parking	pplied.  Iraulic multiple were unted and fully encloadjusting and selfuction consist of three (3) the without chatter.  I brake shall be fully the to engage autometric brake shall be independent.	osed		

### ITEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	
STEERING:	<u>YES</u>	<u>NO</u>
STEERING.		
1. Hydrostatic power steering with emergency manual mode	/	
2. Curb turning radius with brakes 12'		
3. Without brakes		
4. Bucket clearance circle with brakes		
5. Without brakes		
6. Steering wheel turn stop to stop		
7. Axle oscillation on both axles22 deg.		
8. Axle rating for Front (static)51,809 lbs.		
9. Axle rating for front (dynamic)18,739 lbs.		
10. Axle ratings for Rear (static)57,320 lbs.		
11. Axle ratings for Rear (dynamic)22,046 lbs.		
HYDRA:		
1. Closed center, axial piston pump, load sensing pressure compensated	1	
2. All hydraulic functions are to have equal priority.		
3. System shall feature a gear type pump which delivers at	<del></del>	<del></del>
least 42gpm at 3,625 psi. and at 2200 rpm.	/	
4. The hydraulic oil filter shall be 6 micron, vertically mounted		
spin on type	1/	
5. Shall use ORFS fittings, 37 degree flair type fittings are unacceptable.		
6. Recharging of the hydraulic pump is not required after oil change, pump		·····
replacement, or broken line	/	
7. It is not necessary to disconnect pump to change fan belt.		
8. Hydraulic cooler shall have an independent reservoir for continuous running		
of attachments		
BACKHOE:		
1. Backhoe controls shall be Pilot type w/ pattern selection		
2. Boom and dipperstick to be box-constructed and made of high-	,	
strength steel for heavy-duty durability		
3. Extendable dipperstick shall be at least four feet		<u> </u>
4. Extendahoe shall require no greasing		
5. The outer box shall extend to keep excess dirt and sand out of	,	
the lube points of the dipperstick.		
6. Outer box shall have factory welded gripping teeth to allow		
objects to be picked up between the bucket and dipperstick.		<del></del>
7. Boom shall be no more than 9" wide in operator's line of sight	1	
With a Power Curve Backhoe Boom design.		
8. Bucket shall have 190 degree rotation giving operator ability to	./	
dig vertical walls and load trucks easily w/o moving pin position.	V	

# Page 34 of 43 TEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL (CONT'D)

		COMPLIANCE	
		<u>YES</u>	NO
PACIZIOE. (CONTID)			
BACKHOE: (CONT'D)		,	
9. Backhoe shall have easy to activate	boom lock that utilizes lever		
10. Boom lock shall have a rubber bun			
and makes the boom rattle free dur	<del>-</del>		
11. Stabilizer cylinders shall have two	<del>-</del> -		
each end of cylinder, to ensure that	the stabilizers do not drift	,	
during transport or operation.			
12. Stabilizers to be equipped with rev	<u> </u>		
and for use in dirt or soft condition			
13. Extendable Dipperstick with Exten			
14. Heavy Duty Backhoe bucket cylind	der to increase backhoe bucket	4	
Breakout force by 27%			
Backhoe performance with 24" buck	zet•		
15. Digging force, bucket cylinder		/	
16. Digging force, bucket cylinder lift			
17. Digging force crowd cylinder			
18. Digging force crowd cylinder, lift			
19. Swing arc			
20. Bucket rotation			
21. Stabilizer angle rearward	18 deg		
22. Leveling angle	14 d <b>e</b> g	<u> </u>	
23. Ground clearance (min)	13"		
_			
	etracted Extended		
24. Digging depth SAE 2' flat bottom	15'-10"19'-8"		
25. Digging depth SAE 8' flat bottom			
26. Transport height is 12'-11" maximu			
<ul><li>27. Overall length transport is 24'-5" maximum</li><li>28. Extended Stabilizer width operating is 13'3" minimum</li></ul>		<del></del>	
28. Extended Stabilizer width operatin	g is 13-3 minimum		
BACKHOE LIFT PERFORMANCI	E EXTENDAHOE RETRACTED Lift Mode		
Minimum lift requirements			
•			
1. Dipper Lift @ 6'	7,908 lbs	<u> </u>	
2. Dipper Lift @ 8'	7,055 lbs		
3. Dipper Lift @ 10'	6,820 lbs.		
4. Dipper Lift @ 12'	6,438 lbs.		
5. Boom Lift @ 6'	4,118 lbs.		
6. Boom Lift @ 8'	4,171 lbs.		
7. Boom Lift @ 10'	4,193 lbs. 4,146 lbs.		
8. Boom Lift @ 12' 9. Boom Lift @ ground Level	3,917 lbs.		
10. Boom Lift @ 12' below ground			
10. Doom Line w 12 boto a Broand	19000 -001	<del></del>	

# Page 35 of 43 ITEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED,

OR EQUAL (CONT'D)			
		COMPL	IANCE
		YES	NO
BACKHOE: (CONT'D)			
BACKHOE LIFT PERFORMANO	E EXTENDAHOE EXTENDED Lift Mode		
Minimum lift requirements			
1. Dipper Lift @ 4'	5,426 lbs.	V.	
2. Dipper Lift (a) 8'	4,657 lbs.		
3. Dipper Lift @ 12'	3,995 lbs.		
4. Boom Lift @ 4'	3,123 lbs.		
5. Boom Lift @ 8'	3,114 lbs.	1	
6. Boom Lift @ 12'	3,017 lbs		
7. Boom Lift @ 12' below ground	•		
BACKHOE BUCKETS:			
<ol> <li>Machine shall be equipped wi</li> <li>Machine shall be equipped wi</li> </ol>			
TIRES:			
1. Rear tires to be 21.5L-24, 12PR R4	Į.	<b>√</b>	
2. Front tires to be 12.5/80-18 R4 10	•		
LOADER:			
1. Loader boom shall be robot-welded		,	
high-tensile steel for superior stren			
2. Divergent loader arms and curved l	knee loader boom for line of	,	
sight visibility and superior reach.			
3. Single bucket cylinder for increase	•		
4. A standard bucket level indicator a	3	_	
shall be included with the machine.			
5. Machine shall be equipped with thi	•		
6. Machine shall be equipped with 1.3		<u>'</u>	
7. Minimum breakout force of 9,813 l	•		
8. Unit shall feature an EH single load	<del>-</del>	•	
The MFWD button along with mor	- · · · · · · · · · · · · · · · · · · ·	1	
and loader aux hydraulic functions.		<i>v</i>	
9. Loader shall be equipped with ride			
10. Forty-eight (48) inch coupler fork	s to be provided		

Page 36 of 43

ITEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED,
OR EQUAL (CONT'D)

	COMPL YES	IANCE NO
LOADER: (CONT'D)		
Loader Performance with 1.3 cu vd multipurpose bucket:  Minimum Requirements		
11. Lifting Capacity full height		
OVERALL MACHINE:		
<ol> <li>Daily and periodic service points shall be grouped and ground accessible for easy maintenance.</li> <li>A front axle grease bank shall be accessible so operator does not have to crawl underneath machine.</li> <li>Fuel tank shall be easily reached from ground eliminating the danger of climbing around a machine in wet or slippery conditions.</li> <li>Mainframe shall be one-piece.</li> <li>Components shall be isolated from shock load stress and can be removed individually.</li> <li>Rear axle bearings are to be self-lubricating – no greasing</li> <li>Machine shall be equipped with 1,250 lb. front counterweight.</li> <li>Machine shall also be equipped with reversible stabilizer feet.</li> <li>Dual exterior rear view mirrors</li> <li>Four (4) corner hide-a-way strobe package installed</li> <li>Environmental oil drains</li> <li>Wireless communication monitoring system, with GPS, service and performance monitoring for three (3) years. All training to be provided on the system.</li> </ol>		
ELECTRICAL:		
<ol> <li>System shall incorporate a twelve (12) volt electrical system with dual batteries and a one-hundred fifty (150) amp alternator.</li> <li>Dual maintenance free batteries shall have a three-hundred (300) minute reserve capacity, and 1,900 CCA</li> <li>Unit shall have a minimum of four (4) front and four (4) rear work lights, stop and tail lights, flashers and turn signals, and two side mounted work lights</li> </ol>		

Page 37 of 43

<u>ITEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL (CONT'D)</u>

	COMPL	LANCE
	YES	<u>NO</u>
ELECTRICAL: (CONT'D)		
	/	
4. Solid state electronics featuring minimal relays and connectors		
5. On board multi-language (English, French, Spanish) digital monitor displaying hours, engine speed and gear selection	./	
6. Digital monitor features on-board diagnostics via four (4) push button		
LCD interface with easy to read and understand diagnostic		
messages and fault code readings along with calibrations		
and machine information		
7. System shall be equipped with one-hundred ten (110) volt engine coolant heater (1,000 watts)		
8. Unit shall be equipped with a Sealed Switch Module on the right	<u> </u>	
Side console which includes:		
Push Button Start and Stop (No Ignition key required),		
Park Brake, Hazards, Quick Coupler engage and disengage,		
Work lights, Wipers and washer fluid, aux hydraulic	/	
enable, pattern selector for backhoe controls & Ride control.		
OPERATOR'S CAB:		
1. Cab is to be isolation mounted and conform with SAE J1040.	<b>√</b>	
2. Noise level in the cab should not exceed seventy-six (76) dB(A).		
3. Glass shall be floor-to-ceiling tinted glass for safety and visibility.		
4. Forty-thousand (40,000) Btu/hr heater-defroster and twenty-six thousand (26,000) Btu/hr air conditioner	./	
5. Cab air filters shall be a cartridge type, and be located inside the		
cab for quick and easy replacement requiring no tools.		
6. Operator seat shall be fabric air suspension seat.		
7. A vandal protection kit for instrument panel, engine access	/	
doors, and fuel tank shall be standard equipment.		
<ul><li>8. Front and rear windshield wipers.</li><li>9. Dual inside rear view mirrors.</li></ul>		
10. Thermos holder		
11. West coast mirrors		
12. Front Windshield Washer		
13. AM/FM/WB Radio w/digital clock		
14. Two (2) 12V outlets		
A monitor that provides both audible and visible warnings for the following shall be provided:		
Visual and Audible Alarms		
15. Engine air filter restriction indicator		·
16. Alternator indicator		

# ITEM #2 – MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	IANCE
	YES	<u>NO</u>
OPERATOR'S CAB: (CONT'D)		
Visual and Audible Alarms (Cont'd)		
17. Hydraulic filter restriction 18. Torque converter oil temperature 19. Seat belt indicator 20. MFWD indicator 21. Beacon on/off indicator 22. Hydraulic oil temperature 23. Tachometer 24. Hour meter 25. Engine coolant temperature 26. Engine oil pressure 27. Parking brake on/off indicator 28. Low brake pressure 29. Exhaust filter & cleaning indicator		
CAPACITIES:  1. Fuel Tank		
OPERATING WEIGHT:		
Operating weight with cab, mechanical front wheel drive, extendable dipperstick and 1,450 lb counterweight with 1.0 cu yd loader bucket and twenty-four (24) in backhoe bucket shall be approximately 19,500 lbs.		
WARRANTY:		
<ol> <li>Extended warranty shall be five (5) year / 3000hr full machine coverage shall come standard</li> <li>Dealer to include complete warranty details with bid</li> </ol>		

Page 39 of 43 ITEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED, OR EQUAL (CONT'D)

		COMPI YES	LIANCE NO
<u>OP</u>	TIONS:		
JA.	DIAGNOSTIC TOOLS/TEST EQUIPMENT		
	<ol> <li>Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).</li> </ol>		
	<ol><li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li></ol>		
	3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.		
	<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>		
	5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.	<u>/</u>	
	6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.	_/	
/	7. Training shall be provided on all items in this section at a County location.		
<sup>/</sup> 1B.	TWO-WAY RADIO POWER AND WIRING REQUIREMENTS FOR NEW VIRING The purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:  1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.	EHICLES	
	•		
	2. #12 AWG BLACK wire connected to chassis ground.		
	3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.		
	These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.		

Page 40 of 43

ITEM #2 – MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LOADER, AS SPECIFIED,

OR EQUAL (CONT'D)

	COMPL	
	YES	<u>NO</u>
TIONS: (CONT'D)		
TECHNICAL SUPPORT		
Technical Support is to be provided by factory authorized technical		
representatives and is to be the original equipment Manufacturer's industry		
standard technical presentation.		
The support provided shall be at the journeyman/equipment technician level		
and should address limited theory, fault diagnosis and repair pertaining		
specifically to the equipment supplied under this specification.	· · · · · · · · · · · · · · · · · · ·	
Technical support may be requested in the following areas:		
1. Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.		
2. Transmission – 1 day at each location		
3. Electrical – 1 day at each location		
4. Brakes – 1 day at each location		
5. Hydraulic system (dump body, spreader, snow plow) – 1 day at each location	1/	
6. Upfitter (dump body, sweeper, etc.) – 1 day at each location		
A technical representative(s) shall be made available for a total of 180 training/		
support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training		
days will be allowed only with consent of Vehicle Services. The total training		
hours will be required to be provided and no additional compensation will be		
considered. The actual time to be spent on each area will be by mutual agreement	/	
of the Vehicle Services Department and the successful bidder.		
For the purposes of determining materials and other training costs, class size is		
anticipated to be comprised of six (6) to ten (10) Vehicle Services Department		
personnel. Actual class size will be determined by the Vehicle Services		
Department at the time the classes are scheduled.	<u> </u>	
Before the training is scheduled, Vehicle Services and the contractor will agree		
on the scope of the training, and the type and quantity of manuals, etc. that are		
necessary for proper coverage.		
Technical Support for Vehicle Services may be provided at the following fleet		
maintenance facility location as scheduled by a Vehicle Services Department		
representative:		
a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions		
will be provided at this location. One beginning at 7 am and another		
beginning at 1:30 pm)		
h Manakawakin 270 Manaka di Dila 100 Mari Li Di Azir 00070	. /	
b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050	V	

ITEM #2 - MODEL YEAR 2016, OR NEWER, JOHN DEERE 410L WHEEL LO	ADER, AS S	Page 41 of 43 SPECIFIED,
OR EQUAL (CONT'D)		
	<u>COMPI</u> <u>YES</u>	<u>JIANCE</u> <u>NO</u>
<u>OPTIONS</u> : (CONT'D)		
1C. TECHNICAL SUPPORT (CONT'D)		
Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location.	<u>/</u>	
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.		
Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.		

Proposal for the furnishing and delivery of MOTOR VEHICLES: NEW EXCAVATORS AND LOADERS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. $(X) - YES \qquad (\quad) - NO$

PRICE SCHEDULE

Description		MAX QTY	UNIT OF MEAS.	UNIT PRICE	TOTAL PR (USE MA QTY.)
Model year 2016, or Newer, John Deere 190GW Wheeled					Ø_
Excavator, As Specified, or Equal	1	2	EA	\$ 324,936.a	\$649.80
Year, Mfr., Model: 2016					11
Engine Isuzu 4HK-	<u> </u>				
Transmission Deeke					
Delivery, A.R.O. 180 DAYS A	RO				
Warranty: AS Specified					
Remarks none					
<u>OPTIONS</u>					
Rockland P/N EGL-B L45					
Grapple, As Specified	1	2	EA	\$ 13,705.00	\$ 27,410
7 Year, 5,000 Hour Extended Full Machine Warranty	1	2	EA	\$6,572.00	\$ 13,144.
Diagnostic Tools/Test Equipment, As Specified	1	1	ĒΑ	\$9,700.00	-
Two-Way Radio, Power and	•	•	L/ t	<u> </u>	<u> </u>
Wiring Requirements, As Specified	1	2	EA	\$ 500.00	\$ 1,000.0
Technical Support, As Specified	1	180	HR	\$140.00	\$25,200-
		TOTAL	L LUMP SU	JM (Add 1-1e):	s726,32

	ОТУ	MÁX	UNIT OF	Page 43 of 4 TOTAL PRIC UNIT (USE MAX
Description		QTY	MEAS.	PRICE QTY.)
Model year 2016, or Newer, John Deere 410L Wheel Loader,				12 4
As Specified, or Equal	1	3	EA	\$ 127362.00 \$ 382,086
Year, Mfr., Model: 2016				
Engine Deere 4.5L 276	cu.	<u>în c</u>		
Transmission ZF	<b></b>			
Delivery, A.R.O. 30-45 DA	1S /	4RD		×
Warranty: 5 year 3000 hou	,		Achire	- Coverage - see Brochuse t
		, , , , , , , , , , , , , , , , , , , ,	77	details.
Remarks Nove				
OPTIONS				
<u>or mons</u>				
Diagnostic Tools/Test Equipment,				
As Specified	1	1	EA	\$ 9,700.00 \$ 9,700.00
Two-Way Radio, Power and				
Wiring Requirements, As Specified	1	3	EA	\$ 5700.00 \$ 1,500.00
Technical Support, As Specified	1	180	HR	\$140.00 \$25,200.0
		TOTAL	LUMP SU	JM (Add 2-2c): \$418,486.

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

VENDOR TO INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL.



Main Office: 118 Saint Nicholas Ave - South Plainfield, NJ 07080 - PH (908) 753-8080 - FX (908) 821-1400

#### Construction, Industrial & Utility Equipment

RE: BID- MOTOR VEHICLES: NEW EXCAVTORS AND LOADERS FOR THE COUNTY OF OCEAN

#### DIAGNOSTIC EQUIPMENT:

Jesco is providing a HP Elite Book laptop already downloaded with all John Deere diagnostic tools for current and non-current Deere construction equipment. Diagnostic software is also provided for other equipment manufacturers using Deere engines. All connecting cables for the laptop and diagnostic cables for the onboard equipment hookup are provided. The service advisor software comes with a 5 year license, after 5 years the license would have to be renewed.




Main Office: 118 Saint Nicholas Ave • South Plainfield, NJ 07080 • PH (908) 753-8080 • FX (908) 821-1400

### Construction, Industrial & Utility Equipment

### LIST OF DIAGNOSTIC EQUIPMENT

JESCO, INC. WILL PROVIDE ALL TECHNICAL MAITENANCE SUPPORT INFORMATION FOR CURRENT AND DISCONTINUED JOHN DEERE MODELS.

THIS INCLUDES SUPPORT FOR JOHN DEERE PRODUCTS USED IN OTHER EQUIPMENT NOT MANUFACTURED BY JOHN DEERE.



### RESOLUTION

September 16, 2015

WHEREAS, on August 4, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: NEW CARS, SUV'S PICK-UP TRUCKS, VANS & WAGONS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following

bidders:

Name and Address of Bidder

Winner Ford 250 Berlin Road Cherry Hill, NJ 08034 (856) 427-2789

Day Ford 3696 William Penn Hwy Monroeville, PA 15146 (609) 484-0555 Name and Address of Bidder

Larson Ford, Inc. 1150 Ocean Ave. Lakewood, NJ 08701 (732) 363-8100

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, WINNER FORD be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Cars, Suv's, Pick-Up Trucks, Vans & Wagons for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year or until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

### WINNER FORD for ninety two (92) items, to wit:

ITEMS NO. 1, 1a, 1b, 1c, 1d, 1e, 1f, 1g, 1h, 1i, 1j, 1k, 1l, 2, 2a, 2b, 2c, 2d, 2e, 2f, 2g, 2h, 2i, 2j, 2k, 2l, 2m, 3, 3a, 3b, 3c, 3d, 3e, 3f, 3g, 3h, 3i, 3j, 3k, 3l, 4, 4a, 4b, 4c, 4d, 4e, 4f, 4g, 5, 5a, 5b, 5c, 5d, 5e, 5f, 6, 6a, 6b, 6c, 6d, 6e, 6f, 7, 7a, 7b, 7c, 7d, 7e, 7f, 8, 8a, 8b, 8c, 8d, 8e, 9, 9a, 9b, 10, 10a, 10b, 10c, 10d, 10e, 11, 11a, 11b, 11c, 11d, 11e, 11f and 11g.

```
For a Total Lump Sum:
(items 1-11) of $875,500.00
(items 2-2m) of $982,920.00
(items 3-31) of $852,020.00
(items 4-4g) of $612,260.00
(items 5-5f) of $369,960.00,
(items 6-6f) of $368,770.00,
(items 7-7f) of $663,120.00,
(items 8-8e) of $643,840.00,
(items 9-9b) of $431,760.00,
(items 10-10e) of $553,300.00
(items 11-11g) of $352,470.00.
```

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-105.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Vehicle Services, and Winner Ford, the successful bidder.



August 4, 2015

County of Ocean 101 Hooper Avenue Toms River, NJ 08754

**RE: Bid Exceptions** 

To Whom It May Concern, Winner Ford is bidding this with the following exceptions:

#### Item #2

1 Option 2j will be an ARE cap. It is a V series cap. Painted to match cab, 3<sup>rd</sup> brake light, front picture window, ½ rar glass with single T lock and security screen.

#### Item #6

- 1 Vinyl seats not available. Seats will be cloth.
- Windows all around with 4<sup>th</sup> row flip up glass in only available on the EL model. This bid is for the regular length model. Windows all around is standard with fixed glass.

#### Item #7

- 1 Rear cargo management system is not available in this model. Only in the EL model.
- 2 Option 7b is only available when ordering the 102A package.

If you have any questions or concerns, please call my direct phone line at 856-427-2789, or email to lhoffman@winnerford.com

Sincerely,

Linda Hottman

### ITEM # 1 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

### COMPLIANCE

<u>DESCRIPTION</u>	<u>YES</u>	<u>NO</u>
Model Year 2016 or newer, Ford F250 4X4 Super Cab XLT Pick Up	_	•
Truck		
6.2L 2 Valve V8 Gas/TorqShift six-speed automatic w/selectshift	1	
automatic		
Wheel Base 142"		
6-3/4' Cargo box		
Transfer Case – Manual w/Manual Locking hubs		
Front Axle - Mono-beam front axle with coil spring suspension;	/	
Rear Axle - Non-limited slip		
Tire Pressure Monitoring System		
Trailer tow package – 7-wire harness with relays and 7/4 pin		
Bumper - Front & Rear, Chrome		
Center high-mounted stop lamp		
Brakes - Four (4) Wheel Disc with Anti-lock brake system - Roll		
Stability control/trailer sway control	$\checkmark$	
Alternator – 157 Amp		
Battery – 650-CCA, 72-AH		
Shock absorbers – Heavy Duty		
Stabilizer bar – Front		
Steering – Power		
Steering damper		
Front license plate bracket		
Glass – Privacy (2 <sup>nd</sup> Row (rear seat) windows.)		
Jack – Two Ton Mechanical		
Lamps – pickup box and cargo area		
Full size spare tire, wheel, lock and frame mounted carrier		
Tailgate - removable w/key lock, black handle and Tailgate assist		
"Three-blink" lane change signal		
Tie-down hooks – Pickup box, Four(4)		
Tow hooks – Front, two (2)	/	
Door Trim - Color-coordinated, molded w/armrest/grab handle,	1	
reflector and front map pockets		
Gauges and meter - Fuel, transmission temperature, engine coolant	,	
temperature, oil pressure, speedometer, odometer and tachometer		
Headliner - color-coordinated cloth		
Horn – Dual electric		
Instrument panel – color-coordinated w/glove box, 4 air registers		
w/positive shut off, power point, storage bin	/	
Scuff plates – color-coordinated		

### ITEM # 1 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPL</u>	<u>IANCE</u>
DESCRIPTION (CONT'D)	<b>YES</b>	<u>NO</u>
Windshield Wipers – Intermittent		
Driver and passenger frontal and side airbag/curtain		
Color-coordinated seatbelts with height adjustment		
12.5K Trailer hitch Receiver – Includes 2" trailer hitch		
Headlamp/lamps Dual Beam Jewel Effect		
Mirrors- Manually telescoping two-way fold trailer tow with		
power/heated glass, heated convex spotter mirror, integrated clearance	/	
lamp/turn signals	/	
LT275/65R18 tires with 18" Cast Aluminum wheels w/bright hub	/	
covers/center ornaments	_/	
Windows - 1 <sup>st</sup> Row power w/one-touch up/down, 2 <sup>nd</sup> Row quarter,		
flip out		
Air Conditioning – Manual		
AM/FM Stereo with single-CD/MP3 player, digital clock and four		_
speakers, auxiliary audio input jack, and Sync	<b>/</b>	
Color-coordinated carpet and carpeted floor mats		
Power Points one in front center under seat storage, one in 2 <sup>nd</sup> row		
under seat storage, two in instrumentation center		
Seats - Front - cloth 40/20/40 split bench, 20% center locking under-		
seat storage, w/center armrest, cupholder and storage -Rear- cloth,	,	
60/40 fold up bench seat		
Snow Plow Prep package		
Skid Plates - Transfer Case and Fuel Tank		
Full Running Boards on Cab (aftermarket is acceptable)		
Interior color: Steel		
Tough Bed Spray in liner - Includes tailgate-guard, black box bed tie-		
down hooks and black bed attachment bolts		
Scuff plates – color-coordinated		
Day Time Running Lights		
	•	
Paiut:		
Color to be specified from Standard color chart on Purchase order	/	
when ordering		
, and the second		
Warranty:		
Bumper to Bumper: 3 years/36,000 miles	/	
Vehicle Equipment Must Be Rustproofed and Warrantied by the		
Manufacturer Against Rust for Five (5) Years or 50,000 Miles,		
Whichever Comes Last. This Equipment Must Also Meet or Exceed		
All Applicable State, Federal and PEOSHA Laws and Regulations		

### ITEM # 1 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	<u>LANCE</u>
Options:	YES	NO
1a. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber,	<del>,</del>	
Two White Take Down Lights in Front, 2 White Alley Lights, Corner	,	
Lights Wired on Separate Switch		
1b. One Four (4) head strobe light kit with two (2) front and two (2)		
rear to be installed in the parking light lens area with the front and rear	1	
being on separate switches.		
1c. Trailer brake controller		
1d. Vent Shield on all doors		
/1e. One (1) Western 8-1/2' Ultra Mount Quick Connect contractor pro		
plus snow plow with hand held controller and snow shield complete	,	
with electric, hydraulics and light kit installed on vehicle.		
/1f. One weather guard aluminum tool box Model 127 with six (6) sets		
of keys.		
/1g. Road Department colors – Dupont 4357A – School bus yellow		
from the bottom of the windows down. Academy blue # 5240 from the		
bottom of the windows up to and including cab roof and back, on hood		
from bottom of windshield to a point on the hood to make a "V" and		
match the road department fleet.		
/1h. Paint Colors not included in the standard color chart: ie – School		
bus yellow  11. Liquid Transfer Tank For Diesel Fuel – DeeZee Part Number –		
DZ91752XS- Short Rectangle L:48" W: 24" H: 24" Vol: 110 gal, Fill-		
Rite Standard Duty DC Rotary Vane Pump 15GPM – Fill-Rite Part		
Number – FR1210G, Fill-Rite Particulate Filter – Fill Rite Part		
Number – 1200KTF7018, Fill Rite 3/2" 14 ft hose – Fill Rite Part		
Number – FRH07514, Fill-Rite Heavy Duty Flow Meter – 3 Wheel		
Mechanical Flow Meter up t 20 GPM at 50 PSI Pressure rating – Fill-		
Rite Part Number FR807C, and Fill-Rite 3/4" Automatic Nozzle with		
Retaining Hook – Fill-Rite Part Number NO75UAU10. Installed with		
a switch wired in the cab of the truck.		
/		<del></del>
√1j. Carpet Delete – Factory Fleet Option		
1k. Two-Way Radio Power and Wiring Requirements For New		
Vehicles		

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.

# <u>ITEM # 1 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 SUPER CAB XLT PICK UP</u> <u>TRUCK, AS SPECIFIED, OR EQUAL</u> (CONT'D)

	<u>COMPI</u>	<u>LIANCE</u>
Options: (Cont'd)	YES	<u>NO</u>
Ak. Two-Way Radio Power and Wiring Requirements For New		
<u>Vehicles</u> (Cont'd)		
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense		
rated at 5 Amps.		
These wires shall be encased in plastic wire loom and routed from		
their source into the cab of the vehicle and secured in the vicinity of		
the operator. The wiring harness shall be clearly labeled "TWO-WAY	,	
RADIO". The wires shall be unterminated. The 12VDC sources shall		
be protected from making contact with grounded metal surfaces.		
11. <u>DIAGNOSTIC TOOLS/TEST EQUIPMENT</u>		
1. Successful bidder will supply three (3) complete sets of		
test/diagnostic/ programming equipment (i.e. laptop, software,		
cabling, and adapters) and special tools required to perform the		
full range of diagnostic and maintenance actions necessary to		
maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all	_	
additional equipment (if applicable).		
additional equipment (if appreciate).		
2. All laptop computers will be of the newest available technology		
and have sufficient storage and memory to operate all required	./	
software.		
3. Provide a list of all test/diagnostic/programming equipment and	_	
special tools being supplied at the time of bid.		
4. All software installations and activations will be completed by	,	
the successful bidder at no cost to the County.		
5. All software updates and renewal will be provided at no cost to		
the County for a period of five (5) years from the acceptance of		
the equipment.		
6. All technical issues relating to test/diagnostic/programming		
equipment and special tools shall be resolved by the successful		
bidder at no cost to the County for a period of five (5) years from		
the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County		
location.		

Page 27 of 72

### ITEM # 2 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

	COMPL	IANCE
<u>DESCRIPTION</u>	<u>YES</u>	<u>NO</u>
Model Year 2016 or newer, Ford F250 4X4 Crew Cab XLT Pick Up	/	
Truck		
6.2L 2 Valve V8 Gas/TorqShift six-speed automatic w/selectshift	_	
automatic		<del></del>
Wheel Base 156"		
6-3/4' Cargo box		
Transfer Case – Manual w/Manual Locking hubs		
Front Axle – Mono-beam front axle with coil spring suspension;		
Rear Axle - Non-limited slip		<u></u>
Tire Pressure Monitoring System		
Trailer tow package - 7-wire harness with relays and 7/4 pin		
Bumper – Front & Rear, Chrome		
Center high-mounted stop lamp		
Brakes - Four (4) Wheel Disc with Anti-lock brake system - Roll		
Stability control/trailer sway control		
Alternator – 157 Amp		
Battery - 650-CCA, 72-AH		
Shock absorbers – Heavy Duty		
Stabilizer bar - Front		
Steering – Power		
Steering damper		
Front license plate bracket		
Glass – Privacy (2 <sup>nd</sup> Row (rear seat) windows.)		
Jack - Two Ton Mechanical		
Lamps – pickup box and cargo area		
Full size spare tire, wheel, lock and frame mounted carrier		
Tailgate - removable w/key lock, black handle and Tailgate	,	
assist		
"Three-blink" lane change signal		
Tie-down hooks – Pickup box, Four(4)		
Tow hooks – Front, two (2)		
Door Trim - Color-coordinated, molded w/armrest/grab handle,	/	
reflector and front map pockets		
Gauges and meter – Fuel, transmission temperature, engine coolant	/	
temperature, oil pressure, speedometer, odometer and tachometer		
Headliner – color-coordinated cloth		
Horn – Dual electric		<del> </del>
Instrument panel – color-coordinated w/glove box, 4 air registers	1	
w/positive shut off, power point, storage bin		
Scuff plates – color-coordinated		

Page 28 of 72

<u> ITEM # 2 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP</u> TRUCK, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE NO DESCRIPTION (CONT'D) Windshield Wipers - Intermittent Driver and passenger frontal and side airbag/curtain Color-coordinated seatbelts with height adjustment 12.5K Trailer hitch Receiver - Includes 2" trailer hitch Headlamp/lamps - Dual Beam Jewel Effect Mirrors- Manually telescoping two-way fold trailer tow with power/heated glass, heated convex spotter mirror, integrated clearance lamp/turn signals LT275/65R18 tires with 18" Cast Aluminum wheels w/bright hub covers/center ornaments Windows - 1<sup>st</sup> Row power w/one-touch up/down, 2<sup>nd</sup> Row power Air Conditioning - Manual AM/FM Stereo with single-CD/MP3 player, digital clock and four speakers, auxiliary audio input jack, and Sync Color-coordinated carpet and carpeted floor mats Power Points - one in front center under seat storage, one in 2<sup>nd</sup> row under seat storage, two in instrumentation center Seats - Front - cloth 40/20/40 split bench, 20% center locking underseat storage, w/center armrest, cupholder and storage -- Rear- cloth, 60/40 fold up bench seat Snow Plow Prep package Skid Plates - Transfer Case and Fuel Tank Full Running Boards on Cab (aftermarket is acceptable) Interior color: Steel Tough Bed Spray in liner - Includes tailgate-guard, black box bed tiedown hooks and black bed attachment bolts Day Time Running Lights Color to be specified from Standard color chart on Purchase order when ordering Warranty:

Bumper to Bumper: 3 years/36,000 miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

## ITEM # 2 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPI</u>	LIANCE
Options:	YES	NO
/2a. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber,		
Two White Take Down Lights in Front, 2 White Alley Lights, Corner	/	
Lights Wired on Separate Switch.		
2b. One Four (4) head strobe light kit with two (2) front and two (2)		
rear to be installed in the parking light lens area with the front and rear	,	
being on separate switches.		
/2c. Trailer brake controller		
/2d. Vent Shield on all doors		
/2e. One (1) Western 8-1/2' Ultra Mount Quick Connect contractor pro		
plus snow plow with hand held controller and snow shield complete		
with electric, hydraulics and light kit installed on vehicle.		
/ 2f. One weather guard aluminum tool box Model 127 with six (6) set	/	
of keys.		
/2g. Road Department colors – Dupont 4357A – School bus yellow		
from the bottom of the windows down. Academy blue # 5240 from the		
bottom of the windows up to and including cab roof and back, on hood		
from bottom of windshield to a point on the hood to make a "V" and	/	
match the road department fleet.		
2h. Paint Colors not included in the standard color chart: ie – School	/	
bus yellow		
2i. Liquid Transfer Tank For Diesel Fuel –DeeZee Part Number –		
DZ91752XS- Short Rectangle L:48" W: 24" H: 24" Vol: 110 gal, Fill-		
Rite Standard Duty DC Rotary Vane Pump 15GPM – Fill-Rite Part		
Number – FR1210G, Fill-Rite Particulate Filter – Fill Rite Part		
Number – 1200KTF7018, Fill Rite 3/4" 14 ft hose – Fill Rite Part		
Number – FRH07514, Fill-Rite Heavy Duty Flow Meter – 3 Wheel		
Mechanical Flow Meter up to 20 GPM at 50 PSI Pressure rating –		
Fill-Rite Part Number FR807C, and Fill-Rite ¾" Automatic Nozzle		
with Retaining Hook – Fill-Rite Part Number NO75UAU10. Installed		
with a switch wired in the cab of the truck.		
/ 2j. Leer cab-high cap model 100RCC – Leer fiberglass Construction,		
Interior headliner, Commercial cap structural reinforcement, Interior		
dome light, fiberglass base rails, recessed third brake light, radius		
fixed front window, fiberglass painted access side doors, recessed dark		
tint rear door with screen. Cap must be tri-coat painted to match the		
color of the truck.		
/2k. Carpet Delete – Factory Fleet Option		
√21. Two-Way Radio Power and Wiring Requirements For New		
<u>Vehicles</u>		

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.

### TTEM # 2 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 CREW CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL (CONT'D)

Options: (Cont'd)	<u>COMPLI</u>	
21. Two-Way Radio Power and Wiring Requirements For New	<u>YES</u>	<u>NO</u>
<u>Vehicles</u> (Cont'd)		
2. #12 AWG BLACK wire connected to chassis ground.		
<ol><li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.</li></ol>		
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.		
2m. DIAGNOSTIC TOOLS/TEST EQUIPMENT		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		
<ol><li>Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.</li></ol>		
<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>		
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.		

# ITEM#3-MODEL YEAR 2016, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL

	<u>COMPL</u>	<u>IANCE</u>
DESCRIPTION	YES	<u>NO</u>
Model Year 2016 or newer, Ford F250 4X4 Standard Cab XLT Pick	/	
Up Truck		
6.2L 2 Valve V8 Gas/TorqShift six-speed automatic w/selectshift	,	
automatic		
Wheel Base 137"		
8' Cargo box		
Transfer Case - Manual w/Manual Locking hubs		
Front Axle – Mono-beam front axle with coil spring suspension;	,	
Rear Axle - Non-limited slip		
Tire Pressure Monitoring System		
Trailer tow package – 7-wire harness with relays and 7/4 pin		
Bumper – Front & Rear, Chrome		
Center high-mounted stop lamp		
Brakes - Four (4) Wheel Disc with Anti-lock brake system - Roll		
Stability control/trailer sway control		
Alternator – 157 Amp		
Battery – 650-CCA, 72-AH		
Shock absorbers – Heavy Duty		
Stabilizer bar – Front		
Steering – Power		
Steering damper		
Front license plate bracket		
Jack – Two Ton Mechanical		
Lamps – pickup box and cargo area		
Full size spare tire, wheel, lock and frame mounted carrier		
Tailgate - removable w/key lock, black handle and Tailgate assist		
"Three-blink" lane change signal		
Tie-down hooks – Pickup box, Four(4)		
Tow hooks – Front, two (2)		
Door Trim - Color-coordinated, molded w/armrest/grab handle,	_	
reflector and front map pockets		
Gauges and meter – Fuel, transmission temperature, engine coolant		
temperature, oil pressure, speedometer, odometer and tachometer		
Headliner – color-coordinated cloth		
Horn – Dual electric		
Instrument panel – color-coordinated w/glove box, 4 air registers	/	
w/positive shut off, power point, storage bin		
Scuff plates – color-coordinated	<del></del>	
Windshield Wipers – Intermittent		<u></u>
Driver and passenger frontal and side airbag/curtain		
Color-coordinated seatbelts with height adjustment		
12.5K Trailer hitch Receiver – Includes 2" trailer hitch		
Headlamp/lamps - Dual Beam Jewel Effect		

## TTEM#3 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL(CONT'D)

	COMPL	<u>JANUL</u>
<u>DESCRIPTION</u> (CONT'D)	YES	NO
Mirrors- Manually telescoping two-way fold trailer tow with	125	110
power/heated glass, heated convex spotter mirror, integrated clearance	/	
lamp/turn signals		
LT275/65R18 tires with 18" Cast Aluminum wheels w/bright hub		
covers/center ornaments		
Windows - Driver's side power w/one-touch up/down		
Air Conditioning – Manual		
AM/FM Stereo with single-CD/MP3 player, digital clock and four		
- · · · ·	/	
speakers, auxiliary audio input jack, and Sync		
Color-coordinated carpet and carpeted floor mats		
Seats – Front – cloth 40/20/40 split bench, 20% center locking under-	•	
seat storage, w/center armrest, cupholder and storage		
Snow Plow Prep package		
Skid Plates Transfer Case and Fuel Tank		
	<b></b>	
Full Running Boards on Cab (aftermarket is acceptable)		
Interior color: Steel		
Tough Bed Spray in liner – Includes tailgate-guard, black box bed tie-	,	
down hooks and black bed attachment bolts	<b>✓</b>	
Scuff plates – color-coordinated		
•	<del></del>	
Paint:		
Color to be specified from Standard color chart on Purchase order	/	
when ordering		
Warranty:		
Bumper to Bumper: 3 years/36,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the		
Manufacturer Against Rust for Five (5) Years or 50,000 Miles,		
_ ` ` ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '		
Whichever Comes Last. This Equipment Must Also Meet or Exceed	/	
All Applicable State, Federal and PEOSHA Laws and Regulations		
Options:		
3a. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber,		
Two White Take Down Lights in Front, 2 White Alley Lights, Corner		
Lights Wired on Separate Switch	./	
, <del>-</del>		
3b. One Four (4) head strobe light kit with two (2) front and two (2)		
rear to be installed in the parking light lens area with the front and rear		
being on separate switches.		
/3c. Trailer brake controller		
/3d. Vent Shield on all doors		
⅓e. One (1) Western 8-½' Ultra Mount Quick Connect contractor pro		
plus snow plow with hand held controller and snow shield complete		
with electric, hydraulics and light kit installed on vehicle.	1	
/3f. One weather guard aluminum tool box Model 127 with six (6) set		
of keys.		

Page 33 of 72

# ITEM # 3 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK UP TRUCK, AS SPECIFIED, OR EQUAL(CONT'D)

	COMPL	<u>LANUE</u>
Options: (Cont'd)	YES	<u>NO</u>
3g. Road Department colors – Dupont 4357A – School bus yellow from the bottom of the windows down. Academy blue # 5240 from the		
bottom of the windows up to and including cab roof and back, on hood		
from bottom of windshield to a point on the hood to make a "V" and	_	
match the road department fleet.		
3h. Paint Colors not included in the standard color chart: ie – School		****
bus yellow	<b>√</b>	
3i. Liquid Transfer Tank For Diesel Fuel – DeeZee Part Number –		
DZ91752XS- Short Rectangle L:48" W: 24" H: 24" Vol: 110 gal, Fill-		
Rite Standard Duty DC Rotary Vane Pump 15GPM – Fill-Rite Part		
Number – FR1210G, Fill-Rite Particulate Filter – Fill Rite Part		
Number – 1200KTF7018, Fill Rite 3/4" 14 ft hose – Fill Rite Part		
Number – FRH07514, Fill-Rite Heavy Duty Flow Meter – 3 Wheel		
Mechanical Flow Meter up to 20 GPM at 50 PSI Pressure rating – Fill-Rite Part Number FR807C, and Fill-Rite ¾" Automatic Nozzle		
with Retaining Hook – Fill-Rite Part Number NO75UAU10. Installed		
with a switch wired in the cab of the truck.		
/		
3j. Carpet Delete – Factory Fleet Option		
3k. Two-Way Radio Power and Wiring Requirements For New		
Vehicles		
For the purpose of installing two-way radios into new County		
vehicles and equipment, the following power and wiring		
components shall be included:		
1. #12 AWG RED wire connected to 12VDC Battery Source rated		
at 20 Amps.		
2. #12 AWG BLACK wire connected to chassis ground.		
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense		
rated at 5 Amps.		
1		
These wires shall be encased in plastic wire loom and routed from		
their source into the cab of the vehicle and secured in the vicinity		
of the operator. The wiring harness shall be clearly labeled		
"TWO-WAY RADIO". The wires shall be unterminated. The		
12VDC sources shall be protected from making contact with		
grounded metal surfaces.		

# Page 34 of 72 ITEM # 3 - MODEL YEAR 2016, OR NEWER, FORD F250 4X4 STANDARD CAB XLT PICK

P TRUCK, AS SPECIFIED, OR EQUAL(CONT'D)		
		LIANCE NO
ptions: (Cont'd) . DIAGNOSTIC TOOLS/TEST EQUIPMENT	<u>YES</u>	<u>NO</u>
1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		
<ol> <li>Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.</li> </ol>		
<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>	_/_	<del></del>
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County		

location.

# /ITEM # 4 - MODEL YEAR 2016, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED, OR EQUAL

	<u>COMPLI</u>	<u>ANCE</u>
<u>DESCRIPTION</u>	<u>YES</u>	<u>NO</u>
Model Year 2016 or Newer Police Interceptor Utility		
3.7L V6 Ti-VCT Engine		
Alternator – 220 Amp		
All Wheel Drive (AWD)		
Battery – 78A/750-CCA		
Built-in steel intrusion plates in both driver/passenger seatbacks		
Column Shifter		
Cruise Control		
Dash pass through for aftermarket wiring		
Rear Door Handles Inoperable/locks operable		
Suspension – independent front & rear		
Electric power-assist steering – heavy duty		
Transmission – 6-speed automatic		
Glass – 2 <sup>nd</sup> row, rear quarter and lift gate privacy glass		
Headlamps – LED low beam; Incandescent High Beam		
Headliner – Easy to Drop	<del></del>	
Tail lamps – LED		
Tires – 245/55R18 A/S BSW	<u></u>	
Full sized spare mounted w/Tire Pressure Monitoring System		
Climate control - Single Zone Manual		
Floor – Heavy-Duty Vinyl		
Glove Box – Locking/non-illuminated		
Mirrors – Black caps, power electric remote, manual folding with		
Integrated Spotter	/	
Grab Handles – 1-Front Passenger, 2-Rear		
Scuff plates – Front and Rear		
Seats – 1 <sup>st</sup> row driver 6-way Power track with 2-way manual, 2 <sup>nd</sup> row		
Police grade vinyl, 60/40 split bench seat		
Steering Wheel – Manual/Tilt, Urethane wheel finish with speed		
controls and Redundant Audio Controls	<b>√</b> ,	
Sun visors, color keyed, non-illuminated		
Brakes - Police Calibrated high performance system. 4-Wheel heavy		
duty disc/heavy duty front and rear calipers	/	
•		
Cooling System – Heavy duty, large high volume radiator, engine oil	./	
cooler and transmission oil cooler		
Speedometer – Certified, digital readout in message center and analog		
Rear Adeo camera with washer		
Engine hour meter  Liversel Top Tray Center of L/B for mounting offermarket		
Universal Top Tray – Center of I/P for mounting aftermarket equipment		
Windows, power, 1-touch up/down front Driver/passenger-side with		
disable feature	/	
Advance trac w/roll stability control and hydraulic brake assist		
reasoned had mitori something control and frydraunic chart assist	V	

ITEM # 4 - MODEL YEAR 2016, OR NEWER, FORD POLICE INT	ERCEPTOR	<u>UTILITY,</u>	
AS SPECIFIED, OR EQUAL (CONT'D)	COMPLIANCE		
DESCRIPTION (CONT'D)  Anti-lock brakes with traction control  Airbags 2 <sup>nd</sup> generation driver & front-passenger, side seat, roll curtain airbags and safety canopy  Courtesy Lamp disable when any door is opened  Front License Plate Bracket	YES V	<u>NO</u>	
PAINT Color to be specified from standard color chart on Purchase Order when ordering			
WARRANTY 3 year/36,000 miles bumper to bumper 5 year/100,000 miles power train CARE Extended service plan (zero deductible) Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations			
<ul> <li>✓ 4a. Factory Installed Front Headlamp lighting solution —</li> <li>Includes base LED Low beam/Incandescent         <ul> <li>(Halogen) High beam headlamp with high beam</li> <li>Wig-wag function with two (2) white rectangular</li> <li>LED side warning lights</li> <li>Includes pre-wire for grille LED lights, siren and Speaker</li> <li>Wiring, LED lights included, controller not Included</li> </ul> </li> </ul>			
4b. Factory Installed Driver Side Spot Lamp – LED Bulb (Whelen) 4c. Sync Basic (Voice-Activated Communication system) – Includes single USB port and single auxiliary audio input jack 4d. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two White Take Down Lights in Front, 2 White Alley Lights, Corner Lights Wired on Separate Switch 4e. Mini Liberty II IT9 Series Light Bar- Permanent Mount with 15' Cable, Amber, Two Super-LED Alley Lights	/ /		

/ITEM # 4 - MODEL YEAR 2016, OR NEWER, FORD POLICE IN	<u>rerceptor</u>	Page <u>UTILITY,</u>
AS SPECIFIED, OR EQUAL (CONT'D)  Options: (Cont'd)  4f. Two-Way Radio Power and Wiring Requirements For New Yehicles  For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:	<u>COMP</u> <u>YES</u>	LIANCE <u>NO</u>
1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.		
2. #12 AWG BLACK wire connected to chassis ground.		
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.		
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.		
Ag. DIAGNOSTIC TOOLS/TEST EQUIPMENT		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		

3. Provide a list of all test/diagnostic/programming equipment and

4. All software installations and activations will be completed by

5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of

special tools being supplied at the time of bid.

the successful bidder at no cost to the County.

the equipment.

Page 38 of 72

/ITEM # 4 - MODEL YEAR 2016, OR NEWER, FORD POLICE IN AS SPECIFIED, OR EQUAL (CONT'D)	<u> FERCEPTOR U</u>	TILITY,	
	COMPL	IANCE	
Options: (Cont'd)	<u>YES</u>	<u>NO</u>	
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful			
bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.			
7. Training shall be provided on all items in this section at a County location.			

# TTEM # 5 - MODEL YEAR 2016, OR NEWER, FORD TRANSIT VAN 250, AS SPECIFIED, OR EQUAL

	COMPL	
DESCRIPTION	YES	<u>NO</u>
2016 Transit Van 250, 130" Wheelbase, Low Roof Height		
3.5L EcoBoost V6 Engine		
Six (6) Speed Automatic Overdrive with Select Shift		
Alternator – Heavy Duty 220 Amp		
Single Battery 70 amp hours		
Brakes - Four (4)-wheel anti-lock disc brakes		
Fuel Tank, Capless Fuel Fill		
Horn – Dual-note Electric		<u></u>
Steering - Power Rack and Pinion		
Suspension, Front - Independent MacPherson-strut, stabilizer bar		
Suspension, Rear - Leaf Springs, heavy duty gas shock absorbers		
235/65R16 tires, 16" Steel Wheel with black hubcaps		
Full Size Spare tire & Wheel, mounted		
Bumper, Front – Black, molded-in-color with lower valence		
Bumper, Rear - Black, molded-in-color with integral step		
60/40 hinged passenger side door		
Grille – Black with black surround	/	
Halogen Head lamps with black trim		
Center High Mount Stop Light		<u></u>
Power heated Mirrors with Turn Signals		
Windshield Wipers - Variable interval intermittent		
Air Conditioning – Front Only		
Radio – AM/FM stereo, digital clock, audio input jack with 2 front speakers		
and fender mounted antenna		
Cargo area tie down loops		
Console - Center Stack console with integrated shifter		
Autolocking Drive Away with Crash Unlocking		
Glove Box		
Instrumentation – Tachometer, fuel level and coolant temperature		
Front dome lamp with map lights and theater dimming	/	
Rear Compartment Lighting		
Pewter (grey) Vinyl - Driver and Front passenger manual reclining bucket		
seats with adjustable headrest. Includes Driver-side inboard armrest.		
Seating Capacity: Two (2) Passenger		
Steering – Tilt & Telescopic column polyurethane four (4) Spoke wheel		
Step Well pads – Black Plastic		<u> </u>
Passenger A-Pillar Grab Handle	/	
Headliner – Cloth, Front only		
Driver and Passenger air bags		. <u> </u>
Safety belts – three (3) point all positions		
Rearyiew Camera with trailer hitch assist		
Daytime Running Lights		<u> </u>
Fixed Rear-Door glass with fixed passenger-side cargo-door glass		
Vinyl Floor covering - Front and Rear		
Front License Plate Bracket	/_	

WINNER FORU		
		Page 40 of 72
/ ITEM # 5 - MODEL YEAR 2016, OR NEWER, FORD TRANSIT VAN 250	, AS SPECIFIE	<u>D,</u>
OR EQUAL (CONT'D)		
DESCRIPTION (CONT'D)	COMPL	
Heavy-Duty Trailer Tow Package – Including:	<u>YES</u>	<u>NO</u>
Trailer wiring provisions		
4-pin/7-pin connector		
Electric Brake Controller Tap-In Capability		
Relay system for backup/B+/running lights		
Frame mounted hitch receiver	/	
Tow/Haul Mode		
2" Pintle hook and ball combo		
	-	
PAINT		
Color to be specified from standard color chart on purchase order when		
ordering		
WADD ANTEST		
WARRANTY Bumper to Bumper: 3 years/36,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer		
Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This		
Equipment Must Also Meet or Exceed All Applicable State, Federal and	_	
PEOSHA Laws and Regulations		
120012124WO WILL TO SUIMIONS		
OPTIONS:		
√5a. Low Roof General Service Package – for Transit 130" Wheel Base Low		
Roof (Adrian Steel Part Number – 4317TL130) Installed		
Kit Includes:		
(3) AD Series Shelf Unit 44"		
(I) Rail Kit 130" TR		
(1) Divider Kit of 8		
(1) Three Drawer Combo		
(1) Partition with Door		
(2) Utility Hook		
(2) 8" Door Kit		
(1) Hook Bar		
(1) Two Drawer Medium (1) Drawer Component 6"		
(1) Drawer Component 6" (1) End Panel Bracket		
(1) End Fanel Bracket  (1) Partition wing kit		
5b. Low Roof PHVAC Repair Package – for Transit 130" Wheel base Low	<u> </u>	
Roof (Adrian Steel Part Number – 4318TL130) Installed		
Try t 1 1		

Kit Includes:

- (3) ADseries Shelf Unit 44"
- (1) Rail Kit 130" TR
- (1) Divider Kit of 8 (1) Three Drawer Combo
- (1) Partition with door
- (1) Welded Tank Rack

Page 41 of 72

OR EQUAL (CONT'D)		COMPLIANCE	
OP'	TIONS: (CONT'D)	YES	NO
/5b.	Low Roof PHVAC Repair Package – for Transit 130" Wheel base Low Roof		
,	(Adrian Steel Part Number – 4318TL130) Installed (Cont'd)		
	Kit Includes: (Cont'd)		
	(2) Two Drawer Shallow		
	(3) Drawer Component 6"		
	(1) Drawer Component 12"		
	(2) 8" Door Kit		
	(1) Three hook bar		
	(1) Tank holder adapter		
/	(1) Partition Wing Kit	<b>/</b>	
√5c.	LoadsRite single, curbside, drop-down ladder rack for Ford Transit Low		
	Roof Vans. (Adrian Steel Part Number - LR6100FT) Installed		
	Kit Includes:		
	(1) Loads Rite Module		
1	(2) Roof Rail and Crossbow Kit	<del></del>	
/5d.	Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two (2)		
-	White Take Down Lights in Front, two (2) White Alley Lights, Corner	_	
	Lights Wired on Separate Switch		
/			
∫5e. j	Two-Way Radio Power and Wiring Requirements For New		
	<u>Vehicles</u>		
	For the purpose of installing two-way radios into new County		
	vehicles and equipment, the following power and wiring		
	components shall be included:		
	1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20		
	Amps.		
	2 W10 ANIO DI ACIVILI I I I I I I I I I I I I I I I I I		
	2. #12 AWG BLACK wire connected to chassis ground.		
	3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5		
	Amps.		
	These wires shall be encased in plastic wire loom and routed from their		
	source into the cab of the vehicle and secured in the vicinity of the		
	operator. The wiring harness shall be clearly labeled "TWO-WAY		
	RADIO". The wires shall be unterminated. The 12VDC sources shall be		
	protected from making contact with		
	grounded metal surfaces.	/	

Page 42 of 72

# ITEM # 5 - MODEL YEAR 2016, OR NEWER, FORD TRANSIT VAN 250, AS SPECIFIED, OR EQUAL (CONT'D)

<u>OPTIONS:</u> (CONT'D)

Sf. DIAGNOSTIC TOOLS/TEST EQUIPMENT

COMPLIANCE YES NO

DIAGNOSTIC TOOLS/TEST EQUIPMENT		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.	<u> </u>	
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.		
4. All software installations and activations will be completed by the successful bidder at no cost to the County.		<u>.</u> .
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		_
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.		

Page 43 of 72

# ITEM # 6 - MODEL YEAR 2016, OR NEWER, FORD TRANSIT WAGON XLT 350 LOW ROOF, AS SPECIFIED, OR EQUAL

	COMPL	PLIANCE	
DESCRIPTION	YES	NO	
2016 Transit Wagon XLT 350HD Long Wheelbase, Low Roof Height 148"			
Wheel base			
3.5L EcoBoost V6			
Six (6) Speed Automatic Overdrive with Selectshift			
15 Passenger seating – Vinyl, pewter (grey)	····		
Pewter (grey) Cloth 2-way manual driver and front passenger, driver-side and front			
passenger side airbags, inboard armrests and driver-side manual lumbar.			
Daytime running lamps			
60/40 Passenger Side Cargo Doors			
Alternator - Heavy Duty 220-Amp			
Battery – Single Battery 70 amp-hours			
Brakes- Four (4)-wheel anti-lock disc brakes			
Running Boards (Aftermarket acceptable)			
Horn – Dual-Note Electric			
Steering - Power Rack & Pinion			
Suspension, Front – Independent MacPherson-Strut, Stabilizer bar			
Suspension, Rear – Leaf Springs, heavy-duty gas shock absorbers			
235/65R16 BSW all-Season, single rear wheel tires	<del></del>		
16" Steel wheel with full silver wheel cover			
Full-size spare tire & Wheel, mounted			
Bumper, Front – Black, Molded-in-Color with lower valence			
Bumper, Rear – Black, molded-in-color with integral step		<del> </del>	
Halogen Head Lamps with chrome trim and AutoLamp			
Center High Mount Stop Lamp	<del></del>		
Short Arm Dual Power Mirror		-	
Tinted Glass			
Windshield Wipers – Rain Sensing Automatic	<del></del>		
Air Conditioning Front/Rear (Driver Controlled)		-	
AM/FM Stereo with digital clock, single disc CD and audio input jack			
Console – Center Stack Console with integrated shifter			
Back up alarm			
Front License plate bracket			
Vinyl Front and Rear floor covering		-	
Windows-all-around with 4 <sup>th</sup> row flip-open glass	<b>10</b>		
Step Well pads – black plastic	· <del></del>		
· · ·			
Sun Visors – Vinyl Trimmed  Person ger A. Biller Grah Hendle			
Passenger A-Pillar Grab Handle Center Console			
Headliner - Cloth, Full Length  Advance Tree with Bell Stability Control			
Advance Trac with Roll Stability Control			
Tire Pressure Monitoring System			
Rearview camera with Trailer Hitch Assist	V		

Page 44 of 72

ITEM # 6 - MODEL YEAR 2016, OR NEWER, TRANSIT WAGON XLT 350 LOW ROOF,		
S SPECIFIED, OR EQUAL (CONT'D)		
	COMPLIANCE	
DESCRIPTION (CONT'D)	<u>YES</u>	<u>NO</u>
Heavy-Duty Trailer Tow Package - Including:		
Trailer wiring provisions		
4-pin/7-pin connector		
Electric Brake Controller Tap-In Capability		
Relay system for backup/B+/running lights		
Frame mounted hitch receiver		
Tow/Haul Mode		
2" Pintle hook and ball combo		<del></del> -
<u>PAINT</u>		
Color to be specified from standard color chart on purchase order when ordering		·
WARRANTY		
Bumper to Bumper: 3 years/36,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer		
Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This		
Equipment Must Also Meet or Exceed All Applicable State, Federal and		
PEOSHA Laws and Regulations		
OPTIONS	_	
6a. Rear Interior Door handles Inoperable/lock operable		
6b. Low Roof Transit Partitions fixed center panels, solid panels (Adrian Steel		
Part Number – S1M1C1FSV) with wing kit (Adrian Steel Part Number –		
WKC1FDTS) Installed		
6c. Low Roof Transit Partitions Center and Curb panels perforated (Adrian Steel		
Part Number – S1M2C2FSV) with wing kit (Adrian Steel Part Number –	,	
WKC1FDTS) Installed		
6d. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two White	-	
Take Down Lights in Front, 2 White Alley Lights, Corner Lights Wired on		
Separate Switch		
6e. Two-Way Radio Power and Wiring Requirements For New		
Vehicles		
For the purpose of installing two-way radios into new County		
vehicles and equipment, the following power and wiring		

components shall be included:

- 1, #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2, #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5Amps.

Page 45 of 72

ITEM # 6 - MODEL YEAR 2016, OR NEWER, TRANSIT WAGON XLT 350	LOW ROOF.	ugo 13 01 72
AS SPECIFIED, OR EQUAL (CONT'D)  Options: (Cont'd)  6e. Two-Way Radio Power and Wiring Requirements For New Vehicles (Cont'd)	<u>COMPLI</u> <u>YES</u>	IANCE NO
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.  6f. DIAGNOSTIC TOOLS/TEST EQUIPMENT		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		······································
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.		
<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>		
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.		

# /ITEM # 7 - MODEL YEAR 2016, OR NEWER, FORD EXPEDITION XL 4x4, AS SPECIFIED, OR EQUAL

	COMPLI	ANCE
<u>DESCRIPTION</u>	YEŞ	<u>NO</u>
2016 Ford Expedition XL 4x4, or newer		
3.5L V6 EcoBoost Engine		
Six (6)-Speed Auto w/SelectShift Transmission		
3.73 Rear-Axle, Limited -Slip		
Brakes- Four (4) Wheel Disc (ABS)		
Suspension- Multilink Independent Rear		
Advance Trac w/RSC		
Airbags	<u> </u>	
Keyless Entry with Remote and SecuriCode (Keypad)		•
Lighting- Illuminated Entry with Approach Lamps		
Perimeter Alarm		
Seat Belt Pre-Tensioners, Load Limiting Retractors, Dual-Stage Front Airbags,		
Driver Seat Position Sensing & Crash Severity Sensing		
Tire Pressure Monitoring System		
Traction Control (Brake Assist & Engine Braking)		
Bumpers- Mold-In-Color, Black		
Door Handles- Mold in Color, Black		
Grille- Chrome Outer/ Mold in Color, Black Inner		
Glass- Solar Tinted Front/Rear Privacy Glass		
Lighting- Halogen (Round) Fog Lamps		
Mirrors- Mold in Color, Black, Power, Heated		
Roof Rack- Black Side Rails w/ Black Crossbars		
Running Boards- Platform- Black		
Trim- Mold-in-Color, Black		
17" Aluminum Wheels		
265/70R17 Tires		
Full Sized Spare Tire and Wheel, mounted		
1st Row- 6-Way Power Driver's Bucket Seat with Manual Recline and Manual	,	
Lumbar, 2 <sup>nd</sup> Row 40/20/40		
Daytime Running Lights		
License Plate Brackets		
Climate Control- Manual w/ Rear Auxiliary Controls		
Door Locks- Power w/ AutoLock		
Floor Mats- 1 <sup>st</sup> and 2 <sup>nd</sup> Row		-
Grab Handles- 1 <sup>st</sup> Row, 2 <sup>nd</sup> Row and Liftgate		
Lighting- Delayed Accessory Lighting, Dome Lamp- 1 <sup>st</sup> Row and Cargo,		<del></del>
Illuminated Door- Switches, Reading Lamps- 1st Row		_
Rear Cargo- Management System		
Rearview Mirror- Electrochromic w/ Display Screen		
Steering Wheel- Leather with Manual Tilt/Telescoping		
AM/FM Single-Disc CD/MP3 Player, 6 Speakers, Input Jack		
Windows- Power- Driver 1-Touch Up/Down		<del></del> .
Cruise Control		
Instrument Cluster- Message Center, Tachometer, Trip Odometer, Outside	/	
Temperature Display	V	

Page 47 of 72 TEM # 7 - MODEL YEAR 2016, OR NEWER, FORD EXPEDITION XL 4x4, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE DESCRIPTION (CONT'D) NO Rear Defroster Windshield Wipers, Intermittent Front and Rear PAINT Color to be Specified from Standard Color Chart on Purchase Order when Ordering WARRANTY Bumper to Bumper: 3 Years/36,000 Miles Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State. Federal and PEOSHA Laws and Regulations **OPTIONS** √7a. Fleet Convenience Package- Power Adjustable Pedals, Reverse Sensing √7b. SYNC Enhanced Voice-Recognition Communications And Entertainment **System** √7c. Heavy-Duty Trailer Tow Package- Class IV Trailer Hitch Receiver, Wiring Harness w/4 & 7 Pin Connector, Heavy-Duty Auxiliary Transmission Oil Cooler, Heavy Duty Radiator, Electric Braking Wiring Kit, Integrated Trailer Brake Controller √d. SSV Package- 17" Steel Wheel (265/70R17 AT OWL), Cloth 1st Row/ Vinyl Second Row Seating, 3rd Row Seating Delete with Cover/End Cap, Column Shifter and Floor Console Delete, Door Handles MIC, Black Grille, 4x4 Skid Plates, Vinyl Floor Covering, 3.73 Rear-Axle Limited Slip, Less Running Boards, 4x4 Skid Plates (Front, Transfer Case and Fuel Tank), Front Tow Hooks,

# √7e. Two-Way Radio Power and Wiring Requirements For New Vehicles

3<sup>rd</sup> Row Storage Bins

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

Page 48 of 72

OR EQUAL (CONT'D)	COMPLIANCE	
OPTIONS (CONT'D)	YES	NC
he. Two-Way Radio Power and Wiring Requirements For New		
<u>Vehicles</u> (Cont'd)		
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.	_/	
/rf. DIAGNOSTIC TOOLS/TEST EQUIPMENT		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.		
<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>		
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7 Training shall be provided on all items in this section at a County location.	./	

Page 49 of 72

<u> ÍTEM # 8 - MODEL YEAR 2016, OR NEWER, FORD EXPLORER, AS SPEC</u>	COMPL	<u>IANCE</u>
DESCRIPTION	YES.	NO.
Model Year 2016 or Newer Ford Explorer		
3.5L V6 Engine		
Six (6) Speed SelectShift Automatic Transmission		
Front Wheel Drive		
Four (4)-Wheel Disc Brakes with ABS		
Independent Front and Rear Suspension		
Electronic Power-Assist Steering		
AdvanceTrac w/RSC		
Airbags		
Keyless-entry Integrated Key Transmitter Remotes		
Lighting- Illuminated Entry	1/.	
Rear View Camera w/ Washer	$\overline{}$	
Seat Belts with Pretensioner/Energy Management System with Adjustable Height		-
in Front Row		
Tire Pressure Monitoring System		
Glass- 2 <sup>nd</sup> and 3 <sup>rd</sup> Row Privacy Glass		
Door Handles- Black Mold in Color		
Wheel lip Molding- Black Mold in Color	1/	<del>-                                    </del>
Black Roof Side Rails		
Bumpers- Body Color Top, Black Bottom		
Daytime Running Lamps		
Headlamps- Autolamp Auto On/Off, Auto LED Low Beams, Halogen Reflector		
High Beams		
LED Tail lamps		
Lower Bodyside Cladding, Black		
Full Sized Spare Tire and Wheel, mounted		
Mirrors, Sideview- Power Glass, Manual Folding with Integrated Blind Spot		
Mirrors and Black Mold in Color Caps	<b>/</b>	
Roof Mounted Antenna		
Tires- P245/60R18 A/S BSW		
Wheels- 18" Aluminum Painted		
Climate Control- Rear Auxiliary Climate Controls, Manual Single Zone		
Color- Keyed Single Blade Driver/Passenger Sun Visors with Covered		
Illuminated Vanity Mirrors		
Console- Floor- Armrest/ Storage, Overhead Console with Lights		
Floor Mats, Front and Rear-Color-Keyed Carpet		_
Front-Passenger and 2 <sup>nd</sup> Row Outboard Grab Handles		
Locking Glove Box  Manual Till/ Talassaning Steering Column	<u></u>	
Manual Tilt/ Telescoping Steering Column	<del></del>	
Power Door Locks  Power Door Locks  Power Door Locks  Power Door Driver and Passenger		
Power Windows and Locks with One-Touch Up/Down Driver and Passenger	./	
Window		
Seats- Front Bucket, 8-way Power Diver with Manual Lumbar and Recline, 4-	11	
way Passenger		
Seats- 4-Way Driver and Front Passenger Head Restraints		

ITEM # 8 - MODEL YEAR 2016, OR NEWER, FORD EXPLORER, AS SPEC	Page 50 of 72 CIFIED, OR EQUAL
(CONT'D)	COMPLIANCE
DESCRIPTION (CONT'D) Seats- 2 <sup>nd</sup> Row 60/40 Split-Fold-Flat Seat- Third Row- 50/50 Split Steering Wheel- Speed Controls, 5-way Controls and Secondary Audio Controls Audio- Single CD, MP3-Capable, Six Speakers Cruise Control Outside Temperature and Compass Rear Window Defroster SYNC- Enhanced Voice Recognition Communications and Entertainment System, 911 Assist, LCD Display in Center Stack, AppLink, Medi Hub with One Smart-Charging Multimedia USB Port Wipers- Front Speed-Sensitive Intermittent; Rear 2-Speed Front License Plate Bracket	YES NO
PAINT Color to be Specified from Standard Color Chart on Purchase Order When Ordering  WARRANTY Bumper to Bumper: 3 Years/36,000 Miles Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations	
8a. Intelligent 4WD System  8b. Mini Liberty II IT9 Series Light Bar- Permanent Mount with 15' Cable, Amber with Two Super-LED White Alley Lights  8c. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two White Take Down Lights in Front, 2 White Alley Lights, Corner Lights Wired on Separate Switch  8d. Two-Way Radio Power and Wiring Requirements For New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:  1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20	
Amps.	

2. #12 AWG BLACK wire connected to chassis ground.

Amps.

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5

WINNER FORD Page 51 of 72 <u> TEM # 8 - MODEL YEAR 2016, OR NEWER, FORD EXPLORER, AS SPECIFIED, OR EQUAL</u> (CONT'D) COMPLIANCE <u>NO</u> YES OPTIONS (CONT'D) 8d. Two-Way Radio Power and Wiring Requirements For New Vehicles (Cont'd) These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces. Se. DIAGNOSTIC TOOLS/TEST EQUIPMENT 1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.

6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment,

7. Training shall be provided on all items in this section at a County location.

Page 52 of 72

<u>ÍTEM # 9 - MODEL YEAR 2016, OR NEWER, FORD FUSION SE, AS SPEC</u>		COMPLIANCE	
DESCRIPTION	YES	NO.	
Model Year 2016 or Newer Ford Fusion SE			
Four (4) Wheel Disc Brakes			
Advance Trac ESC & Brake Traction Control			
Electric Power-Assist Steering			
Engine- 2.5L I-4 Engine			
SelectShift (SST with Thumb Switch on Gear Shift)			
Transmission- 6-Speed Automatic			
Front Wheel Drive			
Color-Keyed Exterior Door Handles			
Color-Keyed Upper Front and Rear Bumpers			
Daytime Running Lamps			
Fixed Mast Antenna			
Headlamps-Automatic Halogen Projector			
Mirrors- Color Keyed, Integrated Blind Spot Mirror, Power, Heated, Security			
Approach Lamps, Turn Signal Indicator			
Body Color Rocker Moldings			
Solar Tinted Glass			
Tires- 235/50R17			
Wheels- 17" Aluminum Wheels			
Climate Control- Manual with Rear A/C and Heat Ducts			
Console- Front Center with Fixed Armrest, Overhead Console, Rear Center			
Armrest with two (2) Cupholders			
Floor Mats- First and Second Row Carpet Mats			
LED center High Mount Stop Light			
LED Rear Tail lamps			
Perimeter Lighting			
Compass			
Seat Back Map Pockets			
Seating- five (5) Passenger, 10-Way Power Driver with Power Lumbar, 6-Way			
Power Passenger Seat, Cloth Trim, 4-Way Front Seat Head Restraints, 2-Way	,		
Adjustable Rear-Seat Head Restraints, Fold Down Split Rear-Seatback (60/40)			
Side Door Pockets			
Steering Wheel- Cruise Control, Redundant Audio Controls, Tilt/ Telescoping			
Airbags			
Anti-lock Brake System	<u></u>		
Electric-Assist Parking Brake			
Perimeter Alarm		•	
Remote Keyless Entry System with Trunk-Lid Release (Key Fob Integrated Into			
Key) Integrated Keyhead Remote Transmitter	1		
SecuriCode Keyless Entry Keypad			
Safety Belt Pretensioners			
Tire Pressure Monitoring System			
Audio- AM/FM Stereo/MP3/Single-CD, six (6) Speakers, USB			

Page 53 of 72

## /ITEM # 9 - MODEL YEAR 2016, OR NEWER, FORD FUSION SE, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIANCE	
DESCRIPTION (CONT'D)	YES	<u>NO</u>
Dome Lights with Map Lights		
Front and Rear Roof Grab Handles		
Front Driver & Passenger Only Safety Belt-Minder		
Hill Start Assist		
Illuminated Entry System		
Illuminated Glove Compartment with Lockable Door		
Message Center with Trip Computer		
Power Door-Locks	_//_	
Power Points- 3, 12V (Center, Media Bin, Rear Console)		
Rear View Camera		
Rear Window Defroster		
SYNC with Voice-Activated Communications and Entertainment System with		
911 Assist & Vehicle Health Reports		
Vanity Mirrors Dual Illuminated Visor Driver and Passenger		
Windows= Power, Global Open Close w/ Driver/Pass/Rear One-Touch-		
Up/Down Window Feature		,
Windshield Wipers- Intermittent/Speed Sensitive		
Front License Plate Bracket		
Spare tire, full size, mounted		
PAINT		
Color to be Specified from Standard Color Chart on Purchase Order	/	
When Ordering		
WARRANTY	,	
Bumper to Bumper: three (3) Years/36,000 Miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer		
Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This		
Equipment Must Also Meet or Exceed All Applicable State, Federal and		
PEOSHA Laws and Regulations		

#### **OPTIONS:**

## Ja. Two-Way Radio Power and Wiring Requirements For New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1, #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

Page 54 of 72

ITEM # 9 - MODEL YEAR 2016, OR NEWER, FORD FUSION SE, AS SPEC	CIFIED, OR E	OUAL
(CONT'D)  OPTIONS (CONT'D)  9a. Two-Way Radio Power and Wiring Requirements For New  Vehicles (Cont'd)	<u>COMPI</u> <u>YES</u>	LIANCE <u>NO</u>
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.		
√9b. <u>DIAGNOSTIC TOOLS/TEST EQUIPMENT</u>		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.</li> </ol>		
<ol> <li>Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.</li> </ol>		
<ol> <li>All software installations and activations will be completed by the successful bidder at no cost to the County.</li> </ol>	_/_	
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.		

<u>1TEM # 10 - MODEL YEAR 2016, OR NEWER, FORD ESCAPE SE, AS SPEC</u>	COMPL	JANCE
DESCRIPTION	YES	NO
DESCRIPTION Model Year 2016 or Newer Ford Escape SE	-	2.1.35
1.6L EcoBoost Engine (Active Grille Shutters Included)		
Six (6) Speed with SelectShift Automatic Transmission		
Front Wheel Drive  Front Survey with a Ludemandant MacPhanson at nut tune with stabilizer har twin-		
Front Suspension- Independent MacPherson strut-type with stabilizer bar, twin-		
tube hydraulic gas-pressurized shocks		<del></del>
Rear Suspension- Fully independent multi-link with stabilizer bar, progressive-		
rate springs and monotube hydraulic gas-pressurized shocks		
Electric power-assisted steering (EPAS)		
AdvanceTrac with RSC (Roll Stability Control)		
Power 4-wheel disc with Anti-Lock Brake System (ABS)	_ <del></del> _	<del></del>
Electronic Traction Control		<del></del>
Curve Control and Torque Vectoring		<del></del>
Airbags	V	
Remote Keyless Entry System- Keys with Integrated Key FOB, Keyless Entry		
Keypad- Securicode		·
Front Seat Safety Belt Pretensioners, Height Adjustable Retractable Safety Belts,	/	
Head Restraints and Safety Belts on all five (5) Seating Positions		
Tire Pressure Monitoring System		
Privacy Glass		
Acoustic Laminated Front-Door Side Glass		
Auto Halogen Headlamp with Follow Me Home Lighting		
Cargo Tie Down Hooks four (4)		<del>.</del>
Center Stack with Top of Dash Display Painted Black		
Climate Control- Air Conditioning		
Console- First Row Center with Armrest		
Fade to Off Interior Lighting		
Floor Mats- Front and Rear Carpeted		
Grab Handles- Front two (2), Rear two (2) with Integrated Coat Hooks		
Instrument Panel- Message Center, EcoMode, Outside Temperature Display		
Lighting- Illuminated Entry, Dome Light Front and Rear Center with Delay and	,	
Theatre Dimming and Rear Cargo Area Light, Front Map Lights		
Mold in Color Hand Brake Lever		
Mirror (Interior)- Day/Night Rearview Mirror		
Overhead Storage Console		
Seats- Five (5) Passenger Seating, 10-Way Power Driver Seat with Power		
Lumbar Adjust, 4 Way Manual Passenger Seat, Cloth Seats Unique, 2 <sup>nd</sup> Row		
60/40 Split, Rear Center Arm Rest, Rear Seat Recline, Driver and Passenger	,	
Seat Back Map Pockets		
Steering Wheel- Cruise Control, Manual Tilt and Telescoping, Redundant Audio	<del></del>	
Controls, Urethane		
Dual Illuminated Vanity Mirrors		
Trip Computer		
Windows- Power Windows, Driver with 1-Shot Down		<del></del>

Page 56 of 72

#### TEM # 10 - MODEL YEAR 2016, OR NEWER, FORD ESCAPE SE, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE **DESCRIPTION** (CONT'D) NO YES Power Automatic Locking Doors Audio- AM/FM/Single-CD/MP3, six (6) Speakers, Automatic Volume Control, Compass. Speed Sensitive Volume

compass, speca sensitive volume	<del></del>	
Rear View Camera with Screen		
SYNC- Enhanced Voice Recognition Communications and Entertainment	•	
System, 911 Assist, LCD Display in Center Stack, AppLink, Medi Hub with		
One Smart-Charging Multimedia USB Port		
Wipers- Front- Variable Interval Intermittent, Rear- Intermittent Wash/Wipe		
Body-Colored upper Bumpers/Fascia Lower Bumpers Self Colored		
Daytime Running Lights		
Front License Plate Bracket		
Grille- Self-Colored with Chrome Insert		
Mirrors- Colored Mirrors/Skull Caps, Integrated Blind Spot, Dual Power		-
Adjustable		
Rear Defroster with Timer		
Door Handles Exterior- Body Colored		
Wheels/Tires- 17" Alloy Sparkle Silver Painted, 235/55 R17 Tires, Wheel Nut,		
Wrench and Jack		
Full Sized Spare Tire and Wheel, mounted		
PAINT		
Color to be Specified from Standard Color Chart on Purchase Order When	,	
Ordering		

Ordering

#### WARRANTY

Bumper to Bumper: three (3) Years/36,000 Miles

Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations

#### **OPTIONS**

- √10a. Intelligent 4WD System
- 10b. Mini Liberty II IT9 Series Light Bar- Permanent Mount with 15' Cable, Amber with Two (2) Super-LED White Alley Lights
- 10c. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two (2) White Take Down Lights in Front, Two (2) White Alley Lights, Corner Lights Wired on Separate Switch

CONT'D)	COMPL	LANCE
OPTIONS: (CONT'D)	YES	NO
Od. Two-Way Radio Power and Wiring Requirements For New		
<u>Vehicles</u> For the purpose of installing two-way radios into new County		
vehicles and equipment, the following power and wiring		
components shall be included:		
1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20		
Amps.		
2. #12 AWG BLACK wire connected to chassis ground		
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5		
Amps.		
These wires shall be encased in plastic wire loom and routed from their		
source into the cab of the vehicle and secured in the vicinity of the operator.		
The wiring harness shall be clearly labeled "TWO-WAY RADIO". The		
wires shall be unterminated. The 12VDC sources shall be protected from		
making contact with grounded metal surfaces.		
10e. <u>DIAGNOSTIC TOOLS/TEST EQUIPMENT</u>		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/		
programming equipment (i.e. laptop, software, cabling, and adapters) and		
special tools required to perform the full range of diagnostic and		
maintenance actions necessary to maintain vehicle operability. This		
equipment will cover the vehicle chassis, engine, transmission, brakes,		
hydraulics, and all additional equipment (if applicable).		
2. All laptop computers will be of the newest available technology and have		
sufficient storage and memory to operate all required software.		
3. Provide a list of all test/diagnostic/programming equipment and special		
tools being supplied at the time of bid.		
4. All software installations and activations will be completed by the	/	
successful bidder at no cost to the County.		
5. All software updates and renewal will be provided at no cost to the County	,	
for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and		
special tools shall be resolved by the successful bidder at no cost to the	/	
County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.		

#### ITEM # 11 - MODEL YEAR 2015, OR NEWER, FORD F-150 4X2 XLT REGULAR CAB PICK UP TRUCK AS SPECIFIED, OR EQUAL

	COMPI	<u> IANCE</u>
DESCRIPTION	YES	<u>NO</u>
Model Year 2015 Or Newer, Ford F150 4X2 XLT Regular Cab Pick Up Truck		
3.5 L V6 EcoBoost		
8.0' Box		
Advance Trac w/ Roll Stability Control		
Axle, Front- Independent Front Suspension		
Brakes- 4-Wheel Disc with ABS		
Curve Control		<del></del>
Electronic Six-Speed Automatic Transmission with Tow/Haul Mode		
Fail Safe Cooling		,
Hill Start Assist		
Jack		
Parking Brake- Mechanical		
Shock Absorbers, Gas- Heavy-Duty, Outboard mounted (front/rear)		
Spare Tire Carrier- Rear Under Frame		
Springs, Front- Coil		<b>h</b> . '
Springs, Rear-Leaf, Two Stage variable Rate		··
Stabilizer Bar- Front		·-
Steering- Power, Rack-and-Pinion		<del> '</del>
Trailer Sway Control		-
Trailer Towing- 4-Pin Wiring, Ball Mounting Provisions in Rear Bumper		
AutoLamp-Auto On/Off Headlamps		
BoxLink (Includes Four (4) Premium Locking Cleats)		
Bumper, Front- Chrome with Body-Color Fascia		
Bumper, Rear-Chrome		
Cargo Lamp- Integrated with Center High-Mounted Stop Lamp		<del></del>
Daytime Running Lamps (Non-Controllable 942 Daytime Running Lamps,		· · · · ·
Fleet Only)		
Easy Fuel Capless Fuel Filler		
Fog Lamps		
Front License Plate Bracket		4*/*
Fully Boxed Steel Frame		<del></del>
Halogen Headlamps		~
Handles, Black- Door and Tailgate with Black Bezel		
Hooks- Pickup Box Tie-Down, Four (4)		
Mirrors, Sideview- Manual-Folding, Power Glass with Black Skull Caps		_,
Perimeter Anti-Theft Alarm		-
Rainlamp Wiper Activated Headlamps		
Securicode Keyless Entry Keypad, Driver's Side		
Full size spare tire & wheel, mounted		+
Spare Tire/Wheel Lock		
Stone Cuffs, Front & Rear		. 1
Tailgate-Removable with Key Lock		<del></del>
Tires- 245/70R 17 BSW All-Season Tires		
Wheels- 17" Silver Painted Aluminum		
Wipers- Intermittent Speed		

# Page 59 of 72 <u>ITEM # 11 - MODEL YEAR 2015, OR NEWER, FORD F-150 4X2 XLT REGULAR CAB PICK UP</u> <u>TRUCK AS SPECIFIED, OR EQUAL</u> (CONT'D)

	COMPLIA	NCE
DESCRIPTION (CONT'D)	YES	NO.
Power Windows- one-Touch Up/Down Driver and Passenger		
Productivity Screen in Instrument Cluster	<b>√</b> ,	
Center-Stack Screen with Audio Controls		
Airbags		
AM/FM Single CD, Four (4) Speakers		
Auxiliary Audio Input Jack		
Black Vinyl Floor Covering	7	
Compass Display in Instrument Panel		
Cruise Control		
Cup Holder, Deployable-under -20% seat		
Delayed Accessory Power		
Dome Light		
Fade to Off Interior Lighting		
Gauges and Meters-Fuel, Oil Pressure, Transmission Temperature and Engine		
Coolant Temperature Gauges; Speedometer, Odometer and Tachometer		
Grab Handles- A-Pillar, Drive and Passenger		
Horn- Dual-Note		
Illuminated Entry	<del></del> -	··· · · · · · · · · · · · · · · · · ·
Manual Air Conditioning, Single Zone		
MyKey Owner Controls Feature		
Power Door Locks with Flip Key and Integrated Key Transmitter Keyless Entry		····
Power Tailgate Lock		
Power point 12V- Front		
Rear Window with Fixed Privacy Glass		
Rearview Mirror, Day/Night	<del></del>	
Scuff Plates- Mold in Color Black		
Seats- 40/20/40 Vinyl, 4-Way Adjustable head Restraints, Manual Driver and		
Passenger Lumber, Armrest with Storage, Storage Under 20%, Seatback Map		,
Pocket Driver and Passenger		
Seat Belts, Active Restraint System (ARS). Three-Point Manual Lap/Shoulder	Cloth Seat	<del></del>
Belts with Height Adjusters, Pretensioners & Energy Mgmt Retractors on	CIONI Seas	
Outside Front Positions		
SecuriLock Passive Anti- Theft System		
SYNC- Enhanced Voice Recognition and Entertainment System, 911 Assist,		
LCD Display in Center Stack, AppLink, One Smart Charging USB Port		
SOS Post Crash Alert System		
Steering Wheel, Black Urethane- Manual Tilt/Telescoping and Manual Locking	<del></del>	
Tire Pressure Monitoring System		
Visors with Driver and Passenger Covered Mirrors		
Fuel Tank- Standard Range 23- Gallon		
Bedliner- Spray- In		
Paint:		
Color to be specified from Standard color chart on Purchase order when ordering		

Page 60 of 72

TRUCK AS SPECIFIED, OR EQUAL (CONT'D)	COMPL	IANCE
DESCRIPTION (CONT'D)	YES	NO NO
Warranty:		
Bumper to Bumper: three (3) years/36,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer		
Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This		
Equipment Must Also Meet or Exceed All Applicable State, Federal and	/	
PEOSHA Laws and Regulations		
Options:		
1a. Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two (2)		
White Take Down Lights in Front, two (2) White Alley Lights, Corner Lights		
Wired on Separate Switch		
1b. One weather guard aluminum tool box Model 127 with six (6) set of keys.		
1c. Liquid Transfer Tank For Diesel Fuel – DeeZee Part Number –		
DZ91752XS- Short Rectangle L:48" W: 24" H: 24" Vol: 110 gal, Fill-Rite		
Standard Duty DC Rotary Vane Pump 15GPM – Fill-Rite Part Number –		
FR1210G, Fill-Rite Particulate Filter – Fill Rite Part Number – 1200KTF7018,		
Fill Rite 3/4" 14 ft hose – Fill Rite Part Number – FRH07514, Fill-Rite Heavy		
Outy Flow Meter – three (3) Wheel Mechanical Flow Meter up to 20 GPM at 50		
PSI Pressure rating – Fill-Rite Part Number FR807C, and Fill-Rite ¾" Automatic		
Nozzle with Retaining Hook – Fill-Rite Part Number NO75UAU10. Installed		
with a switch wired in the cab of the truck.		
11d. Road Department colors – Dupont 4357A – School bus yellow from the bottom of the windows down. Academy blue # 5240 from the bottom of the		
windows up to and including cab roof and back, on hood from bottom of		
windshield to a point on the hood to make a "V" and match the road department	_	
fleet. (Note: Not all Vehicles will be painted this way)		
Heel. (Note: Not all venicles will be painted this way)  I le. Paint Colors not included in the standard color chart: ie – School bus yellow		
11f. Two-Way Radio Power and Wiring Requirements For New	<i>V</i>	
Vehicles		
For the purpose of installing two-way radios into new County		
vehicles and equipment, the following power and wiring		
components shall be included:		
1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20		
Amps.		
2. #12 AWG BLACK wire connected to chassis ground.		
3, #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5		
Amps.		
These wires shall be encased in plastic wire loom and routed from their		
source into the cab of the vehicle and secured in the vicinity of the operator.		
The wiring harness shall be clearly labeled "TWO-WAY RADIO". The		
wires shall be unterminated. The 12VDC sources shall be protected from	/	
making contact with grounded metal surfaces.		

# √<u>ITEM # 11 - MODEL YEAR 2015, OR NEWER, FORD F-150 4X2 XLT REGULAR CAB PICK UP TRUCK AS SPECIFIED, OR EQUAL (CONT'D)</u>

**COMPLIANCE** 

<b>OPTIONS:</b>	(CONT'D)
<del></del>	` /

#### $\sqrt{11}$

PTIONS: (CONT'D)	<del></del>	
g. <u>DIAGNOSTIC TOOLS/TEST EQUIPMENT</u>		
1. Successful bidder will supply three (3) complete sets of test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).		
2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.		<del></del>
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.		
4. All software installations and activations will be completed by the successful bidder at no cost to the County.		
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.		

Page 62 of 72

Proposal for the furnishing and delivery of MOTOR VEHICLE: NEW CARS, SUV'S, PICK UP TRUCKS, VANS & WAGONS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( /) - YES

( )-NO

#### PRICE SCHEDULE

100 m 100 m 100 m 100 m				UNIT	TOTAL PRICE
			MAX	OF	UNIT (USE MAX
Item #	The composition of the control of t	BID	QTY	MEAS.	PRICE QTY.)
<b>√</b> 1	Model year 2016, or Newer,				
	Ford F250 4X4 Super Cab XLT				,
	Pick Up Truck, As Specified,				toplo Lippon (V)
	Or Equal	J	, 20	EA	\$ 90940, \$\(\delta\) 1800.00
	Year, Mfr., Model: 3016	010	d Fo	150 )	(BB
	Engine 6.32 V8	) /	<del>/</del> /	<u> </u>	_
	Transmission 1 July 1	Auto	omato	<u>c</u>	_
	Delivery, A.R.O.	14	<u>)eeks</u>		_
	Warranty: 1/3 Stated in	<u> Bu</u>	$d_{\mu}$	<i>T</i>	_
	Remarks JULIO POINS	t W	11/ fai	he lun	Gl
	to recieve	_	<del></del> .		<b>,</b> _
,	<u>OPTIONS</u>				
√1a.	Liberty II, Solo IX Low Current				
v	Series Light Bar- 48", Amber, Two				
	(2) White Take Down Lights in				
	Front, two (2) White Alley Lights,				
	Corner Lights Wired on Separate				is On all Alberta is
,	Switch	1	20	EA	\$ /W80.W \$ 336W.W
√1b.	One (1) Four (4) head strobe light				
•	kit with two (2) front and two (2)				
	rear to be installed in the parking				
	light lens area with the front and				11 3
7	rear being on separate switches.	1	20	EA	\$ (0(00.00) \$ 13300.00
./1c.	Trailer brake controller	1	20	EA	\$ NC \$ NC
/1d	Vent Shield on all doors	1	20	EA	
10.	One (1) Western 8-½' Ultra Mount	1	20	EA	\$ 140.00 \$ NOW.W
<b>√16.</b>	Quick Connect contractor pro plus				
	snow plow with hand held controller				
	and snow shield complete with				
	electric, hydraulics and light kit				/4/
	installed on vehicle.	1	20	EA	\$ 4325.00 \$ 86500.00
	mounted on venicie,	1	∠0	£A	3 TOWNER S ACCOUNT

e in Arm	本的区式被管理机制量HM。 医二氏管 对自己的复数或种类。	in the second	u an killing Berend		n di Santay urada Kremer	Page 63 of 72
		OTY	MAX	UNIT OF	UNIT	TOTAL PRICE (USE MAX
/Item #	Description	BID	QTY	MEAS.	PRICE	QTY)
√1f.	One (1) weather guard aluminum					
	tool box Model 127 with six (6) sets of keys.	1	20	EA	\$ 8/05 (Y)	\$ 172NN
$\int_{1\sigma}$	Road Department Paint Colors	_			* IRIVIV	
√ lg. √lh.	Paint Colors not included in the	1	20	EA	\$100.00	\$ 3000.00
,	standard color chart	1	20	EA	\$ 150.CC	s (200.00)
√1i.	Liquid Transfer Tank For Diesel					
	Fuel - DeeZee Part Number	1	20	5.4	1/26/V	225W M
/	DZ91752XS, As Specified Carpet Delete – Factory Fleet	1	20	EA	\$ 1400.00	Sylver 1
√lj. √lk.	Option	1	20	EA	\$ (40.00)	s (800.00)
√1k.	Two-Way Radio, Power and Wiring				10610	1000N
√11.	Requirements, As Specified Diagnostic Tools/Test Equipment,	1	20	EA	\$ 790.00	\$ 970000
V 11.	As Specified, Or Equal.	1	1	EA	814100 W	<u> \$ 16070000</u>
						ω.
			ТОТА	AL LUMP SU	JM (Add 1-11):	s 8155W W
,					()-	
$\sqrt{2}$	Model year 2016, or Newer, Ford					
	F250 4X4 Crew Cab XLT Pick Up				140611	1 1.10/12/10
	Truck, As Specified, Or Equal	1	20	EA	33931.CX	\$4 10490.00
	Year, Mfr., Model: 30/0 For	(d F	350	WAE	3	
	Engine U. BL V8	11		<del></del>		
	Transmission U- Mud I	Hub,	matx	2 .		
	Delivery, A.R.O. 16-33	wei k	35			
	Warranty: 145 State		Bid			
	Remarks MUGA DOWN	ntu	111/ 13	rke		
	longer to recien	12				

g NACCH ENGRAGE	enter (18 de la como de la compaña de la		i Turaa tarriawik	saturi ang i sakana a taon 1851 aan a	ন সংগ্ৰেছৰ কীয়ে (Taulinia) বিচাৰ বিভাগ কৰে সমূহ	Page 64 of 72
A low of the section of		OTY	MAX	UNIT OF	UNIT	TOTAL PRICE (USE MAX
Item #	Description	BID	QTY	MEAS.	PRICE (Section 2)	QTY.)
	<u>OPTIONS</u>					
√2a.	Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two (2) White Take Down Lights in Front, two (2) White Alley Lights,					
,	Corner Lights Wired on Separate Switch.	1	20	EA	\$ 1680 K	s 33/00000
√2b.	One (1) Four (4) head strobe light kit with two (2) front and two (2) rear to be installed in the parking light lens area with the front and	-	_•	2	4,000	Abd a W
/	rear being on separate switches.	1	20	EA	\$ QW.W	\$ 13200.00
√2c.	Trailer brake controller	1	20	EA	\$ NC	\$ NC
√2d. √2e.	Vent Shield on all doors	1	20	EA	<u>\$ 140.00</u>	<u>\$ (\$ 800 .00)</u>
<i>J2</i> e.	One (1) Western 8-½' Ultra Mount Quick Connect contractor pro plus snow plow with hand held controller and snow shield complete with electric, hydraulics and light kit	1	20	T- A	1/325M	s HSW D
√2f.	installed on vehicle. One (1) weather guard aluminum tool box Model 127 with six (6) sets	1	20	EA	\$7000,00	\$ oque
1	of keys,	1	20	EA	\$ 3(05.CX)	s 175000
√2g. √2h.	Road Department Paint Colors Paint Colors not included in the	1	20	EA	\$ 1800.00	\$ 3000.00
/	standard color chart	1	20	EA	s 120.00	s 1900.00
∫2i. ∕2;	Liquid Transfer Tank For Diesel Fuel - DeeZee Part Number DZ1752XS, As Specified Leer cab-high cap model 100RCC,	1	20	EA	s /62500	\$ 335XXX
√2j.	As Specified	1	20	EA	\$380.CO	\$47600.00
√2k. √2l.	Carpet Delete – Factory Fleet Option Two Way Padio Power and Wiring	1	20	EA	s (40,00)	s (8W.W)
$\sqrt{2n}$ .	Two-Way Radio, Power and Wiring Requirements, As Specified Diagnostic Tools/Test Equipment,	1	20	EA	\$ 19500	\$ 34W.W
v 2111.	As Specified, Or Equal.	1	1	EA	\$/6/WW	\$ 16100.00
			тота	L LUMP SUI	M (Add 2-2m):	\$482,420.00

1		TTTSKA HITI	ir otti västi seilv		
		OTV	MAX	UNIT OF	TOTAL PRICE UNIT (USE MAX
Item#	Description	BID	OTY	MEAS.	UNIT (USE MAX PRICE QTY.)
$\sqrt{3}$	Model year 2016, or Newer, Ford	-1. At III 11. Per - 11. 11. 11. 11. 11. 11. 11. 11. 11. 1	::::::::::::::::::::::::::::::::::::	A DAMINIMATION TOTAL A SA	
	F250 4X4 Standard Cab XLT Pick				hand an course
	Up Truck, As Specified, Or Equal	1	20	EA	\$97WeD 5953D.W
		1			
	Year, Mfr., Model: 30/0 /0/	OP	200	FAB	
	Engine 6.96 V8	<u> </u>	/		
	Transmission U - MI	Hui	toMA.	hc_	
	Delivery, A.R.O.	1000	<u>K5</u>		
	Warranty: 15 Stated 11	<u> 17 . Di</u>	d	<del>/                                    </del>	
	Remarks, Melay Pall	st o	Will 7	take	-
	longer to reci	eve	—		_
	<u>OPTIONS</u>				
√3a.	Liberty II, Solo IX Low Current				
	Series Light Bar- 48", Amber, Two				
	(2) White Take Down Lights in				_
	Front, two (2) White Alley Lights,				Ø₽.
	Corner Lights Wired on Separate		• •		\$/680.00 \$ 3400.00
$\sqrt{3}$ b.	Switch	1	20	EA	\$1010,00 \$ 33,00,00
V 30.	One (1) Four (4) head strobe light				
	kit with two (2) front and two (2)				
	rear to be installed in the parking light lens area with the front and				1.0
1	rear being on separate switches.	1	20	EA	(132V) (132V) (Y)
√3¢.	Trailer brake controller	1	20	EA	\$ A/C \$ A/C
∡3d.	Vent Shield on all doors	1	20	EA	(4D/Y) (19V)(Y)
Æe.	One (1) Western 8-½' Ultra Mount	•	20	L12 k	\$710.00
V- **	Quick Connect contractor pro plus				
	snow plow with hand held controller				
	and snow shield complete with				
	electric, hydraulics and light kit				Super LA Devenue
1	installed on vehicle.	l	20	EA	\$ 4550.00 \$ 54200.00)
√3f.	One (1) weather guard aluminum				
	tool box Model 127 with six (6) sets				MEAN IMPLANA
4	of keys.	1	20	EA	\$ 7(00,00 \$ 11,000,00)
$\sqrt{3}$ g.	Road Department Paint Colors	i	20	EA	\$/820.CO \$ 3000.CO

85.45°	· · · · · · · · · · · · · · · · · · ·	samakam na sa	te v. 1990 Nove dauder	naka ka taka taka ka ka	Bolon Barianto Martino Company (1988)	Page 66 of 72
		<b>1</b>		UNIT		TOTAL PRICE
ŧ	Description	QTY BID	MAX QTY	OF MEAS.	UNIT PRICE	(USE MAX
	Paint Colors not included in the			IVIDAD	FRICE	QTY)
	standard color chart	1	20	EA	s 110.01	\$ (5VY).(Y)
	Liquid Transfer Tank For Diesel					
	Fuel – DeeZee Part Number –				11. 20 1/1	EDENA AM
	DZ91752XS, As Specified	1	20	EA	\$1000.00	\$0KY0KO
	Carpet Delete – Factory Fleet		20		. LILAN	(On 10)
	Option	1	20	EA	\$ \40,00	\$ \00.00/
	Two-Way Radio, Power and Wiring Requirements, As Specified	1	20	T7 A	. 195/VI	20118
	Diagnostic Tools/Test Equipment,	1	20	EA	3/100	3090000
	As Specified, Or Equal.	1	1	EA	~ (1/09(V)/X)	\ \ \ (\alpha\alph
	and the contract of the contra	•	•	137 €	<del>\$74 100 0</del>	\$100,000
						QK1 D21 18
			TOTA	AL LUMP S	UM (Add 3-31):	\$anon,a
	Model year 2016, or Newer, Ford					
	Police Interceptor Utility,				nihho ca	mulata 11
	As Specified, Or Equal	l	20	EA	\$2328.00	\$XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	Year, Mfr., Model: 2010 Ful	11	ntorm	ster ILI		
	Engine 3.74 V/		· · · · · · · · · · · · · · · · · · ·	<u> </u>	/	
	7. 60. /	M. to	moto		_	
	Transmission / Julio	TUIO	II JUI IC	<u>'</u>	<del>-</del>	
	Delivery, A.R.O.	wee	<u> </u>		_	
	Warranty: As Stated 1	n'B	sid			
		<u> </u>		<del>-</del>	-	
	Remarks				_	
	<u>OPTIONS</u>					
	Factory Installed Front Headlamp				OAK IN	11.000
	lighting solution, As Specified	1	20	EA	s 825.W	\$/(0000,00
	Factory Installed Driver Side Spot				10001	11.11 11
	Lamp – LED Bulb (Whelen)	1	20	EA	\$ 98000	\$ 100000
	Sync Basic (Voice-Activated			•		- <del></del>
	Communication system), As Specified	1	20	YT: A	: 395/V)	· 50N/Y)
	us pheeitien	1	20	EA	*VIWW	\$ JRUICO

ang kilijikhanw		ad Africa (* 1		# 54 77 (1877)   12 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Page 6	7 of 72 1. <b>PRICE</b>
		QTY	MAX	UNIT OF	40 0 0 0 1 1860 1 1879 2 18 18 18 18 18 18 18 18 18 18 18 18 18	E MAX
Item#	Description	BID	QTY	MEAS.		TY.)
4d.	Liberty II, Solo IX Low Current	Ma <b>Hall</b> ai		sis 24 <u>00 minus 7</u> 000 mil	ek bili kimilila mada madi beribu da kan bakan bila	
V 4u.	Series Light Bar- 48", Amber, Two					
	(2) White Take Down Lights in					
	Front, two (2) White Alley Lights,					
	Corner Lights Wired on Separate				11.00 an 10	11.11.11
/	Switch	1	20	EA	\$ 1680.W <u>\$ 33</u>	WWW.
√4e.	Mini Liberty II IT9 Series Light					
	Bar- Permanent Mount with 15'					
	Cable, Amber, Two (2) Super-LED				\$ 1080 XX 8 A1	IMAN NO
/	Alley Lights	1	20	EA	\$ 10000 \$ 01	100:00
$\sqrt{4}$ f.	Two-Way Radio, Power and Wiring				106 N 1	DIN IN
/	Requirements, As Specified	1	20	EA	\$ 195.00 \$ 3	9000
Æg.	Diagnostic Tools/Test Equipment,				WAMNY) 11	(11/1 N)
	As Specified, Or Equal	1	1	EA	\$//1/00.00 \$ /4	100.00
	•				1.1	1111 21
			TOTA	AL LUMP SU	M (Add 4-4g): \$\(\int \lambda \lambda \lambda \right)	dd(W.OO
,						
$\sqrt{5}$	Model year 2016, or Newer,					
<b>V</b> 3	Ford Transit Van 250, As Specified,				Almarian A	12011 11
	Or Equal	1	10	EΛ	\$6051.00 s A	051010 -
	Or Equal		,			<del></del>
	2/11/2 6	11/	m L	012		
	Year, Mfr., Model: AULO, Ful	1/14	11017	R/Z		
	Engine 3,52 V4		, ,	,		
	1. 6.44.	11	· item	to '		
	Transmission 21-3000	<u> </u>	<u> 1 1011 14</u>	1110		
	Delivery, A.R.O	11/2	1K5			
	$\ell I$ . $f I = I - aI$	in K				
	Warranty: //3 OtateO		<u>U</u>	<del> </del>		
	Remarks				_	
					-	
	OPTIONS					
,	OTTOMO					
√5a.	Low Roof General Service Package					
	- for Transit 130" Wheel Base Low					
	Roof (Adrian Steel Part Number –				ALAN AA A	11.000 M
/	4317TL130) Installed, As Specified	1	10	EA	\$2600.00 \$ A	acces.as
√5b.	Low Roof PHVAC Repair Package					
	- for Transit 130" Wheel base Low					
	Roof (Adrian Steel Part Number –				Abunda 1	MANA MA
	4318TL130) Installed, As Specified	. 1	10	EA	\$3300.00 \$30	WW.CO

	QTY	MAX	UNIT OF	Page 68 of 72 TOTAL PR UNIT (USE MA
Description LoadsRite single, curbside, drop- down ladder rack for Ford Transit	BID	QTY	MEAS.	PRICE QTY.)
Low Roof Vans. (Adrian Steel Part Number – LR6100FT) Installed, As Specified	1	10	EA	\$ 1600.00 \$ 16000
Liberty II, Solo IX Low Current Series Light Bar- 48", As Specified	1	10	EA	\$ /680 XX \$ /68XX
Two-Way Radio, Power and Wiring Requirements, As Specified Diagnostic Tools/Test Equipment,	1	10	EA	\$ 195.00 \$ 1950.
As Specified, Or Equal	1	1	EA	\$16100.00 \$ 16100.
		TOTA	AL LUMP ST	UM (Add 5-5f): <u>\$26990</u>
Model year 2016, or Newer, Ford Transit Wagon XLT 350 Low Roof, As Specified, Or Equal	1	10	EA	\$1938.W \$ 31936
Year, Mfr., Model: 30/6 For	dTr	ansit	Wagor	7 182
Engine JKIL VCI Transmission U JULIO	1 Ac	ıtoma	tic	
Delivery, A.R.O.	wee!	45	<del></del> -	
Warranty: 173 MICIFEL Remarks Jol 1x000770	Q 11. 715	) DIC		_
OPTIONS			· · · · · · · · · · · · · · · · · · ·	-
Rear Interior Door handles	1	10	EA	- • //N /YI • ///N
Rear Interior Door handles Inoperable/lock operable Low Roof Transit Partitions fixed center panels, solid panels (Adrian Steel Part Number – S1M1C1FSV)	1	10	EA	\$ 100.00 <u>\$ 1000.</u>
Rear Interior Door handles Inoperable/lock operable Low Roof Transit Partitions fixed center panels, solid panels (Adrian	1	10	EA EA	\$ 100.00 \$ 1000. \$ 600.00 \$ 6000 \$ 700.00 \$ 1000.0

				UNIT		Page 69 of 72 TOTAL PRIC
		医排除层性 医乙二氏	MAX	OF	UNIT	(USE MAX
#	Description Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two (2) White Take Down Lights in Front, two (2) White Alley Lights,	BID	QTY	MEAS.	PRICE	QTY.)
	Corner Lights Wired on Separate Switch	1	10	EA	\$ 1680.CX	) <u>\$/6800</u> .
	Two-Way Radio, Power and Wiring Requirements, As Specified Diagnostic Tools/Test Equipment,	1	10	EA	<u>\$ 195.00</u>	\$ 1950.0
	As Specified, Or Equal	1	1	EA	\$ 16 100.A	) <u>s /W100.C</u>
			TOTA	L LUMP S	UM (Add 6-6f):	\$368710
	Model year 2016, or Newer, Ford Expedition XL 4X4, As Specified, Or Equal	1	20	EA	\$33106.00	) \$ <i>(613,130)</i>
	Year, Mfr., Model: 30/10 Fulc Engine 35,1 40	16	Gedita	on U	19	
		, <i>GO</i>	7000	<i>f</i>		
	Transmission U MIII	Helle	mati	C	_	
	Delivery, A.R.O.	10)01 K	55			
	Warranty: 145 2011 1/10	din	Rid	<u> </u>	-	
	Remarks 1h only availa	hle	with	11	-	
					-	
	<u>OPTIONS</u>					
	Fleet Convenience Package- Power Adjustable Pedals, Reverse Sensing				100 10	ALM
	System SYNC Enhanced Voice-Recognition Communications And Entertainment	1	20	EA	<u>\$380,00</u>	\$ 7400.0
	System Heavy-Duty Trailer Tow Package,	1	20	EA	\$ \$ 10.00	s 4200 B
	As Specified	1	20	EA	s. 711/X)	\$ 10/NY).
	SSV Package, As Specified Two-Way Radio, Power and Wiring	1	20	EA	(AWOW)	\$4000 C
	Requirements, As Specified Diagnostic Tools/Test Equipment,	1	20	EA	\$ 195.00	\$ 3400.0
	As Specified, Or Equal	1	1	EA	\$/0700.00	\$ 16100.0


				UNIT		Page 70 of 72 TOTAL PRICE
#	Description	れい 記 能をはて	MAX	OF	UNIT	(USE MAX
· · · · ·	Model year 2016, or Newer, Ford	BID	QTY	MEAS.	PRICE	QTY.)
	Explorer, As Specified, Or Equal	1	20	EA	N0381.12	) s 53114/
	y Marin 2/11/2 Fred	di	Talun	r Va	A	<u> </u>
	Year, Mfr., Model:	9.0	KUKILI	77	D	
	Engine 3.9 L	Ώ <sub>Ι</sub> _	<del>/</del>		-	
	Transmission (1)	HU	1DMat1	C	_	
	Delivery, A.R.O.	Wee 1	45,			
	Warranty: As Sollified	in	BIC		-	
	Remarks_				-	
	OPTIONS		<u> </u>		-	
					á.	,
	Intelligent 4 WD System	1	20	EA	\$ 1010L	1) 8 4030
	Mini Liberty II IT9 Series Light					) <u>\$ 1700.</u>
	Bar- Permanent Mount with 15'					
	Cable, Amber with Two Super-LED White Alley Lights	1	20	EA	6/1)85/V	1 . 21711
	Liberty II, Solo IX Low Current	1	20	EA.	* 10 Will	3011100
	Scries Light Bar- 48", Amber, Two					
	(2) White Take Down Lights in					
	Front, two (2) White Alley Lights, Corner Lights Wired on Separate				_	
	Switch	1	20	EA	\$1/0X) (Y	1 . 32/NY
	Two-Way Radio, Power and Wiring	•	20	LA	37 CF 62 19C	
	Requirements, As Specified	1	20	EA	\$ 195.CC	\$ 3900 d
	Diagnostic Tools/Test Equipment,				ILAM N	1/1/1/1
	As Specified, Or Equal	1	1	EA	SURU.U	\$ /(0'100.C
			TOTAI	LUMP SU	JM (Add 8-8e):	sQ43840
	Model year 2016, or Newer, Ford				MARCO A	A Mulia
	Fusion SE, As Specified, Or Equal	, 1	20	EA	<u>, DUD 8.00</u>	) <u>\$4111W</u>
	Year, Mfr., Model: 2010 FOY C	F	45100	POH	<i>!</i>	-
	Engine 7.0 1 44	1-	//			
	Transmission (1 3)	HU	tomat	C		
	Delivery, A.R.9. 14-0/8/	Deo,	55,			
	Warranty: AS SOULIFUE	in.	Bid -			
	Remarks			•		

#	Description OPTIONS	QTY BID	MAX QTY	UNII OF MEAS.	ŢC	ge 71 of 72 OTAL PRICE (USE MAX QTY.)
	Two-Way Radio, Power and Wiring Requirements, As Specified Diagnostic Tools/Test Equipment, As Specified, Or Equal	1 1	20 1 <b>TOTAI</b>	EA EA L LUMP SI	\$ / 95.00 \$( \$/000.00 \$/ UM (Add 9-9b): \$2	3900.00 16100.00 131160.00
	Model year 2016, or Newer, Ford Escape SE, As Specified, Or Equal	1	20	EA	\$30DD 55	KeSLEDES)
	Engine // // // // // // Transmission // // // // Delivery, A.R.O. // // // // // Warranty: // // // // // // Remarks	Aug Bio	bngh 1	2	-	
]	Intelligent 4 WD System Mini Liberty II IT9 Series Light Bar- Permanent Mount with 15' Cable, Amber with Two (2) Super-	1	20	EA	\$ 940.00 \$1	(680000)
] } { (	LED White Alley Lights Liberty II, Solo IX Low Current Series Light Bar- 48", Amber, Two (2) White Take Down Lights in Front, two (2) White Alley Lights, Corner Lights Wired on Separate	1	20	EA	<u>\$108600 \$0</u>	<u> 11700,20</u>
	Switch  Fwo-Way Radio, Power and Wiring	1	20	EA	\$/68000 s3	3600.00
I	Requirements, As Specified  Diagnostic Tools/Test Equipment,	1	20	EA	s 19500 s.	39W.S
	As Specified, Or Equal					11 1 1 1 1

TOTAL LUMP SUM (Add 10-10e): \$553300.00

	QTY	MAX	UNIT	Page 72 of 72 TOTAL PRICE
# Description	BID	QTY	OF MEAS.	UNIT (USE MAX
Model year 2015, or Newer, Ford	ere autoria.	er i <b>Matter</b> itio	The first of the f	PRICE QTY.)
F-150 4x2 XLT Regular Cab Pick				hilla M. Kili.
Up Truck, As Specified, Or Equal	1	10	ΈA	SKKKOA.OU & SKKKOA
Year, Mfr., Model: 30/6 Ful	dF	(100)	FIC	
Engine 3.54 Va		<i></i>	<del>/</del>	_
Transmission	Aus	omat	1C,	_
Delivery, A.R.Q. Inknow	0 9	y Yh	15 time	_
Warranty: HS Specified	in I	rid		
Remarks				-
<u>OPTIONS</u>				
Liberty II, Solo IX Low Current				
Series Light Bar- 48", Amber, Two				
(2) White Take Down Lights in				
Front, two (2) White Alley Lights,				
Corner Lights Wired on Separate Switch	-			1200 N1 12011
One (1) weather guard aluminum tool	1	10	EA	\$ 1680.00 \$ 16800.00 \$ 865.00 \$ 8650.00
box Model 127 with six (6) sets of				
keys.	1	10	EA	8/16/N . 8/16/1/
Liquid Transfer Tank For Diesel Fuel	1	10	тъл	3 000 D.C
- DeeZee Part Number - DZ91752XS,				ه میر در دور در دور به به به
As Specified	1	10	EA	s/(035.60) s /(0351).6
Road Department Paint Colors	1	10	EA	\$/\$VICT) \$ /\$VVICT
Paint Colors not included in the				111111111111111111111111111111111111111
standard color chart	I	10	EA	- \$ 150.00 - \$ 154).1Y
Two-Way Radio, Power and Wiring				10000 1000
Requirements, As Specified	1	10	EA	\$ 140W \$ 1400W
Diagnostic Tools/Test Equipment, As Specified, Or Equal	1	1	EA	s/6/100.00 s/6/100.00
		TOTAL	LUMP SUM	(Add 11-11g): \$353470

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD VENDOR TO INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL.



#### RESOLUTION

September 16, 2015

WHEREAS, on August 25, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of ICE AND SNOW REMOVER for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

#### Name and Address of Bidder

Lavallette Hardware LLC 1601 Grand Central Ave. Lavallette, NJ 08735 (732) 830-5551

Garden State Highway Products, Inc. 1740 E. Oak Road Vineland, NJ 08361 (856) 692-7572

SynaTek 737 Hagey Center Drive, Unit A Souderton, PA 18964 (888) 408-5433 Name and Address of Bidder

Dart Seasonal Products, Inc. 100 Cedarhurst Ave., Suite 203 Cedarhurst, NY 11516 (516) 569-7669

Share Corporation 7821 N. Faulkner Road Milwaukee, WI 53224 (800) 776-7192

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, be accepted, namely, that of LAVALLETTE HARDWARE LLC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract, accepting the bid for the furnishing and delivery of Ice and Snow Remover for the County of Ocean, for the contract period effective from date of award through September 15, 2016, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A 40A:11-15, as follows:

#### LAVALLETTE HARDWARE LLC for one (1) item, to wit:

#### ITEM NO. 1.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-118.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Central Supply Warehouse, and Lavallette Hardware LLC, the successful bidder.

Proposal for the furnishing and delivery of ICE AND SNOW REMOVER for the County of Ocean.

#### VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(X) - YES ( )-NO


#### PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
$\sqrt{1}$	Howard Johnson's Zero Ice, #H39 9587, 50 lb. Bag				
	NO SUBSTITUTIONS Truck Load Quantity	4,320	BAG	\$ 10.17	\$ 43,934.40

Manufacturer HOWARD JOHNSON'S

Type/Style ZERO ICE \$9587 50 LB

Delivery, A.R.O. 10-14 DAYS



#### RESOLUTION

September 16, 2015

WHEREAS, on July 21, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of SIGN BLANKS, SIGN MATERIALS AND SIGN STRIPPING for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

#### Name and Address of Bidder

Garden State Highway Products, Inc. 1740 E. Oak Road Vineland, NJ 08361 (856) 692-7572

#### Name and Address of Bidder

Newman Signs, Inc. 1606 6<sup>th</sup> Ave. SW Jamestown, ND 58401 (800) 437-9770

: and

WHEREAS, after receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted namely, GARDEN STATE HIGHWAY PRODUCTS, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Sign Blanks, Sign Materials and Sign Stripping for the County of Ocean, from date of award through September 15, 2016, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

GARDEN STATE HIGHWAY PRODUCTS, INC. for four hundred and fifty five (455) items, to wit: <u>ITEMS NO.</u> 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454 and 455. This vendor has extended this contract to County Cooperative Contract System

Participants.

- 2. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- The contract number must be placed on all papers, documents, invoices and 3. vouchers pertaining to said contract, the number being B2015-99.
- Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Engineering, and Garden State Highway Products, Inc., the successful bidder.

Proposal for the furnishing and delivery of SIGN BLANKS, SIGN MATERIALS AND SIGN STRIPPING for the County of Ocean.

## VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(**★**) - YES ( ) - NO

#### PRICE SCHEDULE

		IMCER	CILLED	A ALVEN		
	Descriptions FION I - ALUMINUM TRAFFIC	Olya	Unit of Meas.		Total Price	Dalivery. ARO
	OA 5052-H38, OR EQUAL (ANO		N179 -			
$\int_{1}$	Octagon, 30" x 30"	•	T2 4	<b>4</b> 10 17	\$1 070 FD	
$\sqrt{2}$	Octagon, 36" x 36"	150	EA	\$ 12.47	\$1,870.50	30-45 Days
$\int_{3}$	Octagon, 48" x 48"	40	EA	\$ 18.04	\$ 721.60	<del></del>
$\int_{A}$	Triangle, 36" each side	5 25	EA	\$ 32.02	\$ 160.10	
$\mathcal{J}_{5}$	Triangle, 48" each side	35 5	EA	\$ 10.49	\$ 367,15	<del></del>
J <sub>6</sub>	Circle, 36" Diameter	5	EA	\$ 18.54	\$ 92.70	
7	Trapezoidal, 60" x 30"	5	EA	\$ 18.63	\$ 93.15	
/8	Square, 16" x 16"	5	EA	\$ 29.63	\$ 148.15	
	Square, 18" x 18"	10	EA	\$ 3.84	\$ 38.40	
$\int_{10}$	Square, 24" x 24"	50	EA	\$ 4.81	\$ 240.50_	
V 10	Square, 30" x 30"	75 50	EA	\$ 8.59	\$ 644.25	
$\sqrt{12}$	Square, 30" x 30", Blank .080 AL	50	EA	\$ 13.47	\$ 670.50	
J 12	No Hole No Radius					
1	(for end of Crash Cushions)	15	EA	\$ 13.41	\$ 201.15	
√ <i>y</i> 3	Square, 36" x 36"	50	EA	Φ.	•	
<b>/1</b> ,4	Diamond, 24" x 24"	20	EA	¢	€ 300.00	
J <sub>1,5</sub>	Diamond, 30" x 30"	10	ËΑ	\$ 8.59 \$ 13.41	£, ±, ±, 00.	
/16	Diamond, 36" x 36"	10	EA	\$ 19.32	±5++±0	
J <sub>17</sub>	Diamond, 48" x 48"	20	EA	\$ 34.39	\$ 193,20 \$ 687.80	
<b>J</b> 18	Rectangle, 4" x 6"	100	EA	\$ 1.02	\$ 102.00	
/19	Rectangle, 9" x 15"	20	EA	\$ 2.21	\$ 44.20	
√20	Rectangle, 10" x 12"	20	EA	\$ 2.13	\$ 42.60	
$\sqrt{21}$	Rectangle, 10" x 16"	5	EA	\$ 2.81	\$ 14.05	
$\int_{22}^{21}$	Rectangle, 10" x 18"	10	EA	\$ 3.16	\$ 31.60	
	Rectangle, 10" x 24"	5	EA	\$ 4.02	\$ 20.10	
$\sqrt{\frac{23}{24}}$	Rectangle, 10" x 27"	30	EA	\$ 4.52	\$ 135.60	
$\sqrt{25}$	Rectangle, 12" x 4"	30	EA	\$ 1.02	\$ 30.60	
√26	Rectangle, 12" x 6"	30	EA	\$ 1.56	\$ 46.80	
J <sub>27</sub>	Rectangle, 12" x 9"	30	EA	\$ 2.05	\$ 61.50	
J <sub>28</sub>	Rectangle, 12" x 18"	50	EA	<u>¢</u>	¢	
$\int_{29}$	Rectangle, 12" x 36"	30	EA	\$ 3.19 \$ 6.43	\$\frac{159.50}{\psi_{192.90}}	30-45 Days

Page 33 of 58

		oran tales				Page 33 01 38
Item			Unit of			Delivery,
30 A	Description Rectangle, 18" x 6"	<b>Oty.</b> 10	Meas. EA	Ф	* Total Price	ARO
$\int_{31}^{3}$	Rectangle, 18" x 24"	150	EA	\$ 1.74 \$ 6.43	\$ <u>17.40</u> \$ 964.50	<u> 30-45 Da</u> ys
$\int_{22}^{1}$	Rectangle, 21" x 15"	25	EA	\$ 6.43 \$ 4.67	\$ 964.50 \$ 116.75	<del></del>
$\sqrt{33}$	Rectangle, 24" x 8"	30	EA	\$ 3.04	\$ 91.20	<del></del>
$\int_{34}$	Rectangle, 24" x 9"	5	EA			
$\sqrt{35}$	Rectangle, 24" x 10"	30	EA			
$\sqrt{36}$	Rectangle, 24" x 12"	50	EA	\$ 3.57 \$ 4.26	\$ 107.10 \$ 213.00	
<b>√3</b> 7	Rectangle, 24" x 30"	200	EA		\$ 2,146.00	
√38	Rectangle, 24" x 36"	40	EA	\$ 10.73 \$ 12.86	\$ 514.40	
$\sqrt{39}$	Rectangle, 24" x 48"	20	EA			
$\int_{40}^{40}$	Rectangle, 30" x 12"	5	EA			
$\sqrt{41}$	Rectangle, 30" x 18"	10	EA	\$ 5.35 \$ 8.04	\$ 26.75 \$ 80.40	
$\sqrt{42}$	Rectangle, 30" x 36"	30	EA	<u></u>		
$\sqrt{43}$	Rectangle, 36" x 12"	100	EA	\$ 16.09 \$ 6.43	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
/44	Rectangle, 36" x 18"	10	EA	\$ 9.64	\$ 96.40	
√ <sub>45</sub>	Rectangle, 36" x 48"	20	EA	\$ 25.76	\$ 515.20	
J <sub>46</sub>	Rectangle, 42" x 24"	5	EA	\$ 15.02	\$ 75.10	
√ <sub>47</sub>	Rectangle, 42" x 30"	5	EA	\$ 18.79	\$ 93.95	
√48	Rectangle, 48" x 18"	15	EA	Φ	<u> </u>	
J <sub>4</sub> 9	Rectangle, 48" x 30"	50	EA		D 172.30	
$\int_{50}$	Rectangle, 48" x 36"	25	EA	\$ 21.47 \$ 25.76	\$ 1,073.50 \$ 644.00	
$\int_{51}$	Rectangle, 48" x 72"	6	EA	\$ 51.54	\$ 309.24	
√52	Rectangle, 60" x 8"	10	EA	\$ 7.64	\$ 76.40	
$\sqrt{53}$	Rectangle, 60" x 12"	6	EA	\$ 10.73	\$ 64.38	
√54	Rectangle, 60" x 18"	30	EA	\$ 16.09	\$ 482.70	
J <sub>\$5</sub>	Rectangle, 60" x 24"	10	EA	\$ 21.47	\$ 214.70	
√56	Rectangle, 60" x 30"	20	EA	\$ 26.83	\$ 536.60	
$\int_{\mathcal{B}7}$	Rectangle, 60" x 36"	20	EA	\$ 32.17	\$ 643.40	
$\sqrt{58}$	Rectangle 72" x 8" No Punch	15	EA	\$ 9.16	\$ 137.40	
√ <i>5</i> 9	Rectangle, 72" x 18"	20	EA	\$ 19.32	\$ 386.40	
$\int_{60}$	Rectangle 72" x 24" No Punch	10	EA	\$ 25.77	\$ 257.70	
√ <u>6</u> 1	Rectangle, 72" x 30"	6	EA	\$ 32.21	\$ 193.26	
$\sqrt{62}$	Rectangle, 72" x 36"	6	EA	\$ 38.64	\$ 231.84	
√ <sub>63</sub>	Rectangle, 72" x 48"	10	EA	\$ 51.57	\$ 515.70	
√64	Rectangle, 84" x 18"	10	EA	\$ 22.54	\$ 225.40	
√ <sub>65</sub>	Rectangle, 84" x 48" No Punch	5	EA	\$ 60.12	\$ 300.60	
√66	Rectangle, 96" x 18"	10	EA	\$ 25.76	\$ 257.60	
√67	M1-6, Pentagon County Route					
/	Marker, 24" x 24"	25	$\mathbf{E}\mathbf{A}$	\$ 9.73	\$ 243.25	
√68	S1-1, Pentagon School Sign,			<del>_</del>		í
	36" x 36"	25	EA	\$ 17.39	\$ 434.75	<u>30-45 Day</u> s

Page 34 of 58

New 2012 to the least						Page 34 of 58
Item		Esta	Luit of	i 🚅 Unit 🦮		Delivery,
/1# <i>R</i>	Description	Oty	Meas:	Prices	Total Price	ARO
√ <b>6</b> 9	S1-1, Pentagon School Sign,					
	48" x 48"	4	EA	\$ 30.92	\$ 123.68	<u>30-45 Da</u> ys
SEC	ITON II - SCOTCHLITE SIGN FAC	CES -				
REG	ULATORY SIGN FACES					
√70	R1-1, Type III, 30"	200	EA	\$ 8.68	\$ 1,736.00	30-45 Days
<b>√</b> 71	R1-1, Type IX, 30"	100	EA	\$ 15.97	\$ 1,597.00	<u> </u>
<i>J</i> 72	R1-1, Type IX or Equal, 48"	10	$\mathbf{E}\mathbf{A}$	\$ 40.88	\$ 408.80	
√73	R1-1 Stop, White on Red, Type III,			4 10100		<del></del>
1	36" x 36"	25	EA	\$ 12.49	\$ 312.25	
/74	R1-1 Stop, White on Red, Type IX,	23	<i>L</i> 2 <b>L</b>	Ψ 12.13	<u> </u>	
<i>√</i> , .	36" x 36"	25	EA	\$ 23.00	\$ 575.00	
1/75	R1-2, Type III, 36" x 36" x 36"			dı	<del></del>	
76	· · · · · · · · · · · · · · · · · · ·	25	EA	\$ 5.72	\$ 143.00	
J76 J77	R1-2, Type IX, 36" x 36" x 36"	25	EA	\$ 9.26	\$ <u>231,50</u>	
VII	R1-4 All Way, White on Red, ASTM Type III, 18" x 6"			¢ 1.04	e 20.80	
/	**	20	EA	\$ 1.04	\$ 20.80	
J <sub>78</sub>	R1-4 All Way, White on Red,			7 00	10.60	
/	ASTM Type IX, 18" x 6"	10	EA	\$ 1.96	\$ 19.60	
$\sqrt{79}$	R1-4 All Way, White on Red,					
	30" x 12"	10	EA	\$ 3.46	\$ 34.60	
$\sqrt{80}$	R1-4 All Way, White on Red,					Į.
/	30" x 12", Type IX	10	EA	\$ 6.64	\$ 66.40	
$\sqrt{81}$	R1-4 All Way, White on Red,					
1	48" x 18", Type IX	10	$\mathbf{E}\mathbf{A}$	\$ 15.96	\$ 159.60	<u> </u>
$\sqrt{82}$	R2-1 (25), Black on White,					
/	Type III, 24" x 30"	50	EA	\$ 6.88	\$ 344.00	
$\sqrt{83}$	R2-1 (30), Black on White,					
/	Type III, 24" x 30"	50	EA	\$ 6.88	\$ 344.00	
$\sqrt{84}$	R2-1 (35), Black on White,					
/	Type III, 24" x 30"	75	EA	\$ 6.88	\$ 516.00	}
$\sqrt{85}$	R2-1 (40), Black on White,	,,,	D1.			-
/	Type III, 24" x 30"	50	ĖΑ	\$ 6.88	\$ 344.00	
$\sqrt{86}$	R2-1 (45), Black on White,	50	LA	\$ 6.88	<u> </u>	
,	Type III, 24" x 30"	50	EA	<b>\$</b> 6.00	¢ 244.00	
$\sqrt{87}$	R2-1 (50), Black on White,	50	EA	\$ 6.88	\$ 344.00	
V 01	Type IU, 24" x 30"	50	П.	Φ	ф од <b>о</b> о	
/00	* *	50	EA	\$ 6.88	\$ 344.00	
√88 ′	R2-1 Speed Limit (55), Black on White, ASTM Type III, 24" x 30"	<b>~</b> -	<b>-</b> .	d)	<i>t</i> h	
/00	* -	25	EA	\$ 6.88	\$ 172.00	<del></del>
√89	R2-1 Speed Limit (Blank Speed),					1
	Black on White, ASTM Type III, 36" x 48"			_	_	
	50 A 10	20	EA	<u>\$ 16.51</u>	\$ 330.20	3d=45_Days

Page 35 of 58

Item	Descriptions		Unit of Meas:	Unit Price	Total Price	Delivery ARO
√ 90	R2-1 (Blank Speed), Black on					
61	White, Type III, 24" x 30"	50	EA	\$ 6.88	\$ 344.00	_30-45 Days
√91 /	R2-1 (Blank Speed), Black on White, Type IX or equal, 36" x 48"	10	EA	\$ 30.67	\$ 306.70	
√92 /	R3-1 No Right Turn Red, Circle and Diagonal Symbol & Border, Black on White, Type III, 24" x 24"	25	EA	\$ 5.72	\$ 143.00	
√93 /	R3-1 No Right Turn, Red & Black on White, Type III, 30" x 30"	50	EA	\$ 8.68	\$ 434.00	
√94 /	R3-2 No Left Turn, Red and Black on White, Type III, 24" x 24"	25	EΑ	\$ 5.72	\$ 143.00	
<b>J</b> 95	R3-3 No Turns, Black on White,					
	Type III, 24" x 24"	25	EA	\$ 5.72	\$ 143.00	
√96 /	R3-4 No U Turn, Circle and Diagonal Red, Symbol and Border Black, Background White, Type III, 24" x 24"	25	ΓA	¢ 5 72	¢ 1/2 00	
<b>197</b>	R3-5R, Black on White, Type III,	25	EA	\$ 5.72	\$ 143.00	<del></del>
60	30" x 36"	10	EA	\$ 10.42	\$ 104.20	
√98 /	R3-7L, Black on White, Type III, 30" x 30"	25	EA	\$ 8.68	\$ 217.00	
√99 /	R3-7R, Black on White, Type III, 30" x 30"	25	EA	\$ 8.68	\$ 217.00	
√100 ∕	R3-9b, Black on White, Type III, 24" x 36"	30	EA	\$ 8.33	\$ 249.90	
<b>1</b> 01	R3-9bP, Black on White, Type III,	•				
/100	18" x 12"	25	EA	\$ 2.19	\$ 54.75	
/102	R3-17 Right Lane Bike Only, Black on White, Type III, 30" x 24"	20	EA	\$ 6.88	\$ 137.60	
√103 /	R3-17 Bike Lane, Black on White 30" x 24" Facing ASTM Type III	25	EA	\$ 6.88	\$ 172.00	
√104 /	R3-17a Ahead, Black on White, Type III, 30" x 12"	10	ΕA	\$ 3.47		
$\sqrt{105}$	R3-17b Ends, Black on White,	10	LA	<u> </u>	\$ 34.70	
100	Type III, 30" x 12"	10	EA	\$ 3.47	\$ 34.70	
√106 /	R3-18 No U No Left Turn, Red & Black on White, Type III, 24" x 24"	25	EA	\$ 5.72	\$ 143.00	
J <sub>107</sub>	R4-7 Keep Right, Black on White, Type III, 24" x 30"	20	EA	\$ 6.88	\$ 137.60	
J108	R4-7c Keep Right, Black on White, Type III, 18" x 30"	10	EA	\$ 5.21	\$ 52.10	
						•

Page 36 of 58

		<u> </u>	The state of the s			Page 36 of 58	
Item Ž#	Description	Est:	The state of the s	Unit Price	Total Price	Delivery: A.R.O.	
√ 109 /	R5-1 Do Not Enter, Symbol Red, Legend and Background White, Type III, 36" x 36"	25	EA	12.49	312.25	30-45 Days	ARO
√110 /	R5-1 Symbol: Red, Legend and Background White, Type III, 30" x 30"	30	EA	\$ 8.68	\$ 260.40		
<b>J</b> 111	R5-1a Wrong Way, White on Red, Type III, 36" x 24"	10	EA	\$ 8.33	\$ 83.30		
<b>/</b> 112	R5-2 Symbol: Black, Circle and Diagonal Red, Background White,						
	Type III, 24" x 24"	10	EA	\$ 5.72	\$ 57.20		
$\sqrt{113}$ $\sqrt{114}$	R5-10c No Pedestrian, Black on White, Type III, 24" x 12" R6-1L, Black on White, Type III,	25	ËΑ	\$ 2.78	\$ 69.50		
1	36" x 12"	25	EA	\$ 4.17	\$ 104.25		
/115 /	R6-1R, Black on White, Type III, 36" x 12"	25	EA	\$ 4.17	\$ 104.25		
√116 /	R6-3 Divided Highway, Black on White, Type III, 24" x 18"	10	E <b>A</b>	\$ 4.17	\$ 41.70		
√117 /	R6-3a Divided Highway Crossing, Black on White, ASTM Type III, 24" x 18"	10	EA	<b>\$</b> 4.17	<b>\$</b> 41.70		
√118 /	R7-1 No Parking Any Time with Left Arrow, Red on White, Type III, 12" x 18"	25	EA	\$ 2.19	\$ 54.75		
<b>1</b> 119	R7-1 No Parking Any Time with Right Arrow, Red on White,	43	EA	Φ 2.19	\$ 34.73		
$\int_{120}$	Type III, 12" x 18" R7-4 Red on White, Double Arrow,	25	EA	\$ 2.19	\$ 54.75		
/21	Туре III, 18" x 24"	50	EA	\$ 4.17	\$ 208.50		
/(21	R7-4 No Standing Any Time (Left Arrow), Red on White, ASTM Type III, 18" x 24"	10	EA	\$ 4.17	\$ <u>41.70</u>		
√122 /	R7-4 No Standing Any Time (Right Arrow), Red on White, ASTM Type III, 18" x 24"	10	EA	\$ <b>4.</b> 17	\$ 41.70		
J <sub>123</sub>	R7-8 Reserved Handicapped Parking (No Arrow) Legend Green (Retroreflective), White Symbol on Blue (Retroreflective), Background White (Retroreflective),	10	2-16. %	<del></del>	<u>*</u>		
	ASTM Type III, 12" x 18"	25	EA	\$ 2.19	\$ 54.75		

Page 37 of 58

ET Folkersker gelijnien	SE KANDANIPANIPANIPANIPANIPANIPANIPANIPANIPANIP	rom statiski operane biliotalens			' Nakaristinanin' Manadil di kaominina india alia manadila di Arabi	Page 37 of 5	98	
Item:	Description 2	Est. Oty.	Unit of Meas.	Unit Price	Total Price	Delivery A.R.O.		
√124 (	R7-8P Van Accessible, White on Green, Type III, 12" x 6"	25	EA	<b>\$ .</b> 83	<b>\$</b> 20.75	30-45	Days AR	ſ
/125	R7-201p Tow Away Plate,	23	EA	<u> </u>	\$ 20173			`
	Black on White, Type III, 12" x 6"	25	EA	\$ .83	\$ 20.75			
√126 /	R9-3 No Pedestrian, Circle & Diagonal Red Symbol and Border Black on White, Type III, 24" x 24"	25	EΑ	\$ 5.72	\$ 143.00			
127	R10-3e, Black on White, No Arrow,				····			
1	Type I, 9" x 15"	10	EA	\$ 1.42	§ 14.20			
√128	R10-3e Black on White with Orange Symbol 9" x 15" Facing ASTM Type III			· · · · · · · · · · · · · · · · · · ·			_	
/	• •	25	EA	\$ 1.42	\$ 35.50		_	
√129 /	R10-6, Black on White, Type III, 24" x 36"	20	EA	\$ 8.33	\$ 166.60		············	
\sqrt{130}	R10-6a Stop Here On Red, Black on White, Type III, 24" x 30"	25	EA	\$ 6.88	<b>\$</b> 172.00			
\( \sqrt{131} \)	R10-7 Do Not Block Intersection, Black on White, Type III, 24" x 30"	25	EA	<b>\$ 6.88</b>	\$ 172.00			
/132	R10-11a No Turn on Red, Black on White, ASTM Type III, 24"x 30"	25	EA	\$ 6.88	\$ 172.00		<del></del> -	
√133 /	R10-I lb No Turn On Red, Black on White, Type III, 36" x 36"	25	ĒΑ	\$ 12.49	\$ 312.25			
√134 /	R10-12 Left Turn Yield on Green Symbol, Legend Black on White, Type III, 24" x 30"							
J <sub>135</sub>	R10-15, Black on Yellow & White,	25	EA	\$6.88	\$ 172.00		<del></del>	
/	Red Yield Symbol, Type III, 30" x 30"	10	EA	\$ 8.68	\$ 86.80			
√136	R11-1 Keep Off Median,				<del></del>			
/	Black on White, Type III, 24" x 30"	25	EA	\$6.88	\$172.00		_	
√137 /	R11-1, Black on White, Type III, 24" x 30"	25	EA	\$6.88	\$172.00			
√138 /	R11-2, Black on White, Type IX or Equal, 48" x 30"	10	EΑ	\$ 25.55	\$ 255.50			
√139 /	R11-4, Black on White, Type IX or Equal, 60" x 30"	5	EA	\$ 31.94	\$159.70			
$\int_{140}$	R12-1, Black on White,	<del>-</del>						
$\int_{141}$	(Blank) Tons, Type III, 24" x 30" R14-1, Black on White, Type III,	20	EA	\$ 6.88	\$ <sup>137.60</sup>			
7.41	24" x 18"	20	EA	\$4.17	\$ 83.40		<u>,</u>	

Page 38 of 58 Deliver Description ... Meas Price Total Price R(NJ)3-7L Lane For Left Turn Only, Black on White, Type III, 30" x 24" 10 EA \$6.88 \$ 68.80 30-45 days ARO R(NJ)5-11B No Jumping Diving Crabbing Fishing Loitering, Black on White, ASTM Type III, 18" x 24" 25 \$ 104.25 EΑ \$ 4.17 R(NJ)7-4 No Stopping or Standing with Left Arrow, Red on White, Type III, 12" x 18" \$ 109.50 \$ 2.19 50 EA R(NJ)7-4 No Stopping or Standing with Left Arrow, Red on White, Type III, 18" x 24" \$ 4.17 25 EA \$ 104.25 R(NJ)7-4 No Stopping or Standing with Right Arrow, Red on White, Type III, 12" x 18" \$ 2.19 s 109.50 50 EΑ R(NJ)7-4 No Stopping or Standing with Right Arrow, Red on White, Type III, 18" x 24" 25 EA \$ 104.25 \$ 4.17 R(NJ)7-4 No Stopping or Standing, Red on White, Double Arrow, ASTM Type III, 12" x 18" 100 EA \$ 2.19 \$ 219.00 R(NJ)7-4 No Stopping or Standing, Red on White, Double Arrow, s 208.50 ASTM Type III, 18" x 24" 50 EA R(NJ)7-8A Penalty Plate, Black on White, Type III, 10" x 12" 25 EΑ \$ 1.26 \$ 31.50 R(NJ) 8-10 No Parking When Road is Snow Covered, "No Parking" Text White, Background Red, "When Road is Snow Covered" Text Red, Background White, Type III, 12" x 18" \$ 21.90 10 EA \$ 2.19 R(NJ)9-9S Stop For Ped: Stop Symbol, Red on White Legend & Ped Symbol Black on White, Type **\$ 172.00** III, 24" x 30" \$ 6.88 25 EA R(NJ) 10-7A Do Not Block Driveway, Black on White, Type III, 24" x 30" \$ 6.88 68.80 10 EA R(NJ) 10-13B Delayed Green, Black on White, Type III, 24" x 24" \$ 57.20 \$5.72 10 EA

Page 39 of 58

211	Description	A MARKET STATE OF THE PARTY OF	TO SHOW THE PARTY OF	Unic Price	Total Price	Delivery A.R.O
$\sqrt{155}$	R(NJ) 11-1a, Black on White,			\$ 6.88	¢ 68.80	30-45 Days ARO
1	Type III, 24" x 30"	10	EA	\$ 0.00	\$ 68.80	30 43 Days Alto
$\sqrt{156}$	R(NJ)11-5 Local Traffic Only,			<b>* 16 51</b>	+ 1/F 10	ſ
/	Black on White, Type III, 48" x 36"	10	$\mathbf{E}\mathbf{A}$	\$ 16.51	\$ 165.10	
$\sqrt{157}$	R(NJ)12-8L Vehicles Over					
	(Blank Tons) No Left Turn,					
	Black on White, ASTM Type III,		·	\$ 10.42	\$ 104.20	
	30" x 36"	10	EA	\$	\$	
J 158	R(NJ)12-8R Vehicles Over					
	(Blank Tons) No Right Turn,					
	Black on White, ASTM Type III,				<b>.</b>	
	30" x 36"	10	$\mathbf{E}\mathbf{A}$	\$ 10.42	\$ 104.20	
WAR	NING SIGN FACES					
<b>/</b> 159	W1-1L Black on Yellow,			9 69	130.20	
1	Type III, 30" x 30"	15	EA	\$ 8.68	\$ 130.20	
/160	W1-1L, Black on Yellow,		•			
/	Type IX, 30" x 30"	20	EA	\$ 15.97	\$ 319.40	
/161	W1-1L Left Turn,		<b>*</b>		<del></del>	
Ü	Black on Yellow,		•			
/	Type III, 36" x 36"	15	EA	\$ 12.49	\$ 187.35	
/162	W1-1L Left Turn,					
V	Black on Yellow,			00.00	1.60.00	
	Type IX, 36" x 36"	20	EA	\$ 23.00	\$ 460.00	
/163	W1-1R Right Turn,					
J	Black on Yellow, Type III,			8.68	130.20	
	30" x 30"	15	EA	\$ 0.00	\$	
/164	W1-1R Right Turn,					
<b>V</b>	Black on Yellow, Type IX,					Ì
/	30" x 30"	20	EA	\$ 15.97	\$ 319.40	
√165	W1-1R Right Turn,					
	Black on Yellow, Type III,			10.10	107 05	Ì
	36" x 36"	15	$\mathbf{E}\mathbf{A}$	\$ 12.49	\$ 187.35	
<b>/</b> 166	W1-1R Right Turn,					į
	Black on Yellow, Type IX,			23.00	460.00	
/	36" x 36"	20	EA	\$	\$ 400.00	
J167	W1-2L Left Curve,					
/	Black on Yellow,					
	Type III, 30" x 30"	15	EA	\$ 8.68	\$ 130.20	
√168	W1-2L Left Curve,					
1	Black on Yellow,			. 15 07	- 210 /0	
	Type IX, 30" x 30"	20	$\mathbf{E}\mathbf{A}$	\$ 15.97	\$ 319.40	
/169	W1-2L Left Curve,					
/	Black on Yellow,	<b>.</b> -		<sub>e</sub> 12.49	187.35	
	Type III, 36" x 36"	15	$\mathbf{E}\mathbf{A}$	\$ 12.49	\$ 187.33	
∨170	W1-2L Left Curve,					
	Black on Yellow,	<b></b>		23.00	460.00	$\sim 1/$
	Type IX, 36" x 36"	20	EA		\$	<u>`V</u>

Page 40 of 58

					#11.00 mg/mmmg-page-page-page-page-	Page 40 of 58
Îtem		Taring to the same of the same	Init of	Unit .		Delivery,
	Description			Price	Total Prices	TARO
$\sqrt{171}$	W1-2R Right Curve,		9234 (MARCH)			
V 171	Black on Yellow, Type III,					
/	30" x 30"	15	EA	§ 8.68	<b>\$</b> 130.20	30-45 Days ARO
. /172	W1-2R Right Curve,		2.1			
V 172	Black on Yellow, Type IX,					
1	30" x 30"	20	ĒΑ	\$ 15.97	\$ 319.40	
/173	W1-2R Right Curve,			<del></del>		<u></u>
<i>J</i> 113	Black on Yellow, Type III,					
/	36" x 36"	15	EA	\$ 12.49	\$ 187.35	
$\sqrt{174}$	W1-2R Right Curve,	••		<u> </u>	<u>~ 107.73</u>	<del></del>
V 17-7	Black on Yellow, Type IX,					
/	36" x 36"	20	EA	\$ 23.00	<b>\$ 460.00</b>	
/175	W1-3L Left Reverse Turn,	20	<b>1</b> 21. <b>1</b>			
V173	Black on Yellow, Type III,					ļ
/	30" x 30"	10	EA	\$ 8.68	\$ 86.80	
$/_{176}$	W1-3L Left Reverse Turn,		27.	<u>¥</u>		
V 170	Black on Yellow, Type IX,			15 07	150 70	
/	30" x 30"	10	EΑ	15.97 \$	159.70 \$	
/177	W1-3L Left Reverse Turn,	10	137 1			
VI.,,	Black on Yellow, Type III,					
1	36" x 36"	10	EA	\$ 12.49	\$ 124.90	
178	W1-3L Left Reverse Turn,	10	2.1			
V170	Black on Yellow, Type IX,					
1	36" x 36"	10	EA	\$ 23.00	\$ 230.00	
/179	W1-3R Right Reverse Turn,	10	12.1	<u> </u>	_ <del>*</del> 230.00	
J117	Black on Yellow, Type III,					
1	30" x 30"	10	EΑ	\$ 8.68	\$ 86.80	
/180	W1-3R Right Reverse Turn,		£22 £	<del>- 4</del>	<del></del>	
2,00	Black on Yellow, Type IX,					
1	30" x 30"	10	EA	\$ 15.97	\$ 159.70	
J181	W1-3R Right Reverse Turn,	10	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<del></del>		
101	Black on Yellow, Type III,					
1	36" x 36"	10	EA	\$ 12.49	\$ 124.90	
/182	W1-3R Right Reverse Turn,			4 12,43	<u> </u>	<del></del>
J 102	Black on Yellow, Type IX,					
1	36" x 36"	10	EA	\$ 23.00	\$ 230.00	•
/183	W1-4L Left Reverse Curve,	10	£7, £			
A 103	Black on Yellow, Type III,					
1	30" x 30"	15	EA	\$ 8.68	\$ 130.20	
184	W1-4L Left Reverse Curve,			<del></del>		
<b>♥10</b> 4	Black on Yellow, Type IX,					
/	30" x 30"	10	EA	§ 15.97	\$ <b>159.</b> 70	
$J_{185}$	W1-4L Left Reverse Curve,	- 4		<del>- *</del>	<del></del>	
103	Black on Yellow, Type III,					,
	36" x 36"	15	EA	\$ 12.49	\$ 187.35	<b>\</b>  /
	20 620	13	J-m* 3. =			<del></del>

Page 41 of 58

		mercen interviewe and Armeda and a	entroperi manadrone			Page 41 of 58
Items		LST.	Unitor	Unit		La Delivery,
<i>(6.4)</i>	Description	Qtyn 1	Meas:	Price	Total Price	ARO.
/ 186	W1-4L Left Reverse Curve,					
1	Black on Yellow, Type IX,					
/	36" x 36"	10	EA	\$ 23.00	\$ 230.00	30-45 Days ARO
$\sqrt{187}$	W1-4R Right Reverse Curve,					<u> </u>
24,	Black on Yellow, Type III,					
/	30" x 30"	15	ΈA	\$ 8.68	\$ 130.20	-
/100		13	LA	_Ψ	<u> </u>	
J 188	W1-4R Right Reverse Curve,					·
1	Black on Yellow, Type IX,		<b>-</b> .	A 15 07	a 150 70	
/	30" x 30"	10	EA	\$ 15.97	\$ 159.70	
√189	W1-4R Right Reverse Curve,					
,	Black on Yellow, Type III,			10 40	107 25	
	36" x 36"	15	EA	\$ 12.49	\$ 187.35	
./190	W1-4R Right Reverse Curve,					
<b>V</b> 130	Black on Yellow, Type IX,					
/	36" x 36"	10	EA	¢ 40.00	\$ 000.00	
/101		10	EA	\$ 23.00	\$ 230.00	
J191	W1-5L Left Winding Road,					
1	Black on Yellow, Type III,				. 100 00	
- /	30" x 30"	15	$\mathbf{E}\mathbf{A}$	\$ 8.68	\$ 130.20	
<b>J</b> 192	W1-5L Left Winding Road,					
	Black on Yellow, Type IX,					
	30" x 30"	10	EA	\$ 15.97	\$ 159.70	
$\sqrt{193}$	W1-5L Left Winding Road,					
V 193	<del>-</del>					
	Black on Yellow, Type III,	1.5	T7 A	12.49	187.35	
	36" x 36"	15	EA	<u>.</u>	\$	
√194	W1-5L Left Winding Road,					-
,	Black on Yellow, Type IX,			23.00	230.00	Ī
	36" x 36"	10	EA	\$ 23.00	\$ 230.00	
/195	W1-5R Right Winding Road,			<b>*</b>	<del></del>	
•	Black on Yellow, Type III,					
/	30" x 30"	15	EA	\$ 8.68	\$ 130.20	•
/100		15	151 4	Ψ 0.00	Ψ 130.20	
$\sqrt{196}$	W1-5R Right Winding Road,					
,	Black on Yellow, Type IX,	1.0		s 15.97	s 159.70	
/	30" x 30"	10	EΑ	\$ 15.97	\$ 159.70	
/197	W1-5R Right Winding Road,					
<b>v</b>	Black on Yellow, Type III,			12 40	<sub>e</sub> 187.35	
/	36" x 36"	15	EΑ	\$ 12.49	\$ 187.33	
. /98	W1-5R Right Winding Road,			<u> </u>		
Viso	Black on Yellow, Type IX,					
1	36" x 36"	10	EA	\$ 23,00	\$ 230.00	
400		t O	LA	\$ 23.00	\$ 230.00	
J199	W1-6, Black on Yellow,			. 11 10	. 000 40	1
1	Type III, 48" x 24"	20	EA	\$ 11.12	\$ 222.40	
/200	W1-6, Black on Yellow,			20.44	207. 70	
1	Type IX, 48" x 24"	10	EA	20.44 \$	204.40 \$	
/201	* -	10	,E.3.(-K	Ψ		<del></del>
<b>√201</b>	W1-6 Large Arrow,					İ
	Black on Yellow, Type III,	• •	г.,	17.36	173,60	<b>\</b> /
	60" x 30"	10	EA	\$	\$ 173,00	

Page 42 of 58

						Page 42 01 38
						Delivery.
		Est:	Unit of Meas:	· · · · · · · · · · · · · · · · · · ·	Total Price	A.R.O.
202	Description 4. W1-6 Large Arrow,	A VIVE	WILLIAM S	Z. T. I IICC	ere I Utal I I ICCE	
0 202	Black on Yellow,					
1	Type IX, 60" x 30"	10	EA	\$ 31.94	\$ 319.40	30-45 Days ARO
$\sqrt{203}$	W1-7 Double Arrow,					
<b>V</b>	Black on Yellow,				222 (2	
/	Type III, 48" x 24"	20	EA	\$ 11.12	\$ 222.40	
$\sqrt{204}$	W1-7 Double Arrow,					
·	Black on Yellow,			20.44	204.40	
/	Type IX, 48" x 24"	10	EA	\$	\$	
$\sqrt{205}$	W1-8, Black on Yellow,					
/	Type III, 30" x 36"	10	EA	<b>\$</b> 10.42	\$ 104.20	
/206	W1-8, Black on Yellow,					
· /	Type IX, 30" x 36"	10	EA	\$ 19.16	<b>\$ 191.60</b>	
207	W1-8 Chevron, Black on Yellow,	- 0		_+		
7201	ASTM Type III, 18" x 24"	30	EA	\$ 4.17	§ 125.10	
208	W1-8 Chevron, Black on Yellow,	30	LA	φ	Ψ	
J 200	ASTM Type IX, 18" x 24"	10	₽.4	s 7.67	s 76.70	
600	• •	10	EA	\$ 7.67	\$ 76.70	<del></del>
$\sqrt{209}$	W1-8 Chevron, Black on Yellow,		<b>-</b> .	* ( 99	a 206 60	
/	Type III, 24" x 30"	30	EA	\$ 6.88	\$ 206.40	
$\sqrt{210}$	W1-8 Chevron, Black on Yellow,				107.00	
/	Type IX, 24" x 30"	10	EA	\$ 12.78	\$ 127.80	
√211	W2-1 Crossroad,					
	Black on Yellow,		· .	8.68	217.00	
<i></i>	ASTM Type III, 30" x 30"	25	EA		_\$	
$\sqrt{212}$	W2-1 Crossroad,					
/	Black on Yellow,	20	T: A	s 12.49	\$ 374.70	
612	ASTM Type III, 36" x 36"	30	EA	ф	<u> </u>	<del></del>
<b>√</b> 213	W2-2 Side Road,					]
1	Black on Yellow, Type III, 30" x 30"	30	EA	8.68	\$ 260.40	
614	W2-2 Side Road,	30	DA	Ψ	Ψ	
V214	Black on Yellow,					
/	ASTM Type III, 36" x 36"	25	EA	\$ 12.49	\$ 312.25	
615	W2-3L Intersection Warning,					
J213	Black on Yellow, ASTM Type III,					
/	30" x 30"	10	EA	<sub>\$</sub> 8.68	\$ 86.80	:
$\sqrt{216}$	W2-3L Side Road Left,					
	Black on Yellow 36" x 36"					
1	Facing ASTM Type III	10	EA	\$ 12.49	\$ 124.90	1
$\int_{217}$	W2-3R Intersection Warning,					
- 21,	Black on Yellow, ASTM Type III,					.   /
	30" x 30"	10	EA	\$ 8.68	\$ 86.80	
						-

Page 43 of 58

75 Mag. 4-4-17 (1979)					i i i i i i i i i i i i i i i i i i i	Page 43 of 38
Item		Est	Unit of	The Unit		Delivery,
7#	Description - was a series	Qty.	Meas.	Price	Total Price	A.R.O.
$\sqrt{218}$	W2-3R Side Road Right,					
	Black on Yellow 36" x 36"					
,	Facing ASTM Type III	10	г.	s 12.49	\$ 124 <b>.</b> 90	30-45 Days ARO
6.0	- 77	10	EA	3 12143	\$ 124170	- July 140
V219	W2-7L Intersection Warning,					İ
,	Black on Yellow, Type III,			8.68	86.80	
	30" x 30"	10	EA	_\$	\$	
$\sqrt{220}$	W2-7L Intersection Warning,					
	Black on Yellow, Type III,					
	36" x 36"	10	EA	\$ 12.49	\$ 124.90	
, /221	W2-7R Intersection Warning,					
V	Black on Yellow, Type III,					İ
/	30" x 30"	10	EA	s 8.68	<b>\$</b> 86.80	
/222	W2-7R Intersection Warning,		~~~			
V 222	Black on Yellow, Type III,					
,	36" x 36"	10	EA	\$ 12.49	\$ <sup>124.90</sup>	
622		10	LA	Ψ	Ψ	<del></del>
J223	W3-1 Stop Ahead: Stop Symbol,					ľ
	White on Red Border & Arrow					
,	Black on Yellow, Type III,			<b>.</b>	<b>.</b>	
	36" x 36"	25	$\mathbf{E}\mathbf{A}$	\$ 15.67	\$ 391.75	
<i>J</i> 224	W3-1 Stop Ahead: Stop Symbol,					
	White on Red Border & Arrow,					
	Black on Yellow, Type IX,			00.00	200 (0	İ
	36" x 36"	10	EA	\$ 28.86	\$ 288.60	
<b>√</b> 225	W3-2 Yield Ahead: Yield Symbol				-	
•	White on Red Border & Arrow					
	Black on Yellow, Type III,					
1	36" x 36"	25	$\mathbf{E}\mathbf{A}$	\$ 15.67	\$ 391.75	
1/26	W3-2 Yield Ahead: Yield Symbol			<u>+ 1J.07</u>	<u> </u>	
VE220	White on Red Border & Arrow					
						1
	Black on Yellow, Type IX, 36" x 36"	10	EA	s 28.86	s 288.60	1
627		10	LA	φ	φ	
1221	W3-3 Signal Ahead: Symbol,					1
1	Black on Yellow, Type III,	25	г.	<b>#</b> 10 00	A 202 05	
/	36" x 36"	25	EA	\$ 12.89	\$ 322.25	
√228	W3-3 Signal Ahead: Symbol,					
,	Black on Yellow, Type IX,			. 14 04	. 249 40	
/	36" x 36"	10	EA	\$ 24.84	\$ 248.40	
$\sqrt{229}$	W3-5, Black on Yellow					
/	(Blank Speed), Type III, 36" x 36"	25	EΑ	\$ 14.46	\$ 361.50	
$\int_{230}$	W3-5, Black on Yellow		_	14.40		
	(Blank Speed) Type IX, 36" x 36"	20	TC A	§ 26.83	\$ 536.60	
$\sqrt{231}$	• • • •	20	EA	<u>Ф</u>	<b>D</b>	
$\checkmark$ 231	W4-1 Left Merge Left,					
	Black on Yellow 36" x 36"					
	Facing ASTM Type III	10	EA	\$ 12.49	\$ 124.90	
						•

Page 44 of 58

Îtem				Unit		Delivery,
7	Description	Qty.	Meas.	Price	Total Price	A.R.O.
$\sqrt{232}$	W4-1 R Merge Right,					
	Black on Yellow 36" x 36"					
/	Facing ASTM Type III	10	EA	\$ 12.49	\$ 124.90	30-45 Days ARO
$\sqrt{233}$	W4-1 R Merge Right,					
	Black on Yellow 30" x 30"					İ
/	Facing ASTM Type III	10	EA	\$ 8.68	\$ 86.80	
, A24	W4 31 Plack on Vallow	10	LA	<del>ф 8100</del>	Ψ 00.00	<del></del>
0234	W4-2L, Black on Yellow, Type III, 36" x 36"	••	<b>.</b>	# 10 /0	A 040 00	]
/	• •	20	EA	\$ 12.49	\$ 249.80	
√235	W4-2R Right Lane Ends,					
,	Black on Yellow, Type III,		<b>-</b> .	¢ 12.49	s 312.25	
	36" x 36"	25	EA	\$ 12.49	\$ 312.25	<u>_</u>
√236	W4-3L Added Lane,					
1	Black on Yellow, Type III,		<b>-</b> .	<b>*</b> 0.40	<b>ф</b> 86 80	
/	30" x 30"	10	EA	\$ 8.68	\$ 86.80	
$\sqrt{237}$	W4-3L Added Lane,					ĺ
	Black on Yellow, Type III,			. 12 49	e 124.90	
	36" x 36"	10	EA	\$ 12.49	\$ 124.90	
$\sqrt{238}$	W4-3R Added Lane,					
	Black on Yellow, Type III,					
	30" x 30"	10	EA	\$ 8.68	\$ 86.80	
√239	W4-3R Added Lane,					
	Black on Yellow, Type III,					]
	36" x 36"	10	$\mathbf{E}\mathbf{A}$	\$ 12.49	\$ 124.90	
√240	W4-4P Cross Traffic Does Not					İ
	Stop, Black on Yellow,			6 24	156 00	
1	ASTM Type III, 36" x 18"	25	EA	6.24 \$	156.00 \$	
241	W6-1 Divided Highway,	22	2.1			
V271	Black on Yellow, Type III,					
/	36" x 36"	25	EA	\$ 12.49	\$ 312.25	
J <sub>242</sub>	W8-1 Bump, Black on Yellow,	20	L/1 L	Ψ		
V242	Type III, 30" x 30"	1.0	₽.4	8.68	g 86.80	
<i>[</i>	**	10	EA	\$	\$	<del></del>
√243	W8-2 DIP, Black on Yellow					
	30" x 30" Facing ASTM Type III	10	EA	\$ 8.68	\$ 86.80	
$\sqrt{244}$	W8-4 Soft Shoulder,					
	Black on Yellow 36" x 36"			. 12 /0	o 124.90	
/	Facing ASTM Type III	10	EA	\$ 12.49	\$ 124.90	
$\sqrt{245}$	W8-4 Soft Shoulder,					
	Black on Yellow 30" x 30"			8.68	86.80	
/	Facing ASTM Type III	10	EA	\$	\$	
<i>J</i> 246	W8-5 Slippery When Wet,					
	Black on Yellow, Type III,					
/	30" x 30"	25	EA	\$ 8.68	\$ 217.00	
<i>J</i> 247	W8-5 Slippery When Wet,					
	Black on Yellow, Type III,			10.40	601 50	
	36" x 36"	50	EA	\$ 12.49	\$ 624.50	
					_	

Page 45 of 58

						Page 45 01 58
Item	Description:			Unit Price	Total Price	Delivery, A.R.O.
248	W8-9 Shoulder Drop Off / Uneven Pavement, Black on Yellow, Type III, 36" x 36"	10	EA			
<i>J</i> 249	W8-13 Bridge Ices Before Road, Black on Yellow, Type III,	10	LA	\$ 12.49		30-45 Days ARO
<b>2</b> 50	36" x 36" W8-18 Road May Be Flooded,	10	EA	\$ 12.49	\$ 124.90	
<i>b</i> 51	Black on Yellow, Type III, 30" x 30" W9-1L Left Lane Ends,	25	EA	\$ 8.68	\$ 217.00	
h52	Black on Yellow, Type III, 36" x 36"	10	EA	\$ 12.49	\$ 124 <b>.</b> 90	
<u></u>	W9-1R Right Lane Ends, Black on Yellow, Type III, 36" x 36"	10	EA	\$ 12.49	\$ 124.90	
√253 /	W9-2L Lane Ends Merge Left, Black on Yellow, Type III, 36" x 36"	10	EA	12.49	124.90	
_254 _/	W9-2R Lane Ends Merge Right, Black on Yellow, Type III, 36" x 36"	10	EA	\$ 12.49	\$ 124.90	
<b>2</b> 55	W10-1 Railroad Crossing, Black on Yellow, Type III, 36"	10	EA	\$ 12.49	\$ 124.90	
<i>J</i> 256	W11-1, Black on Fluorescent Yellow Green, 30" x 30", Type IX	25	EA	\$ 16.77	\$ 419.25	ALA L
£57 £258	W11-2, Black on Yellow Fluorescent Green, Type IX or Equal, 30" x 30" W11-2, Black on Yellow	10	EA	\$ 16.77	\$ 167.70	-
/.	Fluorescent Green, Type IX or Equal, 36" x 36"	10	EA	\$ 21.14	\$ 211.40	
259	W11-3, Black on Yellow, Type III, 30" x 30"	25	EA	\$ 8.68	\$ 217.00	
√260 	W11-5 Tractor Crossing, Black on Yellow, ASTM Type III, 30" x 30"	10	EA	\$ 8.68	\$ 86.80	
<u>/</u> 261	W11-7, Black on Yellow, Type III, 30" x 30"	10	EA	_\$ 8.68	\$ 86.80	
J262 /	W11-7, Black on Yellow, Type III, 36" x 36"	10	EA	\$ 12.49	\$ 124.90	
√263	W11-9 Handicapped Symbol, Black on Yellow Fluorescent Green, Type IX, 30" x 30"	10	DΑ	§ 16.77	<b>\$</b> 167.70	
	* **	10	EA	ф	φ ==	

Page 46 of 58

		war a skeet her				Page 46 of 58
Item		Est.	Unit of	. Unit		A. Delivery,
	Description	<b>Qty.</b>	Meas.	NE Price	Total Price	ARO
$\sqrt{264}$	W12-1 Double Arrow,					
	Black on Yellow 24" x 24"					
1	Facing ASTM Type III	10	EA	\$ 5.56	\$ 55.60	30-45 days ARO
1265	W12-2 Low Clearance,					
O 203	Black on Yellow, Type III,					
1	36" x 36"	25	EA	s 12.49	\$ 312.00	
266	W13-1, Black on Yellow,	23	DI.	Ψ		
√200	Type III, 18" x 18"		<b>-</b> .	<b>s</b> 3.12	\$ 78.00	
/	••	25	EA	\$ 3.12	\$ 78.00	
J267	W13-1 (Blank), Black on Yellow,					
1	Type III, 24" x 24"	30	EA	\$ 5.56	\$ 166.80	
/268	W13-1 (Blank) Black on Yellow,					
(	Type IX, 18" x 18"	20	EA	<b>\$</b> 3.12	<pre>\$ 62.40</pre>	į
Lo	••	20	LA	Ψ	Ψ	<del></del>
J269	W13-1 (Blank) Black on Yellow,			+ F F/	± 111 00	
	Type IX, 24" x 24"	20	EΑ	\$ 5.56	\$ 111.20	
$\sqrt{270}$	W14-1 Dead End,					
	Black on Yellow 30" x 30"			8.68	86.80	
	Facing ASTM Type III	10	EA	\$ 0.00	\$ 00.00	
√271	W14-2 No Outlet,					
	Black on Yellow 24" x 24"					
	Facing ASTM Type III	10	EA ()	\$ 5.56	\$ 55.60	
, 1272	W15-1 Playground,		4			
<b>V</b>	Black on Fluorescent Yellow		,			
	Green, ASTM Type IX					
	(in accordance with current					
1	MUTCD), 36" x 36"	10	EA	s 24.14	\$ 241.40	
J 73	W16-2aP, Black on Yellow,					
/2/3	(blank) Feet, Type III, 24" x 12"	25	T7. A	¢ . 7.0	¢	
6-4	` ' ' <del>' -</del>	25	EA	\$ 2.78	\$ 69.50	
√2.7 <b>4</b>	W16-2P (Blank) FT,					
1	Black on Yellow, Type III,	25	T7 A	s 4.17	<b>\$</b> 104.25	
[	24" x 18"	25	EA	\$ 4.17	<u>\$ 104.23</u>	
<i>J</i> 275	W16-7pl Diagonal Arrow					
	(Down to the Left),					
,	Fluorescent Yellow Green,		-	<sub>6</sub> 5.36	\$ 134.00	
	24" x 12", Type IX	25	EA	\$ 3.30	\$	<del></del>
$\sqrt{276}$	W16-7pl Diagonal Arrow					1
	(Down to the Left),					
	Fluorescent Yellow Green,			_		
/	30" x 18", Type IX	25	EA	\$ 10.06	<u>\$ 251.50 _</u>	
$\sqrt{277}$	W16-7pr Diagonal Arrow					
	(Down to the Right),					
	Fluorescent Yellow				. 52.70	$\checkmark$
	Green, 24" x 12", Type IX	10	EA	\$ 5.36	\$ 53.60	

Page 47 of 58

						Page 47 of 58	
Item /#	Description .	Ekit Qiya	Unit of Meas		TotalPrice	Delivery, AARIO	
√278	W16-7pr Diagonal Arrow (Down to the Right), Fluorescent Yellow Green,						
1279	30" x 18", Type IX W41-1, Yellow-Border Only,	10	EA	\$ 10.06	\$ 100.60	30-45 Days	ARO
280	Type III, 30" x 30" W41-1, Yellow-Border Only,	100	EA	\$ 8.68	\$ 868.00		
281	Type IX, 30" x 30" W41-1, Yellow-Border Only,	25	EA	\$ 15.97	\$ 399.25		
282	Type III, 36" x 36" W41-1, Yellow-Border Only,	50	EA	\$ 12.49	\$ 624.50		
<b>J</b> 283	Type IX, 36" x 36"  W(NJ)7-5 Slow Moving Trucks, Black on Yellow, ASTM Type III,	10	EA	\$ 23.00	\$ 230.00		
684	36" x 36" W(NJ) 25-2, Black on Yellow,	10	EA	\$ 12.49	\$ 124.90		
CON	Type III, 30"x 30"	25	EA	\$ 8.68	\$ 217.00		
GON	STRUCTION SIGN FACES						
<b></b>	M4-8a End Detour, Black on Fluorescent Orange, ASTM Type IX, 24" x 18"	10	EA	\$ 8.02	\$ 80.20		
286	M4-9L, Black on Fluorescent Orange, Type IX or Equal, 30" x 24"	25	EA	\$ 13.35	\$ 333.75		
<b>1</b> 287	M4-9R, Black on Fluorescent Orange, Type IX or Equal, 30" x 24"			\$ 13.35	§ 333.75		
288	M4-9X Detour (Straight Arrow), Black on Fluorescent Orange,	25	EA	\$	\$ 333113		
<b>1</b> 289	ASTM Type III, 30" x 24" M4-10L, Black on Fluorescent	25	EA	\$ 13.35	\$ 333.75		
. /290	Orange, Type IX or Equal, 48" x 18" M4-10R, Black on Fluorescent	10	EA	\$ 16.03	\$ 160.30		
/	Orange, Type IX or Equal, 48" x 18"	10	EA	\$ 16.03	\$ 160.30		
√291	R11-2 Road Closed, Black on White, ASTM Type IX, 60" x 30"	10	EA	\$ 33.41	\$ 334.10		
∨292	R11-4 Road Closed to Thru Traffic, White on Black, ASTM Type IX, 60" x 30"	10	EA	\$ 33.41	\$ 334.10		

Page 48 of 58 Otv : Meas Price Total Price R(NJ) 11-5 Local Traffic Only, Black on White, ASTM Type IX, 48" x 36" \$ 32.06 \$ 320.60 30-45 Days ARO 10 EA W20-1, Black on Fluorescent Orange, Type IX or Equal, 48" x 48" (set up for 3 line sign) 15 EA \$ <u>42.76</u> \$ 641.40 W20-2, Black on Fluorescent Orange, Type IX or Equal, \$ 641.40 42.76 48" x 48" (set up for 2 line sign) 15 EA W20-3, Black on Fluorescent Orange, Type IX or Equal, 48" x 48" (set up for 3 line sign) \$ 641.40 **\$** 42.76 10 EA W20-5 (Left), (xxx distance), Black on Fluorescent Orange, Type IX or Equal, 48" x 48" 10 \$ 42.76 \$ 641.40 ĒΑ W20-5 (Right), (xxx distance), Black on Fluorescent Orange, Type IX or Equal, 48" x 48" \$ 42.76 \$ 641.40 10 EA W20-7a, Fluorescent Orange, \$ 360.75 24.05 Type IX or Equal, 36" x 36" 15 EA W20-7a, Black on Fluorescent Orange, Type IX or Equal, 48" x 48" 5 EA \$ 42.76 \$ 213.80 W21-5, Black on Fluorescent Orange, Type IX or Equal, \$ 24.05 s 240.50 EΑ 10 36" x 36" W41-2, Black Border Only On Fluorescent Orange, ASTM Type IX, 48" x 48" \$ 42.76 \$1,069.00 25 EA SCHOOL SIGN FACES /303 S1-1 School Zone Sign, Black on Fluorescent Yellow \$ 251.90 Green, 36" x 36", Type IX 10 EA \$1-1 School Zone Sign, Black on Fluorescent Yellow Green, 48" x 48", Type IX \$ 44.79 \$ 268.74 EA 6 S3-1 School Bus Stop Ahead (Symbol), Black & Red on Fluorescent Yellow Green, 30" x 30", Type IX \$17.49 \$874.50 50 EA

Page 49 of 58

						Page 49 of 58
	Description		Unit of Meas.		Total Price	Delivery ARO
√306	S3-1 School Bus Stop Ahead					
	(Symbol), Black & Red on Fluorescent Yellow Green,					
1	36" x 36", Type IX	10	EΑ	\$ 17.49	\$ 174.90	20 A5 Dave ADO
307	S4-2P When Children are Present,	10	L./.C.K	Ψ 17.49	Ψ 1/4.90	30-45 Days ARO
0 307	Black on White, Type III,					
1	24" x 10"	25	$\mathbf{E}\mathbf{A}$	\$ 2.29	\$ 57.25	
$\sqrt{308}$	S4-3P School (Plaque), Black on					
	Fluorescent Yellow Green,			3.79	94.75	
1	24" x 8", Type IX	25	EA	\$	\$ 94.73	
/309	S4-4P, Black on White, Type IX					
<b>3</b> 10	or Equal, 24" x 10"	10	EA	\$ 4.74	\$ 47.40	
√310	S4-5a School Speed Zone Ahead					
	(MPH XXX), Black on Fluorescent Yellow Green,					
1	36" x 36", Type IX	10	EA	\$ <sup>25.19</sup>	\$ 251.90	
. /311	S5-1 School Speed Limit	10	211	<u> </u>	<u> </u>	<del></del>
0	(When Flashing) (XXX MPH),					
	Black on White & Fluorescent					
	Yellow Green, 24" x 48", Type IX	10	EΑ	\$ 22.84	\$ 228.40	
$\sqrt{312}$	S5-2 End School Zone,					
	Black on White, Type III,			. 6.94	<b>.</b> 69 40	
	24" x 30"	10	EA	\$ 6.94	\$ 69.40	<del> </del>
REC	REATIONAL & GUIDE SIGN FAC	ES				
$\sqrt{313}$	D9-2 Hospital, White on Blue,					·
1	Type III, 24" x 24"	25	EA	\$ 5.56	\$ 139.00	
<i>J</i> 314	D9-6, White on Blue,					
/	Type III, 24" x 24"	25	$\mathbf{E}\mathbf{A}$	\$ 5.56	\$ 139.00	
<i>J</i> 315	D10-1, White on Green,			1 07	10.70	
/	Type III, 10" x 18"	10	EA	\$ 1.87	\$ 18.70	
<i>J</i> 316	D10-2, White on Green,			-		·
1	Type III, 10" x 27"	10	EA	\$ 2.81	\$ 28.10	
√317	EM-1 (Mod), White on Blue					
	(Blank) Arrow					
1	(Coastal Evacuation),	25	T-1 4	<sub>e</sub> 5.56	\$ 139.00	
610	Type III, 24" x 24"	25	EA	\$ 3.30	<b>3</b>	
V318	I-5, White on Green, Type III, 24" x 24"	1.0	TT 4	ф <b>Б Б</b> С	<b>6</b> 55 60	
610	* •	10	EA	\$ 5.56	\$ 55.60	
V213	M1-6 Ocean County 526, Yellow on Blue, Type III,					
/	24" x 24"	10	EA	\$ 5.74	<sub>\$</sub> 57.40	
$\sqrt{320}$	M1-6 Ocean County 527,		<b>_</b>	<u> </u>		
-	Yellow on Blue, Type III,			5.74	\$ 57.40	
	24" x 24"	10	EA	\$ 3.74	\$ 2.140	

Page 50 of 58

i i i i i i i i i i i i i i i i i i i		ar den vitro di Passo), mala a l'alla della Allanca (1875).	Andron Commence Laboration			Page 50 of 58
Îteni		T For	Tinit Af	Unit 2	23 51 1 24400.6	Delivery,
	<b>Description</b> se established and a second		Manual	Person	Total Price	ARO
321	M1-6 Ocean County 528,		gi Trine Gara		NEW LOCAL LITTLE	
V 321	• • • • • • • • • • • • • • • • • • •					
1	Yellow on Blue, Type III,	10	T2 A	s 5.74	\$ 57.40	30-45 Days ARO
600	24" x 24"	10	EA	\$ 5.74	\$ 57.40	- F Days ARO
$\sqrt{322}$	M1-6 Ocean County 530,					
1	Yellow on Blue, Type III,			\$ 5.74	57.40	
/	24" x 24"	10	EA	\$	\$ 37.40	
$\sqrt{323}$	M1-6 Ocean County 532,					
1	Yellow on Blue, ASTM Type III,					
/	24" x 24"	10	$\mathbf{E}\mathbf{A}$	\$ 5.74	\$ 57.40	
√324	M1-6 Ocean County 537,				, ,	
,	Yellow on Blue, ASTM Type III,					}
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
$\sqrt{325}$	M1-6 Ocean County 539,				<u> </u>	
- 323	Yellow on Blue, Type III,					
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
/326	M1-6 Ocean County 547,	10	LA	Ψ	Ψ	
V 320	<del>-</del>					
1	Yellow on Blue, Type III,	10	T: A	\$ 5.74	\$ 57.40	
607	24" x 24"	10	EA	2 31,4	\$ 57.40	
$\sqrt{327}$	M1-6 Ocean County 549,					
	Yellow on Blue, Type III,	• •		<sub>e</sub> 5.74	57.40	·
	24" x 24"	10	EA	\$ 3.74		
√328	M1-6 Ocean County Rt. 554,					
	Yellow on Blue, ASTM Type III,					
/	24" x 24"	10	EA	\$ 5.74	<sub>\$</sub> 57.40	,
. /20	M1-6 Ocean County 571,	10	271	Ψ		
V 329						
1	Yellow on Blue, Type III, 24" x 24"	10	ΕA	5.74	\$ 57.40	
620		10	EA	Φ	φ	<del></del>
V330	M1-6 Ocean County 601,					
,	Yellow on Blue, Type III,	10	P	<b>4</b> <i>t</i>	th was to	
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
<i>√</i> 331	M1-6 Ocean County 602,					
	Yellow on Blue, Type III,				57 (0	
/	24" x 24"	10	$\mathbf{E}\mathbf{A}$	\$ 5.74	\$ 57.40	
₹32	M1-6 Ocean County 603,					
	Yellow on Blue, Type III,			5 7/	57 40	
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
/333	M1-6 Ocean County 604,					
,	Yellow on Blue, Type III,					
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
V334	M1-6 Ocean County 605,				· 2/ • 1V	
A 22.1	Yellow on Blue, Type III,					
1	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
/325	M1-6 Ocean County 606,	10	-/. F	Ψ	Ψ	
~ JJJ	Yellow on Blue, Type III,					_
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	<b>~</b>  /
	24 A 24	10	LA	Ψ	ψ	<del></del>

Page 51 of 58

		4144				Page 31 of 38
			TILLE			Delivery,
Item			Unit of Meas	Price	Total Price	AROS
<b>7#</b> √336	Description M1-6 Ocean County 608,		3 IVICAS.2	**************************************	I VIAI LIIVU	
A220	•					
i	Yellow on Blue, Type III, 24" x 24"	10	EA	\$ 5.74	\$ 57.40	30-45 Days AR
/227		10	EA	\$ 2.74	ф 37.40	
$\sqrt{337}$	M1-6 Ocean County 609,					
/	Yellow on Blue, Type III,	10	TΞΛ	<b>\$</b> 5.74	\$ 57.40	
600	24" x 24"	10	EA	<u> </u>	<u> </u>	
V338	M1-6 Ocean County 610,					
1	Yellow on Blue, Type III,	1.0	TC A	\$ 5.74	57.40 \$	
600	24" x 24"	10	EA	<u> </u>	<u> </u>	-
√339	M1-6 Ocean County 611,					
,	Yellow on Blue, Type III,	10	т.	Φ = -4	¢ 57.70	ti .
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	-
√340	M1-6 Ocean County 612,					
1	Yellow on Blue, Type III,			4 5 7 <i>h</i>	¢ 57.40	
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
$\sqrt{341}$	M1-6 Ocean County 613,					
,	Yellow on Blue, Type III,			\$ 5.74	57.40	
/	24" x 24"	10	EA	_\$		<del></del>
√3 <b>4</b> 2	M1-6 Ocean County 614,					
	Yellow on Blue, Type III,			. 5 74	c 57.40	
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
√343	M1-6 Ocean County 615,					
	Yellow on Blue, Type III,				. 57 40	
1	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
<i>J</i> 344	M1-6 Ocean County 616,					
	Yellow on Blue, Type III,			\$ 5.74	57.40	
/	24" x 24"	10	EA	\$ 347	\$ 37.40	
√345	M1-6 Ocean County 617,					
	Yellow on Blue, Type III,			c 7/	E7 40	}
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
<b>√</b> 346	M1-6 Ocean County 618,					
·	Yellow on Blue, Type III,			5.74	57.40	
1	24" x 24"	10	EA	\$	\$	
<i>J</i> 347	M1-6 Ocean County 619,					
v	Yellow on Blue, Type III,					
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
<i>J</i> 348	M1-6 Ocean County 620,					
·	Yellow on Blue, Type III,					
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
$\sqrt{349}$	M1-6 Ocean County 621,					
<u>-</u>	Yellow on Blue, Type III,			ç 7 <i>1</i> .	57.40	
/	24" x 24"	10	EA	\$ 5.74	\$ 37.40	
$\sqrt{350}$	M1-6 Ocean County 622,					
31	Yellow on Blue, Type III,					
	24" x 24"	10	$\mathbf{E}\mathbf{A}$	\$ 5.74	\$ 57.40	

Page 52 of 58

	## FELLENGS ####################################	en er en en en en en en en en en en en en en	a version elementer	DA TOMBO TUBO SERVENIM BURGOSTA (B		Page 52 of 58
Îtem		Tree.	i i nit of	Units		Delivery,
	•Description		Meas		Total Price	ARO
√351	M1-6 Ocean County 623,		3717			
V 331	Yellow on Blue, Type III,					
1	24" x 24"	10	EA	\$ 5.74	<b>\$</b> 57.40	30-45 Days AF
$\sqrt{352}$	M1-6 Ocean County 624,	10	D21			
Q 332	Yellow on Blue, Type III,					ſ
1	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
353	M1-6 Ocean County 625,	10	22.1		_ Ψ	
, ,	Yellow on Blue, Type III,			5 7/	F3 /A	
	24" x 24"	10	EA	5.74 \$	57.40 \$	
$\int_{354}$	M1-6 Ocean County 626,	•				
50 (	Yellow on Blue, Type III,					
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
<b>√</b> 355	M1-6 Ocean County 627,	10	~			
0 200	Yellow on Blue, Type III,					
/	24" x 24"	10	EA	\$ 5.74	<sub>\$</sub> 57.40	
356	MI-6 Ocean County 628,	10	~.`			
0000	Yellow on Blue, Type III,			c 7,	57 /0	
1	24" x 24"	10	EA	5.74 \$	57.40 \$	
A57	M1-6 Ocean County 629,	10	21.1			
V33,	Yellow on Blue, Type III,					
1	24" x 24"	10	EA	\$ <sup>5.74</sup>	\$ 57.40	į
<i>3</i> 58	M1-6 Ocean County 630,	10	211	<del> •</del>		
0000	Yellow on Blue, Type III,					
1	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
359	M1-6 Ocean County 631,	10	211	<u></u>		
<i>J</i> 227	Yellow on Blue, Type III,			F 7.	57.40	
/	24" x 24"	10	EA	5.74 \$	57.40 \$	<b>.</b>
<b>1</b> 360	M1-6 Ocean County 632,	10	DII	Ψ		<del></del>
V 300	Yellow on Blue, Type III,					$\mathcal{A}$
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	$\mathcal{A}^{\infty}$
√361	M1-6 Ocean County 633,	10	Dir	Ψ		<del></del>
<b>\)</b> 301	Yellow on Blue, Type III,			E 7/	C7 /0	
/	24" x 24"	10	EA	5.74 \$	57.40 \$	
/362	M1-6 Ocean County 634,	10	D/ X	<u>.                                      </u>	_ Ψ	
V 302	Yellow on Blue, Type III,					
/	24" x 24"	10	EA	\$ 5.74	\$ 57.40	
1363	M1-6 Ocean County 635,	10	Lil	Ψ	<u> </u>	
0 303	Yellow on Blue, Type III,					
	24" x 24"	10	EA	\$ <sup>5.74</sup>	\$ 57.40	
1364	M1-6 Ocean County 636,	10	<b>1</b> 22 <b>1</b>	Ψ		
,	Yellow on Blue, Type III,			c 7.	F. 10	
/	24" x 24"	10	EA	5.74 \$	\$7.40	1
J365	M1-6 Ocean County 637,	10		<del>- * .</del>		
<b>4505</b>	Yellow on Blue, Type III,					1/
	24" x 24"	10	EA	\$ 5.74	\$ 57.40	~
	21 A21	10		Ψ = ,	Ψ = 1 1 1 0	

Page 53 of 58

							Page 53 of 58	
(Item	Description	Estav Otv	THE RESERVE OF THE PERSON OF T	Unites Price		fal Price	Delivery.	
√366	M1-6 Ocean County 638,			The state of the s				
♦ 200								
,	Yellow on Blue, Type III,	10	ΕA	\$ 5.74	\$	57.40	30-45 Days A	ለዋለ
6.5	24" x 24"	10	EA	\$ 3.74	-3		30-43 Days	110
$\sqrt{367}$	M1-6 Ocean County 639,						į	
	Yellow on Blue, Type III,			e 5.74	45	57.40		
/	24" x 24"	10	EA	\$ 3.74	\$			
J368	M1-6 Ocean County 640,						İ	
•	Yellow on Blue, Type III,			5.74		57.40		
	24" x 24"	10	EA	\$	_\$			
/369	M1-6 Ocean County 641,							
•	Yellow on Blue, Type III,							
1	24" x 24"	10	EA	\$ 5.74		57.40		
. /370	M1-6 Ocean County 642,							
V	Yellow on Blue, Type III,						ĺ	
1	24" x 24"	10	EΑ	s 5.74	\$	57.40		
371	M3-1, Yellow on Blue,	- 4						
V211	Type III, 24" x 12"	1.0	т.	Δ.	ati		ļ l	
/	••	10	EA	\$ 2.87	_\$	28.70		
\$72	M3-2, Yellow on Blue,			0.07		00 70		
1	Type III, 24" x 12"	10	$\mathbf{E}\mathbf{A}$	\$ 2.87	\$	28.70		
573	M3-3, Yellow on Blue,			<del></del> -	•			
V	Type III, 24" x 12"	10	EA	\$ 2.87	\$	28.70	•	
374	* •	10	LA	\$ 2.87	Ψ	20.70		
-	M3-4, Yellow on Blue,			¢ 2.87	_	28.70		
1	Type III, 24" x 12"	10	EA	\$ 2.87	\$			
\$75	M4-5, Yellow on Blue,						ļ	
	Type III, 24" x 12"	5	EA	\$ 2.87	\$	14.35		
\$76	M4-6, Yellow on Blue,							
V310	Type III, 24" x 12"	<b>=</b>	167. A	c 2.87	\$	14.35		
1	• •	5	EΑ	<u> </u>	<u> </u>			
<i>J</i> 377	M6-1, Yellow on Blue,							
/	Type III, 21" x 15"	15	EΑ	\$ 3.14	_\$	47.10		
, /378	M6-1 Arrow, White on Blue,						ļ	
•	ASTM Type III (for use with							
/	Hospital signs), 21" x 15"	10	EA	\$ 3.14	\$	31.40		
/200		10	EA	ъ	<u>т</u>		<del></del>	
V379	M6-2, Yellow on Blue,							
/	Type III, 21" x 15"	10	EA	\$ 3.14		31.40		
/380	M6-2 Arrow up to the Right,							
v	White on Blue, ASTM Type III							
	(for use with Hospital signs),			2.11		21 /2		
1	21" x 15"	10	EA	3.14 \$	\$	31.40		
$J_{381}$	M6-3, Yellow on Blue,	•						
- 301	Type III, 21" x 15"	1.5	E/ ¥	<b>s</b> 3.14	φ	47.10	\/	
	1 ypc 111, 21 - X 15	15	EA	\$ 3.14		77 110		

Page 54 of 58

annik daesi avend						Page 54 of 58
Item		Est.	Unit of	Unit		Delivery.
7 # 20	Description	Qiy.	t Meas.	Price	Total Price	ARO
$\sqrt{382}$	M6-3 Arrow Straight Ahead,					
	White on Blue, ASTM Type III					
	(for use with Hospital signs),					
/	21" x 15"	10	EA	\$ 3.14	\$ 31.40	30-45 Days ARO
. 483	M6-4, Yellow on Blue,		2.1	Ψ - τ - τ		30 13 2a) B 14to
0202	Type III, 21" x 15"			<sub>e</sub> 3.14	47.10	
<i>L</i>	**	15	EA	_\$	\$ 47.10	
√3 <b>8</b> 4	M6-6L, Yellow on Blue,					
/	Type III, 21" x 15"	5	EA	\$ 3.14	\$ 15.70	
. /385	M6-6R, Yellow on Blue,					
V	Type III, 21" x 15"	5	TZΑ	¢ 3 1/	Φ 15 7Λ	
/386	••	3	EA	\$ 3.14	\$ 15.70	
V380	M6-Spur, Yellow on Blue,					İ
	Type III, 21" x 12"	10	EA	\$ 2.87	\$ 28.70	
ØBJE	CT MARKER AND BARRICADE	SIGN FA	ACES			
/387	OM-3L, Stripes-Black,					
<b>V</b>	Background-Yellow,					
/	Type III, 12" x 36"	25	EA	\$ 4.17	\$ 104.25	
/388	OM-3R, Stripes-Black,	22	Lit	Ψ	Ψ = 0.11=3	
7 200	Background-Yellow,					
/		25	EA	\$ 4.17	\$ 104.25	
600	Type III, 12" x 36"	23	EA.	Ф	<u> </u>	
V389	OM4-1, Reflector-Red,					
,	Background-Red, Type III,					
/	18" x 18"	10	EA	\$ 4.42	\$ 44.20	
√390	NSBR-6L Barricade Tape,					
,	Red on White, Type III,					i
	8" x 50 yard roll	1	ROLL	\$ 170.69	\$ 170.69	
/391	NSBR-6R Barricade Tape,					
·	Red on White, Type III,					
1	8" x 50 yard roll	1	ROLL	\$ 170.69	\$ 170.69	
392	Super Duck, White Reflective					
V332	Sheeting with Mastic Pad,					
	Type III, 3" x 36"					
	**	20	EA	\$ 63.86	\$ 1,277.20	
<i>J</i> 393	Super Duck, Yellow Reflective					
	Sheeting with Mastic Pad,					
1	Type III, 3" x 36"	30	EA	\$ 63.86	\$ 1.000.00	
204	Mastic Adhasiya Dada for Cunon	30	LA	\$ 63.86	<u>\$ 1,915.80</u>	
V394	Mastic Adhesive Pads for Super			. 2.00	116 70	
$\int_{395}$	Duck, 8" square	30	$\mathbf{E}\mathbf{A}$	\$ 3.89	\$ 116.70	
√395	Briteside Reflective Panels (Red),					
	Model BSD/BSX-472, Fits all 2-4					
	lb./ft. U Channel post, Type III, 4"					
	x 72", NO SUBSTITUTIONS	36	T7 A	<b>\$</b> 57.37	\$ 1,434.25	$\langle   /  $
	-	25	EA	2 21.21	2 7,777,27	<u></u>

Page 55 of 58

Secretaria de la composición dela composición de la composición de la composición dela composición dela composición dela composición dela composición de la composición de la composición de la composición de la composición de la composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composición dela composici						]	Page 55 of 58	
Item		Est.	Unitrofe	i <b>U</b> nit			Delivery:	
<b>/</b> 311.5	Description -		Meas		To	tal Price 🐣	A.R.O.	
$\sqrt{396}$	Briteside Reflective Panels							
	(White), Model BSD/BSX-472,							
	Fits all 2-4 lb./ft. U Channel post,							
1	Type III, 4" x 72",	25	T? A	¢ 57.07	ø	* 404 05	00 15 -	
/207	NO SUBSTITUTIONS Briteside Reflective Panels	25	EA	\$ 57.37	<u> </u>	1,434.25	30-45 Day	s ARO
V 391	(Yellow), Model BSD/BSX-472,						1	
	Fits all 2-4 lb./ft. U Channel post,						-	
	Type III, 4" x 72",							
1	NO SUBSTITUTIONS	25	EA	\$ 57.37	\$	1,434.25	İ	
/398	Briteside Reflective Panels	23	ĽA	Ф	<u> </u>			•
V 270	(Fluorescent Yellow Green),							
	Model BSD/BSX-472,							
	Fits all 2-4 lb./ft. U Channel post,						İ	
	Type IX, 4" x 72"							
	NO SUBSTITUTIONS	25	EA	\$ 74.68	\$	1,867.00		
<b>√</b> 399	Briteside Reflective Panels (Red),							•
	Model BSX, Fits all 2-4 lb./ft.							
	U Channel Post, Type III,			57.37		1,434.25	1	
	4" x 72", NO SUBSTITUTIONS	25	EA	\$ 37.37	_\$			
<b>√</b> 400	Briteside Reflective Panels							
	(White), Model BSX, Fits all							
	2-4 lb./ft. U Channel Post,							
/	Type III, 4" x 72" NO SUBSTITUTIONS	25	EA	\$ 57.37	\$	1,434.25		
401	Briteside Reflective Panels	23	LA	الدورد و	Ψ	1,434.23		
V-101	(Yellow), Model BSX, Fits all						İ	
	2-4 lb./ft. U Channel Post,							
	Type III, 4" x 72",			F7 27		1 101 05		
	NO SUBSTITUTIONS	25	EA	\$ 57.37	\$	1,434.25		
<b>√</b> 402	Briteside Reflective Panels							
	(Fluorescent Yellow Green),							
	Model BSX, Fits all 2-4 lb./ft.							
,	U Channel Post, Type IX, 4" x							
/	72" NO SUBSTITUTIONS	25	EA	\$ 74.68	\$	1,867.00		
√403	Pan Head Square Drive #10 -							•
	3/4" Screw for mounting Briteside							
/	Marker, 100/pack	5	PACK	\$ 12.50	\$	62.50	-	
$\sqrt{404}$	Pan Head Square Drive #10 -					~~,	_	•
	2" Screw for mounting Briteside							
	Marker, 100/pack	5	PACK	\$ 12.50	\$	62.50	$\forall$	
						<del></del>		

Page 56 of 58


				Page 56 of 58
		Dsta		Unit Deliveys
ltem		Estas	Unit of	
	Description:	<b>EQTY:</b>	<b>ENTERS</b>	Price Total Price ARO.
<b>J</b> 405	#3 Drive Bit for use with pan			
	head square drive screws used			
	in mounting Briteside markers	12	EN	\$ 1.40 \$ 16.80 30-45 Days
SECT	TION III - SCOTCHLITE REFLEC	TIVE	A-22	1,510 01 0 5.
\$HE	ETING		/	
√406	Fluorescent Yellow Green (P/S),			
	3M #3983, Type IX or Equal,			
1	48" x 50 yard roll	1	ROLL	\$ 1,518.00 \$ 1,518.00 14-21 Days
<b>J</b> 407	Green (P/S), 3M #3877, or Equal,			
1	Type III, 30" x 50 yard roll	1	ROLL	\$ 452.81 \$ 452.81
408	Green (P/S), 3M #3997, or Equal,	•	ROLL	ψ 432.01 <u>Φ 130.02</u>
V 100	Type IX, 30" x 50 yard roll	1	пол	t 0/0.75 t 0/0.75
400	- 1	1	ROLL	\$ 948.75 \$ 948.75
<b>/</b> 409	Green (P/S), 3M #3877, Type III,			
	48" x 50 yard roll	1	ROLL	\$ 724.50 \$ 724.50
<b>/</b> 410	Green (P/S), 3M #3997, Type IX,			
/	$48" \times 50$ yard roll	1	ROLL	\$ 1,518.00 \$ 1,518.00
<b>41</b> 1	Orange (P/S), 3M #3824,			
/	Type III, 36" x 50 yard roll	1	ROLL	\$ 543.37 \$ 543.37
<b>/</b> 412	Orange (P/S), 3M #3994,	1	RODD	Ψ 545.57 Ψ 545.57
0 412	Type IX, 36" x 50 yard roll	4	no.	Ф 1 100 F0 Ф 1 100 F0
/		1	ROLL	\$ 1,138.50 \$ 1,138.50
√413	Orange (P/S), 3M #3824,			
/	Type III, 48" x 50 yard roll	1	ROLL	\$ 724.50 \$ 724.50
<b>/</b> 414	Orange (P/S), 3M #3994,			
1	Type IX, 48" x 50 yard roll	1	ROLL	\$ 1,518.00 \$ 1,518.00
<i>J</i> 415	Silver/White (P/S), Type I,			
,	30" x 50 yard roll	1	ROLL	\$ 271.64 \$ 271.64
√416	Silver/White (P/S), 3M #3990,	•	ROLL	Ψ
V+10	Type IX or Equal,			
1	36" x 50 yard roll	1	ROLL	\$ 1,138.50 \$ 1,138.50
. /417	Silver/White (P/S), 3M #3990,	•	110111	<del>+ 1,138.</del> 30 <del>+ 1,130.30</del>
V 417	Type IX or Equal,			
	30" x 50 yard roll	•	D.O.I.I	A 040 7F A 1 007 F0
/	•	2	ROLL	\$ 948.75 \$ 1,897.50
√418	Silver/White (P/S), 3M #3930,			
1	Type III or Equal,	2	DOL I	\$ 452.81 \$ 905.62
/	30" x 50 yard roll	2	ROLL	3 /32132 3
√4 <u>1</u> 9	White (P/S), 3M #3930, or Equal,			1
/	Type III, 36" x 50 yard roll	5	ROLL	\$ 543.37 <u>\$ 2,716.8</u> 5
$\sqrt{420}$	Yellow (P/S), Type I,			
/	30" x 50 yard roll	1	ROLL	\$ <u>271.64</u> \$ <u>271.64</u>
$\int_{421}$	Yellow (P/S), 3M #3871,			
	Type III, 36" x 50 yard roll	5	ROLL	\$ 543.37 \$ 2,716.85 14-21 Days
	**	J	KOLL	$\frac{\psi}{}$ $\frac{14-21}{}$ $\frac{1}{}$ $\frac{1}{}$ $\frac{1}{}$

Page 57 of 58

Item Z#	是是这种的"自然"的"这种"的"这个是这个的"所有"的。但是"更多的特殊是这种的是,这是是这个是是这个是是这种的。	ACCURATE STATE OF THE STATE OF	Unit of Meas	11014 (0014) 4400	Unit!		ofal Price	Deliver	Ÿ.
$\sqrt{422}$	Yellow (P/S), 3M #3991, Type IX			111111111111111111111111111111111111111		2002			
/	or Equal, 36" x 50 yard roll	1	ROLL	\$	1 129 50	\$	1 129 50	1 / _ 9	1 Days
$\sqrt{423}$	Reflectors, Side Mount #717,	•	ROLL	Ψ.	1,130.30	Ψ	1,138,50	<u> </u>	<u>ı D</u> ays
/	Bolt on Butterfly, 1 Way	1,000	EA	\$	2 25	æ	2 250 00		
. /424	Reflectors, Side Mount,	1,000	LA	φ	<u> </u>	4)	2,250.00		<del></del>
/ /~ /	For Concrete Barrier FT1, 1 Way	200	EA	\$	2 20	<b>©</b>	470.00		
425	Epoxy, Caulk 14 oz. tube for	200	EA,	-p	<u>2.3</u> 9		478.00		
012	reflectors, 12/case	6	CASE	\$	96.20	\$	577.20	,	
<b>/</b> 426	983-21 ES FL YLW CONSP	O	CASE	<u> </u>		<u> </u>			<del></del>
V-120	2 IN x 150 FT ROLL	,	DOLL	ď		Φ			
\$EZT	TION IV - VINYL SIGN MATERIA	6 A BODI	ROLL	_\$_	<u>93.3</u> 4	<u> </u>	560.04		<del></del>
/	RADIUS CORNERS (PRESSURE								
1	· ·	CHECKER	¥ .L.()						
√427	Premium Reflective (Gold),								
/,20	15" x 50 yard roll	1	ROLL	_\$_	348.62	_\$_	348.62		
√428	2 Mil Premium Vinyl (Black),								
/	30" x 50 yard roll	20	ROLL	_\$_	245.64		4,912.80		<del></del>
$\sqrt{429}$	2 Mil Premium Vinyl, 7725-17								
/	(Blue), 30" x 50 yard roll	1	ROLL	\$	402.94	_\$_	402.94		
<b>√</b> 430	2 Mil Premium Vinyl, 7725-37								
/	(Blue), 30" x 50 yard roll	1	ROLL	\$	402.94	\$	402.94		
<b>/</b> 431	2 Mil Premium Vinyl, 7725-13								
/	(Cardinal Red), 30" x 50 yard roll	1	ROLL	\$	402.94	\$	402.94		
/432	2 Mil Premium Vinyl, 7725-10								
/	(White), 30" x 50 yard roll	3	ROLL	\$	348.62	\$	1,045.86		
/433	2 Mil Premium Vinyl (Yellow),								
/	30" X 50 yard roll	1	ROLL	\$	402.94	\$	402.94	}	
, /434	2 Mil Scotchcal Vinyl							-	
•	(Satin Gold),								
	3M # 7125-131-1550,								
	15" x 50 yard roll								
/	NO SUBSTITUTIONS	1	ROLL	_\$_	375.84	_\$_	375.84		
√435	Black Border, 3M #3650-12								
,	(Non-Reflective), 1/2" x 50 yard roll	10	ROLL	æ		¢	ac 70		
/126	Black Border, 3M #3650-12	10	KOLL	\$	<u>8.6</u> 7	<u> </u>	86.70		
V430	(Non-Reflective),						•	1	
	3/4" x 50 yard roll	25	ROLL	\$	<del>10.4</del> 1	\$	260.25	1	
$\sqrt{437}$	Black Border, 3M #3650-12				<del>───┴₩</del> ┵		<u></u>		·
1	(Non-Reflective), 1" x 50 yard roll	25	ROLL	\$	13,20	\$	330.00		
438	White Border, 3M # 3930,		,	*					•
•	or Equal, Type III (Reflective),							•	
	1/2" x 50 yard roll	5	ROLL	\$	2.60	¢	12 00	1 / _ 2	21 Days
	-	J	KOLL	Ψ.		Ψ	13.00		<u>.ı Daya</u>

Page 58 of 58

Îten			. Unit of					Deliv	ery,
-,	Description 2004 # 2020	. Qiya	Meas:		Price 2	T	tal Price	A.R.	O.
√ <b>4</b> 39	White Border, 3M # 3930, or Equal, Type III (Reflective),								
1	3/4" x 50 yard roll	5	ROLL	¢		•			<u>.</u> _
440	White Border, 3M # 3930,	Ţ	KOLL		17.05	Ф	85.25	14-2	1 Days
,	or Equal, Type III (Reflective),							ļ	
/	1" x 50 yard roll	5	ROLL	_\$_	22.73	\$	113.65		
√441	Black Corner, 3M #3650-12							Į	
1	(Non-Reflective), 1/2" x 1 1/2" Radius, 25/pkg.			•	0 A D		26 /5		
442	• •	15	PKG	_\$_	2.43	\$	36.45		<del></del>
<del>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</del>	Black Corner, 3M #3650-12 (Non-Reflective),								
,	3/4" x 1 3/8" Radius, 25/pkg.	10	PKG	\$	2 20	\$	າາ ຄຄ	•	
443	Black Corner, 3M #3650-12	10	rixu	4	3.39	<u> 4</u>	33.90		
J	(Non-Reflective),								
1	1" x 2 1/4" Radius, 25/pkg.	12	PKG	\$	3.39	\$	40.68	ļ	
<b>J</b> 444	White Corner, 3M # 3930,						40.00		
	or Equal, Type III (Reflective),								
/	1/2" x 1 1/2" Radius, 25/pkg.	5	PKG	\$	5.16	_\$_	25.80		
<b>/</b> 445	White Corner, 3M # 3930,								
	or Equal, Type III (Reflective),						an 0.5		
1	3/4" x 1 3/8" Radius, 25/pkg.	5	PKG		6.41	_\$	32.05		<del></del>
<b>√</b> 446	White Corner, Type III (Reflective), 1" x 2 1/4" Radius,								
	25/pkg.	5	PKG	\$	7.24	\$	36.20		
SECT	TON V - SCOTCHLITE ELECTR	OCUT FI		<del></del>			· ·		
SERI	ES 1170, OR EQUAL								
<b>J</b> 447	Blue, 30" x 50 yard roll	2	ROLL	\$	371.25	_\$	742.50		<u> </u>
<b>4</b> 48	Brown, 30" x 50 yard roll	2	ROLL	\$	371.25	\$	742.50		
<b>/4</b> 49	Green, 18" x 50 yard roll	3	ROLL	_\$_	222.75	_\$_	668.25		
450 451 452 453	Green, 30" x 50 yard roll	4	ROLL	_\$_	371.25		1,485.00		
451	Red, 18" x 50 yard roll	4	ROLL	_\$_	222.75		891.00		
J452	Red, 30" x 50 yard roll	3	ROLL		371.25		1,113.75		
J453	Yellow, 30" x 50 yard roll	1	ROLL	\$	371.25	\$	371.25		<u>.</u>
/454	Orange, 30" x 50 yard roll	1	ROLL		371.25		371.25	14-	-21 Days
SECT 455	TON VI - HYDROSTRIPPING  Refurbishing Sign Blanks								
J 473	via Hydrostripping								
	As Specified, or Equal	10,000	SQ. FT.	\$	2.39	\$	23,900.00	30-	-45 Days
		,							_



## RESOLUTION

September 16, 2015

WHEREAS, on August 11, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following

bidders:

Name and Address of Bidder

U.S. Lumber, Inc. 668 S. Evergreen Avenue Woodbury Heights, NJ 08097 (856) 853-1770

Madison Township Lumber & Supply Co., Inc. 284 Rte 34, PO Box 376 Matawan, NJ 07747 (732) 566-5555

Name and Address of Bidder

American Forest Products, LLC DBA Tulnoy Lumber 1620 Webster Avenue Bronx, NY 10457 (718) 583-3434

Tague Lumber of Doylestown, Inc. 6100 Easton Rd.
Pipersville, PA 18947
(215) 348-9408

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, U.S. LUMBER, INC; AMERICAN FOREST PRODUCTS, LLC DBA TULNOY LUMBER and MADISON TOWNSHIP LUMBER & SUPPLY CO., INC. No bids were received for Items No. 79 and 197. Item No. 79 will be rebid. Item No. 197 will not be rebid, as it is no longer needed. Recommendation is made to reject item No. 74 as unresponsive it will be rebid.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Lumber and Lumber Supplies for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15 as follows:

A. <u>U.S. LUMBER, INC.</u> for seventy seven (77) items, to wit: <u>ITEMS NO.</u> 1, 2, 3, 4, 7, 8, 9, 13, 14, 15, 16, 19, 20, 24, 29, 30, 33, 34, 44, 45, 50, 51, 52, 54, 55, 56, 57, 58, 59, 68, 69, 71, 73, 76, 89, 108, 109, 110, 111, 112, 113, 114, 115, 121, 122, 123, 128, 129, 134, 135, 138, 140, 141, 142, 144, 145, 146, 147, 148, 150, 155, 156, 157, 158, 164, 165, 170, 171, 172, 173, 182, 183, 186, 193, 199, 200 and 202.

This vendor has extended this contract to County Cooperative Contract System Participants.

- B. <u>AMERICAN FOREST PRODUCTS LLC DBA TULNOY LUMBER</u> for seventy five (75) items, to wit: <u>ITEMS NO.</u> 5, 6, 17, 21, 22, 23, 25, 26, 27, 31, 35, 36, 38, 39, 42, 53, 60, 61, 62, 63, 64, 65, 66, 67, 70, 72, 75, 77, 78, 80, 82, 83, 84, 85, 86, 87, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 104, 105, 106, 107, 127, 130, 131, 132, 133, 160, 161, 162, 163, 167, 168, 176, 185, 189, 190, 191, 192, 194, 195, 196, 198 and 201.
- C. MADISON TOWNSHIP LUMBER & SUPPLY CO., INC. for twenty two (22) items, to wit: ITEMS NO. 10, 11, 12, 18, 28, 32, 37, 40, 41, 43, 46, 47, 48, 49, 81, 88, 103, 116, 117, 118, 119, 120, 124, 125, 126, 136, 137, 139, 143, 149, 151, 152, 153, 154, 159, 166, 169, 174, 175, 177, 178, 179, 180, 181, 184, 187 and 188.
- 2. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-112.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Bridge Department, County Superintendent of Buildings and Grounds, County Engineer, County Department of Parks and Recreation and the successful bidders.

Proposal for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES for the County of Ocean.

## VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. $(\sqrt{})$ - YES () - NO

## PRICE SCHEDULE

ltem #	Description	THE RESERVE OF THE PARTY OF THE	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O
	ΓΙΟΝ 1 - Nominal Lumber, Doug p Fir Unacceptable (except as no		r Better			
	2" x 4", Pre-Cuts	30	PC	\$ 1.98	\$ 89.40	10 DAYS
$\sqrt{2}$	2" x 4" x 8', NOT Pre-Cut	600	PC	\$ 3.10	\$ 1,860.00	100012
$\sqrt{3}$	2" x 4" x 10'	30	PC	\$ 4.10	\$ 123.00	
$\sqrt{4}$	2" x 4" x 12'	146	PC	\$ 4.90	\$ 680.20	
5	2" x 4" x 16'	150	PC	\$ 6.92	\$ 1,038.00	
6	2" x 4" x 20'	130	PC	\$ 1.16	\$ 1.008.80	
17	2" x 6" x 8'	30	PC	\$ 4.56	\$ 136.80	
<b>/</b> 8	2" x 6" x 10'	30	PC	\$ 6.12	\$ 183.60	
<b>/</b> 9	2" x 6" x 12'	30	PC	\$ 7.34	\$ 220.20	
10	2" x 6" x 16'	100	PC	\$ 10.18	\$ 1,018.00	
11	2" x 8" x 16'	60	PC	\$ 13.29	\$ 191.40	
12	2" x 10" x 16'	275	PC	\$ 17.44	\$ 4, 196.00	
√13	2" x 12" x 16'	130	PC	\$ 23.04	\$ 1,995.20	
<b>1</b> 4	4" x 8" x 18' Doug Fic	24	PC	\$ 174.00	\$ 4,176.00	
Spru	J					
$\sqrt{15}$	5/4" x 3" x 12', 8 pcs/bundle	97	BDL	\$ 20.64	\$ 2,002.08	
16	5/4" x 3" x 16', 8 pcs/bundle	40	BDL	\$ 38.48	\$ 1,139.20	
17	Spruce Firring Strips, #2 Grade or Better, 1" x 2" x 12', 12 pcs/bundle	45	BDL	\$ 38.16	\$ 1,717.20	
Surv	eyor Stakes					
18	Mason Lath, 50/bundle	62	BDL	\$ 11.65	\$ 722.30	

Item #	Description	Ëst.	Unit of	Unit Price	Total Price	Delivery, A.R.O.
SECT	FION 2 - Pressure Treated Lumber, rsenate, Yellow Pine #2 or Better	.,			11 was an To the State of the S	MACAMACA CONTRACT STOP OF SAID
√19	2" x 4" x 8'	10	PC	\$ 3.36	\$ 33.60	_ week_
$\sqrt{20}$	2" x 4" x 10'	20	PC	\$ 4.20	\$ 84.00	
21	2" x 4" x 16'	225	PC	\$ 7.48	\$ 1,083.00	
22	2" x 4" x 20'-ACQ ,06 MCA	280	PC	\$ 16.56	\$ 4,636.80	
23	2" x 6" x 8'	24	PC	\$ 5.16	\$ 123.84	
$\sqrt{24}$	2" x 6" x 12'	24	PC	\$ 6.78	\$ 162.72	
25	2" x 6" x 16'	425	PC	\$ 8.92	\$ 3,791.00	
26	2" x 6" x 20'-AGQ, Ob MCA	250	PC	\$ 12.48	\$ 3, 120.00	
27	2" x 8" x 16'	115	PC	\$ 12.64	\$ 1,453.60	
28	2" x 8" x 20'- <del>A€Q</del> .Ob MCA	250	PC	\$ 17.89	\$ 4,472.SD	
$\sqrt{29}$	2" x 10" x 8'	24	PC	\$ 7.84	\$ 188.16	
$\sqrt{30}$	2" x 10" x 10'	24	PC	\$ 10.25	\$ 246.00	
31	2" x 10" x 16'	388	PC	\$ 17.60	\$ 6,923.80	
32	2" x 10" x 20'-A <del>CQ</del> .OLMCA	250	PC	\$ 24.80	\$ 6,200.00	
$\sqrt{33}$	2" x 12" x 16'	140	PC	\$ 27.26	\$ 3,816.40	
√34	4" x 4" x 8'	40	PC	\$ 9.22	\$ 368.80	
35	4' x 4' x 12'	110	PC	\$ 12.56	\$ 1,381.60	
36	4" x 4" x 16'	500	PC	\$ 19.90	\$ 8,950.00	
37	4" x 4" x 20' <del>-ACQ</del> . IS MCA	100	PC	\$ 34.80	\$ 3,480.00	
38	6" x 6" x 14'	50	PC	\$ 31.24	\$ 1,562.00	
39	6" x 6" x 16'	150	PC	\$ 39.50	\$ 5,925.00	
40	6" x 6" x 18'- <del>ACQ</del> . IS MCA	100	PC	\$ 51.54_	\$ 5,154.00	
41	8" x 8" x 16'	75	PC	\$ 99.99	\$ 0,332.75	
42	8" x 8" x 20' treated CCA 40.60	12	PC	\$ 245.35	\$ 2,944.20	2 TO 4 WEEKS
43	12" x 12" x 16'-ACQ . IS MCA	24	PC	\$344.44	\$ 8,266.56	2 TO 4 WEEKS
	FION 3 - Bridge MaterialMust Co y salt per cubic foot of timber	ontain 2	.5 pounds			
$\sqrt{44}$	3" x 6" x 14'	25	EA	\$ 32.06	\$ 819.00	470 6 WEEKS
45	3" x 8" 14'	50	EA	\$ 38.91	\$ 1,935.50	HTO 6 WEEKS
46	3" x 10" x 14'	50	EA	\$ 58.50	\$ 2,925.00	4 70 6 WEEKS

Page 26 of 33

Iten #	Description	Est. ⊭ Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
47	3" x 10" x 20'	50	EA	\$ 89.10	<u>\$ 4,455.00</u>	4 70 6 WEEKS
48	3" x 10" x 26'	50	EA	\$ 136.50	\$ 6,825.00	
49	6" x 8" x 18'	50	EA	\$ 123.12	\$ 6,156.00	
<b>√</b> 50	Tongue & Groove, 2" x 6" x 12'	100	EA	\$ 19.44	\$ 1,944.00	
√51	Tongue & Groove, 2" x 8" x 12'	100	EA	\$ 25.89	\$ 2,589.00	
√52	Tongue & Groove 2" x 10" x 12'	100	EA	\$ 32.50	\$ 3,250.00	
53	Tongue & Groove, 4" x 10" x 18'	50	EA	\$ 121.85	\$ 6,092.50	
	ALL TAG WILL BESLOPPY			10217.0		
SEC	TION 4 - Composite Decking, Azek	, Arbor (	Collection			:
√54	<sup>3</sup> / <sub>4</sub> " x 3 ½" x 18" white -			0.7		
√ <sub>55</sub>	Azek, trim, traditional	12	PC	\$ 24.43	\$ 293.16	1 WEEK
	3/4" x 5 1/2" x 18" white - Azek trim, traditional	12	PC	\$ 31.90	\$ 454.80	
<b>√</b> 56	3/4" x 7 1/4" x 18" white,	12	10	<u> </u>	<u> ΨΥΠ-1.10</u>	
/	Azek trim, traditional	12	PC	\$ 50-17	\$ 602.04	
<b>√</b> 57	1" x 5 ½" x 18" white –	10	D.O.	ተ ነነ  ጠረገ	# <b>* * * * * * * * * *</b>	
<b>√</b> 58	Azek trim, traditional  1" x 5 ½" x 20"	12	PC	\$ 48.79	\$ 585.48	
,	( color to be specified )	12	PC	\$ 55.32	\$ 663.84	
√59	1" x 9 ¼" x 18" white –					-
	Azek trim, traditional	12	PC	\$ 82.40	\$ 988.80	
<b>SEC</b> 60	TION 5 - ACQ Treated Plywood 4' x 8' x ½", 5 ply, AC,					
	CAACQ Treated Plywood	150	PC	\$ 38.20	\$ 5,130.00	1 WEEK
61	4' x 8' x 3/4", 5 ply, AC,	226	nc.	o 110 4.1	# 11 11.1.2m	1 WEEK
	A <del>CQ</del> Treated Plywood MCA	235	PC	\$ 49.34	<u>\$ 11, 124.90</u>	TWEEK
	TION 6 - Plywood, Exterior, Fir, G Grade Stamped	ood One	Side,			
62	1/4" x 4' x 8'	125	SHT	\$ 31.78	\$ 3,912.50	1 WEEK
63	1/4" x 4' x 8', Luan Underlayment	120	SHT	\$ 14.97	\$ 1,796.40	
64	<sup>3</sup> / <sub>3</sub> " x 4' x 8'	150	SHT	\$ 32.60	\$ 4,900.SD	
65	1/2" x 4' x 8'	275	SHT	\$ 36.11	\$ 9,930.25	
66	5/8" x 4' x 8'	110	SHT	\$ 37.95	\$ 4,124.50	
67	<sup>3</sup> / <sub>4</sub> " x 4' x 8'	300	SHT	\$ 42.05	\$ 12,825.00	

Page 27 of 33

			rangan tang panggan panggan Langgan tanggan panggan panggan panggan panggan panggan panggan panggan panggan panggan panggan panggan pangga		r Betuggeren 20 stat	age 27 of 33
Item #	Description.	Est. Qty.	Unit of Meas.	Unit Price	Total Price.	Delivery, A.R.O.
ŞECT	TION 7 - Plexiglas & Lexan, 4' x 8' S	Sheets				
√68	Lexan, ¼"	74	SHT	\$ 125.53	\$ 9,289.22	3 DAYS
√69	Lexan, 1/8"	24	SHT	\$ 68.35	\$ 1,640.40	
70	Non-Glare Plexi, 1/8"	30	SHT	\$ 98.53	\$ 2,955.90	
<b>1</b> 1	Plexi, ¼"	61	SHT	\$ 101.92	\$ 6,217-12	
	TION 8 - Veneer Plywood and Cabin ' Sheets		de,			
72	1/4" Birch Veneer Plywood A/C	<sup>1</sup> 20	SHT	\$ 37-63	\$ 952.60	1 WEEK
$\sqrt{73}$	1/4" Oak Veneer Plywood A/C	20	SHT	\$ 36.86	\$ 737.20 Rmg	
74	1/4" Poplar Veneer Plywood A/C MA	AĪ25	SHT	\$ 65.52	\$ 1,638.00	
75 √16	1/4" Walnut Veneer Plywood A/C	25	SHT	\$ 14.49	\$ 1,862.25	
√76 77	5%", Cedar T-1-11, 8" Space BRECK Between Tongue & Groove RIGGE 34" Birch Plywood, Cabinet		SHT	\$ 58.20	\$ 6,693.00	
,,	Grade, Good Both Sides	25	SHT	\$ 86.01	\$ 2,150.25	
78	3/4" Oak Plywood, Cabinet Grade, Good Both Sides	25	SHT	\$ 91.00	\$ 2,275.00	
#2 Piu Fram	TION 9 - 1 and 5/4" Nominal Size, C ne & Hardwood, and Western Red ( e Materials					
79 80	1/4" Western Red Cedar Plywood, 4" x 8' Faced 3/4" x 5" x 8'-16', Atlantic White	5	SHT	\$ NO 610	\$ NO BID	NO 010
	Cedar Rough Sawn Siding	100	LF	\$ NO BID	\$ NO BIO	NO BIO
81	3/4" x 8" x 16', Western Red Cedar Board	96	PC	\$ <i>32.0</i> 0	\$ 3,072.00	4 0443
82	1" x 6" x 8'-12', Clear White Oak, No Knots	240	LF	\$ NO B(0	\$ HO BID	NO 610
83	1" x 6" x 8'-12' Lengths Only, Clear Birch, No Knots	96	LF	\$ NO 010	\$ NO BIO	NO BID
84	1" x 6" x 8'-12' Lengths Only, Clear Red Oak, No Knots	96	LF	\$ 3.30	\$ 3/6.80	H DAYS
85	1" x 6" x 8'-12' Lengths Only, Clear Walnut, No Knots	96	LF	\$ NO B(0	\$ HO B10	NO BID

04500000000000000000000000000000000000	로 등록했다면 문항 기업이 18명기 있다. 경기 독립 18기계 당시 1800년 11 대학생 전략 전략 18명기 18명기 18명기 18명기 18명기 18명기 18명기 18명기	1555 200 <b>95</b> 5150958	Canal Marie Straight	医多类性性性性 计可以分类的	Romanis indicate de meneral indicate inter-	Page 28 of 33
. Item		Est.	Unit of			≟: Delivery,
#.2	Description	Qty.	Meas.	Unit Price	्र Total Price ः	A.R.O.
<b>8</b> 6	1" x 6" x 8'-16', Atlantic White			- to 410	4.0	1 4.0
. –	Cedar Rough Sawn	596	LF	\$ NO BID	\$ NO BID	NO BID
87	1" x 6" x 12' Lengths Only,					
	Clear White Pine, "C" Grade,	200	D.C.	0 19 00	a A Add An	14.1mmi
0.0	No Knots	200	PC	\$ 18.72	\$ 3,044.00	1 WEEK
88	1" x 8" x 8'-12' Lengths Only,			. 0 -0		11.10
/	Clear Poplar, No Knots	96	LF	\$ 2.82	\$ 210.72	1 WEEK
√89	1" x 8" x 8'-12' Lengths Only,				- 1	
	Clear Red Oak, No Knots	96	LF	\$ 3.80	\$ 364.80	I WEEK
90	1" x 8" x 8' -16', Atlantic White			- 45-4-0		
0.1	Cedar Rough Sawn	596	LF	\$ NO BID	\$ NO BID	NO BID
91	1" x 8" x 12' Lengths Only,					
	Clear White Pine, "C" Grade, No Knots	100	PC	e 101	e 101 pa	IWEEK
92		100	rc	\$ 1.76	\$ 196.00	_ rwak_
72	1" x 8" x 16' Lengths Only,	100	D.C.	n 01	n 04 00	U wel
02	#2 Premium, White Pine	100	PC	\$ .96	\$ 96.00	1WEEK
93	I" x 12" x 12'-16' Lengths Only,					
	Clear White Pine, "C" Grade, No Knots	384	LF	\$ 5.68	\$ 2,181.12	1 WEEK
94	5/4" x 4" x 8'-16', Atlantic White	304	LI	<u> </u>	\$0,101.10	_   WULK
<i>y-</i> ,	Cedar Rough Sawn	596	LF	\$ NO BID	\$ NO BID	NO 010
95	5/4" x 6" x 8'-12' Lengths Only,			4 140 010	<u> </u>	
	Clear Birch, No Knots	96	LF	\$ NO 610	\$ NO 610	NO BID
96	5/All or 6th as 9th 101 Olean Dad Oals	70		<u> </u>	Ψ 110 110	
, ,	5/4" x 6" x 8'-12', Clear Red Oak, No Knots	96	LF	\$ 4.50	\$ 432.00	1 WEEK
97	5/4" x 8" x 8'-12', Clear Red Oak,	90	Li	J 7.30	\$ 1700.00	1000K
71	No Knots	96	LF	\$ 5.38	\$ 516.48	1 WEEK
98		70	LI	<u> </u>	3 070.70	7,0000
,,,	5/4" x 6" x 8'-12', Clear White Oak, No Knots	96	LF	\$ NO 010	\$ NO 610	NO 610
99	5/4" x 6" x 8'-12' Lengths Only,	70	LI	\$ 140 DIO	\$ 740 010	10000
,,	Clear Walnut, No Knots	96	LF	\$ 16 A10	\$ NO 610	NO 610
100	5/4" x 6" x 8'-12', Clear White	90	Lŗ	\$ NO 810	\$ MO 010	740 010
100	Poplar, No Knots	96	LF	\$ NO BIO	\$ NO BID	NO 010
101	5/4" x 6" x 12' Lengths Only,	50	LA	Ψ /** DIO	Ψ 710 010	
101	Clear White Pine, "C" Grade,					
	No Knots	50	PC	\$ 34.32	\$ 1,716.00	1 WEEK
102	5/4" x 8" x 8'-12', Clear White					
	Poplar, No Knots	96	LF	\$ NO BID	\$ NO BIO	NO BIO
103	5/4" x 8" x 12' Lengths Only,					
	#2 Premium, White Pine	50	PC	\$ 23.04	\$ 1,152.00	I WEEK
104	5/4" x 8" x 12' Lengths Only,					
	Clear White Pine, "C" Grade,					
	No Knots	50	PC	\$ 45.48	\$ 2,274.00	_ L WEEK_

Page 29 of 33

Item		Est	Unit of			Delivery,
$\mathcal{H}^{\bullet}$	Description	Qiy.	Meas.	Unit Price	Total Price	A.R.O.
105	5/4" x 8" x 16', Clear White Pine,	a madent man miles and a	11 - The market of the second of a se	the second section of the second section and a solution are	k. 1 Mer vid Lap Terkil, et el († 1917) 1944 (sank), velame i Britaille elleve en	enterior to many in country factoring
4	"C" Grade, No Knots	146	PC	\$ 64.00	\$ 9,344.00	1WEEK
106	5/4" x 12" x 12'-16' Lengths Only, Clear White Pine,					
	"C" Grade, No Knots	240	LF	\$ 5.80	\$ 1,392.00	IWEEK
107	2" x 10" x 8' Western Red Cedar	384	LF	\$ 7.25	\$ 2,784.00	I W旺K
	D SELECT CE PAR	501	Li	4	4 41 10 1.00	
	ION 10 - Dowels & Closet Pole, Ha	ardwood	C			
or Bet						
√ <sub>108</sub>	¼" x 3'	5	EA	<u>\$.63</u>	\$ 3.15	1 WEEK
<b>√</b> 109	3/8" x 3'	5	EA	\$ 1.05	<u>\$ 5.25</u>	
$\sqrt{10}$	½" x 3'	10	EA	\$ 1.60	\$ 16.00	
<b>√</b> 111	<sup>3</sup> / <sub>4</sub> " x 3'	5	EA	\$ 3.45	\$ 17.25	
√112	7⁄8" x 3′	10	EA	\$ 4.35	\$ 43.5D	
√113	1" x 3'	15	EA	02.2 &	\$ 82.50	
$\sqrt{114}$	1 3/8" x 3/8" x 8'	10	EA	\$ 15.75	\$ 157.50	
<b>1</b> 15	1 3/8" x 12'	10	EA	\$ 24.00	\$ 240.00	
SECT	ION 11 - Drywall & Gypsum Prod	lucts				
116	Greenboard, ½" x 4' x 8'	20	SHT	\$ 14.60	\$ 280.00	1WEEK
117	Homasote Boards, ½" x 4' x 8', No Backing	15	SHT	\$ 22.24	\$ 333.60	
118	Joint Compound/All Purpose,	13	5111	<u> </u>	_\$ <u>999.00</u>	
	61.7 lb. (28 kg), Ready Mix/Non-			. 14 15	# # # # A A TO	
119	Asbestos, Green Lid USG Joint Compound/Lightweight,	20	EA	\$ 17.10	\$ 342.00	
117	All Purpose, 4.5 gal. (17.0 L),					
	Ready Mix/Non-Asbestos,				404.43	
120	Blue Lid USG Metal Corner Bead for	16	EA	\$ 17.10	<u>\$ 213.60</u>	
120	Sheetrock, 8' Lengths	100	PC	\$ 1.56	\$ 156.00	
$\sqrt{121}$	Sheetrock, 3/8" x 4' x 8'	60	SHT	\$ 8.95	\$ 537.00	
√122	Sheetrock, ½" x 4'x 8',					
√123	Fire Coated	<b>7</b> 0	SHT	\$ 11.14	\$ 119.80	
V123	Sheetrock, ½" x 4'x 12', Fire Coated	24	SHT	\$ 16.70	\$ <i>400.</i> 80	
124	Sheetrock, %"x 4'x 8',					
	Fire Coated	154	SHT	\$ 11.14	\$ 1,715.56	

Page 30 of 33

u (#17 <del>8</del> 87) <del>1</del> 8,9096	Dikusang am dag pagan gapan pagang amag-pagang managang pada at a a sagat amagang at mang	entalisin indi salamahda unda sasa.	efoliotistichen Statistichen St	ማም የተዋነያ ተደማማ ለተቀነበቀት እንደነገ መንግስ በ የዩኒክት ዓለም የዚህ ታሪያ	P. 新设备的建筑的T. P.C.N. 4.4.原作的公司 (2014)建筑建筑建筑建筑建筑建筑设置	Page 30 of 33
Item		Est.	Unit of			Delivery,
# # 1	Description	Qty.	Meas.	Unit Price	Total Price	<b>A.R.O.</b>
125	Sheetrock, 5/8" x 4'x 12',					<b>.</b>
	Fire Coated	24	SHT	\$ 16.00	\$ 384.00	I WEEK_
126	Sheetrock Tape, 250' Roll	20	ROLL	\$ 2.00	\$ 40.00	
127	Tempered Hard Board,					
	'/4" x 4' x 8'	5	SHT	\$ 19.20	\$ 96.00	
$\sqrt{128}$	Tempered Peg Board, ¼" x 4' x 8'	10	SHT	\$ 19.87	\$ 198.70	
V 120	romporou regisemu, 74 k r k e	10	DIII	Ψ 17.31	Ψ 113110	
No A	ΓΙΟΝ 12 - "CDX" Sheathing, Press rsenate Plywood, "MDO" Medium Sheets		-			
$\sqrt{129}$	3/8" CDX-FIR	20	SHT	\$ 16.51	\$ 330.40	1 WEEK
130	½" CDX-FIR	250	SHT	\$ 19.50	\$ 4,895.00	
131		230	SHI	1 14.20	\$ 4 <sub>1</sub> 7 15.00	
131	½" MDO (Medium Density Overlay), Two-Sided	100	SHT	\$ 18.48	\$ 1,848.00	
	• **					
132	½" Wolmanized Plywood	30	SHT	\$ 26.88	\$ 806.40	
133	<sup>3</sup> / <sub>4</sub> " MDO (Medium Density	100	otrr	<b>6</b> 00 ()	ው <i>ለ ብሀ ነ</i> ነገ	
	Overlay), Two-Sided	100	SHT	\$ 22.11	\$ 2,211.00	<u>·</u>
	FION 13 - Molding, Clear White Pins, Random Lengths Acceptable (Ho 7')	-	-			
√134	2" Astragal (Mullion Center),					
1	Clear White Pine	16	LF	\$ , 66	\$ 10.56	1 Week
√135	Backhand Molding for Picture					
	Frame, %" x 1 1/8"	16	LF	<u>\$.70</u>	\$ 11.20	1 WEEK
136	Base Cap, 1 5/8" Clear White Pine	96	LF	\$ NO BID	\$ NO BID	NO BID
137	Chair Rail, 9/16" x 2 晕惊"	96	LF	\$ 1.03	\$ 98.88	1 WEEK
$ \begin{array}{c} 137 \\ \sqrt{138} \end{array} $	Clam Shell Trim, 2 1/4" Clear				<u> </u>	
	White Pine	96	LF	\$ .10	\$ 73.92	
139	Clam Shell Base, 3 Clear White			1		
/	rine	96	$\mathbf{L}\mathbf{F}$	\$ 1.08	\$ 103.68	
$\sqrt{140}$	Colonial Casing, 2 ½" Clear	0.6	* *	er I som	a 01 m	
$\sqrt{141}$	White Pine	96	LF	\$ 1.00	\$ 96.00	
	Colonial Casing, 3 ½" Clear	96	LF	e / 21	\$ 126.72	
$\sqrt{142}$	White Pine	90	ĿГ	\$ 1.32	D 100.10	
√ 1 <del>4</del> 2	Colonial Trim, 2 ¼" Clear White Pine	96	LF	\$ .99	\$ 13.92	
143	Colonial Trim, M. Clear White	70	171	Ψ + / +	4 /5. 10.	
/	Pine 314"	96	LF	\$ 1.22	\$ 117.12	
√144	Cove, 3/4" x 3/4"	96	LF	\$ .32 km	\$ 30.72	<del>.,</del>

Page 31 of 33

Item		Est.	Unit of	CONTRACTOR OF THE PROPERTY OF		age 31 of 33
/ # ·	Description	-		Unit Price	and the state of t	<b>A.R.O.</b>
√145	Cove, 1 5/8"	96	LF	\$ .60	\$ 57.60	1 WEEK
<b>√</b> 146	Crown Molding, 9/16"x 3 %"	96	LF	\$ 1.26	\$ 120.96	
√147 149	Crown Molding, 11/16" x 4 %"	96	LF	\$ <i>1.3</i> 4	\$ 224.64	
√148	Outside Corner, 3/4" x 3/4", Clam Type   1/18"	96	LF	\$ ,46	\$ 44.16	
149	Outside Corner, Nx 1/,					
√150	Clam Type Door Stop, 3/8" x 1 3/8",	96	LF	\$ .66	\$ 63.36_	
4 150	Clam Type of the	96	LF	\$ .43	\$ 41.28	
151	Door Stop, $\frac{1}{2}$ x 1 %",					
152	Clam Type	96	LF	\$ .So	\$ 53.76	
1.72	Colonial Type	96	LF	\$ .43	\$ 41.28	
153	Picture Frame Molding,	60		n 1/0 t 0	# 10 A O	162 410
154	11/16"x ¾" Picture Frame Molding,	60	LF	\$ NO BID	\$ NO 81D	NO BID
	11/16"x 2 <del>1/16"</del> /   4"	60	LF	\$ 1.20	\$ 12.00	1 WEEK
$\sqrt{155}$	Quarter Round, 3/4" x 3/4"	96	LF	\$ . 33	\$ 31.68	
/	Sanitary Casing,					
$\sqrt{156}$	2 ½" Clear White Pine	96	LF	\$ 1.22	\$ 117.12	<u></u>
√157	Sanitary Casing, 3 ½" Clear White Pine	96	LF	\$ 1.70	\$ 163.20	
$\sqrt{158}$	Screen Molding, 1/4" x 3/4"	96	LF	\$ .19	\$ 18.24	
159	Shoe Molding 12' \3 \4"	96	LF	\$ .28	\$ 26.88	
	<b>3</b>					
SECT	TION 14 - Metal Studs and Track,	, 18 Gauge	<b>:</b>			
160	Studs, 2 ½"D x 12'	48	PC	\$ 9.64	\$ 462.72	1 WEEK
161	Studs, 3 %"D x 8'	48	PC	\$ 7.57	\$ 363.36	
162	Studs, 3 %"D x 10'	48	PC	\$ 9.45	\$ 453.60	
163	Studs, 3 %"D x 12'	48	PC	\$ 11-35	\$ 544.80	
√164	Track, 2 1/2" x 10' Lengths	48	PC	\$ 6.42	\$ 308.16	
$\sqrt{165}$	Track, 3 %" x 10' Lengths	48	PC	\$ 7.81	\$ 374.88	
SECT	TION 15 - Miscellaneous					
166	15 lb. Felt Paper	30	ROLL	\$ 19.25	\$ 577.50	1 WEEK
167	Cork Board, 1/2" x 3' x 4'	20	PC	\$ NO 610	\$ NO BID	NO BID
168	Cork Board 1/2" x 4' x 8'	70	PC	\$ 110.29	\$ 1,720.30	IWEEK

Item		Est.	Unit of	the first and the second secon		Delivery,
# Hei		Qty.	Meas.	. Unit Price	Total Price	.A.R.O.
169	Clear Plastic, 20 ft. x 100 ft.,			(0		
/	4 mil	42	ROLL	\$ 49.50	\$ 2,0M.co	IWEEK
√170	2" x 4" x 48", 14 ga. Galvanized					
,	Fence Wire, 50 ft. roll	8	ROLL	\$ 53.46	\$ 421.68	
√171	Nails, 5 # Bright Common - 8d	24	BX	\$ 7.65	\$ 183.60	{
<b>1</b> 72	Nails, 5 # Bright Common - 10d	24	BX		\$ 183.60	
$\sqrt{172}$	Screws, 5# Boxes -	<del>24</del>	ВΛ	\$ 7.65	\$ 189.60	<del></del>
V1/3	2 ½" Premium Deck Screws	15	BX	\$ 18.96	\$ 284.40	
174	Red Cedar Shingles,	13	DΛ	<u>→ 18.76</u>	\$ 009.70	
177	Butted & Sanded,					
	18"Perfections, ¼ Sq. Bundle	12	BDL	\$ 90.00	\$ 1,080.00	
175	Red Cedar Shingles,	14	DDL	<u> </u>	\$ 1,080.00	·
173	Butted & Sanded,					
	24" Royals, ¼ Sq. Bundle	12	BDL	\$ 110.40	\$ 1,324.80	
176	Undercourse Shingles,	12	DDL	Ψ 110.10	# 11004.00	
170	½ Sq. Bundle	36	BDL	\$ 9.25	\$ 351.00	}
177	Dimensional Roof Shingles,	J0	DUL	<u>Ψ 1. 1/2</u>	<u> </u>	<del></del>
177	Timberline GAF, 30 Year					
	Warranty, Assorted Colors	64	SQ	\$ 117.60	\$ 1,526.40	
178	Timberline Cap Shingles,	<b>V</b> 1	54	Ψ 11 7: 00		···
210	"Forty Year", 20 ft. per Bundle,					Į.
	Color: Cedar	74	BDL	\$ 18.00	\$ 5,772.00	1
170						
179	90 lb. Roll Roofing	5	EA	\$ SO.38	\$ 251.90	
180	Metal Roof Edge, 2" x 2" 23/4 x 2"/2"	40	-	n 1 : i	a Autoria	
101	(Approx.), 10' Lengths	40	EA	\$ 6.14	\$ 245.60	
181	Flashing, .13 Aluminum,	20	DOLL	\$ 23.80	e 1101 -	
/	12" x 50' Roll	20	ROLL		\$ 476.00	
√ <u>1</u> 82	Termite Shield, 6"x 50'	10	EA	\$ 5.65	\$ 56.50	
√183	Ice and Water Protector Shield,					
	3'W x 65-75' Length Rolls, 55					
	mil Thick, Self Adhesive, Self				<i>a.</i>	
	Sealing Around Roof and Nails	20	ROLL	<u>\$ 49.40</u>	\$ 948.00	
184	3 ½" x 15" x 32", R-13					
	Insulation, Encapsulated/Comfort			.10		}
	Therm, 40 sq. ft. roll	24	ROLL	<u>\$ 49.60</u>	<u>\$ 1,190.40</u>	
185	3 ½" x 15" x 94", R-13					1
	Insulation, Craft Face/Wood	2.4	DOLL	n 20 01	# 1 Ani 2.1	į
$\sqrt{186}$	Framing, 88.12 sq. ft. roll	34	ROLL	<u>\$ 39.36</u>	\$ 1,210.24	
4 180	3 ½" x 15" x 94", R-11					
	Insulation, Unfaced/Wood	24	DOLI	0 20 00	e 010 00	
107	Framing, 88.12 sq. ft. roll	24	KULL	\$ 33.15	\$ 810.00	
187	3 %" x 16" x 96", R-11 Insulation, Unfaced/Metal					
	Framing, Thermal Shield and					
	Sound Shield, 170.66 sq. ft. roll	12	ROLL	\$ 49.50	\$ 594.00	$\Lambda$
	Double Differen, 170.00 Bq. It. 1011		********	Ψ -11-30	<u> </u>	<u> </u>

						age 33 of 33
Item		Est.	Unit of			Delivery,
#	Description	Qty.	Meas.	Unit Price	Total Price	A.R.O.
188	6 ¼" x 15" x 94", R-19 Insulation Unfaced, 48.96 sq. ft. roll	18	ROLL	e 01 m	\$ 423.00	11.15
	oranica, reise eq. m. con	10	KOLL	\$ 23.50	3 4ay, 00	1WEEK_
OE OT	TON 17 40H 07H T + 4 I					ļ
SECI	ION 16 - 48"x 96" Laminates and	Accesso	ries			
189	Almond, 030-60 Wilsonart	3	SHT	\$ 65.28	\$ 195.84	
190	Black, 1595-60 Wilsonart	3	SHT	\$ 65.28	\$ 195.84	
191	Figured Mahogany,			. 0 . 0 .		
	7040A-60 Wilsonart	3	SHT	\$ 95.23	\$ 285.69	
192	Golden Oak, 7888-60 Wilsonart	3	SHT	\$ 95.23	\$ 285.69	
$\sqrt{193}$	Gray, 1500-60 Wilsonart	3	SHT	\$ 16.80	\$ 230.40	
194	Grey Nebula, 4622-60 Wilsonart	3	SHT	\$ 95.23	\$ 285.69	
195	Gunstock Walnut,					
	W313A-60 Wilsonart	3	SHT	\$ HO 610	\$ NO BID	<u> </u>
196	Hunter Green, D79-60 Wilsonart	3	SHT	\$ 8.71	\$ 287.13	1 WEEK
197	Hunter Nebula,					
	4627-60 Wilsonart	3	SHT	\$ 1/0 810	\$ MO 010	NO 810
198	Windsor Mahogany,	2	CUT	e 00 00	h 000/0	11100
$\sqrt{199}$	7039-60 Wilsonart Contact Cement,	3	SHT	<u>\$ 95.23</u>	\$ 285.69_	I WEEK
41//	Dap-Weldwood,					1
/	Original 1 gal. (Red) Can	6	CAN	\$ <i>33</i> .50	\$ 201-00	l
√200	Contact Cement,					
	Dap-Weldwood, Poly Acrylic,	-	<i>a.</i>	A C 1 O 2	000 10	
201	1 gal (Blue) Can	6	CAN	\$ 51.28	\$ 307.68	<del>   </del>
201	Formica Brand Products, Non-flammable Contact					
,	Adhesive Selvent, 5 gal. can	6	CAN	\$ 213.20	\$ 1,279.20	
$\sqrt{202}$	Seam Filler to Match Laminate	V	Q2H1		4 114 11.00	<del></del>
	Color, Foz. tube	6	TUBE	\$ 8.45	\$ 50.70	
	1.07_					

Proposal for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( )-YES ( )-NO

# PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
	TION 1 - Nominal Lumber, Đou Fir Unacceptable (except as n	_	r Better			
1	2" x 4", Pre-Cuts	30	PC	\$ 3.70	\$ 111.00	2 days
2	2" x 4" x 8', NOT Pre-Cut	600	PC	\$ 3,24	\$ 1944.00	
3	2" x 4" x 10'	30	PC	\$ 4.6b	\$ 139.80	<u> </u>
4	2" x 4" x 12'	146	PC	\$ 4.90	\$ 715.40	- 4
√s <sub>j</sub>	2" x 4" x 16'	150	PC	\$ 6.78	\$ 1017.00	<u>n</u>
<b>1</b> 6	2" x 4" x 20'	130	PC	\$ 7,52	\$ 977.60	
7	2" x 6" x 8'	30	PC	\$ 5.43	\$ 162.90	11
8	2" x 6" x 10'	30	PC	\$ 7,14	\$ 214.20	
9	2" x 6" x 12'	30	PC	<u>\$ 8.32</u>	\$ 249.60	<u></u>
10	2" x 6" x 16'	100	PC	\$ 10.08	\$ 1008,00	11
11	2" x 8" x 16'	60	PC	\$ 13,57	\$ 814.20	
12	2" x 10" x 16'	275	PC	\$ 18.88	\$ 5192.00	1/
13	2" x 12" x 16'	130	PC	\$ 23.79	\$ 3092.70	
14	4" x 8" x 18'	24	PC	\$ 205.710	\$ 4936.80	
Spruc	ee'.					
15	5/4" x 3" x 12', 8 pcs/bundle	97	BDL	\$ 32.50	\$ 3152.50	11
16 √17	5/4" x 3" x 16', 8 pcs/bundle Spruce Firring Strips, #2 Grade or Better,	40	BDL	\$ 43.75	\$ 1750,00	
	1" x 2" x 12', 12 pcs/bundle	45	BDL	\$ 17.15	\$771.75	
Surve	eyor Stakes			11 201	Al mil	
18	Mason Lath, 50/bundle	62	BDL	\$ No logical	s No Bid	

Page 25 of 33

	r ing sanggang ang sanggang ang sanggang ang sanggang ang sanggang ang sanggang ang sanggang ang sanggang ang					3 (2) (MENNE) ( ) (MENNE) (	Page 25 of 33
Item		A. Trans	Est.	Unit of			Delivery,
······································	Description ION 2 - Pressure Treate	d I umba	Qty.	Meas.	Unit Price	Total Price	<b>A.R.O.</b>
	senate, Yellow Pine #2 o		r, Copper	Dasc,			
19	2" x 4" x 8'		10	PC	\$ 3.77	\$ 37.70	a days
20	2" x 4" x 10'		20	PC	\$ 4.76	\$ 95,20	. <del> </del>
√21	2" x 4" x 16'		225	PC	\$ 6.59	\$ 1482,75	
√22	2" x 4" x 20'-ACQ		280	PC	\$ 12,59	\$ 3525.20	<u> </u>
$\sqrt{23}$	2" x 6" x 8'		24	PC	\$ 4.82	\$ 115.68	11
24	2" x 6" x 12'		24	PC	\$ 7.81	\$ 187.44	11
√25	2" x 6" x 16'		425	PC	\$ 8.78	\$ 3731.50	11
$\sqrt{26}$	2" x 6" x 20'-ACQ		250	PC	\$ 11.92	\$ 2980.00	11
√27	2" x 8" x 16'		115	PC	\$ 11.52	\$ 1324.80	
28	2" x 8" x 20'-ACQ		250	PC	\$ 16,32	\$ 4080.00	
29	2" x 10" x 8'		24	PC	\$ 8.78	\$ 210.72	
30	2" x 10" x 10"		24	PC	\$ 12.32	\$ 295.68	
$\sqrt{31}$	2" x 10" x 16'		388	PC	\$ 16.67	\$ 6467,96	
32	2" x 10" x 20'-ACQ		250	PC	\$ 22,42	\$ 5605.00	
33	2" x 12" x 16'		140	PC	\$ 27.99	\$ 3918.60	
34	4" x 4" x 8'		40	PC	\$ 9,92	\$ 396,80	
√35	4' x 4' x 12'		110	PC	\$ 12.45	\$ (369.50	
<b>1</b> 36	4" x 4" x 16'		500	PC	\$ 17.60	\$ 8800.00	
37	4" x 4" x 20'-ACQ		100	PC	s No Bid	s No Bid	· · · · · · · · · · · · · · · · · · ·
√38	6" x 6" x 14'		50	PC	\$ 31,20	\$ 1560.00	2 days
<b>√</b> 39	6" x 6" x 16'		150	PC	\$ 37.63	\$ 5644.50	<u> </u>
40	6" x 6" x 18'-ACQ		100	PC	\$ 57.35	\$ 5735.00	
41	8" x 8" x 16'		75	PC	\$ 115,79	\$ 8684.25	3 weeks
√42	8" x 8" x 20' treated CC.	A .40	12	PC	\$ 179.20	\$ 2150.40	I week
43	12" x 12" x 16'-ACQ		24	PC	\$ 298.08	\$7153,92	3 weeks
	TON 3 - Bridge Material salt per cubic foot of tin		Contain 2.	5 pounds			
44	3" x 6" x 14'		25	EA	\$ 35.28	\$ 882.00	3 weeks
45	3" x 8" 14'		50	EA	\$ 46,26	\$ 2313.00	4
46	3" x 10" x 14'		50	EA	\$ 60,51	\$ 3025.50	

Page 26 of 33

mas per						age 20 of 33
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
47	3" x 10" x 20'	50	EA	\$ 90,57	\$ 4528.50	3 woeks
48	3" x 10" x 26'	50	EA	\$ 145.73	\$ 7286.50	11
49	6".x 8" x 18'	50	EA	\$ 124.04	\$ 6202.00	
50	Tongue & Groove, 2" x 6" x 12'	100	EA	\$ No Bd	\$ No Bid	
51	Tongue & Groove, 2" x 8" x 12'	100-	EA	\$ No Bid	\$ No Bid	
52	Tongue & Groove 2" x 10" x 12'	100	EA	\$ 34.22	\$ 3422.00	3 weeks
<b>√</b> 53	Tongue & Groove, 4" x 10" x 18'	50	EA	\$ 109.74	\$ 5487.00	11
SECT	TION 4 - Composite Decking, Azek,	Arbor C	ollection			
54	3/4" x 3 1/2" x 18" white - Azek, trim, traditional	12	PC	s No Bid	s No Bid	No Bid
55	<sup>3</sup> / <sub>4</sub> " x 5 ½" x 18" white - Azek trim, traditional	12	PC	\$	\$	
56	<sup>3</sup> / <sub>4</sub> " x 7 <sup>1</sup> / <sub>4</sub> " x 18" white, Azek trim, traditional	12	PC	\$	\$	
57	1" x 5 ½" x 18" white – Azek trim, traditional	12	PC	\$	\$	
58	1" $\times$ 5 ½" $\times$ 20" (color to be specified)	12	PC	\$	\$	
59	1" x 9 ¼" x 18" white – Azek trim, traditional	12	PC	\$ 1	\$	
	ΓΙΟΝ 5 - ACQ Treated Plywood					
√60 √61	4' x 8' x ½", 5 ply, AC, ACQ Treated Plywood	150	PC	\$ 28.80	\$ 4320.00	2 days
<b>V</b> 01	4' x 8' x <sup>3</sup> / <sub>4</sub> ", 5 ply, AC, ACQ Treated Plywood	235	PC	\$ 36.48	\$ 8572.80	2 days
	ΓΙΟΝ 6 - Plywood, Exterior, Fir, Go Grade Stamped	ood One S	Side,			
√62	¼" x 4' x 8'	125	SHT	\$ 26,62	\$ 3327.50	2 days
√63	1/4" x 4' x 8', Luan Underlayment	120	SHT	\$ 10.95	\$ 1314.00	11
<b>1</b> 64	3/8" x 4' x 8'	150	SHT	\$ 27.38	\$ 4107.00	<u> </u>
√65	½" x 4' x 8'	275	SHT	\$ 31.79	\$ 8742.25	<u> (1</u>
<b>166</b>	5/8" x 4' x 8'	110	SHT	\$ 34.52	\$ 3797.20	
<b>1</b> 67	<sup>3</sup> / <sub>4</sub> " x 4' x 8'	300	SHT	\$ 37,42	\$ 11226.00	

					P	age 27 of 33			
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.			
SECT	ION 7 - Plexiglas & Lexan, 4' x 8'	Sheets			_	. 1			
68	Lexan, ¼"	74	SHT	\$ 156,00	\$11544.00	à days			
69	Lexan, 1/8"	24	SHT	\$ 86.40	\$ 2073.60				
<b>√</b> 70	Non-Glare Plexi, 1/4"	30	SHT	\$ 52.00	\$ 1560.00				
71	Plexi, ¼"	61	SHT	\$ 107.25	\$ 6542.25				
SECTION 8 - Veneer Plywood and Cabinet Grade, 4' x 8' Sheets									
$\sqrt{72}$	1/4" Birch Veneer Plywood A/C	20	SHT	\$ 17.40	\$ 348.00	2-3 days			
73	"// Oak Veneer Plywood A/C	20	SHT	\$ 43.68	\$ 873.60	2-3 days			
74	¼" Poplar Veneer Plywood A/C	25	SHT	\$ No Bid	\$ No Bid				
√15	1/4" Walnut Veneer Plywood A/C	25	SHT	\$ 69.64	\$ 174,00	2-3 days			
76	%", Cedar T-1-11, 8" Space Between Tongue & Groove	115	SHT	s No Bid	\$ No Bid				
<b>1</b> 17	3/4" Birch Plywood, Cabinet Grade, Good Both Sides	25	SHT	\$ 21. <u>88</u>	\$ 1297.00	2-3 days			
√18	3/4" Oak Plywood, Cabinet Grade, Good Both Sides	25	SHT	\$79,49	\$ 1987.25	2-3 days			
#2 Pin	TON 9 - 1 and 5/4" Nominal Size, one & Hardwood, and Western Red e Materials	Clear Pi Cedar F	ne, Face			·			
79 <b>4</b> 0	1/4" Western Red Cedar Plywood, 4" x 8' Faced	5	SHT	\$ No BIZ	\$ No Bid				
<b>√</b> 80	3/8" x 5" x 8'-16', Atlantic White Cedar Rough Sawn Siding	100	LF	\$ 2.45	\$ 245.00	I week or soone			
81 √82	3/4" x 8" x 16', Western Red Cedar Board	96	PC	\$ 34.60	\$ 3321,60				
√82 √83	1" x 6" x 8'-12', Clear White Oak, No Knots	240	LF	\$ 2.69	\$ 645.60	<u> </u>			
	1" x 6" x 8'-12' Lengths Only, Clear Birch, No Knots	96	LF	\$ 3.90	\$ 374.40	11			
√84 /	1" x 6" x 8'-12' Lengths Only, Clear Red Oak, No Knots	96	LF	\$ 3,15	\$ 302.40	1)			
√85	1" x 6" x 8'-12' Lengths Only, Clear Walnut, No Knots	96	LF	\$ 6.96	\$ 668.16				

Page 28 of 33

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
$\sqrt{86}$	1" x 6" x 8'-16', Atlantic White					
,	Cedar Rough Sawn	596	LF	\$ 1.69	\$ 1007.24	1 weekonsoon
√87	1" x 6" x 12' Lengths Only,					
	Clear White Pine, "C" Grade,			1.177	O0	
	No Knots	200	PC	\$ 1466	\$ 2932.00	
88	1" x 8" x 8'-12' Lengths Only,					
	Clear Poplar, No Knots	96	LF	\$ 2.96	\$ 284.16	1/
89	1" x 8" x 8'-12' Lengths Only,					
	Clear Red Oak, No Knots	96	LF	\$ 3.90	\$ 374.40	t)
√90	1" x 8" x 8' -16', Atlantic White	, ,				
• • • •	Cedar Rough Sawn	596	LF	\$ 2,25	\$ (34).00	14
√91	1" x 8" x 12' Lengths Only,	4,7				
. 71	Clear White Pine, "C" Grade,					
	No Knots	100	PC	\$ 16.81	\$ 1681.00	17
√92						
, , <u>-</u>	1" x 8" x 16' Lengths Only, #2 Premium, White Pine	100	PC	\$ 9.08	\$ 908,00	1.
√93	· · · · · · · · · · · · · · · · · · ·	100	10	<u> </u>	Ψ 100100	<del>'\</del>
V 93	1" x 12" x 12'-16' Lengths Only, Clear White Pine, "C" Grade,					
	No Knots	384	LF	s 2.21	\$ 848,64	l i
√94	5/4" x 4" x 8'-16', Atlantic White	204	1.71	3 04.001	Ψ σ 1σ.	
V 74	Cedar Rough Sawn	596	LF	\$ 1.08	\$ 643,68	U
√95	5/4" x 6" x 8'-12' Lengths Only,	570	<b>.</b>	<u> </u>		<del></del>
V 33	Clear Birch, No Knots	96	L.F	\$ 5.11	\$ 490.56	1.
√96	Clear Direit, 140 Rations	90	Ľ.Ľ	2 24	\$ 110,512	
~ 96	5/4" x 6" x 8'-12', Clear Red Oak,				50 / O Chan	
,	No Knots	96	LF	\$ 3,18	<u>\$ 362.88</u>	
√97	5/4" x 8" x 8'-12', Clear Red Oak,			. 31.0		
/	No Knots	96	LF	\$ 4.41	\$ 423,36	11
√98	5/4" x 6" x 8'-12', Clear White				. 73 ( 6	
,	Oak, No Knots	96	LF	<u>\$ 3.85</u>	\$ 369.60	<u> </u>
√99	5/4" x 6" x 8'-12' Lengths Only,					
	Clear Walnut, No Knots	96	LF	\$ 8.78	\$ 842.88	(1
√100	5/4" x 6" x 8'-12', Clear White					
,	Poplar, No Knots	96	LF	\$ 3.12	s 299.5 <u>2</u>	4
$\sqrt{101}$	5/4" x 6" x 12' Lengths Only,					
• 101	Clear White Pine, "C" Grade,					
,	No Knots	50	PC	\$ 24.3 <u>8</u>	\$ 1219,00	
√102	5/4" x 8" x 8'-12', Clear White					
	Poplar, No Knots	96	LF	\$ 3,68	\$ 353,28	4)
103	•	<i>2</i>		<u> </u>		<u> </u>
105	5/4" x 8" x 12' Lengths Only,	50	PC	\$ 23.69	\$ 1184.50	ц
104	#2 Premium, White Pine	20	ΤÇ	<u>Ψ &amp; A U T</u>	<u> </u>	
√104	5/4" x 8" x 12' Lengths Only,					
	Clear White Pine, "C" Grade, No Knots	50	PC	\$ 35.94	\$ 1797.00	1/ 1
	INO KHOIS	50	10	Ψ ~ Ψ	4 1 1 1 1 1 1 1 1 1 1	

## AMERICAN FOREST PRODUCTS LLC DBA TULNOY LUMBER

Page 29 of 33

					F	Page 29 of 33
Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
√105	5/4" x 8" x 16', Clear White Pine, "C" Grade, No Knots	146	PC	\$ 47.42	\$ 6996.32	lweb or soona
√106	5/4" x 12" x 12'-16' Lengths Only, Clear White Pine,					
/	"C" Grade, No Knots	240	LF	\$ 5724	\$ 1257,60	
√107	2" x 10" x 8' Western Red Cedar	384	LF	\$ 5.83	\$ 2238,72	4
SECT or Bet	ION 10 - Dowels & Closet Pole, Ha ter	ırdwood	C			
108	½" x 3'	5	EA	\$ No Bid	s No Bid	No Bid
109	3/8" x 31	5	EA	\$	\$	
110	½" x 3'	10	EA	\$	\$	
111	<sup>3</sup> / <sub>4</sub> " x 3'	5	EA	\$	\$	
112	7/8" x 3'	10	EA	\$	\$	
113	1" x 3'	15	EA	\$	\$	
114	1 3/8" x 3/8" x 81	10	EA	\$	\$	
115	1 3/8" x 12'	10	EA	\$ 1	\$	
SECT	TON 11 - Drywall & Gypsum Prod	lucts		🗖 ,		
116	Greenboard, ½" x 4' x 8'	20	SHT	\$ No Bu	\$ No Bid	
117 118	Homasote Boards, ½" x 4' x 8', No Backing Joint Compound/All Purpose,	15	SHT	<u>\$ 23.52</u>	\$ 352.80	2 days
119	61.7 lb. (28 kg), Ready Mix/Non-Asbestos, Green Lid USG Joint Compound/Lightweight, All Purpose, 4.5 gal. (17.0 L),	20	EA	s No Bid	\$ No Bid	No. Bil
120	Ready Mix/Non-Asbestos, Blue Lid USG	16	EA	\$	\$	
120	Metal Corner Bead for Sheetrock, 8' Lengths	100	PC	\$	\$	
121	Sheetrock, 3/8" x 4' x 8'	60	SHT	\$	\$	
122	Sheetrock, ½" x 4'x 8', Fire Coated	70	SHT	\$	\$	
123 124	Sheetrock, ½" x 4'x 12', Fire Coated Sheetrock, ¾"x 4'x 8',	24	SHT	\$	\$	
124	Fire Coated	154	SHT	\$ \	\$	

Item # 125	Description Sheetrock, %" x 4'x 12',	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
	Fire Coated	24	SHT	\$ No Bid	\$ No Bid	
$ \sqrt{126} $	Sheetrock Tape, 250' Roll	20	ROLL	\$ No Bd	\$ MoBil	
V 127	Tempered Hard Board, ''/4" x 4' x 8'	5	SHT	\$ 14.54	\$ 72,70	2 days
128	Tempered Peg Board, 1/4" x 4' x 8'	10	SHT	\$ 30.72	\$ 307,20	2 days
	ION 12 - "CDX" Sheathing, Press senate Plywood, "MDO" Medium Sheets					
129	3%" CDX-FIR	20	SHT	\$ 17.78	\$ 355.60	2 days
<b>√</b> 130	½" CDX-FIR	250	SHT	\$ 19.14	\$ 4785.00	
√131	½" MDO (Medium Density Overlay), Two-Sided	100	SHT	\$ 43.96	\$ 439600	- (
<b>√</b> 132	½" Wolmanized Plywood	30	SHT	\$ 21.54	\$ 646,20	<u> </u>
√133	3/4" MDO (Medium Density Overlay), Two-Sided	100	SHT	\$ 56,64	\$ 5WH.00	<u> </u>
	ION 13 - Molding, Clear White P, Random Lengths Acceptable (H'')  2" Astragal (Mullion Center),					<b>.</b>
135	Clear White Pine Backhand Molding for Picture	16	LF	\$ No BH	s No Bid	No Bid
	Frame, 5/8" x 1 1/8"	16	LF	\$	\$	
136	Base Cap, 1 5/8" Clear White Pine	96	LF	\$	\$	
137	Chair Rail, 9/16" x 2 ½"	96	LF	\$	\$	
138	Clam Shell Trim, 2 1/4" Clear White Pine	96	LF	\$	\$	
139	Clam Shell Base, 3" Clear White Pine	96	LF	\$	_\$	_
140	Colonial Casing, 2 ½" Clear White Pine	96	LF	\$	\$	_
141	Colonial Casing, 3 ½" Clear White Pine	96	LF	\$	\$	
142	Colonial Trim, 2 ¼" Clear White Pine	96	LF	\$	\$	
143	Colonial Trim, 3" Clear White	00	T E	•	ę l	
144	Pine Cove, <sup>3</sup> / <sub>4</sub> " x <sup>3</sup> / <sub>4</sub> "	96 96	LF LF	\$	\$ \$	

Page 31 of 33

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
145	Description Cove, 1 5/8"	96	LF	\$ No Bil	s No. Bid	NoBid
146	Crown Molding, 9/16"x 3 5%"	96	LF	\$	\$	
147	Crown Molding, 11/16" x 4 5%"	96	LF	\$	\$	
148	Outside Corner, 3/4" x 3/4",	06	LF	\$	\$	
149	Clam Type Outside Corner, 1"x 1",	96	Lr	<b>D</b>	<b>D</b>	
	Clam Type	96	LF	\$	\$	
150	Door Stop, ¾" x 1 ¾", Clam Type	96	LF	\$	\$	
151	Door Stop, ½" x 1 ½",	0.5			<i>a</i>	
152	Clam Type Door Stop, ½" x 1 5%",	96	LF	\$	\$	+
132	Colonial Type	96	LF	\$	\$	
153	Picture Frame Molding, 11/16"x 3/8"	60	LF	\$ \	\$	
154	Picture Frame Molding,	00				
	11/16"x 2 1/16"	60	LF	\$	\$	
155	Quarter Round, 3/4" x 3/4"	96	LF	\$	\$	
156	Sanitary Casing, 2 ½" Clear White Pine	96	LF	\$	\$	
157	Sanitary Casing, 3 ½" Clear White Pine	96	LF	\$	\$	
158	Screen Molding, 1/4" x 3/4"	96	LF	\$	\$	
159	Shoe Molding	96	LF	\$	\$	
SECT	ION 14 - Metal Studs and Trac	k, 18 Gauge				,
$\sqrt{160}$	Studs, 2 1/2"D x 12'	48	PC	\$ 9,55	\$ 458.40	2-3 days
√161	Studs, 3 %"D x 8"	48	PC	<u>\$ 7.52</u>	\$ 360.96	<u> </u>
$\sqrt{162}$	Studs, 3 %"D x 10'	48	PC	\$ 9.39	\$ 450.72	
$\sqrt{163}$	Studs, 3 %"D x 12'	48	PC	\$ (1.27	\$ 540,96	
164	Track, 2 ½" x 10' Lengths	48	PC	\$ 6.99	<u>\$ 335.52</u>	
165	Track, 3 %" x 10' Lengths	48	PC	\$ 8.52	\$ 408.96	
SECT	TION 15 - Miscellaneous					6
166	15 lb. Felt Paper	30	ROLL	\$ 21,70	\$ 651,00	2-3 days
√167	Cork Board, 1/2" x 3' x 4'	20	PC	\$ 107.50	\$ 2150.00	<u> </u>
$\sqrt{168}$	Cork Board ½" x 4' x 8'	70	PC	\$ 107.50	\$ 7525,00	<u> </u>

	AMERICAN FORE	EST PROOF	acis ele v	BA TULNOT LUMBE		
		m vily .			P	age 32 of 33
Item		Est.	Unit of			Delivery,
#	Description	Qty.	Meas.	Unit Price	Total Price	A.R.O.
169	Clear Plastic, 20 ft. x 100 ft., 4 mil	42	ROLL	\$ 56.00	\$ 2352.00	2-3 days
170	2" x 4" x 48", 14 ga. Galvanized Fence Wire, 50 ft. roll	8	ROLL	\$ No Bid	\$ No Bid	NoBid
171	Nails, 5 # Bright Common - 8d	24	BX	\$ 11.3b	\$ 212.64	2-3 days
172	Nails, 5 # Bright Common - 10d	24	BX	\$ 11.20	\$ 268.80	<u> </u>
173	Screws, 5# Boxes – 2 ½" Premium Deck Screws	15	BX	\$ 30.72	\$ 460.80	<u> </u>
174	Red Cedar Shingles, Butted & Sanded, 18"Perfections, ¼ Sq. Bundle	12	BDL	\$ No Bid	\$ No Bid	No BIL
175	Red Cedar Shingles, Butted & Sanded, 24" Royals, ¼ Sq. Bundle	12	BDL	\$ No Bid	s No Bid	No Bid
√176	Undercourse Shingles, ½ Sq. Bundle	36	BDL	\$ 7.00	\$ 252.00	2-3 days
177 178	Dimensional Roof Shingles, Timberline GAF, 30 Year Warranty, Assorted Colors Timberline Cap Shingles,	64	SQ	\$ Na Bid	\$ No. Bid	No Bid
	"Forty Year", 20 ft. per Bundle, Color: Cedar	74	BDL	\$	\$	
179	90 lb. Roll Roofing	5	EA	\$	\$	
180	Metal Roof Edge, 2" x 2" (Approx.), 10' Lengths	40	EA	\$	\$	
181	Flashing, .13 Aluminum, 12" x 50' Roll	20	ROLL	\$	\$	
182 183	Termite Shield, 6"x 50" Ice and Water Protector Shield, 3'W x 65-75' Length Rolls, 55	10	EA	\$	\$	
184	mil Thick, Self Adhesive, Self Sealing Around Roof and Nails 3 ½" x 15" x 32", R-13	20	ROLL	\$ \	\$	
√ <sub>185</sub>	Insulation, Encapsulated/Comfort Therm, 40 sq. ft. roll 10456 SF/Roll 3 ½" x 15" x 94", R-13	24	ROLL	\$ 56.69	\$ 1360.5b	2-3 days
	Insulation, Craft Face/Wood Framing, <del>88.12</del> sq. ft. roll <b>8%</b> 13	34	ROLL	88.13 SF/R	\$ 119578	
186 187	3 ½" x 15" x 94", R-11 Insulation, Unfaced/Wood Framing, 88.12-sq. ft. roll 170.67 3 5%" x 16" x 96", R-11	24	ROLL	170-67 SF/Rall \$ 44.20	\$ 106080	1)
	Insulation, Unfaced/Metal Framing, Thermal Shield and Sound Shield, 170.66 sq. ft. roll 170.67	12	ROLL	170.67 SF/Rdl \$ 44.20	\$ 530.40	1)

### AMERICAN FOREST PRODUCTS LLC DBA TULNOY LUMBER

Page 33 of 33 Delivery. Est. Unit of Item **Total Price A.R.O.** Oty. Meas. Unit Price # Description 6 1/4" x 15" x 94", R-19 Insulation 188 45/33BF/Rell Unfaced, 48:96 sq. ft. roll \$ 634,32 2-3 days 18 ROLL \$ 35,24 95.33 SECTION 16 - 48"x 96" Laminates and Accessories √189 \$ 60.48 181,44 Almond, 030-60 Wilsonart 3 SHT **√19**0 \$ 60,48 \$ 3 SHT Black, 1595-60 Wilsonart **√**191 Figured Mahogany, \$ 25032 \$ 83.44 awks-spclorde 7040A-60 Wilsonart 3 SHT \$ 250.32  $\sqrt{192}$ \$ 83.44 Golden Oak, 7888-60 Wilsonart 3 SHT \$ 83,44 \$ 250,32 3 SHT 193 Gray, 1500-60 Wilsonart \$ 250,32  $\sqrt{194}$ Grey Nebula, 4622-60 Wilsonart 3 SHT 83,44 √195 Gunstock Walnut, 83,44 \$ 250,32 duks soci ordi 3 W313A-60 Wilsonart SHT √196 Hunter Green, D79-60 Wilsonart SHT 83,44 \$ 250,32 3 Color Disgontinued by 197 Hunter Nebula, 3 SHT 4627-60 Wilsonart  $\sqrt{198}$ Windsor Mahogany, 3 7039-60 Wilsonart SHT Contact Cement, 199 Dap-Weldwood, 11 36,23 217.38 Original 1 gal. (Red) Can 6 CAN Contact Cement. 200 Dap-Weldwood, Poly Acrylic, 11 66.90 \$ 401,40 1 gal (Blue) Can 6 CAN 201 Formica Brand Products. Non-flammable Contact 1 \$ 1395,24 CAN Adhesive Solvent, 5 gal. can 6 Seam Filler to Match Laminate 202 \$ 216.00 11 \$ 36:00 TUBE 6 Color, 4 oz. tube

Proposal for the furnishing and delivery of LUMBER AND LUMBER SUPPLIES for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( )-YES ( )-NO

# PRICE SCHEDULE

Item.		Est.	Unit of			Delivery
#*	Description	Qty.	Meas.	Unit Price	Total Price	A.R.O.
	ION 1 - Nominal Lumber, Dougl Fir Unacceptable (except as note		r Better			
1	2" x 4", Pre-Cuts	30	PC	\$ 3.99	\$ 119.70	3 days AR
2	2" x 4" x 8', NOT Pre-Cut	600	PC	\$ 3.99	\$2,394.00	
3	2" x 4" x 10'	30	PC	\$ 4.99	\$ 149.70	
4	2" x 4" x 12"	146	PC	\$ 5.29	\$ 772.34	
5	2" x 4" x 16'	150	PC	\$ 6.99	\$ 104850	
6	2" x 4" x 20'	130	PC	\$ <b>7.99</b>	\$ 1168.70	
7	2" x 6" x 8'	30	PC	\$ 5.38	\$ 161.40	
8	2" x 6" x 10'	30	PC	\$ 6.59	\$ 197.70	
9	2" x 6" x 12'	30	PC	\$ 7.99	\$ 239.70	
<b>\1</b> 0	2" x 6" x 16'	100	PC	\$ 9.99	\$ 999.00	
√ <u>1</u> 1	2" x 8" x 16 <sup>t</sup>	60	PC	\$ 12.99	\$ 779.40	
$\sqrt{12}$	2" x 10" x 16'	275	PC	\$ 17.39	\$ 4782.25	
13	2" x 12" x 16'	130	PC	\$ 23.84	\$ 3,099.20	
14	4" x 8" x 18'	24	PC	\$ No	\$ 3.0	
Spruc	e					
15	5/4" x 3" x 12', 8 pcs/bundle	97	BDL	\$ 22.89	\$ 2,220.33	3 days ARD
16 17	5/4" x 3" x 16', 8 pcs/bundle Spruce Firring Strips,	40	BDL	\$ 29.99	\$ 1,159.60	
1,	#2 Grade or Better, 1" x 2" x 12', 12 pcs/bundle	45	BDL	\$17.89	\$ 905.05	
Surve	yor Stakes			_		
$\sqrt{18}$	Mason Lath, 50/bundle	62	BDL	\$ 8.99	<u>\$ 557.38</u>	

Page 25 of 33

		K ANGARINA DAKER			P .1500004500050005000	age 25 of 33
Item		Est.	Unit of		T 4 I D 2	Delivery.
A 1 1 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1	✓ Description □ FION 2 - Pressure Treated Lumber	Cty. er. Copper	Meas. Base.	Unit Price	Total Price	A.R.O <sub>i</sub>
	rsenate, Yellow Pine #2 or Better	-,12	,			
19	2" x 4" x 8'	10	PC	\$ 3.69	\$ 36.90	3 days ARD
20	2" x 4" x 10'	20	PC	\$ 4.99	\$ 99.80	
21	2" x 4" x 16'	225	PC	\$ 6.99	\$  572.75	
22	2" x 4" x 20'-ACQ	280	PC	\$	\$	
23	2" x 6" x 8'	24	PC	\$ 4.99	\$ 119.76	3 days Alo
24	2" x 6" x 12'	24	PC	\$ 7.99	\$ 191.76	
25	2" x 6" x 16'	425	PC	\$ 9.98	\$4,241.50	
26	2" x 6" x 20'-ACQ	250	PC	\$ 12.98	\$ 3,245.00	
27	2" x 8" x 16'	115	PC	\$ 12.48	\$ 1,435.20	
$\sqrt{28}$	2" x 8" x 20'-ACQ	250	PC	\$ 14.99	\$ 3,747.50	<u> </u>
29	2" x 10" x 8'	24	PC	\$ 9.39	\$ 225.36	3days ARO
30	2" x 10" x 10'	24	PC	\$ 10.99	\$ 263.76	
31	2" x 10" x 16'	388	PC	\$17.79	\$6,902.52	· ·
$\sqrt{32}$	2" x 10" x 20'-ACQ	250	PC	\$21.98	\$ 5,495.00	
33	2" x 12" x 16'	140	PC	\$ 28.98	\$ 4,057.20	
34	4" x 4" x 8'	40	PC	\$ 9.98	\$ 399.20	
35	4' x 4' x 12'	110	PC	\$14.98	\$1,647.80	
3,6	4" x 4" x 16'	500	PC	\$ 19.98	\$ 9,990.00	
$\sqrt{37}$	4" x 4" x 20'-ACQ	100	PC	\$ 49.98	\$4,998,00	4-6wk5
38	6" x 6" x 14'	50	PC	\$ 34.98	\$ 1,749.00	3 days ARO
39	6" x 6" x 16'	150	PC	\$ 3 9.98	\$5,997.00	
$\sqrt{40}$	6" x 6" x 18'-ACQ	100	PC	\$49.98	\$4,998.00	
$\sqrt{41}$	8" x 8" x 16'	75	PC	\$ 83.98	\$6298.50	
42	8" x 8" x 20' treated CCA (40	12	PC	\$ 209.98	\$2,519.76	I week AR
√ <b>4</b> 3	12" x 12" x 16'-ACQ	24	PC	\$259.98	\$6,239.52	4 wks
	TION 3 - Bridge MaterialMust y salt per cubic foot of timber	Contain 2	2.5 pounds			
44	3" x 6" x 14'	25	EA	\$ 33.94	\$ 848.50	4-5WKS
4,5	3" x 8" 14'	50	EA	\$ 39.98	\$1,999.00	
$\sqrt{46}$	3" x 10" x 14'	50	EA	\$ 52.98	\$2,649.00	

Item.		Est.	Unit of			Delivery,
#	Description	Qty.	Comment of the second s	Unit Price	Total Price	A.R.O.
√4 <i>7</i>	3" x 10" x 20'	50	EA	\$ 79.98	\$ 3,999.00	4-5WK5
<b>48</b>	3" x 10" x 26'	50	EA	\$ 132,98	\$ 6649.00	
<b>√</b> 49	6" x 8" x 18'	50	EA	\$ 112.98	\$ 5649.00	
50	Tongue & Groove, 2" x 6" x 12'	100	EA	\$ 21.98	\$ 2,198.00	5-7 WK5
51	Tongue & Groove, 2" x 8" x 12'	100	EA	\$ 29.89	\$ 2,989.00	
52	Tongue & Groove 2" x 10" x 12'	100	EA	\$ 41.98	\$ 4198.00	
53	Tongue & Groove, 4" x 10" x 18'	50	EA	\$111.98	\$5,599.00	
SECT	TION 4 - Composite Decking, Azek	, Arbor (	Collection			
54	3/4" x 3 ½" x 18" white -				• 7	
55	Azek, trim, traditional	12	PC	<u>\$ No</u>	\$ BID	<del></del>
33	<sup>3</sup> / <sub>4</sub> " x 5 <sup>1</sup> / <sub>2</sub> " x 18" white - Azek trim, traditional	12	PC	\$	\$	
56	34" x 7 1/4" x 18" white,	12				
	Azek trim, traditional	12	PC	\$	\$	
57	1" x 5 ½" x 18" white –	10	DC)	<b>6</b>		
58	Azek trim, traditional 1" x 5 ½" x 20"	12	PC	\$	\$	
Ç0	( color to be specified )	12	PC	\$	\$ [	
59	1" x 9 1/4" x 18" white –					
	Azek trim, traditional	12	PC	\$	\$	
SECT	FION 5 - ACQ Treated Plywood					
60	4' x 8' x ½", 5 ply, AC,				<b></b>	
61	ACQ Treated Plywood 4' x 8' x 3/4", 5 ply, AC,	150	PC	\$ 39.98	\$ 5,997.00	5 days ARD
01	ACQ Treated Plywood	235	PC	\$ 46.98	\$5,997.00	5 days ARD
	FION 6 - Plywood, Exterior, Fir, G Grade Stamped	ood One	Side,			
62	1/4" x 4'. x 8'	125	SHT	\$ 28.99	\$ 3,623.75	3-5 days
63	1/4" x 4' x 8', Luan Underlayment	120	SHT	\$ 13.89	\$1,666.80	
64	3/8" x 4' x 8'	150	SHT	\$ 29.99	\$4,498.50	
65	½" x 4' x 8'	275	SHT	\$ 33.99	\$9347.25	
66	5/8" x 4' x 8'	110	SHT	\$ 38,99	\$ 4,288.90	
67	3/4" x 4' x 8'	300	SHT	\$ 40.99	\$12,297.20	
5,	r + 42 + 47 W					

#	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.Ø.
SEC	ΓΙΟΝ 7 - Plexiglas & Lexan, 4' x 8'	Sheets				
68	Lexan, ¼"	74	SHT	\$ No	\$ 310	
69	Lexan, 1/8"	24	SHT	\$	\$	
70	Non-Glare Plexi, 1/8"	30	SHT	\$	\$	
71	Plexi, ¼"	61	SHT	\$	\$	
	FION 8 - Veneer Plywood and Cabi ' Sheets	net Grac	łe,			
72	1/4" Birch Veneer Plywood A/C	20	SHT	s No	\$ BID	
73	'4" Oak Veneer Plywood A/C	20	SHT	\$	\$	
74	1/4" Poplar Veneer Plywood A/C	25	SHT	\$	\$	
75	¼" Walnut Veneer Plywood A/C	25	SHT	\$	\$	
76	%", Cedar T-1-11, 8" Space					
	Between Tongue & Groove	115	SHT	\$	\$	
77	3/4" Birch Plywood, Cabinet Grade, Good Both Sides	25	SHT	\$	\$	
	•	45	UIII			
78	3/4" Oak Plywood, Cabinet Grade,			l	<b>1</b>	
78	Good Both Sides	25	SHT	\$ 1	<u> </u>	
SEC' #2 Pi Fran 79	• • • • • • • • • • • • • • • • • • •	Clear Pii	ıe,	\$ No	\$ B \D	
SEC #2 Pi Fran 79	Good Both Sides  FION 9 - 1 and 5/4" Nominal Size, 6  ne & Hardwood, and Western Red  ne Materials  '4" Western Red Cedar  Plywood, 4" x 8' Faced  3%" x 5" x 8'-16', Atlantic White	Clear Pii Cedar F 5	ne, face SHT	\$ No		
SEC #2 Pi Fran 79 80 /81	Good Both Sides  FION 9 - 1 and 5/4" Nominal Size, 6  ne & Hardwood, and Western Red  ne Materials  '4" Western Red Cedar  Plywood, 4" x 8' Faced  '8" x 5" x 8'-16', Atlantic White  Cedar Rough Sawn Siding  '4" x 8" x 16', Western Red	Clear Pir Cedar F 5 100	ne, face SHT LF	\$ No \$ No	\$ BID	3-5 days Af
SEC' #2 Pi Fran 79 80 /81 82 83	Good Both Sides  FION 9 - 1 and 5/4" Nominal Size, 6  ne & Hardwood, and Western Red  ne Materials  '4" Western Red Cedar  Plywood, 4" x 8' Faced  '%" x 5" x 8'-16', Atlantic White  Cedar Rough Sawn Siding  '4" x 8" x 16', Western Red  Cedar Board  1" x 6" x 8'-12', Clear White  Oak, No Knots  1" x 6" x 8'-12' Lengths Only,  Clear Birch, No Knots	Clear Pir Cedar F 5 100 96	sht LF	\$ NO \$ NO \$ 25.98	\$ BID \$ BID \$2,494.08	3-5 days AF
SEC #2 Pi Fran 79 80 /81	Good Both Sides  FION 9 - 1 and 5/4" Nominal Size, 6  ne & Hardwood, and Western Red ne Materials  '4" Western Red Cedar Plywood, 4" x 8' Faced  '%" x 5" x 8'-16', Atlantic White Cedar Rough Sawn Siding  '4" x 8" x 16', Western Red Cedar Board  1" x 6" x 8'-12', Clear White Oak, No Knots  1" x 6" x 8'-12' Lengths Only,	Clear Pir Cedar F 5 100 96 240	sht LF PC LF	\$ NO \$ NO \$ 25.98 \$ NO	\$ BID \$ BID \$2,494.08 \$ BID	3-5 days Af

Page 28 of 33

Item		Est.	Unit of	かりが マース・ステー マンス・コード かいしょう アンドラ マール		Delivery;
. #	Description	Qty.	Meas.	Unit Price	Total Price	A.R.O.
86	1" x 6" x 8'-16', Atlantic White			<b>.</b>		
	Cedar Rough Sawn	596	LF	\$ NO	\$ BID	<u> </u>
87	1" x 6" x 12' Lengths Only,					
	Clear White Pine, "C" Grade,					
,	No Knots	200	PC	\$ 17.59	\$3,518.00	5days Her 5days Her
√88	1" x 8" x 8'-12' Lengths Only,				•	•
	Clear Poplar, No Knots	96	LF	\$ 1.99	\$ 191.04	5 days HD
89	• •	70		<u> </u>	<u>* 1 11.0 1 _</u>	<u> </u>
0.7	1" x 8" x 8'-12' Lengths Only,	0.6		ф. Ib	e 72.70	
	Clear Red Oak, No Knots	96	LF	\$ NO	\$ BID	<del></del>
90	1" x 8" x 8' -16', Atlantic White					
	Cedar Rough Sawn	596	LF	\$ 10	\$ 310	·
91	1" x 8" x 12' Lengths Only,					
	Clear White Pine, "C" Grade,					
	No Knots	100	PC	\$ 16.88	\$ 1,688.00	5 days ARD
92	1" x 8" x 16' Lengths Only,				,	• •
	#2 Premium, White Pine	100	PC	\$ 11.79	\$1,179.00	5 days ARD
93	1" x 12" x 12'-16' Lengths Only,	100	10	Ψ. (1.11	\$ 1 <sub>1</sub> 1 7 7.00	= COM/ 3 /1K-
93	_ ,					
	Clear White Pine, "C" Grade,	201	177	¢ 2 00	\$ 1 <del>-</del> -22 1/	54 100
	No Knots	384	LF	\$ 3.99	\$ 1,532.16	sacys Aco
94	5/4" x 4" x 8'-16', Atlantic White	#0.c	* **	φ 1 <sub>-</sub>	0 - 0	
	Cedar Rough Sawn	596	L <b>F</b>	\$ No	\$ BID	
95	5/4" x 6" x 8'-12' Lengths Only,				_	
	Clear Birch, No Knots	96	LF	\$	\$ 1	
96	540 CI 01 101 CI TO 1 Co-1					<del></del>
70	5/4" x 6" x 8'-12', Clear Red Oak,	0.6	LE		\$	
	No Knots	96	LF	\$	\$	
97	5/4" x 8" x 8'-12', Clear Red Oak,					
	No Knots	96	LF	\$	\$	
98	5/4" x 6" x 8'-12', Clear White			Ì	Ļ	
	Oak, No Knots	96	LF	\$	<b>\$</b>	
99	5/4" x 6" x 8'-12' Lengths Only,					
7,7	Clear Walnut, No Knots	0.0	T 17:	•	\$	
	·	96	LF	\$	<del>Ф</del>	<del></del>
100	5/4" x 6" x 8'-12', Clear White	0.6		, \	•	
	Poplar, No Knots	96	LF	\$	<u> </u>	
101	5/4" x 6" x 12' Lengths Only,					
	Clear White Pine, "C" Grade,			0.1	* . 24	
	No Knots	50	PC	\$ 27.94	\$1,397.00	5days Alu
102	5/4" x 8" x 8'-12', Clear White				-	
,	Poplar, No Knots	96	$\mathbf{L}\mathbf{F}$	\$ NO	\$ B1D	
$\sqrt{103}$	•	, ,				<u> </u>
- 103	5/4" x 8" x 12' Lengths Only,	<b>50</b>	D.C	# to 40	6/00 -	مهد سدادس
	#2 Premium, White Pine	50	PC	\$ [3,79	\$ 689.50	5 days ARD
104	5/4" x 8" x 12' Lengths Only,					1
	Clear White Pine, "C" Grade,			0 0 4 CC	#1. <b>50</b> 01 = 6	1
	No Knots	50	PC	\$ 37.88	\$1,894.00	
					-	

, #%	N. M. M. M. M. M. M. M. M. M. M. M. M. M.	STORY CONTRACT OF THE STORY	N - 45.77 - 1 - 2 - 1 - 1			Page 29 of 33
Item	CENTRE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE	Est.	Unit of			Delivery.
#, 105	and the control of th	Qty.	Meas.	Unit Price	Total Price	A.R.Ö.
103	5/4" x 8" x 16', Clear White Pine, "C" Grade, No Knots	146	DC.	# 1100a	ф- <b></b> 1 <b>-</b>	
106	5/4" x 12" x 12'-16' Lengths	140	PC	\$ 48,89	\$7137.94	5 days Als
	Only, Clear White Pine,					
	"C" Grade, No Knots	240	LF	\$ 5.99	\$1,437.60	Edays ARD
107	2" x 10" x 8' Western Red Cedar	384	LF	\$ NO	\$	
SECT or Be	ΓΙΟΝ 10 - Dowels & Closet Pole, Hatter	ardwood	C			
108	1/4" x 31	5	EA	_\$_No	\$ BID	
109	<sup>3</sup> / <sub>8</sub> " x 3'	5	EA	\$	\$	
110	½" x 3'	10	EA	\$	\$	
111	34" x 3'	5	EA	\$	\$	<del> </del>
112	%" x 3'	10	EA		-	<del></del>
113	1" x 3'	15		\$	\$	<del></del>
114	1 3/8" x 3/8" x 8'		EA	\$	\$	<del></del>
115	1 3/8" x 12'	10	EA	\$	\$	
115	1 /8 X 12	10	EA	\$ 1	\$ 1	<u> </u>
ŞECT	TION 11 - Drywall & Gypsum Prod	ucts				
√ <b>J</b> 16	Greenboard, ½" x 4' x 8'	20	SHT	\$ 12.98	\$ 259.60	3days ARD
√117	Homasote Boards, ½" x 4' x 8',	1.5	OTTE			- 1
$\sqrt{118}$	No Backing Joint Compound/All Purpose,	15	SHT	\$ 20.99	\$ 314.85	3 days ARD
	61.7 lb. (28 kg), Ready Mix/Non-					
<b>1</b> 119	Asbestos, Green Lid USG	20	EA	\$ 15.49	\$ 309.80	3 days ARD
V 113	Joint Compound/Lightweight, All Purpose, 4.5 gal. (17.0 L),					•
	Ready Mix/Non-Asbestos,					
$\sqrt{120}$	Blue Lid USG Metal Corner Bead for	16	EA	\$15.49	\$247.84	3days Alo
120	Sheetrock, 8' Lengths	100	PC	\$ 1.19	\$ 119.00	3days Ald 3days Ald 3days Ald
121	Sheetrock, 3/8" x 4' x 8'	60	SHT	\$10.99	\$ 65940	3 days ARD
122	Sheetrock, ½" x 4'x 8',			419, 11		30045/1-
123	Fire Coated	70	SHT	\$ NO	\$ B1D	
/	Sheetrock, ½" x 4'x 12', Fire Coated	24	SHT	\$ NO	\$ 311)	
$\sqrt{124}$	Sheetrock, %"x 4'x 8',		5111		<u> </u>	
	Fire Coated	154	SHT	\$10.89	\$1,677.06	3 days ARD

Page 30 of 33

1.53.33.63.		Dankarustena	ivatelystykei		CONTRA MOSE Y AGEL W SA GENE <b>GINE</b>	Page 30 of 33
Item	医舍勒氏囊膜 医乳腺性腺素 医皮肤 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 经工程 医二氏性 经工程 医二氏性 经工程 医二氏性 化二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医	Est.	Unit of			Delivery,
√#* √125	Description Sheetrock, %" x 4'x 12',	Qty.	Meas.	Unit Price	Total Price	A.R.O.
	Fire Coated	24	SHT	\$ 15.99	\$ 383.76	3 days ARD
$\sqrt{126}$	Sheetrock Tape, 250' Roll	20	ROLL	\$ 1.99	\$ 39.80	
127	Tempered Hard Board, '4" x 4' x 8'	5	SHT	\$ 17.98	\$ 89,90	
128	Tempered Peg Board, ¼" x 4' x 8'	10	SHT	\$22.98	\$ 229.80	
No A	TION 12 - "CDX" Sheathing, Press rsenate Plywood, "MDO" Medium ' Sheets					
129	3/8" CDX-FIR	20	SHT	\$ NO.	\$ BID	<del></del>
130	½" CDX-FIR	250	SHT	\$20.98	\$5,245.00	3-5days
131	½" MDO (Medium Density Overlay), Two-Sided	100	SHT	\$ 49.98	\$4,998.00	
132	½" Wolmanized Plywood	30	SHT	\$ 31.98	\$ 959.40	
133	3/4" MDO (Medium Density Overlay), Two-Sided	100	SHT	\$ 66.89	\$6,689.00	
Joint than	•					
134 135	2" Astragal (Mullion Center), Clear White Pine Backhand Molding for Picture	16	LF	\$ Nb	\$ BID	
133	Frame, %" x 1 1/8"	16	LF	\$ NO	\$ 310	
$\sqrt{136}$	Base Cap, 1 %" Clear White Pine	96	LF	\$ 1.19	\$ 114.24	
√137	Chair Rail, 9/16" x 2 1/2"	96	LF	\$ 1.39	\$ 133.44	
138	Clam Shell Trim, 2 ¼" Clear White Pine	96	LF	\$ .99	\$ 95.04	
√139 140	Clam Shell Base, 3" Clear White Pine Colonial Casing, 2 ½" Clear	96	LF	\$ 1.69	\$ 162.24	
140	White Pine	96	LF	\$ 1.49	\$ 143.04	
141	Colonial Casing, 3 ½" Clear White Pine	96	LF	\$ 1.99	\$191.04	· · · · · · · · · · · · · · · · · · ·
142	Colonial Trim, 2 1/4" Clear White Pine	96	LF	\$ .99	\$ 95.04	
$\sqrt{143}$	Colonial Trim, 3" Clear White	96	יד ד		* !! * ?!!	
	Pine	90	LF	\$ 1.69	\$ 162.24	


Page 31 of 33

Item.	Description	Est. Oty.	Unit of Meas.	Unit Price	Total Price.	Delivery, A.R.O.
145	Cove, 1 5/8"	96	LF	\$ 1.49	\$ 143.04	5 days the
146	Crown Molding, 9/16"x 3 5/8"	96	LF	\$ 2.19	\$ 210.04	
147 148	Crown Molding, 11/16" x 4 3/8" Outside Corner, 3/4" x 3/4",	96	LF	\$ 2.99	\$ 287.04	
√149	Clam Type Outside Corner, 1"x 1",	96	LF	\$ .79	\$ 75.84	
150	Clam Type Door Stop, 3/8" x 1 3/8",	96	LF	\$ .79	\$ 75.84	
√151	Clam Type Door Stop, ½" x 1 ¾",	96	LF	\$ .69	\$ 66.24	
√152	Clam Type Door Stop, ½" x 1 5%",	96	LF	\$ .79	\$ 75.84	
√152 √153	Colonial Type	96	LF	\$ .79	\$ 75.84	
√ <sub>154</sub>	Picture Frame Molding, 11/16"x 3/8"	60	LF	\$ 2.09	\$ 125.40	
¥ 154	Picture Frame Molding, 11/16"x 2 1/16"	60	LF	\$ 1.99	\$ 119.40	
155	Quarter Round, 3/4" x 3/4"	96	LF	\$ .59	\$ 56.64	
156	Sanitary Casing, 2 ½" Clear White Pine	96	LF	\$ 1.99	\$ 191.04	
157	Sanitary Casing, 3 ½" Clear White Pine	96	LF	\$ 2.69	\$ 258.24	
158	Screen Molding, ¼" x ¾"	96	LF	\$ 79	\$ 79.84	
√159	Shoe Molding	96	LF	\$ .49	\$ 47.04	
SECT	ION 14 - Metal Studs and Track,	18 Gauge	;			
160	Studs, 2 ½"D x 12'	48	PC	\$ 10.44	\$ 501.12	3-5 days
161	Studs, 3 1/4"D x 8"	48	PC	\$ 9.00	\$ 320.00	
162	Studs, 3 %"D x 10'	48	PC	\$ 9.80	\$ 470.40	
163	Studs, 3 1/2" D x 12"	48	PC	\$ 11.88	\$ 570.24	
164	Track, 2 1/2" x 10' Lengths	48	PC	\$ 6.60	\$ 316.80	
165	Track, 3 1/2" x 10' Lengths	48	PC	\$ 8.20	\$ 393.60	
SECT	ION 15 - Miscellaneous					
166	15 lb. Felt Paper	30	ROLL	\$ 17.99	\$ 539.70	3-5 day 5
167	Cork Board, ½" x 3' x 4'	20	PC	\$ NO	\$ B(D)	
168	Cork Board ½" x 4' x 8'	70	PC	\$ 20	\$ 310	

Page 32 of 33

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O.
√169	Clear Plastic, 20 ft. x 100 ft.,	) F( <b>~</b> ( <b>D</b> in ), (	TO THE SECOND SECOND	(೧೯೬೨: ಕಾರ್ಡ್ ಸರ್ವಾಗಿ ಭಾರತಚಿತ್ರಗಳು, ಕನ್ನಲ್ಲಿಯಿ, ನಿ	SA SANTA TALITAR AND TAR TARRAN	District and the Company of the State of the
	4 mil	42	ROLL	\$ 45.98	\$ 1,931.16	5 days All
170	2" x 4" x 48", 14 ga. Galvanized Fence Wire, 50 ft. roll	8	ROLL	\$ 59.98	\$ 419.84	5 days All
171	Nails, 5 # Bright Common - 8d	24	BX	\$ 34.95	\$ 837.80	
172 173	Nails, 5 # Bright Common - 10d Screws, 5# Boxes -	24	BX	\$ 34.95	\$ 838.80	
$\sqrt{174}$	2 ½" Premium Deck Screws Red Cedar Shingles, Butted & Sanded,	15	BX	\$ 20.99	\$ 314.85	
√ <sub>175</sub>	18"Perfections, ¼ Sq. Bundle Red Cedar Shingles, Butted & Sanded,	12	BDL	<u>\$79.99</u>	\$ 959.88	3 days Hu
176	24" Royals, ¼ Sq. Bundle Undercourse Shingles,	12	BDL	\$ 89.99	\$1079.88	
	½ Sq. Bundle	36	BDL	\$ 7.99	\$ 287.64	1
<b>177</b>	Dimensional Roof Shingles, Timberline GAF, 30 Year			•		
$\sqrt{178}$	Warranty, Assorted Colors Timberline Cap Shingles, "Forty Year", 20 ft. per Bundle,	64	SQ	\$ 99.78	\$6,392.32	5 days fer
,	Color: Cedar	74	BDL	\$59.99 ea	\$ 4,439.26	5 days HD
$\sqrt{179}$ $\sqrt{180}$	90 lb. Roll Roofing Metal Roof Edge, 2" x 2"	5	EA		\$ 209.90	3 days AR
$\sqrt{181}$	(Approx.), 10' Lengths Flashing, .13 Aluminum,	40	EA	\$ 4.99	\$ 199.60	
	12" x 50' Roll	20	ROLL	\$ 21.98	\$ 439.60	
182 183	Termite Shield, 6"x 50' Ice and Water Protector Shield,	10	EA	\$ 6.99	\$ 69.90	
103	3'W x 65-75' Length Rolls, 55 mil Thick, Self Adhesive, Self					
$\sqrt{184}$	Sealing Around Roof and Nails 3 ½" x 15" x 32", R-13	20	ROLL	\$ 50.98	\$1,019.60	3-5days HP
105	Insulation, Encapsulated/Comfort Therm, 40 sq. ft. roll	24	ROLL	\$16.89	\$ 405.36	
185	3 ½" x 15" x 94", R-13 Insulation, Craft Face/Wood		<b>50.</b>	**!. <b>*</b>	n	
186	Framing, 88.12 sq. ft. roll 3 ½" x 15" x 94", R-11	34	ROLL	\$41.98	\$1,427.32	
√ <sub>187</sub>	Insulation, Unfaced/Wood Framing, 88.12 sq. ft. roll 3 %" x 16" x 96", R-11	24	ROLL	\$40.98	\$983.52	5 days ALD
	Insulation, Unfaced/Metal					
	Framing, Thermal Shield and Sound Shield, 170.66 sq. ft. roll	12	ROLL	\$40.98	\$ 491.76	5 days ARD

	Page 33 of 33					
Ìtem ∡#	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Delivery, A.R.O
√188	6 ¼" x 15" x 94", R-19 Insulation Unfaced, 48.96 sq. ft. roll	18	ROLL	\$ 19.99	\$359.82	7-10 days AR
SECT	TION 16 - 48"x 96" Laminates and	Accesson	ries			
189	Almond, 030-60 Wilsonart	3	SHT	\$ NO	\$ 731D	
190	Black, 1595-60 Wilsonart	3	SHT	\$	\$	<u> </u>
191	Figured Mahogany, 7040A-60 Wilsonart	3	SHT	\$	\$	
192	Golden Oak, 7888-60 Wilsonart	3	SHT	\$	\$	<u> </u>
193	Gray, 1500-60 Wilsonart	3	SHT	\$	\$	
194 195	Grey Nebula, 4622-60 Wilsonart Gunstock Walnut,	3	SHT	\$	\$	<del></del>
193	W313A-60 Wilsonart	3	SHT	\$	\$	
196 197	Hunter Green, D79-60 Wilsonart Hunter Nebula,	3	SHT	\$	\$	
157	4627-60 Wilsonart	3	SHT	\$	\$	
198	Windsor Mahogany, 7039-60 Wilsonart	3	SHT	\$	\$	<del></del>
199	Contact Cement, Dap-Weldwood, Original 1 gal. (Red) Can	6	CAN	\$	\$	
200	Contact Cement, Dap-Weldwood, Poly Acrylic, 1 gal (Blue) Can	6	CAN	\$	\$	
201	Formica Brand Products, Non-flammable Contact Adhesive Solvent, 5 gal. can	6	CAN	\$	\$	
202	Seam Filler to Match Laminate Color, 4 oz. tube	6	TUBE	\$	<u> </u>	



### RESOLUTION

September 16, 2015

WHEREAS, on July 21, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of UNPAINTED SNOW FENCE AND DUNE GRASS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following

bidders:

Name and Address of Bidder

Church's Garden Center & Farms, Inc. 522 Seashore Road Cape May, NJ 08204 (609) 884-3927 x 2

Barbato Nursery Corp. Inc. 1600 Railroad Ave. Holbrook, NY 11741 (631) 285-6767

Taylor Fence Co., Inc. PO Box 126 Red Bank, NJ 07701 (732) 938-4355 Name and Address of Bidder

Accent Fence, Inc. 1450 Bremen Ave., PO Box 656 Egg Harbor, NJ 08215 (609) 965-6400

Madison Township Lumber & Supply Co.,

284 Rt. 34 & Edgar Road, PO Box 376 Matawan, NJ 07747 (732) 566-5555

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, CHURCH'S GARDEN CENTER & FARMS, INC. and ACCENT FENCE, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Unpainted Snow Fence and Dune Grass for the County of Ocean, for the contract period effective from date of award through September 15, 2016, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:
- A. <u>CHURCH'S GARDEN CENTER & FARMS, INC.</u> for one (1) item, to wit: ITEM NO. 2.
  - B. ACCENT FENCE, INC. for one (1) item, to wit:

### <u>ITEM NO.</u> 1.

- 2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-101.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Parks Department, Planning Board and the successful bidders.

Proposal for the furnishing and delivery of UNPAINTED SNOW FENCE AND DUNE GRASS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( )-YES ( )-NO

### PRICE SCHEDULE

Item #	<b>Description</b>	Est. Qty.	Unit of Meas.	Unit . Price	Total Price
1	Unpainted Snow Fence				
	1 ½" W x ¾" T x 48" Long (50' Roll)	2,000	ROLL	\$	\$
/	DELIVERY, A.R.O.				
$\sqrt{2}$	Dune Grass - American Beachgrass (to be purchased in increments of 1,000) As Specified	350	THOUSAND	\$110.00	\$ 38500.00
	DELIVERY, A.R.O.	<u> </u>			

# QUANTITIES ARE FOR BID PURPOSES ONLY

THE COUNTY DOES NOT GUARANTEE QUANTITIES STATED HEREIN

Proposal for the furnishing and delivery of UNPAINTED SNOW FENCE AND DUNE GRASS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.


( ) - YES ( X) - NO

### PRICE SCHEDULE

Item #	Decemention	Est. Qty.	Unit of Meas.	Unit Price	Total Price
\sqrt{1} #	Description Unpainted Snow Fence 1 ½" W x 3/8" T x 48" Long	Qty.	Wieas.	Tike	TotalTite
	(50' Roll)	2,000	ROLL	\$ 31.82	\$ 63,640.00
	DELIVERY, A.R.O. 1st Delivery - then one delivery				
2	Dune Grass - American Beachgrass (to be purchased in increments of 1,000) As Specified	350	THOUSAND	\$ No bid	\$
	DELIVERY, A.R.O.			- B NO DIG	- ψ

### QUANTITIES ARE FOR BID PURPOSES ONLY

THE COUNTY DOES NOT GUARANTEE QUANTITIES STATED HEREIN



### RESOLUTION

September 16, 2015

WHEREAS, on July 21, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of UNIFORMS FOR VARIOUS DEPARTMENTS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Bob's Uniform Shop, Inc. PO Box 578 Middletown, NJ 07748 (732) 530-1212

Action Uniform Co., LLC. 3164 Fire Road Egg Harbor Twp., NJ 08234 (609) 573-5462 Name and Address of Bidder

Red The Uniform Tailor 475 Oberlin Avenue S Lakewood, NJ 08701 (800) 272-7337

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, in each instance, be accepted, namely that of, BOB'S UNIFORM SHOP, INC. and RED THE UNIFORM TAILOR. Recommendation is made to reject items 35a, 35b, 35c, 36a, 36b, 36c, 37a, 37b, 37c, 38, 39a, 39b, 39c, 39d, 40a, 40b, 40c, 40d, 41, 42, 43, 44a, 44b, 44c, 45a, 45b, 45c, 46, 47, 48, 49, 50, 51, 52, 53, 54a, 54b, 55, 56a, 56b, 56c, 56d, 56e, 56f, 56g, 56h, 57a, 57b, 57c, 58, 59a, 59b, 60, 61a, 61b, 61c, 62a, 62b, 63a, 63b, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119 and 120.

Section III (items 35a-48), Section IV (items 49-82) and Section VI (items 103-120) are rejected as vendors were unresponsive. They will be rebid. Section VII (item # 121) will be rebid to obtain additional vendors.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids, for the furnishing and delivery of Uniforms For Various Departments for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year, or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:
- A. <u>BOB'S UNIFORM SHOP, INC.</u> for thirty four (34) items, to wit: <u>ITEMS NO.</u> 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24a, 24b, 25, 26, 27, 28, 29, 30, 31, 32 and 121.

For a Section I (items 1-32) Total Lump Sum of \$32,413.55

B. <u>RED THE UNIFORM TAILOR</u> for twenty six (26) items, to wit: <u>ITEMS NO.</u> 33, 34, 83, 84, 85a, 85b, 86, 87, 88, 89, 90a, 90b, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102a, 102b and 121.

For a Section II (items 33 - 34) Total Lump Sum of \$825.00. For a Section V (items 83 - 102b) Total Lump Sum of \$10,968.50.

- 2. The acceptance made in Paragraph 1., A and B, is made with the understanding that the successful bidders will enter into a written contract for the faithful performance of their bid.
- 3. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-100.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Clerk of the Board's Office, Consumer Affairs, Prosecutor's Office, Security Department, Sheriff's Office, and the successful bidders.

### Proposal for the furnishing and delivery of UNIFORMS FOR VARIOUS DEPARTMENTS for the County of Ocean.

To the Board of Chosen Freeholders of the County of Ocean.

### Gentlemen:

The undersigned hereby declare\_that he ha\_carefully examined the advertisements and specifications for the UNIFORMS FOR VARIOUS DEPARTMENTS and that they will complete the said contract in all respects according to the specifications.

### PRICE SCHEDULE

CX200000XXXX1300XXXXXI	Description ION 1 - SECURITY DEPARTMENT	:Mañufacturer	Est. Style Qty.	Unit of Meas,	Unit Price	Total Price
$\int_{1}$	Trousers, Men and Women, As Specified, or Equal	ELBECO	<u> 8907</u> 150	EA	\$ 46.45	s 6967.50
$\sqrt{2}$	Belt, As Specified, or Equal	DUTYMAN	1611U 60	EA	\$ 15.75	\$ 945.00
<b>√</b> 3	Long Sleeve Shirt, Men, (NO EXCEPTIONS)	ELBELU	319-3 TT 60	ĔΑ	\$ 49.69	\$ 2981.40
<b>4</b>	Short Sleeve Shirt, Men, (NO EXCEPTIONS)	ELBELU	<u>3319-37</u> 60	ĒΑ	\$ 47.00	\$2820.00
√5 <sub>.</sub>	Long Sleeve Shirt, Women, (NO EXCEPTIONS)	ELBECU	9319-37 10	EA	\$49.69	\$ 496.90
4	Short Sleeve Shirt, Women, (NO EXCEPTIONS)	ELBECO	9819-3 TT 10	EA	\$ 47.00	\$ 470.00
17	Supervisor Long Sleeve Shirt, Men, (NO EXCEPTIONS)	ELBECU	<u>314:3</u> 10	EA	\$ 38.50	\$ 385.00
√8 /	Supervisor Short Sleeve Shirt, Men, (NO EXCEPTIONS)	ELBECO	<u> 33,43</u> 10	EA	\$3600	\$ 360.00
√9 /	Supervisor Long Sleeve Shirt, Women, (NO EXCEPTIONS)	ELBECO	9314-3 2	EA	\$3850	\$ 77.00
√10	Supervisor Short Sleeve Shirt, Women, (NO EXCEPTIONS)	ELBECO.	9814.3 2	EA	\$36.00	\$ 72.00

74.2-73 T4.2-73				Est.	Unit of		
Item #	Description	Manufacturer	Style	Qty.	#2580xxxx59008	Unit Price	Total Price
$\sqrt{11}$	Tie, As Specified, or Equal	S BROOME	455	40	EA	\$ 3.5°	\$ 140.00
$\sqrt{12}$	Raincoat, As Specified, or Equal	PETRO	LRC-48-13	30	EA	\$5000	\$ 1500.00
$\sqrt{13}$	Nylon Windbreaker, As Specified, or Equal	LIBELTY	360MNV	50	ĒΑ	\$ 2250	\$ /125.00
√14	Sweater, Men and Women, As Specified, or Equal	SAI	5944	30	ĚΑ	\$ 57.00	\$ 1530.00
√15	Sports Fleece Jacket, As Specified, or Equal	Blue GENERATION	9950	5	EA	\$ 35.00	\$ 190.00
<b>1</b> 6	Security Parka, As Specified, or Equal	LIBERTY	57-8MNV	15	EA	\$ 49.50	\$ 742.50
V17	Three Season Jacket, As Specified, or Equal	ALPHA	D 700	60	EA	\$ 36.50	\$2190.00
√18	Mocean Bike Shorts, As Specified, or Equal	MOCEAN	1020	20	EA	\$ 41.50	\$ 83000
<b>√1</b> 9	Mocean Bike Pants, As Specified, or Equal	MOCEAN	2054	20	EΑ	\$57.00	\$ 1140.00
<b>1</b> 20	Pants, BDU, (NO EXCEPTIONS)	5:11	74251	10	EA	\$46.00	\$ 460.00
√21	Golf Shirt, Short Sleeve, As Specified, or Equal	Ba Authority	CS410	25	EA	\$ 35.75	\$ 893.75
√ <u>2</u> 2	Golf Shirt, Long Sleeve, As Specified, or Equal	PORT Authority	CS410LS	25	EA	\$ 38.75	\$ 968.75
√23	Collar Ornament, As Specified, or Equal	SMITH & WARLEN	M1502	12	EA	\$ 14 25	\$ 171.00
√24a	Tie Bar with State Seal - Gold Finish, As Specified, or Equal	<i>-</i> 1 . 3				سروين	s 142 50
$\sqrt{24b}$	Tie Bar with State Seal - Nickel Finish,	CAMPA BHTINZ	CSIOL	10	EA	\$ 14.25	\$ 142 30
¥ 240		SMITH & WALLEY	CSIOL	10	EA	\$ 12.00	\$ 120 00
<b>1</b> 25	Nameplate, As Specified, or Equal	REEUES	0806	10	EA	\$ 9.75	\$ 97.50
126	Baseball Cap, As Specified, or Equal	CAPCU	51105	60	EA	\$ 11.25	\$ 675.00
<b>1</b> 27	Ball Cap, As Specified, or Equal	CAPCO	20005	50	EA	\$ 12.75	\$ 637.50
<b>√28</b>	Safety Vest, As Specified, or Equal	CASUSE DUL	50121P	15	EA	\$ 14.75	\$ 221.25
$\checkmark_{29}$	Shoulder Patch, (NO EXCEPTIONS)	HERO PRIDE	X107667A	300	EA	\$1.65	\$ 495.00
√30	Watch Cap, As Specified, Or Equal	HERO PRIDE	6885	70	EA	\$ 7.25	\$ 507.50
<b>3</b> 1	Turtleneck, Long Sleeve, As Specified, or Equal	ELBECO	7700	65	ÊΑ	\$ 22.50	\$ 1462.50

					Unit		rage of di 70
	Description	Manufacturer	Style	Est. Otv.	of Meas.	Unit Price	Total Price
$\sqrt{32}$	Duty Gloves, As Specified, or Equal	HATCH	<u>ક્અડડક્ર</u> ુ	20	PR	\$29.95	\$ 599.00
		SEC	TION I - TOTAL L	UMP S	UM (11	EM #'S 1-32)	\$32413.5
SEC	TION II - CLERK OF THE BOARD (MAIL SE	RVICES)					
33	Short Sleeve Polo Shirt, Women, As Specified, or Equal			25	ĮΕΑ	s 2 0	\$
34	Short Sleeve Polo Shirt, Men, As Specified, or Equal			19X	$/Q_{\!\scriptscriptstyle A}$	PI	\$
		SECTI	ON II - TOTAL LU	IMP SU	лм (тті	EM #'S 33-34)	\$
SEC'	TION III - CONSUMER AFFAIRS DEPARTM	ENT					
35a	Jacket, As Specified, or Equal			5	EA	\$	\$
35b	Jacket, As Specified, or Equal		_	5	EA	\$	\$
35c	Jacket, As Specified, or Equal		_	1	EA	\$	\$
36a	Fleece Lined Jacket, (NO EXCEPTIONS)			8	EA	\$	\$
36b	Fleece Lined Jacket, (NO EXCEPTIONS)		<del>-</del>	6		\$1)	\$
36c	Fleece Lined Jacket, (NO EXCEPTIONS)			1	EK	) _6	\$
37a	Polo Shirt, Men, Short Sleeve, (NO EXCEPTIONS)		$\Delta C$	) 4	EA	\$	\$
37b	Polo Shirt, Men, Short Sleeve,						
24.	(NO EXCEPTIONS)			12	EA	\$	\$
37c	Polo Shirt, Men, Short Sleeve, (NO EXCEPTIONS)			3	EA	\$	\$
38	Polo Shirt, Women, Short Sleeve,			1			
	(NO EXCEPTIONS)		<u>.</u>	3	EA	_\$	\$

### BOB'S UNIFORM SHOP, INC.

<b>Item</b> # 120	Description TDU Belt, (NO EXCEPTIONS)	Manufacturer Style  NO BID  SECTION VI - TOTAL LUM	Unit Est of Qiy, Mens. 18 EA P SUM (ITEM	Unit Price	Page 70 of 7 Total Pr	
SECT √121	TION VII - DISCOUNT RATE FOR ITEMS No Discount Percentage (%) for Uniforms, As Specified	OT LISTED HEREIN	%		20	% <u></u>

ن « «	3/c	37	3/8 3/8	36c	36b	36a	35c	35b	35a	SECT		,	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	SEC		32	Trem
Polo Shirt, Women, Short Sleeve, (NO EXCEPTIONS)	(NO EXCEPTIONS)	(NO EXCEPTIONS)	Polo Shirt, Men, Short Sleeve, (NO EXCEPTIONS)  Polo Shirt, Mar Short Sleeve,	Fleece Lined Jacket, (NO EXCEPTIONS)	Fleece Lined Jacket, (NO EXCEPTIONS)	Fleece Lined Jacket, (NO EXCEPTIONS)	Jacket, As Specified, or Equal	Jacket, As Specified, or Equal	Jacket, As Specified, or Equal	SECTION III - CONSUMER AFFAIRS DEPARTMENT		As Specified, or Equal	Short Sleeve Polo Shirt, Women, As Specified, or Equal Short Sleeve Polo Shirt Men	SECTION II - CLERK OF THE BOARD (MAIL SERVICES)		Duty Gloves, As Specified, or Equal	Item # Description
Tru-Spec	Tru-Spec	Tru-Spec	Tru-Spec	Dickies	Dickies	Dickies	511	511	511	ENT	SECTION	Port Authority	Port Authority	RVICES)	SECT	HWI	Manufacturer
4375	4336	4336	4336	33237	33237	33237	48038	48038	48038		SECTION II - TOTAL L	K420P	K420/L420		SECTION 1 - TOTAL	ND100L	Style
ယ	ပ	_ 12	4	l <b>→</b>	6	Ç.	_	y.	5		TAL LUMP SUM (ITEM #'S 33-34)	_ 10	_ 25		OTAL LUMP SUM (ITEM #'S 1-32)	_ 20	ESE**
EA	EA	ΕA	ΕA	ΕA	ΕA	ΕA	ΕA	ΕA	EA		HLI) W	EA	EA		LI) WO	PR	Juni Juni Juni
<del>50</del>	<del>⇔</del>	€⁄3	€5	€9	69	€∕3	<del>65</del>	<del>65</del>	<del>6</del>		S,# Wī	69	<del>6/3</del>		'# ME	<del>60</del>	
36.50	36.50	36.50	36.50	36.00	36.00	36.00	102.50	102.50	102.50		33-34)	25.00	23.00		S 1-32)	28.00	Unit Price
<del>60</del>	<del>6/9</del>	<del>69</del>	€A	69	<del>59</del>	<del>6/3</del>	<del>6/1</del>	69	<del>6</del>		<del>\$</del>	<del>66</del>	<del>6/3</del>		<del>€/3</del>	<del>\$</del>	Page (
109.50	109.50	438,00	146.00	36.00	216.00	288.00	102.50	512.50	512.50		830.00	255.00	575.00		40,153.30	560.00	Page 63 of 70 Total Price

	82	. 2	80	7	7	77	7	75	7	7	7	7	7	σ.	
				79	78	7	76	Ŋ	74	73	72	7	70	69	Item #
	Socks, As Specified, or Equal	Socks, As specified, or Equal	Socks, As specified, or Equal	Boots, Women, As Specified, or Equal	Logger Boots, (NO EXCEPTIONS)	Tactical Boots, As specified, or Equal	Boots, Men and Women, As Specified, or Equal	Desert Boots, (NO EXCEPTIONS)	Pull-On Boots, (NO EXCEPTIONS)	Boots, Male and Female, (NO EXCEPTIONS)	Shoes, Female, (NO EXCEPTIONS)	Shoes, Male, (NO EXCEPTIONS)	Cap, As Specified, or Equal	Ball Cap, As Specified, or Equal	Description ( )
SECTION IV - T	Wigwam	511	Wigwam	Hi-Tec	no bid	Under Armor	Rocky	discontinued	no bid	Rocky	no bid	no bid	Rothco	Pacific Headwear	Manufacturer
IV - TOTAL LUMP SUM (ITEM #'S 49-82)	F1180	10011	S8010	2001/2002	no bid	1224003	2167	discontinued	no bid	2090	no bid	no bid	8492	121C	Style
MP SI	36	24	18	12	6	12	6	6	6	6	6	6	12	12	Dar.
м (те	PR	PACK	PACK	PR	PR	PR	PR	PR	PR .	PR	PR	PR	ΕA	ΕA	Ohit of Meas.
M #'S	<del>60</del>	<del>69</del>	₩	<del>56</del>	₩	€9	<del>\</del>	\$	<del>69</del>	<del>69</del>	<del>60</del>	<del>5/3</del>	₩	€9	
49-82)	7.50	15.75	12.50	106.00	no bid	94.00	81.50	no bid	no bid	124.50	no bid	no bid	6.50	13.00	Price
<del>⇔</del>	<del>⇔</del>	€9	<del>60</del>	<del>69</del>	<del>(s)</del>	€9	€9	69	€⁄9	₩.	<del>69</del>	₩	69	<del>⇔</del>	Page I
36,414.70	270.00	378.00	225.00	1,272.00	no bid	1,128.00	489.00	no bid	no bid	747.00	no bid	no bid	78.00	156.00	Page 67 of 70 Total Price

# SECTION V - PROSECUTOR'S OFFICE - SPECIAL OPERATIONS GROUP AND FIREARMS UNIT

√86	√85b	√85a	×84	\\ \\ \\ 83
Polo Shirt, Long Sleeve, As Specified, or Equal	T-Shirt, Long Sleeve, As Specified, or Equal	T-Shirt, Long Sleeve, As Specified, or Equal	T-Shirt, Short Sleeve, As Specified, or Equal	Response Jacket, As Specified, or Equal
511	Hanes	Hanes	Hanes	511
42056	5586	5586	5250	48016
12	24	12	. 24	12
EA	ΕA	EA	ΕA	ΕA
65	<del>\$</del>	69	89	↔
53.00	36,50	25.50	36.50	59.00
<del>69</del>	\$	S	ક્ક	<del>59</del>
636,00	876.00	306.00	876.00	708.00

102a	3 3 3 8	6,6,6	5/50 <sub>0</sub>	11:em. ##
Watch Cap, As Specified, or Equal Knit Cap, As Specified, or Equal Skull Cap, As Specified, or Equal Patch, 2", (NO EXCEPTIONS)  Patch, 3", (NO EXCEPTIONS)	Baseball Cap, As Specified, or Equal Ball Cap, As Specified, or Equal Fleece Cap, As Specified, or Equal	Neoprene Shooting Gloves, As Specified, or Equal Neoprene Duty Gloves, As Specified, or Equal Balaclava, As Specified, or Equal Fleece Pullover, As Specified, or Equal	Crewneck Sweatshirt, As Specified, or Equal Windbreaker, As Specified, or Equal Windbreaker, As Specified, or Equal Search Gloves, Leather, As Specified or Equal	Description Polo Shirt, Short Sleeve, As Specified or Equal Pullover Sweatshirt, Hooded, As Specified, or Equal
Pacific Headwear  Yupoong  Cobrnex  RTUT	Flex-Fit Port Authority Port Authority	HWI GFP Rothco	Red Kap Red Kap Hatch	Vianufacturer Blauer Hanes
621K Y1500 1110 custom	6277 C8333 C918	ND100 2101-T 5510	F260 JN10BK JN10BK SGK-100	Style - 8139
50 6 50 100	24 18 12	20 6 18	12 18 12	Est. Oty. 24
EA EA EA	EA EA	PR PR EA	EA EA EA PR	Unification of the EA
60 60 60 60 60	60 60 60 60 60 60 60 60 60 60 60 60 60 6	A 64 64 64	60 60 60 60	S S T
9.00 10.75 13.00 3.50 2.25	11.50 16.00 17.25	14.50 19.50 7.00	32.00 60.00 90.00	Price 38.25
& & & & &	€ € € € €	e e e e	w w w	Page 68 of 70  Total Prii  \$ 918  \$ 972
108.00 537.50 78.00 175.00 225.00	276.00 288.00 207.00	290.00 117.00 126.00	384.00 1,080.00 720.00 585.00	8 of 70  Al Price  918.00  972.00


SECTION V - TOTAL LUMP SUM (ITEM #'S 83-102b)

10,968.50

Discount Percentage (%) for Uniforms, As Specified

discount from M.A.P.

%



### RESOLUTION

September 16, 2015

WHEREAS, on August 4, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following

### bidders:

Name and Address of Bidder

Ennis Paint, Inc. 115 Todd Court Thomasville, NC 27360 (336) 308-3769

Garden State Highway Products, Inc. 1740 E. Oak Road Vineland, NJ 08361 (856) 692-7572

The Sherwin-Williams Company 101 Prospect Ave., NW, 720 GH Cleveland, OH 44115 (800) 597-2929 Name and Address of Bidder

Potters Industries, LLC 300 Lindenwood Drive Malvern, PA 19355 (610) 651-4714

Ozark Materials, LLC 591 Glendale Avenue Greenville, AL 36037 (334) 371-2309

Swarco Industries, LLC 270 Rutherford Lane Columbia, TN 38401 (931) 388-5900

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, ENNIS PAINT, INC; POTTERS INDUSTRIES, LLC; GARDEN STATE HIGHWAY PRODUCTS, INC; OZARK MATERIALS, LLC; and THE SHERWIN-WILLIAMS COMPANY.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the Furnishing and Delivery of Traffic Marking Supplies and Glass Beads for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year or until delivery is complete for any orders submitted prior to the expiration date.

A. ENNIS PAINT, INC. for five (5) items, to wit:

ITEMS NO. 8, 12, 13, 14 and 15.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. <u>POTTERS INDUSTRIES, LLC</u> for one (1) item, to wit:

ITEM NO. 7.

C. GARDEN STATE HIGHWAY PRODUCTS, INC. for four (4) items, to wit: ITEMS NO. 10, 11, 16 and 17.

D. OZARK MATERIALS, LLC for three (3) items, to wit:

ITEMS NO. 1, 5 and 6.

This vendor has extended this contract to County Cooperative Contract System Participants.

E. <u>THE SHERWIN-WILLIAMS COMPANY</u> for four (4) items, to wit: <u>ITEMS NO.</u> 2, 3, 4 and 9.

This vendor has extended this contract to Cooperative Contract System Participants.

- 2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-108.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Engineer, and the successful bidders.

Proposal for the furnishing and delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. (▼) - YES ( ) - NO

### Gentlemen:

The undersigned hereby declare\_that \_he\_ha\_ carefully examined the Notice to Bidders, Specifications and Instructions for the Furnishing and Delivery of **TRAFFIC MARKING SUPPLIES AND GLASS BEADS**, for the County of Ocean, listed above and that, if awarded the contract, \_the\_ will further agree to furnish any additional units, should the Board of Freeholders determine the need for additional units, at the unit prices bid for the contract period of one (1) year.

### PRICE SCHEDULE

Item #	Description	Est.	Unit of	IIia Di.	Madal Mada
# [	<b>Description</b> Jet Dry Water Base White	Qty.	Meas.	Unit Price	Total Price
	Traffic Marking Compound, 5 Gallon Can, Fast Dry	70	CAN	<b>\$</b> 50.00	Φ 2 <b>5</b> 00 00
	J Gatton Cart, Past Dry	70	CAN	<u> </u>	\$ 3,500.00
2	Jet Dry Water Base Yellow				
	Traffic Marking Compound, 5 Gallon Can, Fast Dry	50	CAN	\$ 52.50	\$ 2,625.00
	s sanon can, race s.,	50	CAN	<u> </u>	\$ 2,020.00
3	Jet Dry Water Base White				
	Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	TOTE	\$ 2,125.00	\$ 21,250.00
	250 Ganon 10te, 1 ast 21,	10	TOIL	<u> </u>	<b>3</b> 21,230.00
4	Jet Dry Water Base Yellow				
	Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	TOTE	£ 2 2 5 0 0 0	<b>\$ 22,500.00</b>
	230 Ganon Tote, Last Dry	10	TOIL	\$ 2,250.00	\$ 22,500.00
5	White Granulated Thermoplastic				
	Striping Material, Per Pound	100,000	LB	\$ 0.60	\$ 60,000.00
6	Yellow Granulated Thermoplastic				
	Striping Material, Per Pound	2,000	LB	\$ 0.5875	\$ 1,175.00
_			v		A (( 000 00
7	Glass Beads, Per Pound	200,000	LB	\$ 0.33	\$ 66,000.00
/8	Jet Dry Water Base Blue Traffic Paint				
	Traffic Marking Compound,	1.5	CAN	ф <b>г</b> э го	Φ 303.50
	5 Gallon Can, Fast Dry	15	CAN	\$ 52.50	\$ 787.50

<b>Item</b> # 9	Description Jet Dry Water Base Black Traffic Paint Traffic Marking Companyed	Est. Qty.	Unit of Meas.	Unit Price	Total Price
	Traffic Marking Compound, 5 Gallon Can, Fast Dry	20	CAN	\$ 50.00	\$ 1,000.00
10	TOM Yellow Reflectors 4" Y-2 WZ, 500 Per Box	22	вх	\$ no bid	\$ no bid
11	TOM White Reflectors 4" W-1 WZ, 500 Per Box	10	BX	\$ no bid	\$ no bid
$\sqrt{12}$	Waterborne Acrylic Polymer Paint, Yellow, 250 Gallon Tote	50	TOTE	\$ 2,425.00	\$ 121,250.00
$\sqrt{_{13}}$	Waterborne Acrylic Polymer Paint, White, 250 Gallon Tote	50	TOTE	\$ 2,500.00	\$ 125,000.00
$\sqrt{14}$	Waterborne Acrylic Polymer Paint, Yellow, 5 Gallon Pail	20	PAIL	\$ 52.50	\$ 1,050.00
√15	Waterborne Acrylic Polymer Paint, White, 5 Gallon Pail	10	PAIL	\$ 52.50	\$ 525.00
16	Microcrystalline Ceramic Beads, Clear, 525 lb. Drum Elements	100	DRUM	\$ no bid	\$ no bid
17	Microcrystalline Ceramic Beads, Tinted Yellow, 525 lb. Drum Elements	100	DRUM	\$ no bid	\$ no bid

Proposal for the furnishing and delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( ) - YES

(X) - NO

### Gentlemen:

The undersigned hereby declare that she has carefully examined the Notice to Bidders, Specifications and Instructions for the Furnishing and Delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS, for the County of Ocean, listed above and that, if awarded the contract, they will further agree to furnish any additional units, should the Board of Freeholders determine the need for additional units, at the unit prices bid for the contract period of one (1) year.

### PRICE SCHEDULE

Item #	<b>Description</b> Jet Dry Water Base White	Est. Qty.	Unit of Meas.	Unit Price Total Price
1	Traffic Marking Compound, 5 Gallon Can, Fast Dry	70	CAN	NO Bir s
2	Jet Dry Water Base Yellow Traffic Marking Compound, 5 Gallon Can, Fast Dry	50	CAN	* NO BIL*
3	Jet Dry Water Base White Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	тоте	sNO BIDs
4	Jet Dry Water Base Yellow Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	ТОТЕ	s NO BIDs
5	White Granulated Thermoplastic Striping Material, Per Pound	100,000	LB	s NO BIDs
6	Yellow Granulated Thermoplastic Striping Material, Per Pound	2,000	LB	sNO BIDs
$_{7}$	Glass Beads, Per Pound	200,000	LB	\$0.2989 \$59,780.00
8	Jet Dry Water Base Blue Traffic Paint Traffic Marking Compound, 5 Gallon Can, Fast Dry	15	CAN	s NO BIUS

Page 29 of 29 Item: # Description Jet Dry Water Base Black Traffic Paint Traffic Marking Compound, 5 Gallon Can, Fast Dry 20 CAN \$ \$ 1,107,60 55.38 TOM Yellow Reflectors 4" Y-2 WZ, 500 Per Box 22 BX\$ 210.00 4,620.00 TOM White Reflectors 4" W-1 WZ, 500 Per Box BX10 210.00 \$ 2,100.00 Waterborne Acrylic Polymer Paint, 12 Yellow, 250 Gallon Tote 50 \$182,300.00 TOTE \$3,646.00 13 Waterborne Acrylic Polymer Paint, White, 250 Gallon Tote 50 \$182,300.00 TOTE \$3,646.00 Waterborne Acrylic Polymer Paint, 14 Yellow, 5 Gallon Pail \$ 1,544.00 20 PAIL \$ 77.20 Waterborne Acrylic Polymer Paint, 15 White, 5 Gallon Pail 10 PAIL \$ 77.20 772,00 Microcrystalline Ceramic Beads, Clear, 525 lb, Drum Elements 100 DRUM \$3,215.60 \$321,560.00 Microcrystalline Ceramic Beads, Tinted

100

DRUM \$3,215.60

\$321,560.00

Yellow, 525 lb. Drum Elements

Proposal for the furnishing and delivery of **TRAFFIC MARKING SUPPLIES AND GLASS BEADS** for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

 $(\mathcal{S}-YES \quad ()-NO$ 

### Gentlemen:

The undersigned hereby declare\_that he ha carefully examined the Notice to Bidders, Specifications and Instructions for the Furnishing and Delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS, for the County of Ocean, listed above and that, if awarded the contract, the will further agree to furnish any additional units, should the Board of Freeholders determine the need for additional units, at the unit prices bid for the contract period of one (1) year.

### PRICE SCHEDULE

Item  \[ \int_1^{\#} \]	Description Jet Dry Water Base White	Est. Qty.	Unit of Meas.	Unit Price	Total Price
	Traffic Marking Compound, 5 Gallon Can, Fast Dry	70	CAN	s 43.80	\$ 30cc CO
2	Jet Dry Water Base Yellow Traffic Marking Compound, 5 Gallon Can, Fast Dry	50	CAN	\$4U-75	\$ <i>033</i> 7.50
3	Jet Dry Water Base White Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	тоте	\$209250	<u>\$20,935.00</u>
4	Jet Dry Water Base Yellow Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	TOTE	<u>\$2187.50</u>	\$81875.60
√5	White Granulated Thermoplastic Striping Material, Per Pound	100,000	LB	\$ 0.58W	\$58,000.00
√ <sub>6</sub>	Yellow Granulated Thermoplastic Striping Material, Per Pound	2,000	LB	\$ 0.580	\$ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
7	Glass Beads, Per Pound	200,000	LB	\$ 0.45	\$90,000.00
8	Jet Dry Water Base Blue Traffic Paint Traffic Marking Compound, 5 Gallon Can, Fast Dry	15	CAN	\$53.40	\$ 801.00

Proposal for the furnishing and delivery of TRAFFIC MARKING SUPPLIES AND GLASS BEADS for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

 $\mathcal{N}$ ) - YES ( ) - NO


### Gentlemen:

The undersigned hereby declare\_that \_he\_ha\_carefully examined the Notice to Bidders, Specifications and Instructions for the Furnishing and Delivery of **TRAFFIC MARKING SUPPLIES AND GLASS BEADS**, for the County of Ocean, listed above and that, if awarded the contract, \_the\_ will further agree to furnish any additional units, should the Board of Freeholders determine the need for additional units, at the unit prices bid for the contract period of one (1) year.

### PRICE SCHEDULE

Item #	Description 3 3 1	Est. Qty.	Unit of Meas.	Unit Price	Total Price
1	Jet Dry Water Base White Traffic Marking Compound, 5 Gallon Can, Fast Dry	70	CAN	\$ 44.00	\$3,080,00
$\sqrt{2}$	Jet Dry Water Base Yellow Traffic Marking Compound, 5 Gallon Can, Fast Dry	50	CAN	\$41.75	\$ 2,087.50
√ <sub>3</sub>	Jet Dry Water Base White Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	TOTE	\$1,900.00	\$19,000.00
√ <sub>4</sub>	Jet Dry Water Base Yellow Traffic Marking Compound, 250 Gallon Tote, Fast Dry	10	ТОТЕ	\$1,862,50	\$ 18,625.00
5	White Granulated Thermoplastic Striping Material, Per Pound	100,000	LB	\$0.64	\$ 64,000.00
6	Yellow Granulated Thermoplastic Striping Material, Per Pound	2,000	LB	\$ O. LOL	\$ 1,280.00
7	Glass Beads, Per Pound	200,000	LB	\$ 0.40	\$80,000.00
8	Jet Dry Water Base Blue Traffic Paint Traffic Marking Compound, 5 Gallon Can, Fast Dry	15	CAN	\$65.00	\$ 975 <u>.00</u>

Item		Est.	Unit of		
/ # /0	<b>Description</b> Jet Dry Water Base Black Traffic Paint	Qty.	Meas.	Unit Price	Total Price
<b>V</b> 9	Traffic Marking Compound,				_
	5 Gallon Can, Fast Dry	20	CAN	\$48.75	\$ 975.00
10	TOM Yellow Reflectors 4" Y-2 WZ,			. ( ) . ( ) .	
	500 Per Box	22	BX	\$ No B.A	\$ No Bid
11	TOM White Reflectors 4" W-1 WZ,	10	BX	\$No Bid	e 11. 6.7
	500 Per Box	10	ВА	\$100 1010	D NO DIO
12	Waterborne Acrylic Polymer Paint, Yellow, 250 Gallon Tote	50	TOTE	\$ 272500	<u>\$136,250.00</u>
		50	IOIL	<u> </u>	<del>1,00, 4,00.3</del> 0
13	Waterborne Acrylic Polymer Paint, White, 250 Gallon Tote	50	TOTE	\$2,687.50	\$ <i>13</i> 4, 375.00
1.4	Waterland Aprilio Dolumor Boint				,
14	Waterborne Acrylic Polymer Paint, Yellow, 5 Gallon Pail	20	PAIL	\$56.25	\$1,125.00
15	Waterborne Acrylic Polymer Paint,				
13	White, 5 Gallon Pail	10	PAIL	\$ 56.25	\$ 562.50
16	Microcrystalline Ceramic Beads, Clear,			<i>a</i> .	
	525 lb. Drum Elements	100	DRUM	\$No B.8	\$ No Bid
17	Microcrystalline Ceramic Beads, Tinted			. 0.1	2.1
	Yellow, 525 lb. Drum Elements	100	DRUM	\$No Bid	\$ No Bid



September 16, 2015

WHEREAS, on August 4, 2015, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of SEPTIC TANK AND SEWAGE EJECTOR PIT PUMPING & DISPOSAL for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following

bidders:

Name and Address of Bidder

Brewer Septic and Construction, Inc. 360 Monroe Avenue Whiting, NJ 08759 (732) 849-1669

Name and Address of Bidder

Russell Reid Waste Hauling and Disposal Service Co., Inc. 200 Smith Street PO Box 130 Keasbey, NJ 08832 (800) 356-4468

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, BREWER SEPTIC AND CONSTRUCTION, INC., be accepted. Recommendation is made to award a secondary contract to RUSSELL REID WASTE HAULING & DISPOSAL SERVICE CO., INC. for a Total Lump Sum of \$37,643.50 as per Page 19 of the specifications "AWARD OF BID".

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Septic Tank and Sewage Ejector Pit Pumping & Disposal, for the County of Ocean, for the contract period from date of award through September 15, 2016, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the contract for one (1) additional year by mutual agreement between the County and the contractor with no increase in base price, as follows:

A. <u>BREWER SEPTIC AND CONSTRUCTION, INC.</u> for eight (8) items, to wit: <u>ITEMS NO.</u> 1, 2, 3a, 3b, 3c, 3d, 3e and 3f.

For a Total Lump Sum of \$27,918.50.

B. RUSSELL REID WASTE HAULING & DISPOSAL CO., INC. for eight (8) items, to wit:

ITEMS NO. 1, 2, 3a, 3b, 3c, 3d, 3e and 3f.

Secondary contract for a Total Lump Sum of \$37,643.50 as per Page 19 of the specifications "AWARD OF BID".

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the services to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-107.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Superintendent of Buildings and Grounds, County Engineer, and the successful bidders.

# **CONTRACTOR QUALIFICATIONS (CONT'D)**

Contractor to provide with bid, a list of disposal facilities to be utilized. The County reserves the right to check listed disposal facilities for compliance.

Contractor shall have vehicles with hoses of at least 300 feet to access pits in building basements and down multiple levels.

	<b>COMPLIAN</b>	<u>CE</u>
	<u>YES</u>	<u>NO</u>
1. Contractor can accommodate the need for 300 ft. of hose down multiple levels at the Justice Complex.		
2. Contractor can accommodate the need for 200 ft. of hose to basement at the Prosecutor's Office.		
3. Contractor can accommodate pumping of Kitchen oil and grease solids of high content from Justice Complex #19 kitchen as allowed for on item 3d.		

Proposal for the furnishing and delivery of SEPTIC TANK AND SEWAGE EJECTOR PIT PUMPING & DISPOSAL for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

( )-YES ( √)-NO

## PRICE SCHEDULE

Item		Est. Qty.	Unit of		
#	Description	(1 Year)	Meas.	Unit Price	Total Price
YETT	N FANK BURRAUTS BISMB-LL				
$\sqrt{1}$	Tank Pump Out & Disposal				
	On Call Basis			الباسة معد	10 TUD 60
/	1,000 Gallon Tanks, any location	60	EA	\$ 209.00	\$ 12540.00
√2	Tank Pump Out & Disposal On Call Basis			- 4	- 3
	2,000 Gallon Tanks, any location	15	EA	\$ 418.00	\$ 6270.00
XIII.	kge da odus hit Pons (nit And Di	S. P. Carley			
$\sqrt{3a}$	Price per 1st 1,000 gallons - County		EACH		
	estimates 8,000 gallons per year		THOUSAND	.nc	1,70 00
/		б	<b>GALLONS</b>	s 209.00	\$ 1672.00
√3b	Price per hundred gallons (after 1,000		EACH		
	gallons) - County estimates 600 gallons		HUNDRED	00	
/	per year	5	GALLONS	s 20.90	\$ 104,50
√3c	Specialized Location: Justice Complex #19	2	EA	s 250.00	\$ 500.00
√3d	Specialized Location: Prosecutor's Office			s 250,00	\$ 250.00
	#16	ļ	EA	S 250,00	\$ 250.
√3e	Price to Pressure Wash Ejector Pit -			s 250,00	\$ 3000.00
6.	County estimates 12 washes per year	12	EA	\$ 2745	\$ 3000.00
<b>√</b> 31	Allowance for other service costs	-			
	pertaining to Disposal (ie. sludge removal				E 4000 00
	and grease trap pump outs), as needed.				\$ 4,000.00

TOTAL LUMP SUM (Add Item #'s 1 - 3f): \$ 29336.50

# **CONTRACTOR QUALIFICATIONS (CONT'D)**

Contractor to provide with bid, a list of disposal facilities to be utilized. The County reserves the right to check listed disposal facilities for compliance.

Contractor shall have vehicles with hoses of at least 300 feet to access pits in building basements and down multiple levels.

		COMPLIAN YES	<u>CE</u> NO
1.	Contractor can accommodate the need for 300 ft. of hose down multiple levels at the Justice Complex.		
2.	Contractor can accommodate the need for 200 ft. of hose to basement at the Prosecutor's Office.		
3.	Contractor can accommodate pumping of Kitchen oil and grease solids of high content from Justice Complex #19 kitchen as allowed for on item 3d.	1	
		1)	)

Proposal for the furnishing and delivery of SEPTIC TANK AND SEWAGE EJECTOR PIT PUMPING & DISPOSAL for the County of Ocean.

# VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.


( )-NO

## PRICE SCHEDULE

Item #	Description	Est. Qty. (1 Year)	Unit of Meas,	Unit Price	Total Price
SEPT	IC TANK PUMP OUT & DISPOSAL				
1	Tank Pump Out & Disposal On Call Basis			<b>\$</b> 249.00	<b>a</b> 14,940.00
$\sqrt{2}$	1,000 Gallon Tanks, any location  Tank Pump Out & Disposal  On Call Basis	60	EA	\$ 249.00	\$ 14,940.00
	2,000 Gallon Tanks, any location	15	EA	\$ 489.00	<b>\$</b> 7,335.00
SEW.	AGE EJECTOR PIT PUMP OUT AND D	ISPOSAL			
$\sqrt{3a}$	Price per 1st 1,000 gallons - County estimates 8,000 gallons per year		EACH THOUSAND	<b>\$</b> 249.00	r 1,494.00
1		6	GALLONS	\$ 243.00	\$ 1,494.00
√3b	Price per hundred gallons (after 1,000 gallons) - County estimates 600 gallons		EACH HUNDRED	- 24.00	<b>c</b> 124.50
/	per year	5	GALLONS	<b>\$</b> 24.90	\$ 124.50
√3c /	Specialized Location: Justice Complex #19	2	EA	<b>\$</b> 1,950.00	\$ 3,900.00
√3d	Specialized Location: Prosecutor's Office #16	1	EA	<b>s</b> 1,950.00	<b>\$</b> 1,950.00
√3e /	Price to Pressure Wash Ejector Pit - County estimates 12 washes per year	12	EA	<b>\$</b> 325.00	\$ 3,900.00
√3f	Allowance for other service costs pertaining to Disposal (ie, sludge removal and grease trap pump outs), as needed.	•			\$ 4,000.00
	and grease trap pump outs), as needed.				4,000.00

TOTAL LUMP SUM (Add Item #'s 1 - 3f): \$ 37,643.50

Russell Reid Waste Hauling and Disposal Service Co., Inc. 200 Smith Street P.O. Box 130 Keasbey, NJ 08832



September 16, 2015

WHEREAS, on August 25, 2015, pursuant to legal advertisements therefor, sealed bids were received for the RECONSTRUCTION AND RESURFACING OF PORTIONS OF CERTAIN COUNTY ROADS, CONTRACT 2015D, State of New Jersey; and

WHEREAS, at the advertised time, responses were received from the following bidders:

### Name and Address of Bidder

Stavola Contracting Co., Inc. 175 Drift Road Tinton Falls, NJ 07724 (732) 542-2328

C.J. Hesse, Inc. PO Box 207 Belford, NJ 07718 (732) 291-8100

Green Construction, Inc. 26 Elizabeth St. PO Box 550 South River, NJ 08882 (732) 238-9370

### Name and Address of Bidder

Earle Asphalt Company PO Box 556 Farmingdale, NJ 07727 (732) 308-1113


DeFino Contracting Company 28 Industrial Drive Cliffwood Beach, NJ 07735 (732) 566-4255

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has referred all bids to the County Engineer for study and recommendation to the Board; and

WHEREAS, the County Engineer has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, STAVOLA CONTRACTING COMPANY, INC., be accepted for Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2015D, State of New Jersey.

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with STAVOLA CONTRACTING COMPANY, INC. accepting their bid in the total amount of \$1,325,000.00 for Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2015D, State of New Jersey, in accordance with plans and specifications prepared by the County Engineer. All work under this Contract shall be completed within **Sixty (60)** calendar days.
- 2. The Department of Finance has certified that funds are available in Account No. 395-185-0916 in the amount of \$53,806.29; Account No. 301-185-C005 in the amount of \$71,482.79; Account No. 400-185-C110 in the amount of \$874,710.92 and Account No. 407-185-C501 in the amount of \$325,000.00 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-122E.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to each of the following:
  - a. County Auditor;
  - b. County Department of Purchasing;
  - c. Department of Finance; and
- d. County Engineer who shall see that the successful bidder enters into a proper contract for the faithful performance of their bid and that said contract is duly filed with the Clerk of this Board; and who shall see that the successful bidder furnishes to the County of Ocean a properly executed surety company bond for the faithful performance of their contract.



September 16, 2015

WHEREAS, On August 25, 2015, pursuant to legal advertisements therefor, sealed bids were received for the RECONSTRUCTION OF EAST COUNTY LINE ROAD (COUNTY ROUTE 526) (APPLE STREET TO ROUTE 549) PHASE II: SOMERSET AVENUE INTERSECTION, TOWNSHIP OF LAKEWOOD, County of Ocean, State of New Jersey, in accordance with plans and specifications prepared by the County Engineer and approved by the Ocean County Board of Chosen Freeholders; and WHEREAS, at the advertised time, responses were received from the

following bidders:

### Name and Address of Bidder

Earle Asphalt Company PO Box 556 Farmingdale, NJ 07727 (732) 308-1113

Stavola Contracting Co., Inc. 175 Drift Road Tinton Falls, NJ 07724 (732) 542-2328

DeFino Contracting Company 28 Industrial Drive Cliffwood Beach, NJ 07735 (732) 566-4255

### Name and Address of Bidder

Lucas Brothers, Inc. 80 Amboy Road Morganville, NJ 07751 (732) 536-6663

C.J. Hesse, Inc. PO Box 207 Belford, NJ 07718 (732) 291-8100


Green Construction, Inc. 26 Elizabeth Street, PO Box 550 South River, NJ 08882 (732) 238-9370

; and

WHEREAS, after receipt and examination of same, the County Purchasing Agent referred all bids to the County Engineer for study and recommendation to the Board; and

WHEREAS, the County Engineer has now recommended to this Board that the lowest qualified bid namely that of EARLE ASPHALT COMPANY be accepted for the Reconstruction of East County Line Road (County Route 526) (Apple Street to Route 539) Phase II: Somerset Avenue Intersection, Township of Lakewood, County of Ocean, State of New Jersey.

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with Earle Asphalt Company, accepting their low bid in the amount of \$948,513.13 for the Reconstruction of East County Line Road (County Route 526) (Apple Street to Route 549) Phase II: Somerset Avenue Intersection, Township of Lakewood, County of Ocean, State of New Jersey, in accordance with plans and specifications prepared by the County Engineer. All work under this Contract shall be completed within Seventy Two (72) calendar days.
- 2. The Department of Finance has certified that funds are available in Account No. 210-185-0074 in the amount of \$224,681.00; Account No. 300-185-C303 in the amount of \$53,665.19 and Account No. 404-185-C303 in the amount of \$670,166.94 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-123E.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to each of the following:
  - a. County Auditor;
  - b. County Department of Purchasing;
  - c. Department of Finance;
- d. County Engineer who shall see that the successful bidder enters into a proper contract for the faithful performance of their bid and that said contract is duly filed with the Clerk of this Board, who shall see that the successful bidder furnishes to the County of Ocean a properly executed surety company bond for the faithful performance of their contract.



## September 16, 2015

WHEREAS, On September 1, 2015, pursuant to legal advertisements therefor, sealed bids were received for the RECONSTRUCTION OF HOPE CHAPEL ROAD (COUNTY ROAD 547) FROM JOINT BASE MCGUIRE-DIX-LAKEHURST TO COUNTY ROAD 527, MANCHESTER AND JACKSON TOWNSHIPS, County of Ocean, State of New Jersey, in accordance with plans and specifications prepared by the County Engineer and approved by the Ocean County Board of Chosen Freeholders; and WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Earle Asphalt Company PO Box 556 Farmingdale, NJ 07727 (732) 308-1113

C.J. Hesse, Inc. PO Box 207 Belford, NJ 07718 (732) 291-8100 Name and Address of Bidder

Stavola Contracting Co., Inc. 175 Drift Road Tinton Falls, NJ 07724 (732) 542-2328

; and

WHEREAS, after receipt and examination of same, the County Purchasing Agent referred all bids to the County Engineer for study and recommendation to the Board; and

WHEREAS, the County Engineer has now recommended to this Board that the lowest qualified bid namely that of EARLE ASPHALT COMPANY, be accepted for the Reconstruction of Hope Chapel Road (County Road 547) from Joint Base McGuire-Dix-Lakehurst to County Road 527, Manchester and Jackson Townships, County of Ocean, State of New Jersey.

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with Earle Asphalt Company, accepting their low bid in the amount of \$986,613.13 for the Reconstruction of Hope Chapel Road (County Road 547) from Joint Base McGuire-Dix-Lakehurst to County Road 527, Manchester and Jackson Townships, County of Ocean, State of New Jersey, in accordance with plans and specifications prepared by the County Engineer. All work under this Contract shall be completed within Sixty (60) calendar days.
- 2. The Department of Finance has certified that funds are available in Account No. 300-185-C521 in the amount of \$986,613.13 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2015-127E.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to each of the following:
  - a. County Auditor;
  - b. County Department of Purchasing;
  - c. Department of Finance;
- d. County Engineer who shall see that the successful bidder enters into a proper contract for the faithful performance of their bid and that said contract is duly filed with the Clerk of this Board, who shall see that the successful bidder furnishes to the County of Ocean a properly executed surety company bond for the faithful performance of their contract.

### **September 16, 2015**

WHEREAS, there exist a need for Banking and Investment Services in connection with the County's bond proceeds; and

WHEREAS, the County of Ocean has publicly solicited Request for Proposals for banking and investment services; and


WHEREAS, the proposals were received and reviewed by the Ocean County

Department of Finance in accordance with the criteria set forth in the Request for Proposals;

and

WHEREAS, the Ocean County Consultant Selection Review Committee has recommended the award of banking and investment services on the basis of their proposal.

- The Board of Chosen Freeholders hereby approves the designation of Ocean First,
   730 Brick Boulevard, Brick, NJ 08723 for the College Capital Improvement
   Bonds, Series 2015B.
- Certified copies of the resolution shall be made available to the Ocean County Auditor, Department of Finance and Ocean First.



### **September 16, 2015**


WHEREAS, there exist a need for Banking and Investment Services in connection with the County's bond proceeds; and

WHEREAS, the County of Ocean has publicly solicited Request for Proposals for banking and investment services; and

WHEREAS, the proposals were received and reviewed by the Ocean County Department of Finance in accordance with the criteria set forth in the Request for Proposals; and

WHEREAS, the Ocean County Consultant Selection Review Committee has recommended the award of banking and investment services on the basis of their proposal.

- The Board of Chosen Freeholders hereby approves the designation of Ocean First,
   730 Brick Boulevard, Brick, NJ 08723 for the College Capital Improvement
   Bonds, Series 2015A.
- Certified copies of the resolution shall be made available to the Ocean County Auditor, Department of Finance and Ocean First.



### **September 16, 2015**

WHEREAS, there exist a need for Banking and Investment Services in connection with the County's bond proceeds; and

WHEREAS, the County of Ocean has publicly solicited Request for Proposals for banking and investment services; and

WHEREAS, the proposals were received and reviewed by the Ocean County

Department of Finance in accordance with the criteria set forth in the Request for Proposals;

and

WHEREAS, the Ocean County Consultant Selection Review Committee has recommended the award of banking and investment services on the basis of their proposal.

- The Board of Chosen Freeholders hereby approves the designation of Investors Bank, 130 N. County Line Road, Jackson, NJ 08527 for the General Improvement Bond, Series 2015.
- Certified copies of the resolution shall be made available to the Ocean County Auditor, Department of Finance and Investors Bank.

## September 16, 2015

WHEREAS, it is the desire of the County to complete a financial analysis of options related to work schedules; and

WHEREAS, on January 21, 2015 the County awarded to contract to Public Financial Management, Inc. (PFM) for financial advisory services including consulting services for cost analyses;

WHEREAS, PFM has provided a proposal to prepare a financial analysis of options related to work schedule in an amount not to exceed twenty thousand dollars (\$20,000); and

WHEREAS, funds are now available from account number 016-015-4804 in the amount of \$20,000.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute the proposal dated August 28, 2015, authorized under Contract Number PP2015-47 with PFM for services fore mentioned above.

**BE IT FURTHER RESOLVED** that certified copies of this resolution be forwarded to the County Administrator, County Auditor, Director of Management & Budget, Director of Employee Relations and Department of Finance.

# $\underline{\textbf{RESOLUTION}}$

### **September 16, 2015**

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that pursuant to Article IV.B.3 of the Workforce Investment Board By-Laws, in the case of absence of regularly appointed members, TADD MAFFUCCI (for Cheryl Shankle) TOMS RIVER, is hereby appointed as an ALTERNATE MEMBER of the OCEAN COUNTY WORKFORCE INVESTMENT BOARD, to serve without salary or other compensation, term to expire June 1, 2017.

**BE IT FURTHER RESOLVED**, that certified copies of this Resolution shall be made available to the Ocean County Human Services Department, the Ocean County Clerk, and the appointee.

## RESOLUTION September 16, 2015

WHEREAS, there exists a need for the appointment of an Assistant Medical Examiner; and

WHEREAS, N.J.S.A. 52:17B-84 provides for the appointment of Assistant County Medical Examiners; and

WHEREAS, Neil A. Brodsky, M.D. possesses the requisite licenses, certifications and all qualifications necessary to serve as assistant county medical examiner; and

WHEREAS, the Ocean County Board of Chosen Freeholders wishes to appoint NEIL A. BRODSKY, M.D. as Assistant Ocean County Medical Examiner for a term of one (1) year, commencing September 22, 2015; and

WHEREAS, the funds are available for this purpose;

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. **NEIL A. BRODSKY, M.D.**, 2333 Donna Dee Court, Toms River, New Jersey 08755, is hereby appointed as Assistant Ocean County Medical Examiner for a term of one (1) year commencing September 22, 2015, in accordance with the terms and conditions set forth in the Assistant County Medical Examiner Agreement attached hereto.
- 2. The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter into and execute said Agreement with **NEIL A. BRODSKY, M.D.**
- 3. A certified copy of this Resolution, together with a copy of the Assistant County Medical Examiner Agreement executed by the parties, shall be placed on file in the office of the Clerk of the Board of Chosen Freeholders.
  - 4. A notice of this action shall be printed in a local newspaper.
  - 5. Certified copies of this Resolution shall be forwarded to

Ocean County Medical Examiner
Director, Ocean County Department of Employee Relations;
Ocean County Comptroller,
Ocean County Counsel, and
Neil Brodsky, M.D.

# **September 16, 2015**

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the following individuals are hereby reappointed as members of the OCEAN COUNTY COLLEGE TRUSTEE SEARCH COMMITTEE for a term of one (1) year, term to expire October 2, 2016:

DANIEL J. HENNESSY

Point Pleasant Beach

RAYMOND GORMLEY

Little Egg Harbor

**DEBORAH GRIES** 

**Toms River** 

MICHAEL J. FIURE

**Toms River** 

STEPHEN SCATURRO

Brick

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the Ocean County College and to each appointee.

## **September 16, 2015**

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the following individuals are hereby reappointed as members of the OCEAN COUNTY ENVIRONMENTAL AGENCY for a term of three (3) years, term to expire October 5, 2018:

KEVIN T. AIELLO

**Brick** 

BLANCHE KRUBNER

Jackson

JOHN PROTONENTIS

**OC Health Department** 

BE IT FURTHER RESOLVED that certified copies of this resolution shall be made available to the Ocean County Environmental Agency and to each appointee.

# **September 16, 2015**

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the following individuals are hereby reappointed as members of the OCEAN COUNTY TOURISM BUSINESS ADVISORY COUNCIL for a term of three (3) years, term to expire September 30, 2018:

JIM DEANGELIS

Lakewood

JOANN GUGLIELMELLI

Jackson

RENEE KENNEDY

Ship Bottom

ANNE HAMMILL PASQUA

**Toms River** 

MARK C. SPEAKER

Lavallette

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the Ocean County Tourism Business Advisory Council and to each appointee.