

### Ocean County Board of Commissioners

OFFICE OF THE OCEAN COUNTY COMMISSIONERS

Director Joseph H. Vicari
Deputy Director Gary Quinn
Commissioner Barbara Jo Crea
Commissioner Virginia E. Haines
Commissioner John P. Kelly

101 Hooper Avenue Toms River, New Jersey 08754-2191

Tel: (732)929-2005 Fax: (732)505-1918

### **Board Meeting Agenda**

Date: July 19, 2023 - 4:00 PM Location: Administration Building

Room 119

101 Hooper Avenue Toms River, NJ 08754

- A. CALL TO ORDER
- B. ROLL CALL
- C. STATEMENT Compliance with the Open Public Meetings Act
- D. THE PLEDGE OF ALLEGIANCE AND PRAYER
- E. PRESENTATION
  - 1. To the Winners of the annual "My County Poster Contest" in recognition of National County Government Month.
- F. ORDINANCE INTRODUCTION
  - 1. ORDINANCE #2023-24 An Ordinance authorizing the Permitting and Construction of the Courthouse Annex located in Toms River Township, County of Ocean, State of New Jersey, and appropriating \$92,000,000.00 therefor, and authorizing the issuance of \$85,000,000.00 in Bonds or Bond Anticipation Notes of the County of Ocean to finance the same.
  - 2. ORDINANCE #2023-25 An Ordinance appropriating the sum of \$250,000.00 from the Capital Improvement Fund for the Cost of the Design of a Sheriff Facility located in Toms River Township, County of Ocean, State of New Jersey.

3. ORDINANCE #2023-26 - An Ordinance appropriating the sum of \$250,000.00 from the Capital Improvement Fund for the Cost of Generator Installation and Upgrades for the County Mosquito Commission, located in the County of Ocean, State of New Jersey.

#### G. RESOLUTION - PUBLIC HEARING

- 1. Accepting the recommendation of the OC Natural Lands Trust Fund Advisory Committee to acquire property identified as Block 1014, Lots 2.01, 3, 4 & 6; Block 781, Lots 15, 17, 19, 21, 23, 25, 27, 29, 30, 31, 32, 33 & 34; Block 782, Lots 1, 1.01, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 21, 23, 25, 27, 29, 31, 32, 33 & 34; and Block 821, Lot 1 in Berkeley Township, totaling approximately 27.04 acres located on Harbor Inn Road West and Atlantic City Boulevard, in an amount not to exceed \$5,900,000.00 plus up to \$18,000.00 for property tax adjustments.
- 2. Accepting the recommendation of the OC Natural Lands Trust Fund Advisory Committee to acquire property identified as Block 1217, Lots 13, 14 and 15, Berkeley Township, totaling approximately 0.11 acres located on Good Luck Drive, in an amount not to exceed \$825,000.00 plus up to \$2,200.00 for property tax adjustments.
- H. AUTHORIZING THE PAYMENT OF BILLS IN BILL COMMITTEE REPORT NO. 14.
- I. APPROVING AND RATIFYING THE PAYMENT OF BILLS IN BILL COMMITTEE REPORT NO. E-2.
- J. AUTHORIZING ENGINEERING PAYMENTS TO CONTRACTORS AS LISTED BELOW:
  - 1. EARLE ASPHALT COMPANY Construction of Barnegat Branch Trail Maintenance Contract 2022, Barnegat and Ocean Townships Partial Estimate #1, \$165,951.62. (B2022-170E)
  - 2. RENCOR, INC. Replacement of Duck Farm Bridge (Structure No. 1506-013), Hooper Avenue (C.R. 631) over Cedar Bridge Branch of the Metedeconk River, Brick Township Partial Estimate #7, \$338,452.06. (B2022-105E)
  - 3. WALTERS MARINE CONSTRUCTION CO., INC. Replacement of Railroad Avenue Bridge, Structure No. 1508-005, Carrying Railroad Avenue over Westecunk Creek, Eagleswood Township Final Estimate #7, \$112,968.46. (B2022-97E)
  - 4. EARLE ASPHALT COMPANY Stormwater Management South Hope Chapel Road Drainage Improvements, Jackson Township Final Estimate #3, \$143,197.71. (B2021-199E)
  - 5. C.J. HESSE, INC. Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2020D Partial Estimate #7, \$422,026.96. (B2022-85E)

#### K. RESOLUTIONS

1. Authorizing the Personnel Resolution.

- 2. Authorizing an amendment to the 2023 Budget for the program entitled New Jersey Clean Vessel Act Pumpout Boat-Brick, in the amount of \$5,435.00.
- 3. Authorizing an amendment to the 2023 Budget for the program entitled HUD: HOME Program Income FY23, in the amount of \$10,000.00.
- 4. Authorizing an amendment to the 2023 Budget for the program entitled Subregional Transportation Supplemental Support FY23, in the amount of \$15,000.00.
- 5. Authorizing an amendment to the 2023 Budget for the program entitled Human Services Advisory Council (HSAC) FY24, in the amount of \$64,397.00, and matching funds in the amount \$15,900.00.
- 6. Authorizing an amendment to the 2023 Budget for the program entitled Subregional Transportation Program FY23/24, in the amount of \$144,381.00, and matching funds in the amount of \$36,096.00.
- 7. Authorizing an amendment to the 2023 Budget for the program entitled Victims of Crime Act (VOCA) Grant Program FY23, in the amount of \$579,156.00, and matching funds in the amount of \$144,789.00.
- 8. Authorizing the cancellation and closeout of certain grants.
- 9. Authorizing the acceptance of Grant funding, upon full execution of the subaward/contract, for the FY21 American Rescue Plan (ARP) Act Coronavirus State Fiscal Recovery Fund (CSFRF) Automated License Plate Reader Initiative, in the amount of \$346,758.00.
- 10. Authorizing the execution of a renewal with the State of New Jersey, Department of Children and Families for the Human Services Advisory Council Grant.
- 11. Authorizing a no-cost time extension request to U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services grant entitled Law Enforcement and Behavioral Health Partnerships for Early Diversion Programs, for the period of six (6) months to 3/31/2024.
- 12. Ratifying the electronic submission of a Grant amendment by the Ocean County Administrator to the New Jersey Department of Environmental Protection (NJDEP) and the NJ Clean Vessel Act Program (CVA) for a Pumpout Boat for the Township of Brick.
- 13. Authorizing the execution of a Deferred Loan Agreement under the CDBG Housing Rehabilitation Program, as recommended by the OC Planning Director. (C2023-91)
- 14. Authorizing the execution of a Deferred Loan Agreement under the CDBG Housing Rehabilitation Program, as recommended by the OC Planning Director. (C2023-92)
- 15. Authorizing the execution of a Deferred Loan Agreement under the CDBG Housing Rehabilitation Program, as recommended by the OC Planning Director. (C2023-93)
- 16. Authorizing a modification to the OC First Time Homebuyer Program, to include new participants, as recommended by the OC Planning Director. (CC2022-85)
- 17. Authorizing the use of Competitive Contracting Procedures for Teen Suicide Prevention Programming for the OC Department of Human Services.

- 18. Authorizing the use of Competitive Contracting Procedures for Traumatic Loss and Disaster Response for Children for the OC Department of Human Services.
- 19. Authorizing the use of Competitive Contracting Procedures for Opioid Prevention Consulting for the OC Department of Human Services.
- 20. Authorizing the use of Competitive Contracting Procedures for Child Learning Loss Programming for the OC Department of Human Services.
- 21. Authorizing the use of Competitive Contracting Procedures for Care Management for Individuals with Substance Use Disorder for the OC Department of Human Services.
- 22. Authorizing the use of Competitive Contracting Procedures for Substance Use Prevention and Early Intervention for the OC Department of Human Services.
- 23. Authorizing the use of Competitive Contracting Procedures for Innovative Substance Use Programming for the OC Department of Human Services.
- 24. Amending a caption on the 7/6/2023 Board Meeting Agenda, Item Nos. M-2, M-3, M-4 and M-5, to reflect the correct term of 6/1/2023 through 9/30/2024.

#### L. MOTIONS

- 1. Authorizing the Clerk of the Board to accept and/or record legal instruments.
- 2. Approving the Board Meeting Minutes of 6/21/2023.
- 3. Approving the distribution of Requests for Qualifications and/or Requests for Proposals, as follows: 1) Engineering Design Services.
- 4. Approving the plans and specifications and authorizing the County Engineer to advertise for the receipt of bids for the Rehabilitation of Manahawkin Lake Dam, NJ File No. 33-7, Township of Stafford.
- 5. Approving the Master Payroll paid on 7/19/2023 for the payroll period of 6/22/2023 through 7/5/2023 with Elected Officials paid to date, in the amount of \$6,169,347.57.

#### M. BID AWARDS

- 1. Awarding a Contract for the furnishing and delivery of FIRE ALARM SYSTEM SERVICING FOR JUSTICE COMPLEX AND COURTHOUSE to Fire Security Technologies, the lowest qualified bidder. (B2023-115)
- 2. Awarding Contracts for the furnishing and delivery of JANITORIAL SUPPLIES to A&M Industrial; Imperial Bag & Paper Co., LLC; Indco, Inc.; JML Medical, Inc.; Joseph Gartland dba Beautiful Rags; Plastic Express, Inc.; Simplify Chemical Solutions, Inc.; Staples Contract & Commerical LLC; United Sales USA Corp. and Vizocom ICT, LLC, the lowest qualified bidders. No bids were received on Item Nos. 56 and 113. Recommendation is made to reject Item No. 48 as unresponsive. All no Bid Items and rejected items will be rebid. (B2023-116)

- 3. Awarding a Contract for the furnishing and delivery of ENGINEERING AND DRAFTING SUPPLIES NO. II to Office Basics, the sole qualified bidder. No bids were received on Item Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 41, 42, 43, 45, 47, 49, 51, 52 and 53. The Purchasing Agent is given the authority to enter into a negotiated contract pursuant to N.J.S.A. 40A:11-5(3) for all No Bid Items, as no responsive bids were received for a second time. (B2023-127)
- 4. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLES: EQUIPMENT TRAILERS to Stephenson Equipment, Inc., the sole qualified bidder. (B2023-132)
- 5. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLES: SUVS to All American Ford, the lowest qualified bidder. No bids were received on Item Nos. 1, 1a, 1b, 1c, 1d, 1e, 1f and 1g. They will not be rebid as they are no longer needed. (B2023-133)
- 6. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS to Winner Ford, the sole qualified bidder. Recommendation is made to reject Item Nos. 5, 5a, 5b, 5c, 5d, 5e, 5f, 5g, 5h, 5i, 5j, 5k, 5l, 5m, 5n, 5o, 5p, 5q, 5r, 5s, 5t, 5u, 5v, 5w, 5x, 5y, 5z, 5aa, 5bb, 5cc, 5dd, 5ee, 5ff, 5gg, 5hh and 5ii as unresponsive. They will be rebid with revised specifications. (B2023-134)
- 7. Awarding a Contract for the furnishing and delivery of PUMPOUT BOAT to Marine Boatbuilders Co., the lowest qualified bidder. (B2023-138)
- 8. Awarding a Contract for the furnishing and delivery of HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II to Continental Hardware, Inc.; US Electrical Services, Inc. dba Franklin Griffith and Sid Tool Co., Inc. dba MSC Industrial Supply Co., the lowest qualified bidders. Recommendation is made to reject Item Nos. 64, 66, 68, 69, 75 and 76 as non-responsive. They will not be rebid as they were previously awarded. (B2023-143)
- 9. Authorizing the transfer of a Contract for the furnishing and delivery of SIGN BLANKS, SIGN MATERIALS AND SIGN STRIPPING from Garden State Highway Products, Inc. to National Highway Products, Inc. (B2022-127)
- 10. Authorizing the transfer of a Contract for the furnishing and delivery of COMPLETED TRAFFIC SIGNS from Garden State Highway Products, Inc. to National Highway Products, Inc. (B2022-147)
- 11. Authorizing the transfer of a Contract for the furnishing and delivery of CAR WASHING SERVICES NO. III from Silver Bay Car Wash LLC to EAS Toms River LLC. (B2022-167)
- 12. Authorizing the transfer of a Contract for the furnishing and delivery of STEEL CHANNEL POSTS AND TIMBER FOR SIGN POSTS from Garden State Highway Products, Inc. to National Highway Products, Inc. (B2023-55)
- 13. Authorizing the transfer of a Contract for the furnishing and delivery of SOLAR POWERED LED SIGNS AND SOLAR POWERED SPEED RADAR SIGNS from Garden State Highway Products, Inc. to National Highway Products, Inc. (B2023-74)

- 14. Amending a Resolution adopted on 12/7/2022 awarding the furnishing and delivery of BEAM GUIDE RAIL AND TANGENT GUIDE RAIL ELEMENTS to Chemung Supply Corp., due to a clerical error, to reflect the correct awarded Item Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33 and 34, for a Total Lump Sum Award for Section I (Item Nos. 1-34) in the amount of \$731,514.50. (B2022-146)
- 15. Awarding a Contract for STORMWATER MANAGEMENT IMPROVEMENTS OCEAN COUNTY FIRE TRAINING FACILITY, OCEAN TOWNSHIP to Mathis Construction Co., Inc., the lowest qualified bidder, in the amount of \$199,582.08. (B2023-147E)
- 16. Awarding a Contract for RECONSTRUCTION AND RESURFACING OF PORTIONS OF CERTAIN COUNTY ROADS, CONTRACT 2021C, VARIOUS TOWNSHIPS to Earle Asphalt Company, the lowest qualified bidder, in the amount of \$3,060,513.13. (B2023-146E)

#### N. CHANGE ORDERS

1. Awarding Change Order No. 1 to Brennan Brothers Contract, LLC for the project entitled Demolition of Various Structures, a decrease to the Contract in the amount of \$17,666.80. (B2022-49CE)

#### O. CONTRACTS

- 1. Awarding an Extraordinary, Unspecifiable Services Contract to Dr. Robert J. Pandina to provide Expert Consultation and Reporting for the OC Prosecutor's Office, in an amount not to exceed \$3,500.00. (P2023-94)
- 2. Awarding an Extraordinary, Unspecifiable Services Contract to V-Comm, LLC to provide Expert Consultation and Reporting for the OC Prosecutor's Office, in an amount not to exceed \$1,650.00. (P2023-95)
- 3. Awarding an Extraordinary, Unspecifiable Services Contract to Dr. Louis Schlesinger to provide Expert Consultation and Reporting for the OC Prosecutor's Office, in an amount not to exceed \$15,000.00. (P2023-96)
- 4. Awarding a Purchase Order to Pagodin Tree Care Service, LLC (New Jersey State Contract No. 16-GNSV2-00013) to provide forestry thinning for wildlife mitigation at the Forked River Mountain Wilderness Area for the OC Natural Lands Trust Fund Program, in an amount not to exceed \$100,500.00.
- 5. Awarding a Purchase Order to ePlus Technology, Inc. (Hunterdon County Educational Services Commission Cooperative Purchasing Program, Technology Supplies & Equipment Contract No. HSESC-CAT-22-01) to provide fiber transmitters and receivers for the OC Office of Information Technology, in an amount not to exceed \$81,639.20.
- 6. Awarding a Purchase Order to AllRisk, Inc. (ESCNJ Contract No. 22/23-23) to provide Remediation and Restoration Services at the Northern Recycling Center Supervisors Building #68G, 800 Towbin Avenue, Lakewood Township, in an amount not to exceed \$54,414.45.

- 7. Awarding a Purchase Order to Consolidated Steel & Aluminum Fence Co., Inc. (NJ State Contract No. 88680) to provide fencing at the Sheriff's Impound Yard at Jackson Garage, in an amount not to exceed \$49,550.00.
- 8. Awarding a Purchase Order to Urban Engineers, Inc. to provide Construction Project Management and Inspection Services for the Replacement of Otis Bog Bridge (Structure No. 1506-009), Otis Bog Road over Giffords Mill Branch of Tuckerton Creek, Township of Little Egg Harbor, in an amount not to exceed \$189,450.15. (QP2022-155)
- 9. Awarding a Purchase Order to French & Parrello Associates, P.A. to provide Construction Project Management and Inspection Services for the Road Improvements to Massachusetts Avenue (C.R. 637) and Cox Cro Road (C.R. 622), Lakewood and Toms River Townships, in an amount not to exceed \$154,304.06. (QP2022-155)
- 10. Awarding a Purchase Order to French & Parrello Associates, P.A. to provide Consultant Material Sampling, Inspection and Testing Services Geo Technical Engineering Evaluation for the Rehabilitation of Hooper Avenue Culvert (Structure No. 1506-012), Brick Township, in an amount not to exceed \$14,655.00. (QP2023-68)
- 11. Awarding a Purchase Order to ATANE Engineers, Architects & Land Surveyors, P.C. to provide Consultant Material Sampling, Inspection and Testing Services for the Improvements to Castlebuono Avenue, from Hooper Avenue to Salerno Drive, Toms River Township, in an amount not to exceed \$19,123.00. (QP2023-68)
- 12. Awarding a Purchase Order to Van Cleef Engineering Associates, LLC to provide Construction Project Management and Inspection Services for the Proposed Traffic Signals and Roadway Improvements at New Hampshire Avenue/Chestnut Street and State Route 70 Ramp E/Chestnut Street, Township of Lakewood, in an amount not to exceed \$225,136.16. (QP2022-155)
- 13. Qualifying fifteen (15) firms as eligible to perform On-Call Environmental Engineering Professional Services, where and as directed by the County Engineer, on a project specific basis, for the contract period of 7/21/2023 through 7/20/2024 as follows: T&M Associates; Dewberry Engineers, Inc.; Colliers Engineering & Design, Inc.; ACT Engineers, Inc.; Princeton Hydro, LLC; CME Associates; Johnson, Mirmiran & Thompson, Inc.; Environmental Resolutions, Inc.; Suburban Consulting Engineers, Inc.; Paulus, Sokolowski and Sartor, LLC; Remington & Vernick Engineers; DuBois & Associates, LLC; Matrix New World Engineering, Land Surveying and Landscape Architecture, PC; T.O. Najarian Associates, Inc.; and Alaimo Group. (QP2023-97)

#### P. APPOINTMENTS AND REAPPOINTMENTS

- 1. Reappointing Dr. Steven R. DelMaestro, M.D. to the position of Assistant Ocean County Medical Examiner for a term of one (1) year commencing 8/1/2023 through 7/31/2024.
- 2. Reappointing William Braden, Toms River and Craig Versheck, Little Egg Harbor to the OC TRANSPORTATION ADVISORY BOARD for a term of three (3) years, term to expire 7/22/2026.

#### Q. RECEIVED ITEMS

#### R. RESOLUTIONS FROM GOVERNING BODIES

- 1. OC Utilities Authority Resolution No. 23-12237 establishing the bulk rate to be charged its participants at \$4,120 per million gallons beginning January 1, 2024.
- 2. Cape May County Resolution No. 429-23, urging the State of New Jersey to implement a mechanism to prevent any school district from receiving a reduction in State aid that exceeds the amount it is able to receive in increased revenue by an increase on the local tax levy.
- 3. Manchester Township Resolution #23-303, in support of the County of Ocean acquiring Open Space for the Natural Lands Trust (Block 69, Lot 5, Block 62, Lots 15, 16 & 33, and Block 109, Lots 14.01, 14.02 & 15.01).
- 4. Monmouth County Resolution #2023-0538 opposing the removal of \$200 million for Municipal Health Benefit Cost Relief.
- 5. OC Board of Health Resolution 206(23) proclaiming August 2023 as "National Immunization Awareness Month" in Ocean County.
- 6. OC Board of Health Resolution 207(23) proclaiming the week of August 1-7, 2023 as "World Breastfeeding Week" in Ocean County.

#### S. MINUTES AND MEETING NOTICES

- 1. OC Planning Board Meeting Minutes of 6/21/2023.
- 2. OC Shade Tree Advisory Commission Meeting Minutes of 4/13/2023.
- 3. OC Shade Tree Advisory Commission Meeting Minutes of 5/11/2023.
- 4. OC Mental Health Board Meeting Minutes of 6/12/2023.
- 5. OC Transportation Advisory Committee for Senior Citizens & Persons with Disabilities, 7/20/2023 Meeting Notice and Agenda.
- 6. OC Board of Health Meeting Minutes of 6/21/2023.
- 7. OC Mosquito Extermination Commission Meeting Minutes of 6/19/2023.
- 8. OC Agriculture Development Board Meeting Minutes of 6/14/2023.

#### T. REPORTS

- 1. OC Treasurer's Report, May 2023.
- 2. OC Supplemental Debt Statement dated 7/19/2023 for Ordinances being introduced on 7/19/2023.

#### U. CORRESPONDENCE

- 1. Notice of Filing in the matter of a permit application submitted to the Department of the Army, U.S. Army Corps of Engineers, Philadelphia District by the New Jersey Turnpike Authority to construct improvements to the Garden State Parkway between Mileposts 80.4 near the stream crossing of Jakes Branch and Milepost 84.1 near Interchange 83 at Route 9/166 crossing in Beachwood Borough, South Toms River Borough, Berkeley Township, and Toms River Township, File Number NAP-2022-00412-TEC.
- 2. Notice of filing in the matter of the Petition of Atlantic City Electric Company for Approval of Amendments to Its Tarriff to Provide for an Increase in Rates and Charges for Electric Service pursuant to N.J.S.A. 48:2-21 and N.J.S.A. 48:2-21.1, and for Other Appropriate Relief (2/2023), OAL Docket No. PUC 02235-23, BPU Docket No. ER23020091.
- 3. Jim McCann, Save LBI, email dated 7/16/2023, regarding the Atlantic Shores wind projects off the coast of Ocean County.
- 4. Borough of Seaside Park letter dated 7/18/2023 in reference to email from Jim McCann, Save LBI, regarding the Atlantic Shores wind projects off the coast of Ocean County.
- 5. Ocean County Mayors Association email dated 7/19/2023 in reference to email from Jim McCann, Save LBI, regarding the Atlantic Shores wind projects off the coast of Ocean County.

#### V. COMMISSIONER COMMENTS

- W. PUBLIC COMMENTS "Comments from members of the audience are invited at this time with a limit of five (5) minutes per speaker."
- X. ADJOURNMENT

#### **ORDINANCE #2023-24**

AN ORDINANCE AUTHORIZING THE PERMITTING AND CONSTRUCTION OF THE COURTHOUSE ANNEX LOCATED IN TOMS RIVER TOWNSHIP, COUNTY OF OCEAN, STATE NEW JERSEY, OF AND APPROPRIATING \$92,000.000 THEREFOR. AND AUTHORIZING THE ISSUANCE OF \$85,000,000 IN BONDS OR BOND ANTICIPATION NOTES OF THE COUNTY OF OCEAN TO FINANCE THE SAME,

BE IT ORDAINED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, IN THE STATE OF NEW JERSEY (NOT LESS THAN TWO THIRDS OF ALL MEMBERS THEREOF AFFIRMATIVELY CONCURRING) AS FOLLOWS:

SECTION 1. The following is hereby authorized to be undertaken by the County of Ocean as general improvements: permitting and construction of the Courthouse Annex in Toms River Township, in the County of Ocean. State of New Jersey, including, but not limited to permitting and construction, and all else necessary therefor or incidental thereto.

SECTION 2. It is hereby found, determined and declared that the improvements or purposes, the estimated cost of the improvements and appropriation therefor, down payment and estimated maximum amount of bonds or notes authorized are as follows:

IMPROVEMENT OR PURPOSE ESTIMATED COST AND APPROPRIATION <u>DOWN</u> <u>Payment</u> ESTIMATED
MAXIMUM AMOUNT
OF BONDS OR
NOTES AUTHORIZED

Permitting and construction of the Courthouse Annex located in Toms River Township

**TOTALS** 

\$92,000,000

\$7,000,000

\$85,000,000

SECTION 3. There is hereby appropriated the sum of \$92,000,000, including the sum of \$7,000,000 as the down payment, for the improvements or purposes described in Section 1 hereof as required by the Local Bond Law. The down payment has been made available by virtue of provision in the Capital Improvement Fund of the County of Ocean in one or more previously adopted budgets.

SECTION 4. There is hereby authorized the issuance of negotiable bonds in an aggregate principal amount of \$85,000,000 to finance part of the cost of the purposes stated in Section 1 hereof. Said bonds shall bear interest at a rate not exceeding the limit authorized by law, and the maturities, method of sale and other details thereof shall be determined by subsequent resolutions to be adopted in the manner provided by law.

SECTION 5. In order to temporarily finance the purposes provided for in Section 1 hereof, there is hereby authorized the issuance of bond anticipation notes of said County in an aggregate principal amount of \$85,000,000. All bond anticipation notes issued hereunder shall mature at such times as may be determined by the County Comptroller; provided that no note shall mature later than one year from its date. The bond anticipation notes shall bear interest at such rate or rates and shall be in such form as may be determined by the

County Comptroller. The County Comptroller shall determine all matters in connection with notes issued pursuant to this Ordinance, and the County Comptroller's signature upon the notes shall be conclusive evidence as to all such determinations. All notes issued hereunder may be renewed from time to time subject to the provisions of N.J.S.A. 40A:2-8.1. The County Comptroller is hereby authorized to sell part or all of the notes from time to time at public or private sale and to deliver them to the purchasers thereof upon receipt of payment of the purchase price plus accrued interest from their dates to the date of delivery thereof. The County Comptroller is directed to report in writing to the Board of Commissioners at the meeting next succeeding the date when any sale or delivery of the notes pursuant to this Ordinance is made. Such report must include the amount, the description, the interest rate and the maturity schedule of the notes sold, the price obtained and the name of the purchaser.

SECTION 6. The County reasonably expects to commence acquisition and/or construction of the improvements described in Section 1 hereof, and to advance all or a portion of the costs in respect thereof, prior to the issuance of bonds or notes hereunder. To the extent such costs are advanced, the County further reasonably expects to reimburse such expenditures from the proceeds of the bonds or notes authorized by this bond ordinance, in an aggregate amount not to exceed the amount of bonds or notes authorized in Section 2 hereof. This bond ordinance is intended to be a declaration of official intent under Treasury Regulation Section 1.150-2.

SECTION 7. Any grant monies received for the purposes described in Section 1 hereof, shall be applied either to direct payment of the cost of the improvements or to payment of the obligations issued pursuant to this bond ordinance. The amount of obligations authorized but not issued hereunder shall be reduced to the extent that such funds are so used.

SECTION 8. The amount of the proceeds of the obligations authorized by this Ordinance which may be used for the payment of interest on such obligations, architects' fees, accounting, engineering and inspection costs, legal expenses, and other items as provided in N.J.S.A. 40A:2-20 shall not exceed the sum of \$16,000,000.

SECTION 9. The Capital Budget of the County of Ocean is hereby amended to conform with the provisions of this Ordinance to the extent of any inconsistency herewith. In the event of any such inconsistency and amendment, the resolution in the form promulgated by the Local Finance Board showing full detail of the amended Capital Budget and Capital Program as approved by the Director of the Division of Local Government Services is on file with the Clerk of the Board of Commissioners and is available there for public inspection.

SECTION 10. It is hereby found, determined and declared as follows:

A. The improvements or purposes described in Section 1 of this bond ordinance are not current expenses. They are improvements or purposes the County may lawfully undertake as general improvements,

and no part of the cost thereof has been or shall be specially assessed on property benefitted thereby.

B. The average period of usefulness of the improvements for which the obligations authorized by this Ordinance are to be issued is forty (40) years.

C. The supplemental debt statement provided for in N.J.S.A. 40A:2-10 was duly filed in the Office of the Clerk of the Board of Commissioners prior to the passage of this Ordinance on first reading, and a complete executed duplicate of such supplemental debt statement has been filed in the office of the Director of the Division of Local Government Services in the Department of Community Affairs of the State of New Jersey, and such supplemental debt statement shows that the gross debt of the County as defined in N.J.S.A. 40A:2-43 is increased by this Ordinance by \$85,000,000 and the obligations authorized by this Ordinance will be within all debt limitations prescribed by said Local Bond Law.

SECTION 11. In the event the monies set forth above for any purpose is not necessary for said purposes, then such monies shall be for the completion of any of the other purposes provided for in this Ordinance.

SECTION 12. The full faith and credit of the County of Ocean shall be pledged to the payment of the principal of and interest on the bonds and notes authorized by this Ordinance, and as long as any of said bonds or notes are outstanding, an appropriation shall be included in each annual budget of the County hereafter adopted in an amount sufficient to pay the principal of and interest on such bonds or notes maturing in each year. The obligations shall be direct, unlimited obligations of the County, and the County shall be obligated to levy ad valorem taxes upon all the taxable real property within the County for the payment of the obligations and the interest thereon without limitation as to rate or amount.

SECTION 13. After passage upon first reading of this Ordinance, the Clerk of the Board of Commissioners is hereby directed to publish the full text of the Ordinance, together with the notice set forth below entitled: "NOTICE OF PENDING ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A:2-19, at least seven days prior to the date set for public hearing and further consideration for final passage (which date shall be at least ten days after introduction and first reading). The Clerk of the Board of Commissioners is further directed to comply with all provisions of N.J.S.A. 40A:2-17(b) regarding postings, publications, and the provision of copies of this Ordinance.

SECTION 14. After final adoption of this Ordinance by the Board of Commissioners, the Clerk of the Board of Commissioners is hereby directed to publish the full text of this Ordinance, as finally adopted, together with the notice set forth below entitled: "NOTICE OF ADOPTION OF ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a nowspaper qualified under N.J.S.A. 40A:2-19.

SECTION 15. The Board of Commissioners of the County hereby covenants on behalf of the

County to take any action necessary or refrain from taking such action in order to preserve the tax-exempt status of the bonds and notes authorized hereunder as is or may be required under the Internal Revenue Code of 1986, as amended, and the regulations promulgated thereunder (the "Code"), including compliance with the Code with regard to the use, expenditure, investment, timely reporting and rebate of investment earnings as may be required thereunder.

SECTION 16. This Ordinance shall take effect twenty (20) days after the first publication thereof after final passage.

#### NOTICE OF PENDING ORDINANCE

PUBLIC NOTICE is hereby given that the foregoing Bond Ordinance was introduced and passed on first reading at a regular meeting of the Board of Commissioners of the County of Ocean held July 19, 2023. Further notice is given that the said Bond Ordinance will be considered for final passage and adoption at a regular meeting of said Board of Commissioners to be held at the Ocean County Administration Building, Hooper Avenue and Washington Street, Toms River, New Jersey on August 2, 2023, at 4:00 p.m.

Copies of this bond ordinance will be made available from the Clerk of the Board of Commissioners at the County Administration Building in Toms River, New Jersey during the week up to and including the date of the public hearing or further consideration to the members of the general public of the County who shall request such copies.

MICHELLE I, GUNTHER, Clerk Board of Commissioners

JOHN C. SAHRADNIK County Counsel

#### **ORDINANCE #2023-25**

AN ORDINANCE APPROPRIATING THE SUM OF \$250,000 FROM THE CAPITAL IMPROVEMENT FUND FOR THE COST OF THE DESIGN OF A SHERIFF FACILITY LOCATED IN TOMS RIVER TOWNSHIP, COUNTY OF OCEAN, STATE OF NEW JERSEY.

WHEREAS, it is in the best interest of the County that funds be available for this purpose.

WHEREAS, the Board of Commissioners of the County of Ocean recognizes the need for the design of a Sheriff facility located in Toms River Township, County of Ocean, State of New Jersey; and

NOW, THEREFORE, BE IT ORDAINED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY (NOT LESS THAN TWO THIRDS OF ALL MEMBERS THEREOF AFFIRMATIVELY CONCURRING), as follows:

SECTION 1: \$250,000 is hereby appropriated from the Capital Improvement Fund for the cost of the design of a Sheriff facility located in Toms River Township, County of Ocean, which sum shall also cover fees and contingencies.

SECTION 2: The capital budget of the County of Ocean is hereby amended to conform with the provisions of this ordinance to the extent of any inconsistency herewith. The resolution in the form promulgated by the Local Finance Board showing full detail of the amended capital budget and capital program as approved by the Director of Local Government Services is on file with the Clerk and is available there for public inspection.

SECTION 3: After passage upon first reading of this Ordinance, the Clerk of the Board of Commissioners is hereby directed to publish the full text of the Ordinance, together with the notice set forth below entitled: "NOTICE OF PENDING ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A: 2-19, at least seven days prior to the date set for public hearing and further consideration for final passage (which date shall be at least ten days after introduction and first reading). The Clerk of the Board of Commissioners is further directed to comply with all provisions of N.J.S.A. 40A: 2-17(b) regarding postings, publications, and the provision of copies of this Ordinance.

SECTION 4: After final adoption of this Ordinance by the Board of Commissioners, the Clerk of the Board of Commissioners is hereby directed to publish the full text of this Ordinance, as finally adopted, together with the notice set forth below entitled: "NOTICE OF ADOPTION OF ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A: 2-19.

SECTION 5: This Ordinance shall take effect twenty (20) days after the first publication thereof after final passage.

#### NOTICE OF PENDING ORDINANCE

PUBLIC NOTICE is hereby given that the foregoing Ordinance was introduced and passed on first reading at a regular meeting of the Board of Commissioners of the County of Ocean held July 19, 2023. Further notice is given that the said Ordinance will be considered for final passage and adoption at a regular meeting of said Board of Commissioners to be held at the Ocean County Administration Building, Hooper Avenue and Washington Street, Toms River, New Jersey on August 2, 2023 at 4:00 p.m. The Ordinance appropriates \$250,000 from the Capital Improvement Fund for the cost of the design of a Sheriff facility located in Toms River Township, County of Ocean, State of New Jersey.

Copies of this ordinance will be made available from the Clerk of the Board of Commissioners at the County Administration Building in Toms River, New Jersey during the week up to and including the date of the public hearing or further consideration to the members of the general public of the County who shall request such copies.

MICHELLE I. GUNTHER, Clerk Board of Commissioners

JOHN C. SAHRADNIK County Counsel

#### **ORDINANCE #2023-25**

AN ORDINANCE APPROPRIATING THE SUM OF \$250,000 FROM THE CAPITAL IMPROVEMENT FUND FOR THE COST OF THE DESIGN OF A SHERIFF FACILITY LOCATED IN TOMS RIVER TOWNSHIP, COUNTY OF OCEAN, STATE OF NEW JERSEY.

WHEREAS, it is in the best interest of the County that funds be available for this purpose.

WHEREAS, the Board of Commissioners of the County of Ocean recognizes the need for the design of a Sheriff facility located in Toms River Township, County of Ocean, State of New Jersey; and

NOW, THEREFORE, BE IT ORDAINED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY (NOT LESS THAN TWO THIRDS OF ALL MEMBERS THEREOF AFFIRMATIVELY CONCURRING), as follows:

SECTION 1: \$250,000 is hereby appropriated from the Capital Improvement Fund for the cost of the design of a Sheriff facility located in Toms River Township, County of Ocean, which sum shall also cover fces and contingencies.

SECTION 2: The capital budget of the County of Ocean is hereby amended to conform with the provisions of this ordinance to the extent of any inconsistency herewith. The resolution in the form promulgated by the Local Finance Board showing full detail of the amended capital budget and capital program as approved by the Director of Local Government Services is on file with the Clerk and is available there for public inspection.

SECTION 3: After passage upon first reading of this Ordinance, the Clerk of the Board of Commissioners is hereby directed to publish the full text of the Ordinance, together with the notice set forth below entitled: "NOTICE OF PENDING ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A: 2-19, at least seven days prior to the date set for public hearing and further consideration for final passage (which date shall be at least ten days after introduction and first reading). The Clerk of the Board of Commissioners is further directed to comply with all provisions of N.J.S.A. 40A: 2-17(b) regarding postings, publications, and the provision of copies of this Ordinance.

SECTION 4: After final adoption of this Ordinance by the Board of Commissioners, the Clerk of the Board of Commissioners is hereby directed to publish the full text of this Ordinance, as finally adopted, together with the notice set forth below entitled: "NOTICE OF ADOPTION OF ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A; 2-19,

SECTION 5: This Ordinance shall take effect twenty (20) days after the first publication thereof after final passage.

#### NOTICE OF PENDING ORDINANCE

PUBLIC NOTICE is hereby given that the foregoing Ordinance was introduced and passed on first reading at a regular meeting of the Board of Commissioners of the County of Ocean held July 19, 2023. Further notice is given that the said Ordinance will be considered for final passage and adoption at a regular meeting of said Board of Commissioners to be held at the Ocean County Administration Building, Hooper Avenue and Washington Street, Toms River, New Jersey on August 2, 2023 at 4:00 p.m. The Ordinance appropriates \$250,000 from the Capital Improvement Fund for the cost of the design of a Sheriff facility located in Toms River Township, County of Ocean, State of New Jersey.

Copies of this ordinance will be made available from the Clerk of the Board of Commissioners at the County Administration Building in Toms River, New Jersey during the week up to and including the date of the public hearing or further consideration to the members of the general public of the County who shall request such copies.

MICHELLE I. GUNTHER, Clerk Board of Commissioners

JOHN C. SAHRADNIK County Counsel

#### **ORDINANCE #2023-26**

AN ORDINANCE APPROPRIATING THE SUM OF \$250,000 FROM THE CAPITAL IMPROVEMENT FUND FOR THE COST OF GENERATOR INSTALLATION AND UPGRADES FOR THE COUNTY MOSQUITO COMMISSION, LOCATED IN THE COUNTY OF OCEAN, STATE OF NEW JERSEY.

WHEREAS, the Board of Commissioners of the County of Ocean recognizes the need for generator installation and upgrades for the County Mosquito Commission, located the County of Ocean, State of New Jersey; and

WHEREAS, it is in the best interest of the County that funds be available for this purpose.

NOW, THEREFORE, BE IT ORDAINED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY (NOT LESS THAN TWO THIRDS OF ALL MEMBERS THEREOF AFFIRMATIVELY CONCURRING), as follows:

SECTION 1: \$250,000 is hereby appropriated from the Capital Improvement Fund for the cost of generator installation and upgrades for the County Mosquito Commission, located the County of Ocean, which sum shall also cover fees and contingencies.

SECTION 2: The capital budget of the County of Ocean is hereby amended to conform with the provisions of this ordinance to the extent of any inconsistency herewith. The resolution in the form promulgated by the Local Finance Board showing full detail of the amended capital budget and capital program as approved by the Director of Local Government Services is on file with the Clerk and is available there for public inspection.

SECTION 3: After passage upon first reading of this Ordinance, the Clerk of the Board of Commissioners is hereby directed to publish the full text of the Ordinance, together with the notice set forth below entitled: "NOTICE OF PENDING ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A: 2-19, at least seven days prior to the date set for public hearing and further consideration for final passage (which date shall be at least ten days after introduction and first reading). The Clerk of the Board of Commissioners is further directed to comply with all provisions of N.J.S.A. 40A: 2-17(b) regarding postings, publications, and the provision of copies of this Ordinance.

SECTION 4: After final adoption of this Ordinance by the Board of Commissioners, the Clerk of the Board of Commissioners is hereby directed to publish the full text of this Ordinance, as finally adopted, together with the notice set forth below entitled: "NOTICE OF ADOPTION OF ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A; 2-19.

SECTION 5: This Ordinance shall take effect twenty (20) days after the first publication thereof after final passage.

#### NOTICE OF PENDING ORDINANCE

PUBLIC NOTICE is hereby given that the foregoing Ordinance was introduced and passed on first reading at a regular meeting of the Board of Commissioners of the County of Ocean held July 19, 2023. Further notice is given that the said Ordinance will be considered for final passage and adoption at a regular meeting of said Board of Commissioners to be held at the Ocean County Administration Building, Hooper Avenue and Washington Street, Toms River, New Jersey on August 2, 2023 at 4:00 p.m. The Ordinance appropriates \$250,000 from the Capital Improvement Fund for the cost of generator installation and upgrades for the County Mosquito Commission, located in the County of Ocean, State of New Jersey.

Copies of this ordinance will be made available from the Clerk of the Board of Commissioners at the County Administration Building in Toms River, New Jersey during the week up to and including the date of the public hearing or further consideration to the members of the general public of the County who shall request such copies.

MICHELLE I. GUNTHER, Clerk Board of Commissioners

JOUN C. SAHRADNIK County Counsel

#### RESOLUTION July 19, 2023

- WHEREAS, the voters of Ocean County authorized the Ocean County Natural Lands Trust Fund to provide funds for the acquisition and preservation of natural lands, open spaces and farmland; and
- WHEREAS, the Ocean County Natural Lands Trust Fund Advisory Committee was established by the Board of Commissioners to review nominations to the program and forward recommendations for acquisition to the Board of Commissioners; and
- WHEREAS, the Natural Lands Trust Fund Advisory Committee has received a nomination for various parcels identified in Appendix A in Berkeley Township totaling approximately 27.04 acres located on Harbor Inn Road West and Atlantic City Boulevard; and
- WHEREAS, two professional appraisals were authorized to determine the fair market value; and
- WHEREAS, the Natural Lands Trust Fund Advisory Committee has determined the property's attributes are consistent with the Ocean County Open Space Plan and Recreation Inventory; and
- WHEREAS, the County of Ocean would acquire the property for a purchase price not to exceed \$5,900,000.00 of equivalent land value; and
- WHEREAS, the property is currently operated as a private recreational site and acquisition and management would be consistent with conservation and continuing recreational purposes as permitted by the Ocean County Natural Lands Trust Fund Program Document; and
- WHEREAS, the property owner has committed to offering a right of first refusal to Ocean County to purchase Block 1014, Lots 2, 2.04, 7, 8, 9, & 11; and
- **WHEREAS**, a public hearing on the proposed acquisition was conducted by the Board of Commissioners on July 19, 2023 as required by PL 1997, c24.
- NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:
- 1. It accepts the recommendation of the Ocean County Natural Lands Trust Fund Advisory Committee to acquire property identified in Appendix A in Berkeley Township totaling approximately 27.04 acres located on Harbor Inn Road West and Atlantic City Boulevard.
- 2. It authorizes the expenditure for an acquisition price not to exceed \$5,900,000.00 plus up to \$18,000.00 for property tax adjustments as necessary from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.

#### BE IT FURTHER RESOLVED THAT

- 1. The proper officers of the Board are authorized and directed to sign all necessary documents in order to effectuate these purchases.
- 2. The purchase of the property is to be contingent upon the County's acquisition by purchase, deed or gift of the necessary rights-of-way along any County roads bordering the property as determined by the County Engineer.

### RESOLUTION: July 19, 2023

- 3. The offices of Ocean County Counsel and County Administrative staff are hereby authorized to take all actions necessary to consummate this transaction and have the fully executed Deeds or Easements recorded in the County Clerk's Office.
- 4. In the event the seller(s) seek to claim a charitable contribution credit, the County Administrative staff may execute the completed IRS form 8283, confirm the sale to Ocean County.
- 5. The Township of Berkeley has supported acquisition of this property by resolution.
- 6. Copies of this Resolution shall be made available to the Ocean County Administrator, Planning Department, Finance Department, County Auditor; County Counsel; County Natural Lands Trust Fund Advisory Committee; the Township of Berkeley; and the landowner.

### Appendix A

Block 1014 Lots 2.01, 3, 4, & 6

Block 781 Lots 15, 17, 19, 21, 23, 25, 27, 29, 30, 31, 32, 33, & 34

Block 782 Lots 1, 1.01, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,

17, 19, 21, 23, 25, 27, 29, 31, 32, 33, 34

Block 821 Lot 1

#### RESOLUTION July 19, 2023

**WHEREAS**, the voters of Ocean County authorized the Ocean County Natural Lands Trust Fund to provide funds for the acquisition and preservation of natural lands, open spaces and farmland; and

WHEREAS, the Ocean County Natural Lands Trust Fund Advisory Committee was established by the Board of Commissioners to review nominations to the program and forward recommendations for acquisition to the Board of Commissioners; and

WHEREAS, the Natural Lands Trust Fund Advisory Committee has received a nomination for the property identified as Block 1217, Lots 13, 14, 15 in Berkeley Township totaling approximately 0.11 acres located on Good Luck Drive; and

WHEREAS, one professional appraisal was authorized to determine the fair market value; and

WHEREAS, the Natural Lands Trust Fund Advisory Committee has determined the property's attributes are consistent with the Ocean County Open Space Plan and Recreation Inventory; and

WHEREAS, the County of Ocean would acquire the property for a purchase price not to exceed \$825,000.00 of equivalent land value; and

WHEREAS, a public hearing on the proposed acquisition was conducted by the Board of Commissioners on July 19, 2023 as required by PL 1997, c24.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. It accepts the recommendation of the Ocean County Natural Lands Trust Fund Advisory Committee to acquire property identified as Block 1217, Lots 13, 14, 15 in Berkeley Township totaling approximately 0.11 acres located on Good Luck Drive.
- 2. It authorizes the expenditure for an acquisition price not to exceed \$825,000.00 plus up to \$2,200.00 for property tax adjustments as necessary from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.

#### BE IT FURTHER RESOLVED THAT

- 1. The proper officers of the Board are authorized and directed to sign all necessary documents in order to effectuate these purchases.
- 2. The purchase of the property is to be contingent upon the County's acquisition by purchase, deed or gift of the necessary rights-of-way along any County roads bordering the property as determined by the County Engineer.

### RESOLUTION: July 19, 2023

- 3. The offices of Occan County Counsel and County Administrative staff are hereby authorized to take all actions necessary to consummate this transaction and have the fully executed Deeds or Easements recorded in the County Clerk's Office.
- 4. In the event the seller(s) seek to claim a charitable contribution credit, the County Administrative staff may execute the completed IRS form 8283, confirm the sale to Ocean County.
- 5. The Township of Berkeley has supported acquisition of this property by resolution No. 23-304-R
- 6. Copies of this Resolution shall be made available to the Ocean County Administrator, Planning Department, Finance Department, County Auditor; County Counsel; County Natural Lands Trust Fund Advisory Committee; the Township of Berkeley; and the landowner.

#### BILL COMMITTEE REPORT COUNTY OF OCEAN SUMMARY OF VOUCHERS

SUMMARY OF BILLS

CERTIFICATE# 14

#### MASTER VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT

I, THE UNDERSIGNED, DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION HAVE EXAMINED THE VOUCHERS SUBMITTED HERE WITHIN FOR THE PURPOSE OF RECOMMENDING TO THE OCEAN COUNTY BOARD OF COMMISSIONERS PAYMENT THEREOF ON 07/19/2023.

I, HEREBY CERTIFY THESE VOUCHERS, IN THE TOTAL AMOUNT OF \$35,552,417.05 WHICH ARE CONTAINED IN THE ATTACHED REPORT, TO BE VALID CLAIMS, AND I RECOMMEND APPROVAL AND PAYMENT THEREOF.

GARY QUINN DEPUTY DIRECTOR	APPROVED
JOHN P. KELLY COMMISSIONER	JOSEPH H. VICARI DIRECTOR
VIRGINIA E, HAINES COMMISSIONER	ORDERED PAID
BARBARA JO CREA COMMISSIONER	MICHELLE I. GUNTHER CLERK OF THE BOARD BOARD OF COMMISSIONERS

#### RESOLUTION

#### JULY 19, 2023

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, THAT THE DIRECTOR IS HEREBY AUTHORIZED AND INSTRUCTED TO EXECUTE MASTER VOUCHER-CERTIFICATE #14 FOR CERTIFICATION OF SAID MASTER VOUCHER CONSISTING OF 93 PAGES WITH VOUCHERS TOTALING IN THE AMOUNT OF \$35,552,417.05 WHICH ARE DEEMED TO BE VALID CLAIMS AS RECOMMENDED BY THE DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION

BE IT FURTHER RESOLVED THAT THE COMPTROLLER OF THE COUNTY
OF OCEAN IS HEREBY AUTHORIZED AND DIRECTED TO PAY EACH AND EVERY
ONE OF THE AFORESAID BILLS ATTACHED TO THIS
MASTER VOUCHER-CERTIFICATE AND, UPON EXECUTION OF SAME BY SAID
DIRECTOR, IF AND WHEN FUNDS ARE AVAILABLE.

### BILL COMMITTEE REPORT COUNTY OF OCEAN SUMMARY OF VOUCHERS BOARD MEETING OF JULY 19, 2023

#### SUMMARY OF BILLS

**CERTIFICATE #E-2** 

MASTER VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT OF THE JUNE 6, 2023 PRIMARY ELECTION POLL WORKERS.

I, THE UNDERSIGNED, DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION HAVE EXAMINED THE INDIVIDUAL VOUCHERS SUBMITTED HEREWITH FOR THE PURPOSE OF RECOMMENDING TO THE OCEAN COUNTY BOARD OF COMMISSIONERS RATIFICATION OF THE PAYMENT MADE JUNE 29, 2023.

I HEREBY CERTIFY THESE VOUCHERS, IN THE TOTAL AMOUNT OF \$562,219.28, WHICH ARE CONTAINED IN THE ATTACHED REPORT, TO BE VALID CLAIMS, AND I RECOMMEND APPROVAL AND RATIFICATION OF THE PAYMENT.

GARY QUINN DEPUTY DIRECTOR	APPROVED
JOHN P. KELLY COMMISSIONER	JOSEPH H. VICARI DIRECTOR
VIRGINIA E. HAINES COMMISSIONER	ORDERED PAID
BARBARA JO CREA COMMISSIONER	MICHELLE I, GUNTHER CLERK OF THE BOARD BOARD OF COMMISSIONERS

#### JULY 19, 2023

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD
OF COMMISSIONERS OF THE COUNTY OF OCEAN, THAT THE DIRECTOR IS
HEREBY AUTHORIZED AND INSTRUCTED TO EXECUTE MASTER
VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT # E-2 SAID MASTER
VOUCHER, CONSISTING OF 299 PAGES WITH VOUCHERS TOTALING IN THE
AMOUNT OF \$562,219.28, WHICH ARE DEEMED TO BE VALID CLAIMS AS
RECOMMENDED BY THE DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION

BE IT FURTHER RESOLVED THAT THE COMPTROLLER OF THE COUNTY OF OCEAN IS HEREBY AUTHORIZED AND DIRECTED TO PAY EACH AND EVERY ONE OF THE AFORESAID POLL WORKERS ATTACHED TO THIS MASTER VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT, UPON EXECUTION OF SAME BY SAID DIRECTOR, IF AND WHEN FUNDS ARE AVAILABLE.

# No Associated Documents

July 19, 2023

WHEREAS, the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN entered into an agreement December 7, 2022 with the Contractor, Earle Asphalt Company for work and services in relation to the Construction of Barnegat Branch Trail Maintenance Contract 2022, Barnegat and Ocean Townships, Ocean County, New Jersey; and

WHEREAS, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 1 dated July 19, 2023 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 1 shows:

Total Cost of Construction: \$169,338.39

Less 2% of Total: \$3,386.77

------
Subtotal: \$165,951.62

AMOUNT NOW DUE CONTRACTOR:

\$165,951.62

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Commissioners of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of One hundred sixty five thousand nine hundred fifty one and 62/100 dollars (\$165,951.62) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

#### R E S O L U T I O N

July 19, 2023

WHEREAS, the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN entered into an agreement July 20, 2022 with the Contractor, Rencor, Inc. for work and services in relation to the Replacement of Duck Farm Bridge (Structure No. 1506-013), Hoopar Avenue (C.R. 631) Over Cedar Bridge Branch of the Metedeconk River, Brick Township, Ocean County, New Jersey; and

WHEREAS, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

WHEREAS, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 7 dated July 19, 2023 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 7 shows:

Total Cost of Construction:

\$3,071,736,48

Less 2% of Total;

\$61,434.73

Subtotal:

\$3,010,301.75

Less Partial Estimato #1: \$ 39,200.00 Less Partial Estimate #2: \$739,844.53 Less Partial Estimate #3: \$574,359.87 Less Partial Estimate #4: \$389,069.44 Less Partial Estimate #5: \$476,186.90 Less Partial Estimate #6: \$453,188.95

Total Partial Payments Made to Date:

\$2,671,849.69

AMOUNT NOW DUE CONTRACTOR:

\$338,452.06

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Commissioners of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Three hundred thirty eight thousand four hundred fifty two and 06/100 dollars (\$338,452.06) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

July 19, 2023

WHEREAS, the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN entered into an agreement July 6, 2022 with the Contractor, Walters Marine Construction Co., Inc. for work and services in relation to the Replacement of Railroad Avenue Bridge, Structure No. 1508-005, Carrying Railroad Avenue Over Westedunk Creek, Township of Eagleswood, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was dono pursuant to said contract carried out under the direction and supervision of the County Engineer; and

WHEREAS, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Final Estimate No. 7 dated July 19, 2023 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Final Estimate No. 7 shows:

Total Cost of Construction:

\$2,348,848,56

Less 2% of Total:

\$0.00

Subtotal:

\$2,348,848.56

Less Partial Estimate #1: \$407,121.71
Less Partial Estimate #2: \$873,589.38
Less Partial Estimate #3: \$171,794.01
Less Partial Estimate #4: \$366,981.58
Less Partial Estimate #5: \$173,678.78
Less Partial Estimate #6: \$242,714.64

Total Partial Payments Made to Dato:

\$2,235,880.10

AMOUNT NOW DUE CONTRACTOR:

\$112,968.46

W H E R E A S, the said Contractor has filled a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Commissioners of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of One hundred twelvethousand nine hundred sixty eight and 46/100 dollars (\$112,968.46) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

#### R E S O L U T I O N

July 19, 2023

WHEREAS, the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN entered into an agreement November 17, 2021 with the Contractor, Earle Asphalt Company for work and services in relation to the Stormwater Management South Hope Chapel Road Drainage Improvements, Jackson Township, Jackson Township, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Final Estimate No. 3 dated July 19, 2023 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Final Estimate No. 3 shows:

Total Cost of Construction:	\$479,351.20
Less 2% of Total:	\$0.00
Subtotal:	\$479,351.20
Less Partial Estimate #1: \$280,378.42 Less Partial Estimate #2: \$55,775.07	
Total Partial Payments Made to Date:	\$336,153.49
AMOUNT NOW DUE CONTRACTOR:	\$143,197.71

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESCLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Commissioners of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of One hundred forty three thousand one hundred ninety seven and 71/100 dollars; (\$143,197.71) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

July 19, 2023

WHEREAS, the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN entered into an agreement June 1, 2022 with the Contractor, C.J. Hesse, Inc. for work and services in relation to the Reconstruction and Resurfacing of Portions of Contain County Roads, Contract 2020D, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W E E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 7 dated July 19, 2023 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 7 shows:

Total Cost of Construction:

\$2,971,100.63

Less 2% of Total:

\$59,422.01

Subtotal:

\$2,911,678.62

Less Partial Estimate #1: \$752,001.91
Less Partial Estimate #2: \$409,946.08
Less Partial Estimate #3: \$586,915.13
Less Partial Estimate #4: \$39,409.98
Less Partial Estimate #5: \$151,795.92
Less Partial Estimate #6: \$549,582.64

Total Partial Payments Made to Date:

\$2,489,651.66

AMOUNT NOW DUE CONTRACTOR:

\$422,026.96

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent' covered by this resolution, be and the same is hereby accepted by the Board of Commissioners of the County of Ocean.
- 2. The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Four hundred twenty two thousand twenty six and 96/100 dollars (\$422,026.96) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

# No Associated Documents

# No Associated Documents

July 19, 2023

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

#### SECTION 2

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 19, 2023

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

**WHEREAS**, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

#### SECTION 2

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 19, 2023

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

#### SECTION 2

**BE IT FURTHER RESOLVED,** that a certified copy of this Resolution and one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 19, 2023

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

#### SECTION 2

#### SECTION 3

BE IT FURTHER RESOLVED that the sum of \_\_\_\_\_\_\_\$15,900.00 representing the amount required for the County's share of the aforementioned undertaking appears in the budget of the year 2023 Matching Funds for Future Grants.

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 19, 2023

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

**WHEREAS**, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

#### **SECTION 2**

#### SECTION 3

BE IT FURTHER RESOLVED that the sum of \_\_\_\_\_\_\$36,096.00 representing the amount required for the County's share of the aforementioned undertaking appears in the budget of the year 2023 Matching Funds for Future Grants,

**BE IT FURTHER RESOLVED**, that a certified copy of this Resolution and one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and County Auditor.

July 19, 2023

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

#### SECTION 1

#### **SECTION 3**

**BE IT FURTHER RESOLVED**, that one signed copy of the State of Now Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

#### July 19, 2023

WHEREAS, it has been determined that certain reserves for miscellaneous Federal and State Grants that have been transferred from the current fund to the grant fund are either closed or should be cancelled; and

**WHEREAS**, it has been determined that certain outstanding balances of these reserve funds are no longer required; and

WHEREAS, in order to maintain proper accounting and system control procedures, it is necessary to cancel this balance from the Grant Fund.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the grant amount to be canceled will be:

Grant Appropriatio	n\$285,903.97
Grant Receivable .	\$285,904.00
Debit to Surplus .	\$0.03

for which supporting documentation is attached hereto.

**BE IT FURTHER RESOLVED**, that certified copies of this Resolution shall be made available to the County Auditor, Department of Finance and the Department of Human Services.

# COUNTY OF OCEAN DEPARTMENT OF FINANCE ANALYSIS OF CANCELLATIONS FOR EXPIRED GRANT ACCOUNT RESCLUTION DATED 7/19/2023

Acco	unt Nu	mber	Account Name	BUDGETED AMOUNT	EXPENDED	RECEIVED	CREDIT (DEBIT) SURPLUS	Appropriation CANCELLED	Receivable CANCELLED
017	818	6156	WIOA Plan Fy19	\$3,117,003.00	\$2,903,682.00	\$2,903,683.00	\$1.00	\$213,321.00	\$213,320.00
017	818	6536	WorkFirst NJ Fy19/20	\$1,665,821.00	\$1,605,783.03	\$1,605,782.00	(\$1.03)	\$60,037.97	\$60,039.00
017	818	6537	Workforce Learning Link Fy19/20	\$140,000.00	\$129,060.00	\$129,060.00	\$0.00	\$10,940.00	\$10,940.00
017	818	6538	SmartSTEPS Program Fy19	\$1,605.00	\$0.00	\$0.02	\$0.00	\$1,605.00	\$1,605.00
	,		, , , , , , , , , , , , , , , , , , , ,	\$4,924,429.00	\$4,630,525.03	\$4,638,525.00	(\$0.03)	\$285,903.97	\$285,904.00

#### July 19, 2023

WHEREAS, on November 2, 2022 the Board of Commissioners of the County of Ocean, State of New Jersey, adopted a resolution that approved and ratified the actions taken by the Ocean County Prosecutor's to submit an electronic application for funding for a project entitled FY21 American Rescue Plan (ARP) Act - Coronavirus State Fiscal Recovery Fund (CSFRF) - Automated License Plate Reader Initiative, to the State of New Jersey, Department of Law and Public Safety, Office of the Attorney General, Division of Criminal Justice; and

WHEREAS, the Ocean County Prosecutor's Office wishes to accept the funding from the State of New Jersey, Department of Law and Public Safety, Office of the Attorney General, Division of Criminal Justice for the FY21 American Rescue Plan (ARP) Act – Coronavirus State Fiscal Recovery Fund (CSFRF) - Automated License Plate Reader Initiative, subaward number ALPR-28-21, in the amount of \$346,758.00, for the purposes described in the grant application, upon full execution of the subaward/contract.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- The Director and Clerk of the Board are hereby authorized to accept the grant funding from The State of New Jersey, Department of Law and Public Safety Office of the Attorney General, Division of Criminal Justice, upon full execution of the subaward/contract.
- 2. All other provisions of the Resolution dated November 2, 2022 shall remain in full force and effect.

**BE IT FURTHER RESOLVED,** that the Director and the Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Finance, Ocean County Prosecutor's Office and the State of New Jersey, Department of Law & Public Safety, Office of the Attorney General, Division of Criminal Justice.

#### JULY 19, 2023

WHEREAS, the STATE OF NEW JERSEY, Department of Children and Families have funds available for the renewal of the HUMAN SERVICES ADVISORY COUNCIL grant; and

WHEREAS, the County of Ocean, Department of Human Services wishes to accept the Human Services Advisory Council grant renewal; and

WHEREAS, the requested amount is \$64,397.00 from State funds and \$15,900.00 from County Funds, with the grant period to be from July 1, 2023 through June 30, 2024.

NOW, THEREFORE, BE IT RESOLVED by the OCEAN COUNTY BOARD OF COMMISSIONERS, STATE OF NEW JERSEY that the Director and Clerk of the Board are hereby authorized and directed to renew the grant agreement with the STATE OF NEW JERSEY, Department of Children and Families.

**BE IT FURTHER RESOLVED**, that the Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED**, that certified copies of this resolution shall be made available to the County Department of Finance, the County Auditor, the New Jersey State Department of Children and Families and the County Department of Human Services.

#### July 19, 2023

WHEREAS, the COUNTY OF OCEAN accepted a US DEPARTMENT OF
HEALTH AND HUMAN SERVICES, Substance Abuse and Mental Health Services
Administration, Center for Mental Health Services grant entitled Law Enforcement and
Behavioral Health Partnerships for Early Diversion Programs on September 19, 2018; and

WHEREAS, the COUNTY OF OCEAN, applied for funding for the fifth and final year of the VETERANS BEHAVIORAL HEALTH PARTNERSHIP INITIATIVE on January 19, 2022; and

WHEREAS, the COUNTY OF OCEAN, accepted continued funding for the fifth and final year of the VETERANS BEHAVIORAL HEALTH PARTNERSHIP INITIATIVE on July 20, 2022; and

WHEREAS, the budget period was from September 30, 2022 through September 29, 2023; and

WHEREAS, the COUNTY OF OCEAN, Office of the Prosecutor and Department of Human Services wishes to request a no-cost extension for six (6) months to March 31, 2024.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Director and Clerk of the Board are hereby authorizing the Department of Human Services to submit an electronic no-cost extension request from the US DEPARTMENT OF HEALTH AND HUMAN SERVICES, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services.

**BE IT FURTHER RESOLVED,** that the Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, Office of the Prosecutor, and County Department of Human Services.

#### July 19, 2023

WHEREAS, on September 21, 2022, Ocean County authorized a grant application and agreement with the NJ Department of Environmental Protection (NJDEP) and the NJ Clean Vessel Act Program (CVA) in an amount up to \$130,000.00, with said funds being used to reimburse the County of Ocean for the purchase of a new mobile pumpout boat to be operated by Brick Township; and

WHEREAS, on December 7, 2022, Ocean County authorized a grant application and agreement with the NJDEP and the CVA in an amount up to \$145,000.00, with said funds being used to reimburse the County of Ocean for the purchase of a new mobile pumpout boat to be operated by Scaside Park Borough; and


WHEREAS, on May 18, 2023, Ocean County received approvals for both grants from the NJDEP and the CVA, and was authorized to proceed to procure the two boats by public bid; and

WHEREAS, on June 27, 2023, the successful low bidder submitted a proposal in the total amount of \$270,870.00 for two boats, or \$135,435 for each boat; and

WHEREAS, it is necessary to amend the Grant Agreement between the County and the NJDEP to increase the cost of the Brick boat from \$130,000.00 to \$135,435.00.

**NOW, THEREFORE, BE IT RESOLVED** by the Board of Commissioners in the County of Ocean, State of New Jersey as follows:

- 1. The Board hereby approves and ratifies the actions taken by the Ocean County Administrator to execute and submit an electronic Grant Amendment/Modification with the NJ Department of Environmental Protection to increase the grant amount from \$130,000.00 to \$135,435.00, with said funds being used to reimburse the County of Ocean for the purchase of a new mobile pumpout boat and ancillary equipment.
- 2. The proper officers of the Board are authorized and directed to sign all necessary subsequent related documents for the receipt of grant funds made available for the purchase of the new pumpout boat vessel.
- 3. Copies of this Resolution shall be made available to the County Administrator, County Management & Budget Department, County Planning Department, County Finance Department, County Purchasing Department, NJ Department of Environmental Protection, NJ Clean Vessel Act Steering Committee, and the Township of Brick.



# RESOLUTION July 19, 2023

**WHEREAS**, the County of Ocean has previously submitted a Consolidated Plan and Annual Action Plan for funding; and

WHEREAS, said Plans have been approved for funding by the United States Department of Housing and Urban Development; and

WHEREAS, the County of Ocean created and established the Ocean County CDBG Housing Rehabilitation Program for the purpose of providing financial assistance to low and moderate income households for the correction of health and safety violations and for rehabilitation of qualified improvements to their principal place of residence; and

WHEREAS, the Ocean County Department of Planning is charged with the responsibility of oversceing the program; and

WHEREAS, the program guidelines provide that applicants approved for funding by the Ocean County Department of Planning must execute a Deferred Loan Agreement with the Ocean County Board of Commissioners; and

WHEREAS, the maximum amount of any deferred loan issued through the Ocean County CDBG Housing Rehabilitation Program shall not exceed \$25,000.00 per dwelling unit; and

WHEREAS, funding has been allocated to the Ocean County CDBG Housing Rehabilitation Program for deferred loans.

NOW, THEREFORE BE IT RESOLVED by the BOARD OF COMMISSIONERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Director and Clerk of the Board are hereby authorized and directed to enter into and execute a Deferred Loan Agreement on behalf of the Board with the following individual(s) for the amount set forth below:

Recipient: Cro

Crooker, Michelie

Account/Amount:

905-155-9203

\$23,220.00

Total:

\$23,220.00

In the event unforeseen conditions arise requiring additional work or reduction in work contemplated under the construction agreement which is incorporated in the approved deferred loan agreement and there is insufficient time to present the matter directly to the Board, the Ocean County Planning Department shall be authorized to approve said modifications to the deferred loan agreement(s) approved above. In such cases, the modification to the deferred loan(s) shall be reported promptly to the Board for approval at its next scheduled Board meeting.

- 2. The Board of Commissioners further accepts and approves the Construction Agreement executed between the individual/s set forth above and their selected contractor and said construction agreement is made apart of each Deferred Loan Agreement.
- 3. The Board of Commissioners further authorizes the Director and Clerk of the Board to execute legal instruments as required consummating the intent of this resolution.
- 4. Certified copies of this Resolution shall be forwarded to the Ocean County Department of Planning and the Ocean County Treasurer.

### PAGE 2

	5.	$\mathbf{BE}$	IT	FURTH	ER	RESOI	JVE	D THAT	the ap	pro	priate C	County	official	is
hereby	author	rized	to	endorse	and	cancel	the	Mortgage	Note	on	record	upon	receipt	of
verifica	tion th	at the	: De	eferred Lo	oan b	ias been	satis	sfied.						

6.	The	contract	number	must	be	placed	on	all	papers,	documents,	invoi	ces	and
vouchers perta	tining	g to said (	contract.										

#### RESOLUTION July 19, 2023

WHEREAS, the County of Ocean has previously submitted a Consolidated Plan and Annual Action Plan for funding; and

WHEREAS, said Plans have been approved for funding by the United States Department of Housing and Urban Development; and

WHEREAS, the County of Ocean created and established the Ocean County CDBG Housing Rehabilitation Program for the purpose of providing financial assistance to low and moderate income households for the correction of health and safety violations and for rehabilitation of qualified improvements to their principal place of residence; and

WHEREAS, the Ocean County Department of Planning is charged with the responsibility of overseeing the program; and

WHEREAS, the program guidelines provide that applicants approved for funding by the Ocean County Department of Planning must execute a Deferred Loan Agreement with the Ocean County Board of Commissioners; and

WHEREAS, the maximum amount of any deferred loan issued through the Ocean County CDBG Housing Rehabilitation Program shall not exceed \$25,000.00 per dwelling unit; and

WHEREAS, funding has been allocated to the Ocean County CDBG Housing Rehabilitation Program for deferred loans.

#### NOW. THEREFORE BE IT RESOLVED by the BOARD COMMISSIONERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

The Director and Clerk of the Board are hereby authorized and directed to enter 1, into and execute a Deferred Loan Agreement on behalf of the Board with the following individual(s) for the amount set forth below:

Recipient:

Jackson, Phyllis

Account/Amount: 905-155-9209

<u>\$16,450.00</u> Total: \$16,450.00

In the event unforeseen conditions arise requiring additional work or reduction in work contemplated under the construction agreement which is incorporated in the approved deferred loan agreement and there is insufficient time to present the matter directly to the Board, the Ocean County Planning Department shall be authorized to approve said modifications to the deferred loan agreement(s) approved above. In such cases, the modification to the deferred loan(s) shall be reported promptly to the Board for approval at its next scheduled Board meeting.

- 2. The Board of Commissioners further accepts and approves the Construction Agreement executed between the individual/s set forth above and their selected contractor and said construction agreement is made apart of each Deferred Loan Agreement.
- The Board of Commissioners further authorizes the Director and Clerk of the Board to execute legal instruments as required consummating the intent of this resolution.
- Certified copies of this Resolution shall be forwarded to the Ocean County Department of Planning and the Ocean County Treasurer.

# PAGE 2

	5.	BE	IT	FURTH	$\mathbf{E}\mathbf{R}$	RESOI	VE	D THAT	the a	ppro	priate (	County	official	is
hereby	author	ized	to	endorse	and	cancel	the	Mortgage	Note	on e	record	upon	receipt	αf
verifica	tion th	at the	Do	eferred L	oan t	ias been	satis	sfied.						

6.	The	contract	number	must	be	placed	on	all	papers,	documents,	invoices	and
vouchers perta	uning	g to said o	contract.									

NO C2023-93

#### RESOLUTION July 19, 2023

WHEREAS, the County of Ocean has previously submitted a Consolidated Plan and Annual Action Plan for funding; and

WHEREAS, said Plans have been approved for funding by the United States Department of Housing and Urban Development; and

WHEREAS, the County of Ocean created and established the Ocean County CDBG Housing Rehabilitation Program for the purpose of providing financial assistance to low and moderate income households for the correction of health and safety violations and for rehabilitation of qualified improvements to their principal place of residence; and

WHEREAS, the Ocean County Department of Planning is charged with the responsibility of overseeing the program; and

**WHEREAS**, the program guidelines provide that applicants approved for funding by the Ocean County Department of Planning must execute a Deferred Loan Agreement with the Ocean County Board of Commissioners; and

WHEREAS, the maximum amount of any deferred loan issued through the Ocean County CDBG Housing Rehabilitation Program shall not exceed \$25,000.00 per dwelling unit; and

WHEREAS, funding has been allocated to the Ocean County CDBG Housing Rehabilitation Program for deferred loans.

# NOW, THEREFORE BE IT RESOLVED by the BOARD OF COMMISSIONERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Director and Clerk of the Board are hereby authorized and directed to enter into and execute a Deferred Loan Agreement on behalf of the Board with the following individual(s) for the amount set forth below:

Recipient:

Tiller IV, John and Kerzic, Anna

Account/Amount:

905-155-9203 \$24,450.00

Total:

\$24,450,00

In the event unforeseen conditions arise requiring additional work or reduction in work contemplated under the construction agreement which is incorporated in the approved deferred loan agreement and there is insufficient time to present the matter directly to the Board, the Ocean County Planning Department shall be authorized to approve said modifications to the deferred loan agreement(s) approved above. In such cases, the modification to the deferred loan(s) shall be reported promptly to the Board for approval at its next scheduled Board meeting.

- 2. The Board of Commissioners further accepts and approves the Construction Agreement executed between the individual/s set forth above and their selected contractor and said construction agreement is made apart of each Deferred Loan Agreement.
- 3. The Board of Commissioners further authorizes the Director and Clerk of the Board to execute legal instruments as required consummating the intent of this resolution.
- 4. Certified copies of this Resolution shall be forwarded to the Ocean County Department of Planning and the Ocean County Treasurer.

## PAGE 2

	5.	$\mathbf{BE}$	IT	<b>FURTH</b>	ER	RESOI	JVE]	D THAT	the ap	proj	priate (	County	official	is
hereby	author	rized	to	endorse	and	cancel	the	Mortgage	Note	on	record	upon	receipt	of
verifica	tion th	at the	e De	eferred Lo	oan k	ias been	satis	fied.					_	

6,	The	contract	number	must	he	placed	on	all	papers,	documents,	invoices	and
vouchers p	ertaining	to said o	contract.									

July 19, 2023

WHEREAS, the Ocean County Board of Commissioners, by Resolution, dated April 20, 2022, authorized the Director and the Clerk of the Board to execute the legal instruments associated with a First Time Homebuyer Program; and

WHEREAS, a qualified applicant can use the First Time Homebuyer Program subsidy for down payment and closing cost assistance for a total of \$15,000,00; and

**WHEREAS**, qualified applicants who successfully complete all necessary requirements are recommended for a grant award in an amount not to exceed \$15,000.00 each; and

WHEREAS, the following participant(s) have successfully completed all necessary requirements and have been deemed eligible to receive the subsidy:

#### 1. Samuel Quijano and Sherelene Estrada

NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. The Board of Commissioners hereby authorizes the award of a grant subsidy in an amount not to exceed \$15,000.00 to the qualified program participant(s) listed above.
- 2. The contract number must be placed on all papers, documents, invoices, and vouchers pertaining to said contract being number CC2022-85.
- 3. Certified copies of this Resolution shall be made available to the Ocean County Auditor, Finance Department, Planning Department, Management and Budget Department, County Counsel and O.C.E.A.N., Inc.

### July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Teen Suicide Prevention Programming, which would facilitate community awareness, prevention education, and resource campaigns in an effort to prevent suicide deaths among youth; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Department of Human Services is heroby authorized to procure the services of an agency(ies) for Teen Suicide Prevention Programming contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

#### July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Traumatic Loss and Disaster Response for Children, which would provide school- and community-based trauma and disaster response interventions; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Department of Human Services is hereby authorized to procure the services of an agency(ies) for Traumatic Loss and Disaster Response for Children contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

#### July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Opioid Prevention Consulting, which would provide education, resources, and opioid use reduction consultation to retail business locations in an effort to mitigate the opioid crisis; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Department of Human Services is hereby authorized to procure the services of an agency(ies) for Opioid Prevention Consulting contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 ot.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

### July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Child Learning Loss Programming, which would provide tutoring and supportive services to children in child care settings; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

- 1. The Department of Human Services is hereby authorized to procure the services of an agency(ies) for Child Learning Loss Programming contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

### July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Care Management for Individuals with Substance Use Disorder, which would provide resource navigation, assessment and care planning, peer support, comprehensive wraparound supports, recovery services, and family support; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

- 1. The Department of Human Services is hereby authorized to procure the services of an agency(ies) for Care Management for Individuals with Substance Use Disorder contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Substance Use Prevention and Early Intervention, which would provide evidence-based primary or universal prevention programming to prevent substance use among children and youth; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

- 1. The Department of Human Services is hereby authorized to procure the services of an agency(ics) for Substance Use Prevention and Early Intervention contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

### July 19, 2023

WHEREAS, the Ocean County Department of Human Services desires to procure the services of an agency(ies) for Innovative Substance Use Programming, which would provide novel services and promising practices to treat substance use disorder and support individuals in recovery; and

WHEREAS, in order to initiate the procurement of these services utilizing the competitive contracting process, pursuant to N.J.S.A. 40A:11-4.3(a), the Board of Commissioners must adopt a resolution authorizing the use of competitive contracting.

- 1. The Department of Human Services is hereby authorized to procure the services of an agency(ies) for Innovative Substance Use Programming contingent upon the availability of funds in accordance with competitive contracting procedures more specifically set forth in N.J.S.A. 40A:11-1 et.seq.
- 2. Certified copies of this resolution shall be made available to the County Administrator, County Counsel, County Department of Purchasing, County Department of Finance, County Auditor, and the County Department of Human Services.

July 19, 2023

WHEREAS, on July 6, 2023, the Ocean County Board of Commissioners awarded four (4) Competitive Contracts to provide ARPA Foods Insecurity Services for the Ocean County Department of Human Services, for the period of 6/1/2023 through 9/30/2024 and were assigned Contract Nos. CC2023-83, CC2023-84, CC2023-85, and CC2023-86; and

WHEREAS, the July 6, 2023 Board Meeting Agenda captions require modification due to a scrivener's error, specifically changing the term referenced on Agenda Item Nos. M-2, M-3, M-4 and M-5 to the period of 6/t/2023 through 9/30/2024.

NOW, THEREFORE BE IT RESOLVED, BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY that the correction be made to the July 6, 2023 Board Meeting Agenda caption, Item Nos. M-2, M-3, M-4 and M-5.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the Ocean County Comptroller, County Auditor, and the Department of Human Services.

### MOTION

July 19, 2023

Motion approving the distribution of Requests for Proposals and/or Requests for Qualifications for Professional Services and/or Extraordinary Unspecifiable Services and approving the selection criteria contained therein for the following projects in accordance with N.J.S.A. 19:44A-20.1.

Requests for Proposals/Qualifications:

Engineering Design Services

### $\underline{\text{MOTION}}$

### July 19, 2023

On motion duly made, seconded and carried, the plans and specifications for the Rehabilitation of Manahawkin Lake Dam, NJ File No. 33-7, Township of Stafford were approved and the proper officers of the Board were authorized and directed to advertise.



### COUNTY OF OCEAN DEPARTMENT OF FINANCE

RECEIVED

7023 JUL 17 P 12: 41

OC BOARO OF CHISTREANDDIMARTINI

JULIE N. TARRANT County Comptroller & CFO

July 14, 2023

Board of Commissioners Ocean County Administration Building Toms River, New Jersey 08754

Dear Board Members:

Accompanying this letter, you will find a copy of the Master Payroll for the payment of all employees of the County of Ocean, setting forth the amounts to be paid on July 19, 2023, is for the payroll period of June 22, 2023, through July 5, 2023. All Elected Officials are paid year to date. These payments were made in accordance with the Resolution passed by your Board on June 21, 1972.

Very truly yours,

Julie N. Tarrant Comptroller

JNT/mb Pay 23-15 Pd, 07/19/23

### COUNTY OF OCEAN, NJ DEPARTMENT OF FINANCE MASTER PAYROLL CERTIFICATION

	07/14/23						
AMQUNT	\$ 6,169,347.57						
PERIOD		FROM:	June 22, 2023	TO:	July 5, 2023	Paid:	July 19, 2023
		Note Ele	cted Officials are pa	iid year to da	ite.		


FUND	BANK#	CHECK#	THUOMA
016	01	wire	5,316,687.50
020	07	wire	0.00
022	09	wire	0.00
905	26	wire	2,218.54
209	67	wire	753,035.09
210	68	wire	76,610.68
211	62	wire	14,997.77
225	97	transfer	5,797.99

Julie N. Tarrant	being duly sworn according to law, upon her cath, depose and says that
the within County Payroll	has been examined by her and has approved the amount of wages for each
person as submitted by t	he various Department Heads.

Received by the Board of Commissioners

Clerk of the Board

Julie N. Tarrant, Comptroller



July 19, 2023

WHEREAS, on May 31, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of FIRE ALARM SYSTEM SERVICING FOR JUSTICE COMPLEX AND COURTHOUSE for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

### Name and Address of Bidder

Fire Security Technologies, Inc. 1709 Highway 34, Suite #7 Farmingdale, NJ 07727 (732) 937-2111

Name and Address of Bidder

ADT Commercial 1345 Campus Parkway Wall, NJ 07753 (732) 983-5098

; and

WHEREAS, after the receipt and examination of same, the County
Purchasing Agent has now recommended to this Board that the lowest qualified bid, according
to specifications, be accepted, namely, FIRE SECURITY TECHNOLOGIES, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract, accepting the bid for the furnishing and delivery of Fire Alarm System Servicing for Justice Complex and Courthouse, for the contract period from date of award until July 18, 2024 for a period of one (1) year, or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15. The County reserves the right to extend the contract for one (1) additional year by mutual agreement between the County and the Contractor with no increase in base price, as follows:

<u>FIRE SECURITY TECHNOLOGIES, INC.</u> for seven (7) items, to wit: <u>ITEM NOS.</u> 1, 2, 3, 4, 5, 6 and 7.

For a Total Lump Sum Award (Item #s 1 - 7) of \$138,375.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for services shall be available within the following funding Source: County Department of Building & Grounds O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-115.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, County Department of Buildings and Grounds and Fire Security Technologies, Inc. the successful bidder.

# FIRE SECURITY TECHNOLOGIES, INC.

PROPOSAL DOCUMENT REPORT

Bid No. TBD

FIRE ALARM SYSTEM SERVICING FOR JUSTICE COMPLEX AND COURTHOUSE

# 13. Acknowledgement of Submission of Forms from Current Bid Package'

executed prior to the date of advertising. Failure to follow these instructions is cause for rejection. Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or

Confirmed

## 14. Submission of Bid Package\*

solicitation must be submitted and that failure to do so may be cause for rejection. By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this

Submitting a manual response in addition to the electronic response is cause for rejection of your bid. Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response.

Confirmed

PRICE TABLES

# FIRE ALARM SYSTEM SERVICING FOR JUSTICE COMPLEX AND COURTHOUSE

	_	4	Limon	·
בים.	ĻŪ	2	⊬	Line Item
Cost to provide and maintain web accessible bar code database	Cost to provide and install software and unique barcode sticker on all fire alarm devices within both buildings	Sensitivity Testing of Smoke Detectors	Annual Inspection and Testing	Description
 	Þ	<b>F</b>	jaan .	Qty
ĸ	ม	51	נצ	Unit of Measure
\$0.00	\$0.00	\$0.00	\$35,250.00 \$35,250.00	Unit Cost
\$0.00	\$0.00	\$0.00	\$35,250.00	Total Cost Comments:
				Comments;


# FIRE SECURITY TECHNOLOGIES, INC.

PROPOSAL DOCUMENT REPORT

Bid No. TBD

FIRE ALARM SYSTEM SERVICING FOR JUSTICE COMPLEX AND COURTHOUSE

•	五 五 二	<b>一</b>	TER.	
Waterials/Parts by multiplying \$22,500.00 by your standard mark-up (SHOW MARKUP IN COMMENTS) Materials/Parts plus mark-up % (\$22,500.00 x		<u>, , , , , , , , , , , , , , , , , , , </u>	<u>[</u>	1 L5 \$39,375.00 \$39,375.00
		50	50 HR	
4 ······ ·		300	300 HR	
LABOR RATES FOR GRAPHICS, REPAIRS, DATABASE MAINTENANCE				
		Qty	Oty Unit of Measure	Qty Unit of Unit Cost Measure



July 19, 2023

WHEREAS, on May 31, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of JANITORIAL SUPPLIES for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

### Name and Address of Bidder

A&M Industrial 37 W Cherty St. Rahway, NJ 07065 (732) 574-1111

Indeo, Inc. 511 Essex Street Gloucester City, NJ 08030 (856) 456-6100

Joseph Gartland dba Beautiful Rags 80 W. Browning Rd. Bellmawr, NJ 08031 (856) 931-7100

Simplify Chemical Solutions, Inc. 110 3<sup>rd</sup> Ave. Belmar, NJ 07719 (732) 740-2539

United Sales USA Corp. 5902 14th Avenue, Unit 107 Brooklyn, NY 11219 (718) 709-5900

Scoles Floorshine Ind. 1730 Highway 34 Wall Twp., NJ 07719 (732) 681-4545

Unipak Corp. PO Box 332 West Long Branch, NJ 07764 (888) 808-5120

### Name and Address of Bidder

Imperial Bag & Paper Co., LLC 255 Route 1 & 9 Jersey City, NJ 07306 (201) 437-7440

JML Medical, Inc. 1 Havenwood Court, Unit 502 Lakewood, NJ 08701 (732) 901-1600

Plastic Express, Inc. 667 Lehigh Avenue Union, NJ 07083 (718) 499-1119; Ext. 8201

Staples Contract & Commercial LLC 500 Staples Drive Framingham, MA 01702 (732) 672-5522

Vizocom ICT, LLC 860 Jamacha Rd. Ste. 104 El Cajon, CA 92019 (619) 350-6980

Tronex International, Inc. 300 International Drive Mount Olive, NJ 07828 (973) 335-2888

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, A&M INDUSTRIAL; IMPERIAL BAG & PAPER CO., LLC; INDCO, INC.; JML MEDICAL, INC.; JOSEPH GARTLAND, INC. DBA BEAUTIFUL RAGS; PLASTIC EXPRESS, INC.; SIMPLIFY CHEMICAL SOLUTIONS, INC.; STAPLES CONTRACT & COMMERCIAL, LLC; UNITED SALES USA CORP. and VIZOCOM ICT, LLC. No bids were received on Item Nos. 56 and 113. Recommendation is made to reject Item No. 48, as it was unresponsive. All no bid Item Nos. 56 and 113, and rejected Item No. 48 will be rebid.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF

COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Janitorial Supplies for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15. As follows:

### A. A&M INDUSTRIAL for three (3) items, to wit:

ITEM NOS., 26, 54 and 59.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. IMPERIAL BAG & PAPER CO., LLC for thirty five (35) items, to wit:

ITEM NOS. 1, 2, 5, 6, 9, 10, 12, 18, 22, 23, 27, 32, 34, 37, 39, 46, 47, 52, 61, 63, 64, 69, 70, 71, 73, 75, 76, 80, 84, 86, 94, 95, 96, 97 and 103.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. INDCO, INC. for three (3) items to wit:

ITEM NOS, 24, 30 and 99.

This vendor has extended this contract to County Cooperative Contract System Participants.

D. JML MEDICAL, INC. for three (3) item, to wit:

ITEM NOS. 62, 66 and 68.

This vendor has extended this contract to County Cooperative Contract System Participants.

E. JOSEPH GARTLAND, INC. DBA BEAUTIFUL RAGS for three (3)

items, to wit:

ITEM NOS. 15, 88 and 102.

This vendor has extended this contract to County Cooperative Contract System Participants.

F. PLASTIC EXPRESS. INC. for nineteen (19) items, to wit:

ITEM NOS. 3, 4, 7, 11, 14, 19, 31, 35, 36, 45, 55, 57, 78, 79, 85, 100, 104, 115 and 116.

This vendor has extended this contract to County Cooperative Contract System Participants.

G. SIMPLIFY CHEMICAL SOLUTIONS, INC. for six (6) items, to wit:

ITEM NOS. 29, 49, 51, 90, 106 and 109

This vendor has extended this contract to County Cooperative Contract System Participants.

H. <u>STAPLES CONTRACT & COMMERCIAL</u>, <u>LLC</u> twenty two (22) items, to wit:

ITEM NOS. 8, 13, 20, 21, 28, 33, 40, 42, 50, 53, 60, 65, 67, 72, 77, 87, 89, 91, 92, 93, 98 and 114.

This vendor has extended this contract to County Cooperative Contract System Participants.

I. <u>UNITED SALES USA CORP.</u> for fifteen (15) items, to wit:

ITEM NOS. 16, 17, 25, 38, 41, 43, 44, 58, 74, 81, 82, 83, 101, 112 and 117.

J. <u>VIZOCOM ICT, LLC</u> for five (5) items, to wit:

ITEM NOS. 105, 107, 108, 110 and 111.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-116.
- 4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, Buildings and Grounds, and the successful bidders.

27	26	25	بر م <i>و</i>	23		B	Line hern
Hand Sprayer, Trigger Style , MUST BE UNIVERSAL FIT	Spray Bottle, Plastic with Tibber Style Hand Sprayer, 12-32 oz. Bottles/Case	Upright Bust Pan with Cover, Black, Rubbermaid Lubby Pro #2532, or Equal	"Wet Floor" Sign, 37" Maxi-Warn, Condinental #120, ALL PLASTIC, NO METAL PARTS	Floor Strip & Wax Bucket with Wringer, Rubbermaid Model #RM7577, or Equal	Williago, Folliaet Type, 35 Quart Capacity, NO METAL PARTS, Bob Barker #335- 39YW or Equal	Security Mop Bucket, with	Gescription
300	270						លេងកាំទេ
Ę	CASE	Ç	FA	Ş		¥3	Unit of Measure
\$3.28	ź#ż\$	No Bid	Na 8id	No Bid		ជាអ្ន ៤៤	Unit Cost
\$1,767.00	\$2,016.90	No Bld	No Eld	No Bid		No Bid	Total
	·	*	×	×		×	No Did
							Manufacturer & Packaging:
	30 days				,		Delwery, A.R.O.;
							Comments:

		- 11- 14 11- 11- 11- 11- 11- 11- 11-				Т
Line Item	57	5	54 4	क्ष	.  56 !	57
Description	Cleaning Powder with Bleach, Babo or Equal, 24 - 21 Oz. Cans/Case	Arm & Hammer Pure Baking Soda, 12-2 lb. Boxes/Case	Zap Reach #092520, 4 - 1 Gal. Containers WITH ONE (1) - D4000 Dispenser/Lase, or Equal	Zop Keach #052520, 4 - 1 Gal Containers WITHOUT Dispenser/Case, or Equal	Zep thouble Play #095018, 4 - 1 Gal. Containers WITH CNE (1) Dispenser/Case, or Equal	ZEP Lruck Wash Fowder #4358, 5
ปูนสมให			15			
Unit of Measure	CASF	CASE .	CASE	CASE	CASE	PAII
Unit Eost	No eld	No Bid	\$161.75	No Bid	No est	No Bid
<b>T</b> ល់ <sub>គ</sub> ់	₹७ ८०	No Bid	\$2,426.25	No Bid	No Bid	No Bid
Notid	×	×		, ×	><	74
Manufacture: & Packaging:						
Delivery, A.R.O.:						
Comments:						

Containers/Case, Containers/Case, Containers/Case, Containers/Case, Containers/Case, Containers) Manufactured by Green Power Chemical Containers) Manufactured by Green Power Chemical Chemical Chemical Chemical Chemical Chemical Chemical Chemical Chemical Containers Chemical Chemica	Lins item	Bessiption Pledge Furniture	Quantity 20		Unit of Measure	Unit of Measure Unit Cost CASE \$136.50		Unit Cost
ξg	25	Pledge Furniture Polish, or Equal, 12 – 32 Oz. Containers/Case,	20	CASE			\$136.50	\$136.50 \$2,730.00
<b>9</b> 2	59	Orange Super Plus Degresse (1 Gal containers) Manufactured by Green Power Chemical	СI	Tro		\$311.50	\$311.50 \$1,557.50	
Derma Gel Instant Waterless Hand Sanitzing Gel with Moisturising Alce, Vitamin F &  Dimethicone, 24- 4 az. Bottles/Case  Dawn Manual Por and Pan Detergent, 8 - 38 Oz. Bottles/Case  Sani-Hands Packet Wipes, #D43800, 100 Packets/Box  Liquid Hand Scap, Olal, MUST BE TRICLOSAN FREE,  TRICLOSAN FREE,	O SANITIZER	S, SOAPS, AND SUPPLIE					- -	
Januzing wel with Moisturizing Aloe, Vitamin F & Dimethicone, 24- 4 az. Bottles/Case  Dawn Manual Por and Pan Detergent, 8 - 38 Oz. Bottles/Case  Vitami-Hands Packet Wipes, #043800, 100 Packets/Box  Liquid Hand Soap, Dial, MUST BE TRICLOSAN FREE,  TRICLOSAN FREE,	8	Derma Gel Instant Waterless Hand		CASE		No Bid	No Bid No Bid	
Llawn Manual Por and Pan Detergent, 8 - 38 Oz. Bottles/Case Sani-Hands Packet Wipes, #043800, 100 Packets/Box Liquid Antimicrobial Hand Soap, Dial, MUST BE TRICLOSAN FREE,		Sanitizing Gel with Moisturizing Aloe, Witamin F & Dimethicone, 24 - 4 az. Bottles/Case						
Sani-Hands Packet Wipes, #043800, 100 Packets/Box  Liquid Antimicrobial Hand Soep, Olal, MUST BE TRICLOSAN FREE,	97 13	!		CASE		मंत्र होत	No Bid No Bid	
Liquid 50 Antimicrobial Hand Scep, Olal, MUST 86 TRICLOSAN FREE,	gr	P#	· · ! · · i	5 ×		No Bid	No Bid No Bid	
Containers/Case	ਰੀ :	Liquid Antimicrobisi Hand Scap, Dial, MUST BE TRICLOSAN FREE, 4-1 Gal. Containers/Case	90	CASE		\$96.00	\$95.00 \$9,540.00	) 

1			1	Luna	
U1	44	w	N	,	line item BROOMS, MOPS, I
24" Push Broom with 5" Wouden/Stainless Steel screw in handle, for multi-floor use, Libman, or Equal	Push Broom, 187 Multi-Surface with Plastic Block and two thicoded handle holes, gray polypropylene bristles, Size 62° L x 18.5° H, Rubbermaid #X400, or Equal	Desk Strub Brosh - Brush Only (NO HANGLE)	Dust Brush, Counter Brush, Black Horse Hair Bristles, 13 %" length	(886) Yey Ovation Floor Finish - 5 Gallion Pail, Product #190135	Une Item Description Qualitity BROOMS, MOPS, BUCKETS, JUGS AND CLEANING SUPPLIES
\$	동	265	20	70	Quantity Eaning Supplies
Ę	[F]	ĒΑ	E A	PAIL	Unit of Measure
\$18.10	\$13.27	\$4.39	\$3,24	\$54.42	Unit Coxt
\$824.50	OT-26E\$	\$1,163.35	\$64.80	5544.20	Total
					No Bid
		,			Manufacturer & Packaging:
	- 1/1/200				Leiwery, A.R.O.:
11/2488W + 13851KB	13621KB 13621KB	DBR.	KB-96471	CESUPOI	Comments:

	4	_ <			4	
	10	ى	, co	7	cr.	Line (tem
Rubbermaid Lobby Pro 6374, or Equal	Lobby Broom, Taugh Polypropylene with Flagged Rickler agn P	Rubbermaid Brute Angled Broom With a minimum 48" Steel Handie, Polypropylene Bristles	Broom with 54" L, Steel Handle, Polypropylene Bristles	Corn Broom, #6 with Bandle, Heavy Duty, Sold by the dozen	Push Broom, 24" (ND HANDLE), for multi-floor use, Ubman or Equal	Description
	13	7	<del>-</del> "	15	<b>4</b> 0	Quantity
	EA	DOZ	Ę	DCZ	E A	Unit of Measure
	\$4.42	\$75.20	No Bid	\$92.88	\$13,44	Unit Cost
	\$44.20	\$76,20	No Bid	\$1,393.20	\$537.60	Total
			><			No Bid
						Manufacturer & Packaging:
						Dellvery, A.R.O.:
	BLKLOBBYBKM	BIC-BRUTX 12		6172 x 17	11724BRM	Comments:

			_		
15	14	13	F)	u	ùne ∮lem
Yacht Mop. 15 oz., Rayon with Attached Wooden Handle	12" Dust Pan, Rubbermaid #2005 or Equal, 12 Dust Pans/Case	Security Broom Handle, Fiberglass with Nylon Thread, 15/16" x 60", Norshell or Equal	Angled Security Broom Head, 10.5' Sweep Area with Polypropylene Bristles, 17 Broom Heaos/Case, Rubbermaid #6397, or Equal	Floor Sweeper (Non-Electric), Sewtch-Brite Quick #M-007-CCW, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5" WIDE CLEANING PATH	Description
135	દ	:15	100	25	Quantity
DOZ .	CASE	FA	CASE	£¥.	Unit of Measure
\$62.18	\$30.55	\$11.18	\$94.50	\$43.61	Unit Cost
\$8,394.30	\$763.75	\$1,283.49	\$9, <b>45</b> 0.00	\$1,080.25	Total
:					No Bid
		,		rackognige	Manufacturer &
					Delivery, A.R.O.:
45068FA	3DSTPAN X 12	1FSHPR	5:300183	OC/212	Comments:

			4			
21	70		18	17	] ]66	Une item
Floor Satiengee, 18" Heavy Duty Channel Type with 60"1, Wooden Handle	Swiffer Duster Starier Kit, 6" Handle, 6 Dusters/Kit, 6 Kits/Carton	Security Mop Fandle, 60" Hollow Fiberglass with Alligator Gripper Head, Rubbermaid # 91.46, or Equal	Mop Handle, Smooth Hinsh Wood, Clamp Style to screw down on map ficed, NO PLASTIC PARTS	Mop Head, ≥4 oz., Rayon	Mop Head, 15 uz., Rayon	Description
:	16	215	36	097.	25	Quantity
\$	CIN	£	₹	, DOZ	D <i>02</i> 7	Unit of Measure
No Bid	\$63.27	\$73.69	\$2.19	\$35.78	\$32.13	Unit Çost
No Skd	\$1,012.32	\$5,083.35	\$255.70	\$9,302.80	\$803-25	Total
*						No Bid
						Manufacturer & Packaging:
4		,				belwern ARO:
	`82074	FGH216	SNSTK	ZUMOP	, 15MOP	Comments:

4				<u> </u>	
27	26	ಚ	24	23	Liræ Item 22
Hand Sprayer, Trigger Style , MUST BE UNIVERSAL HI	Spray Bottle, Plastic with Trigger Style Hand Sprayer, 12-32 oz. Bottles/Case	Upright Dust Pan with Cover, Black, Rubbermand Lobby Pro #2532, or Equal	"Wet Floor" Sign, 37" Maxi-Warn, Continental #120, ALL P: ASTIC, WO METAL PARTS	Fioor Strip & Wax Bucket with Wringer, Rubber ma'd Model #RM7677, or Equal	Security More Bucket, with Wringer, Funned Type, 35 Quart Capacity, NO METAL PARTS, Bob Barket #335 39YM or Equal
300	270	ភូច	90	40	Quantity 40
۴۸	CASE	EA	EA	۴۸	Unit of Measure
\$0.74	\$1.48	\$21.18	\$8.54	\$38.31	Unit Cost \$64.49
\$222.00	\$399.60	\$1,186.08	\$777.60	\$1,582.40	\$7,579.6C
				:	No 6id
					Manufacturer & Packaging:
					belivery, A.R.O.;
351KIQ58	37TRIGGER + BOTTLE32	OC2537BI K	M8001	263535000	Construction

Page 10

JANITORIAL SUPPLIES

 Une item Description SPONICES, PADS AND SORUBBERS 28 Universal Absorbent Palifor Oil and William Willi	Description  ND SCRUBBERS  Universal Absorbent Pads For Oil and Water, 15" X 19",	Cuentity	Unit of Messeure	Unit Cost		Total \$1,216.50		Total \$1,216.50
	15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack				, <u>u</u> ,,		<u></u>	
 239	Universal Absorbent Pads for Oil and Water, 15" X 150", Fine [Tiber Poll, 2 Rulls/Pack		PACK	No Bid	No 51d	) >47		
 30)	Cil Absorbent Only Paus, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack		FACK	No Bid	No Sign	×		
 31	cellulose Sponge, 6" x 4.25" x 1.025", 38/1 #C31, 24 Sponges/Case, or Equal	器(	CASE	X2 1.5 86	\$748.30			
 . 33	Mykai Sozunng Pads, 6" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Case	220	C/SE	\$4.04	\$888.30			
 BATHROOM SUPPLIES								

		<u> </u>				·	
GLASS CLEANERS		37	36		₩ 4	33	Line Item
	Recovered Paper Fiber, Green Seal Certified, 6sy West, 16" W x 3 X" D x 11 %" H, 250 Covers/Pack, 20 Packs/Case, MUST FIT IN OISPENSER in Item #70	Toliet Seat Covers, Half Fold White Paper, 20% Post Consumer Materials, 100%	Tailet Bowl Map Holder	loi.et Bowl Plunger without Metal Clips	Mop, Toilet Bowl, Deluxe Style with Acid Resistant Yarr and Fuller Head	Husky 303 Tollet Bowl Cleaner 32oz, bottle 12/case MFR #303-0x12	Description
		20	30	125	570	50	Quantity
		CASE	ĘĄ	Ţ.	rn ,>	CASE	Unit of Measure
		\$25.31	\$2.39	\$2.15	\$0.98	\$23.09	Unit Cost
		\$506,20	\$71.70	\$248.40	\$558.60	\$1,154.50	Total
							No Bid
							Manufacturer & Packaging:
			::				Delivery, A.R.O.:
		SHELD	6310RM	53118M	BOWLSWAB	NABC	Comments:

			-	,			
43	42	SPECIALTY CLEANS	41	40	35	38	Line Item
Floor Absorbent, Oil Dry or Equal, 40 lb. Sag	All Purpose Cleaner, Simple Green, MUST BC All Natural, 6 · 1 Gallon Containers/Case, or Equal	SPECIALTY CLEANSERS, ABSORBENTS AND SUPPLIES	Zepvue R.T.U. Glass Ceaner Spray Bottle #101G, 12 - 32 Gz. Bottles/Case	Zep Foaming Glass Cleanser, Ammonia Free, ZUPGC194, or regual, 6 190z cans/case	Window Cleaner, Earth Friendly Products #PL9301 or Equal, 12 - 32 Oz. Bottles/Case	SprayPAK, Aerosol Spray Glass Creaner, 12 - 21 Dz Cons/Cuse	Description
150	() ()	D SÜPPPLES	40	35	03	100	Quantity
BAG	CASE		CASE	CASE	CASE	CASE	Unit of Measure
\$45.39	\$71.79		£27.E\$	\$30.39	\$31.23	\$30.39	Unit Cost
\$6,808.50	\$2,153.70		\$1,249.20	\$1,063.65	\$1,873.80	\$3,039,00	Total
							No Bid
				:	:		Manufacturer & Packaging:
		į					Delivery, A.R.O.:
ODORZORB, 24/1 LP BACS	SG13005		FDCU44	Belassib, Packed 12/cs	FOCOA4	BGLASS19	Comments:

		L		<u>,</u>		
	.A.	47	46	ig.	35	Litte litem
Concentrate, Sanitizer Virucioe, Green Seal Certified, Shall Include Galion Dispenser, 4 - 1 Gallon Eurhainers/Case, or Equal	Envirox "HZ ORANGE-2" Hydrogen Percxide Cleaner #117	Zep Big Orange-E Degreaser #0485, 55 Gallon Drum	Zop i Ni Concentrate Truck Wash #0376, 5 Callon Paíl	Zep 40 Non- Streaking Cleaner #0144, 12 - 24 Oz. Cans/Case	WI340 with Smartstraw, #1078-12, or Equal, 12 - 11 Cc. Cans/Case	Description
	&	 	10			Quantity
	CASE	MUSG	PAIL	.CASE	CASE	Unit of Measure
	\$61.77	\$\$583.89	\$42.19	No Sid	, No Rd	Unit Cost
	\$1,235,41)	\$10,000.25	\$421.90	No Sid	No <b>2id</b>	Total
				×	×	№ Bid
						Manufacturer & Packaging:
						Delivery, A.R.O.:
	101104	Z21555	4732/5			Comments:

					American	· · · · · · · · · · · · · · · · · · ·
57	4.1 8.1	55	cn ,¢s	83	52	Line Item
ZEP Truck Wash Powder #4358, 5 Callon Pall	Zep Double Nay #095018, 4 - 1 Gal. Containers WITH ONE (1) Dispenser/Case, or Equal	Zep Keach #092520, 4 - 1 Gal Containers WITHOUT Dispenser/Case, on Equal	Zep Reach #092520, 4 - 1 Gal. Containers WITH ONE (1) D4000 Dispenser/Case or Equal	Arm & Hammer Pure Baking Socia, 17 - 7 lb. Boxes/Case	Cleaning Powder with Bleach, Babo or Equal, 24 - 21 Oz. Cans/Case	Description
			ш		60	Quantity
PAJE	CASE	CASE C	CASE	CASE	480.3	Unit of Measure
No Bid	୪୦ <u>ଖ</u> ଧ	No exc	No Bid	<sup>N</sup> o Bid	\$30.70	Unit Cost
No Bid	No Bid	No 3/d	No Hid	No Bid	\$1,842.00	iotał
   **	× .	×	**	ж		No Sid
				!		Manufacturer & Packaging:
						Dellvery, A.R.O.:
					SCOUR	Comments.

## IMPERIAL BAG & PAPER CO., LLC

4		_					
5° :	52	61	<del>2</del> 5	HAND SANITIZERS	ş	58	Line Item
. Liquid .Antimicrobial Hand Soap, Dia', MUST BE TRICLOSAN FREC, 4-1 Gal. Container s/Case	Sani-Hands Packet Wipes, #D43800, 100 Packets/Box	Dawn Manuai Pot and Pan Detergent, 8 - 33 Oz. Bottles/Case	Derma Gol Instant Waterless Hand Santhizing Gol with Motslutizing Aloe, Vitamin F & Dirmethicone, 24 - 4 oz. Bottles/Case	HAND SANTTZERS, SOAPS, AND SUPPLIES	Orange Super Plus Degrease (1 Gal containers) Manufactured by Green Power Chemical	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case,	Description
500		ر. د					Quantity
CASE	Вх	CASE	CASE		CAL	CASE	Unit of Measure
\$34.81	No Bid	\$50.60	No Bid		No 0ld	No Bid	Unit Cost
\$3,132.90	No 8id	\$253.00	<b>ਕ</b> ਰ ਤਾਂਦੇ		No Bld	No Bid	Total
	*		*		×	×	No Rid
	· · · · · · · · · · · · · · · · · · ·						Mansfacturer & Packaging:
	-						Delivery, A.R.O.:
THODIAL		DAWN					Comments:

독			·	110. 11.		,
धार है।	64		84	en ២1		67
Description	Deb Aero Rose Free Model #57530, 5 - 1 Liter Cartnispos A usic Vendor Shall Provide Additional	Provide Additional Dispensers as Required at No Charge to the County, NO SUBSTITUTIONS	Touch free Dispenser to Hold 1-1200 ml Bottle of Pureli TFX Model #2720-01	Purell Advanced Gul Hand San'ther, 2 oz. Flip Cap 3ottle, 24-2 oz. Spollles/case		Purell i oud: Hice Dispenser Stand, Model # H2338, As Spedifieb or Equal
Quantity	200			50		
Unit of Measure	CASE		EA	CASE	Æ	3842
Unit Cost	\$38.90		No Bid	\$38.71	No Bid	\$42.58
Totai	\$7,780.00		No Rid	\$1,935.50	No Bid	\$425.80
No Bid			ж		×	
Manufacturer & Packaging:						
Delivery, A.R.O.:						<u></u>
Comments:	כראַנו	, , , , , , , , , , , , , , , , , , , ,		GDJ0960524		265217
	-//				<b>_</b>	

	4		4	4	4
74	73	72	71	ő	Line Item 69
Borax Powder Hand Cleaner, 20 Mule Team or Equal, 10-5 lb. Containers/Case	Zep Grip Heavy Duty Hand Cleaner #091224, 4-1 Gal. Containers/Case	Zep Cherry Bomb Heavy-Duty Purnice Hand Cleaner #0951, 4- 1 Gal. Containers/Case	Waterless Hand Cleaner, GoJo, cr Equal, 6 - 4.75 Oz. Cans/Case	Purell Gel Cartridge Refill, 1000mt, Model #S14836, MUST FIT Purel: Push Button Dispensor Model #278	Purel instant Hand Sanitiver Foam, or Eugal, 2 -40.5 Ft, Oz. Buttles/Case
vı	7	40	25	25	Quantity 50
CASF	CASE	CASE	CASE	CASE	Unit of Measure
\$58.44	\$86.34	\$70.13	\$106.71	\$70.31	Unit Cost \$50.73
\$292.20	\$504.38	\$2,805.20	\$2,655.25	\$1,757.75	\$3,036.50
		,,,			No Bid
					Manufacturer & Packaging:
			i		Delivery, A.R.O.:
GOOTDESH	09102DE8	99027564		215608	Comments: 519203

		4		4
78	11	76		Ts
Zep Acclaim # 099924 Mild Antimicrobial Hand Cleaner, Biodegradable Surfactants, 4 - 1 Gal. Containers WITH ONE (1)-D40000 Dispenser/Case, or Equal	Zep Zepynamic A Disinfectant Spray #0110, 12 - 20 oz. Cans/Case	Zep Powerhouse Heavy Duty Aerosol Cleare*, Product #0282, 12 - 24 oz. Cans/Case	Lanolin Moisturizer, Vendor MUST Supply 1 Sallon Bottle with Pump with Each Case Ordered, As Specified or Equal, 4 - 128 oz Bottles/Case	lleavy Duty Hand Cleaner, Heritage with PC 2 Dual Turbo Scrubbers, Low Solvent with
	10	⟨л		Quantity 25
CASE	CASE	CASE		Unit of Measure
No Bid	\$42.18	\$43.55		Unit Cost \$86.34
No Bid	\$421.80	\$217.75		\$2,158.50
×				No Bid
				Manufacturer & មិត្តសុំកម្លះ
				Delivery, A.R.O.:
	BENVI15	SD20AERO		Comments:

## IMPERIAL BAG & PAPER CO., LLC

4							
.g	Ś	82	50	88	DEODORIZERS, AIR	79	Line liem
Clorox® Bleach, or Austin Brand, C-1 Gallon Containers/Case	Clorex® Outdoor Bleach, 3 121 oz. Containers/Case	Clorox* Disinfecting Wibes, CLO. 15949C, 75 Wipes/Canister, 6 Canisters/Pack, or Equal	Clorox* Fresh Scent Dishrfecting Wipes, 35 Sheets/Container, 12 Containers/Case	(B&G) Claine Handheld Air Freshener - 10oz. can 12/casc, lbm # 10216500	DEODORIZERS, AIR FRESHENERS, CLEANSERS, AND WIPES	Zep D4000 Spap Dispenser, #600101 for 1 Gal. Containers	Description
355	15	230	55	35	SERS, AND WIPES		Quantity
CAE	13%	PACK	CASE	CASE		y.	Unit of Measure
\$15.90	\$27.23	\$40.83	\$45.35	道 · ·		No Bid	Unit Cost
\$5,844.SU	\$408.45	\$9,390.90	\$7,941.15	\$533.40		No Brd	Tota
				 	İ	×	No Bíd
				ļ			Manufacturer & Packaging:
							Delivery, 4,R.O.:
PUREXGL	CLOX30902	15949	CLOXMIPES	GLAUE!			Comments:

# 454270, or Equal # 454270, or Equal # 454270, or Equal  85		Lysole Disinfectant Aerosol Spray, Kills 99,99% of	105	CASF	\$42.18	\$4,428.90	Раскарпе:	
Lysol Disinfectant 75 CASE \$42.18  Max Cover Mist Aerosol Spray, Kills 99% of Viruses and Bacteria, or Equal, 6-15 oz. Cans/case  Streak-Free Glass 70 CASE \$51.51  Streak-Free Glass 70 CASE \$51.51  Approx. Size 7" x 10", Windox or Equal, 78 Pre- Wolstened Wipes/Package, 6 Packs/Case  Zep Ultra 30 CASE \$59.62  Mipps/Case 30 CASE \$59.62	TI III O O -	Kills 20-200 of Gernis, 12 - 19 oz Cans/Case, Model #45/270, or Equal						
Streak-Free Glass & Surface Wipes, Approx. Size 7" x  10", Windex or Equal, 78 Pre- Wolstened Wipes/Package, 6 Packo/Case  Zep Ultra Disposable Wines #895601, 450 Whee/Case		Lysof Disinfectant Max Cover Mist Aerosol Spray, Kills 99% of Miruses and Bacteria, or Equal, 6 - 15 oz. 6 - 15 oz.	75	35.70	\$42.18	\$3,163.50		
Zep Ultra 30 CASF \$59.62 Disposable Wines #895601, 450 Wipes/Case		Streak-Free Glass & Surface Wipes, & Surface Wipes, Approx. Size 7" x 10". Windex or Equal, 28 Pre-train, 28 Pre-train Wolstened Wipes/Package, 6 Wipes/Package, 6	70	CASE	\$51.51	\$1,030.20		
	90 90	Zep Ultra Disposable Wines #895601, 450 Wipes/Case	30	CASF	\$59.62	\$1,788.50		

	Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No छर्च	Manufacturer &	Delivery, A.R.O.:	Comments:
	*\$	Entraine Met, 3' X 6', Brown Tweed with Vinyl Backing, Scoles System, or Equal		ĒĀ	अंट झंच	No Bid	ж			
	TRASH CANS AND SUPPLIES	SUPPLIES		_						
4	<u>9</u> 4	Conversion Dolly #2540 for "Rubbermaid Brute" Container UNLY	12	57	55 88 53 83	\$162.60				FG2640008LA
	is	Trash Can with lid, Rubbermaid "Brute" #2632, 37 Gallon	50	ĘĄ	\$33.5 <i>8</i>	\$1,579.00				0C26326RAY+ 0C26316RAY
4	9 <del>6</del>	Trash Can with Lid, Rubbermaid "Brute" #2655, 55 Gaillon	\$	5	\$57.72	\$2,597.40				0(2655
	97	Waste Basket, 28 Qi., Rubbermaid #Z956, or Equal	529	ET A	\$5.17	\$1,357.40			i	
	9	Outside Receptavie, Smoker's Cease Fire, Barco Products #268040, Colon Black, Plastic, 15 %" dia. x 38 %" H, Weight: 15 lbs.	10	g,	\$175.82	\$1,758.70				ОСЯТБЭЯНСЯ
1	CLOTHS, DUSTERS,	CLOTHS, DUSTERS, RAGS, AND TOWELS								
e) {										

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPLIES Page 24

		1				.,	
SLOVES	104	103	10/	101	190	93	Lipe Kers
	GoJo Hand Cleaning Towels, 9" Lx 10" W, 130 Towels/Bucket, 4 Buckets/Case	Brawny Industrial Light Duty 2-Ply Paper Wipers, #29221, 8" x 12 ½", 31.4 lb. Case, 2,960 Wipes/Case	Wiping Rags, Reclaimed, 100% Jersey Knit Cotton, White, 1 - 25lb. Box	Wiping Rags, Reclaimed, 100% Terry Cloth, 25 lb. Box, 170 Rags/Bux	Lambswool Duster with Plastic Handle, 35" L, Extends to 48" (	Lambswool Duster with Plastic Handle, 26" L	Description
	110	10	55	<b>S</b> S	30	35	Quantity
	CASE	CASE	EX.	8X	₽	EA	Unit of Weasure
	\$88.54	\$3.16	\$47.20	68.7.5\$	\$-26	\$6.84	Unit Cost
	\$9,739.40	\$831.60	\$2,596.00	\$1,808.95	\$157.80	\$739.40 ,	Total
							No Bid
					100		Manufacturer & Packaging:
	<u> </u>			1			Delivery, A.R.O.:
	629804	29721	RW4825	TERRY1519	OC320EX	14DUSTER	Comments:

		<del></del>	<u> </u>			
27	. 26	25	24	Na 합	27	tine kem
Hand Sprayer, Trigger Style, MUST BE UNIVERSAL FIT	Spray Bottle, Plastic with Trigger Style Hand Sprayer, 12-32 oz. Bottles/Case	Upright Dust Pan with Cover, Black, Rubbarmald Lubby Pro #2592, or Fatual	"Wet filton" 5ign, 37" Maxi-Warn, Cwntinental #120, ALL PLASTIC, NO METAL PARTS	Floor Suip & Wax Bucket with Wringer, Rubbermaid Model #3M7677, or Fattal	Security Map Bucket, with Wringer, Funnel Type, 35 Quart Capacity, NO METAL PARTS, Bob Barker #335- 39YW or Equal	Description
	2/0		<del>ठ</del>	£	<b>.</b>	Quantity
Ŗ	CASE	Ç	E	E >>	ţ:	Unit of Measure
No sid	\$25.20	No Bid	\$76.25	\$767.50	\$111.9s	Unil Cost
자 a g 년	\$6,804.00	<b>≅</b> c Bid	\$6,862.50	\$10,790.00	\$4,478.00	Total
*		×				No Bid
	IMPACT		MERRAND	RUBBERN/AIO	8¥03⊃0	Manufacturer & Packaging:
						Delwery, A.R.S.
	5032/NAP6900		RM6114 12X16X38	757788 WAVERPEAL Z.O 35 OT DOWNPRESS YELLOW BUCKET	99979 MOP BUCKET FUNNEL TYPE NO MOVING PARTS 32- 35YF11 OW	Connents:

			×			
BATHROOM SUPPLIES	37	31	ë	Ŋ	6.0	Line item Description SPONGES, PADS AND SCRUBBERS
. JES	Nyfan Scouring Pads, 5" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Cose	Cellulose Sponge, 6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 71.5 Gallons, 15" x 18", 100 Pads/Pack	Universal Absorbent Pads for Oil and Water, 15" x 150", Fine Fiber Roll, 2 Rolls/Pack	Universal Absorbent Pads for Oil and Water, 15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack	Description NO SCRUBBERS
	228	351	, r	10		Quantity
	CASE	CASE	PACK	PACK	PACK	Unit of Measure
	\$19.75	\$41.35	\$38.50	\$118.50	No Bid	Unit Cost
	\$4,345,00	\$1,447.25	\$402.00	\$1,185.00	No Eld	Tetař
					×	Ro Eid
	ABRASIVES	ACWANTAGE	STREELFYTER	STREETTYTER		Manufacturer & Packaping:
						Delivery, A.R.O.:
	55206 6X9 GREEN SCRUB PADS	553 SPONCE 24/PK 4 1/8X6 /14X1 5/8	5100 DIL ONLY 16X18 1008/CS UGHT CAPACITY	MERFSFG96 16X-9JUT 2/		Comments:

						~	
GLOVES	194	E01	201	101	100	65	Line item
	Golo Hand Clearning Towels, 9" L x 10" W, 13°C Towels/Bucket, 4 Buckets/Case	Brawny Industrial Light Duty 2-Ply Paper Wipers, #29221, 8" x 12 %", 31.4 ib. Case, 2,960 Wipes/Case	Wiping Rags, Redaimed, 100% Jersey Knit Corton, White, 1 - 25lb. Box	Wiping Rags, Reclaimed, 100% Lerry Cloth, 25 lb. Box, 170 Rags/Box	Lambawool Duster with Plastic Handle, 35" ', Extends to 48" ',	Lambswool Duster with Plastic Handle, 26" L	Description
	110	10			30	35	Quantity
	CASE	CASE	BX	· SX	\$	£4.	Unit of Measure
	\$115.50	\$182.00	No Bid	No Bid	\$5.50	\$4.25	Unit Cost
	\$12,705.00	\$1,820.00	No Bid	Yo Bid	\$165.00	\$1/8//\$	Tutal
;     			*	ж			No B'd
	6010	SRAWNY			LABSXIN SPEC	LAMBSKIN SPEC	Manufacturer & Packaging:
						-,,-,-	Delivery, A.R.O.:
	G0106798 FAST WIPES 4/130	20/148			350FX 3D- 44"EXTENSION	317FH 12" POW 28" OVERALL	Comments;

\$360.00

GOJO D43600

٦

No 81ರ

×

No Bid

ير

#### JML MEDICAL, INC.

<del></del>					<u> </u>						¥ ₽	PR
	63	62	61		60	AND SANITIZERS,		59	55 <del>8</del>	Line Item	BId No. TBD JANITORIAL SUPPLIES	OPOSAL DO
Hand Soap, Dtai, MUST BE TRICLOSAN FREE, 4-1 Gal. Containers/Case	Liquid	Sani-Hands Packet Wipes, #D43800, 100 Packets/Box	Dawn Manual Pot and Pan · Detergent, 8 38 Oz. Bottles/Case	Moisturizing Aloe, Vitamin E & Dimethicone, 24 - 4 oz. Bottles/Case	Derma Gel Instant Waterless Hand Sanitizing Gel with	HAND SANITIZERS, SOAPS, AND SUPPLIES	containers) Manufactured by Green Power Chemical	Orange Super Plus Degrease (1 Gal	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case,	Description	UPPLIES	PROPOSAL DOCUMENT REPORT
		75				<b>4.</b>				Quantity		ORT
	CASE	BX	CASE	-	CASE			GAL	CASE	Unit of Measure		
	No Bid	\$4.80	No Bid		No But			No Bld	No Bld	Unit Cost		يمر

No Bid

×

No 61d

×

No Bid

><

Total

No Bid

Manufacturer & Delivery, A.R.O.:

Comments:

#### JANITORIAL SUPPLIES

4		~			*
58	67	<b>б</b> ғ	85		Line Item 64
Instant Hand Sanittuer, Shalf Kill 99.9% of Germs, Purell or Equal, 12 - 8 Oz. Bottles/Case	Pureli Touch Free Dispenser Stand, Model # H2398, As Specified or Equal	Purell Advanced Get l'and Sanitzer, 2 oz. Flip Cap Bottle, 24-2 oz. bottles/case	Jouch Free Dispenser to Hold 1 - 1200 ml Bottle of Purell TFX Model #2720-01	Vendor Shall Provide Additional Dispensers as Required at No Charge to the County, NO SUBSTITUTIONS	Deb Aero Rose Free Model #57530, 6 - 1 (Rec
:   		50	ዩት		Quantity
CASE	¥	CASE	Ę	-10	Unit of Measure CASE
\$36.00	No Bid	\$36.00	\$65.00		Unit Cost No Bid
\$350.00	No Bid	\$1,800.00	\$4,225.00		Total No Bid
	×				No Bid
PURELL 9652-12		PURELL 9605-24	PURFI I. 2720-XX		Manufartureर & Packaging:
7		3-7	7		Delivery, A.R.O.:
			12/CS		Contracts:

-					
15	14	H	12	π	Line item
Yacht Mop, 16 oz., Kayon with Attached Wooden Handle	12" Dust Pan, Kutivermaid #2005 or Equal, 12 Dust Pans/Case	Security Broom Handle, Fiberglass with Nylon Thread, 15/16" x 60", Norshell or Equal	Angled Security Brown Head, 10.5" Sweep Area with Polypropylene Brieflez, 12 Broom Heads/Case, Rubbermald #5397, or Equal	Hoor Sweeper (Non-Electric), Scotch-Brite Quick #IA-007-CCW, Bissell or Oreck Moddeb, MUST HAVE MINIMUM 9.5" WIDE CLEANING PATH	Description
135					Chausty
DOZ	CASE	ĒĀ	ÇASE	E	Unit of Measure
\$50.00	No Bid	No Điể	<b>ਅ</b> ਹ ਬਾਂਹ	No Birl	Uait Cast
\$6,750.00	No Bid	N≎ Bid	No Bid	No Bid	Tetal
	×	×	×	×	No Bid
GARTLAND# NOR0173G927		—.			Mकार्याक्यकाल ॐ Packaging:
					Delivery, A.R.O.;
					Comments:

×					
VACUUMS AND SUPPLIES	<b>8</b>	%		25	Line Item
ibbl lex	Zep ultra Dispusable Wipes #895601, 450 Wipes/Case	Streak-Free Glass & Surface Wipes, Approx. Size 7" x 10", Windex or Edual, 28 Pre- Moistened Wipes/Package, 6 Packs/Case	Lysol Disinfectant Max Cover Mist Aerorsol Spray, Kills 99% of Viruses and Bacterla, or Edual, 6-15 oz. Cans/case	Lysol® Disinfectant Aerosol Spray, Kills 99.99% of Germs, 12 - 19 oz Cans/Cuse, Model # 454270, or Equal	Description
	30				Quantity
	CASE	CASE	SASE	CASE	Unitof Measure
	\$35.10	No Bid	No Bid	No Bid	Unit Cast
	\$1,053.00	No Bid	No Bid	No Bid	Total
		×	×	*	Na Bid
	GARTLAND# NCL4542	,			Manufacturer & Packaging:
					Delivery, A.R.O.;
					Comments:

<u>-</u>					
33	100	101	102	103	104
Lambswooi  Duster with  Plastic Handle,  26" L	Lambswool Duster with Plastic Handle, 35" L, Extends to 48" L	Wiping Rags, Reclaimed, 100% Terry Cloth, 25 lb. Box, 170 Rags/Box,	Wipling Rags, Reclaimed, 100% i Jersey Knit Cotton, White, 1 - 25tb. 3ox	Brawny Industrial Ught Duty 2-Ply Paper Wipers, #29221, 8" x 12 K", 31.4 lb. Case, 2,960 Wipes/Case	Colo Hand Cleaning Towels, 9" L x 10" (M, 130) Towels/Bucket, 4 Buckets/Case
	; 	<b>5</b> 5	\$	;   	
, >	7	82	3%	CASE	CASF
No Sid	No Bid	\$37.50	\$21.25	\$171.45	No Bid
No Bid	No Bid	\$2,062.50	\$1,168.75	\$1,714.50	No Bid
×	×				*
		GARTLAND# 1070300	GARTLAND# 1070000	GARTIAND# GPC29221	

					_
٧.	4.	ţ.	2	, i	Line kem BROOMS, MOPS,
24" Push Broom with 5' Wooden/Stainless Steel screw in handle, for multifloor use, Librnan, or Equal	Push Broom, 18" Multi-Surface with Plastic Block and two threaded handle holes, gray polypropylene bristles, Size 62" L x 18.5" H, Rubbermaid #X400, or Equal	Deck Scrub Brush - Brush Only (NO HANDLE)	Dust Brush, Counter Grush, Black Horse Hair Bristles, 13 X" length	(8&G) ZEP Ovation Floor Finish - 5 Gallon Fail, Product #190135	Line Item Description Quantity BROOMS, MOPS, BUCKETS, JUGS AND CLEANING SUPPLIES
<b>₽</b>	<b>8</b>	265	20	10	Quantity  LEANING SUPPLIES
E A	Ę	ΕA	E A	PAIL	Unit of Measure
\$21.03	\$11.70	\$3.72	\$12.01	\$98.42	Unit Cast
\$946.35	\$351.00	\$925.80	\$240.20	\$984.20	Total
					Mo Bid
Generic # 00927025	Generic # 1792/518	Generic # 79¢10694 - 14-21 Business	Carlisie # CF53622503	ZCP#190135	Manufacturer & Packoging:
14-21 Business Days	14-21 Business Days	14-21 Business Days	14-21 Business Days	14-21 Business Days	Delivery, A.R.O.:
					Comments:

## PLASTIC EXPRESS, INC.

ĵo	ဟ	<b>3</b> 3	***************************************	ආ	साधी साम
Lobby Broom, Tough Polypropylene with Flagged Bristles, 35° H. Rubbermeid Lobby Pio 5374, or Equal	Rubbermaid Brute Anglisd Broom with a minkinum 48" Steel Handle, Polypropylene Bristles	Broom with 54" L Steel Handle, Polypropylene Bristles	Corn Broom, #6 with Handle, Heavy Duty, Sold by the dozen	Push Broom, 24* (NO HANDLE), for multi-floor use, Librian or Equal	Description
			15	40	Quantity
\$\frac{1}{2}	DOZ	Æ	200	Ľ.	Unit of Measure
No Bid	No Bid	No Bul	\$8.14	\$23.29	Unit Cost
No Bid	No 9ld	NG 당년	\$12210	\$931.60	Total
*	×	×	ļ		<b>ष्</b> व शंव
			Generic # 02300130	5ene itc # 57927124	Manufacturer & Packaging:
			14-21 Business Days	14-21 Business Days	Delivery, A.K.O.
					र्व्यासायस्य

	4				
15	4	13	12.	11	Line Item
Yacht Mop, 16 oz., Rayon with Attached Wooden Handle	12" Dust Pan, Rubbermaid #2005 or Equal, 12 Dust Pans/Case	Security Brown Handle, Fiberglass with Nylon Thread, 15/16" x GO", Norshelt or Equal	Angled Security Broom Head, 10 5" Sweep Area with Polypropylene Srigtles, 12 Broom Heads/Case, Rubbermaid #6397, or Equal	Floor Sweeper (Non-Electric), Stotch-Brite Quick #M-007-CCW, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5" WIDE CLEANING PATH	Description
135	25	. 115		25	Quantity
002	CASE	<u>"</u>	CASF	£V	Unit of Measure
\$94.24	\$11.94	\$10.19	No Bid	\$52.40	Urit Cost
\$12,722.40	\$298. <b>5</b> 0	\$1,171.85	No Bid	\$1,310.00	Total
			×		No Bid
Boardwalk # 8WK116R-X2	#02000812	#35710987		Scotch-Brite # MMMMM007CCW	Manufacturer & Packaging:
14-21 Business Days	14-21 Business Slays	14-21 Business Days		J4-21 Business Days	Delivery, A.R.O.:
					Comments

## PLASTIC EXPRESS, INC.

21	20	19	E	17	16	Line Item
Floor Squeegee, 18" Heavy Duty Channet Type with 60" L Wooden Handle	Swiffer Duster Starber Kit, 6' Handle, 6 Dusters/Kit, 6 Kits/Carton	Security Mop Handle, 60" Hollow Fiberglass with Alligator Gripper Nead, Rubbermald # H146, or Equal	Mop Handle, Smooth Hinish Wood, Clamp Style to screw down on mop Shead, NO PLASTIC PARTS	Mop Head, 24 oz., Rayon	Mop Head, 16 oz., Rayon	Description
	16	215	33	260	25	Quantity
E	, CTN	5	ĘĄ.	200	COZ	Unit of Measure
No Bid	\$33.04	TA FAS	\$8.41	\$73.26	\$66.49	Unit Cost
No Biơ	\$528.64	\$2,001.65	\$252.30	\$19,047.60	\$1,662,25	Total
×				. :		No Bid
·	Swifter # PGC11804KT-6	#01S10983	£03601.510#	Generic# MRY1G	Generic # MRYMD	Manufacturer & Packaging:
	14-21 Business Days	14-21 Business Days	14 21 Business Days	14-21 Business Days	14-21 Business Days	Delivery, A.R.O.:
						Comments:

		- 4		·		
BATHROOM SUPPLIES	32	31	30	. & .	28	Line Item Description SPONGES, PADS AND SCRUBBERS
PLIES	Nylan Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Bus, 10 Boxes/Case	Celluloze Sponge, 6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal	Oll Absorbent Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack	Universal Absorbent Pads for Off and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack	Universal Absorbent Pads for Oil and Water, 15" x 19", Absorbs 31.4 Gallons, 100 Pads/Pack	Description  AND SCRUBBERS
( (     )	220	:     Es				Quantity
	CASE	CASE	PACK	PACK	PACK	Unit of Measure
	\$5.89	\$25.82	No Bid	No Bid	No Eid	Unit Cost
	\$1,295.80	\$903.70	№ вы	No Bid	No Bid	iotal
		\(\frac{1}{2}\)	×	×	×	No Bid
	Boardwalk# SWK196	Boardwalk# BWKCS2				Manufacturer & Packaging:
	14-21 Business Days	14-21 Business Days				Delivery, A.R.O.:
	20 Per Case					Conments:

		4	_			
GLASS CLEANERS	37	33	84	3. j	88	Line (tem
	Toilet Seat Covers, Half Fold White Paper, 20% Post Consumer Materials, 100% Recovered Paper Fiber, Green Seel Certified, 889 West, 116" W x 3 %" D x 11 %" H, 250 Covers/Pack, Z0 Facks/Cose, MUS7 FIT IN DISPENSER In DISPENSER In	ioilet Bowl Mop Holder	Tailet Bowl Plunger without Metal Clips	Mop. Tollet Bowl, Deluxe Style with Acid Resistant Yarn and Fuller Head	Husky 303 Toflet Bown Cleaner 32 oz. butile 12/case MFS #503-Qt12	Description
	29	30	115	570	55	Quantity
	€ASE	<u>,</u>	£	<b>T</b>	CASE	Unit of Measure
	\$56.74	\$3.34	\$8.65	<b>113</b>	\$52.93	Unit Cost
	\$1,134.80	\$120.70	\$454.25	\$544.10	\$2,645.50	Total
		,		<u> </u>		මිං සිල්
	Boardwalk #	Rubbermaid# RCP631100WE	Beardwalk # BWK09201LA	Boardwalk # BWK00160EA	Lysol # RAC74278CT	Manufacture: & Packaging:
	14-21 Business Pays	14-71 Birsmess Days	14-21 Business Days	14-21 Business Days	14-21 Business Days	Delivery, A.K.O.:
						Comments:

	48	4/	\$	45	44	Line item
Reroxide Cleaner, #117 Consentrate, Sanitizer Virucide. Green Saal Certified, Shall Include Gallon Dispenser, 4 - 1 Gallon Containers/Case, or Equal	Envirox "H2 ORANGE-2"	7ep Big Orange-E Degreaser #0485, 55 Gallon Drunr	Zep TMT Concentrate Truck Wash #0376, 5 Gellur: Parl	Zep 40 Nor- Streaking Cleaner #0144, 12 - 24 Uz Cans/Case	WD40 with Smartstraw, #1078-12, or Equal, 12-11 Oz. Cans/Case	Description
	;	15	10	ru	15	Appuents
	CASE	DRUM	PAIL	CASE	CASE	Unit of Measure
	No Bid	.\$2,386.05	\$89.34	\$86.88	\$11891	Unit Cost
	No Bid	\$35,820.75	\$898.40	\$131,40	\$1,753.8S	<sup>T</sup> घांत्रो
	*	- "				No Bid
	1/2	ZEP # 48585	7EP # ZPE1047073	ZCP #322901 -	WD-40# WDF490040	Manufacturer & Packaging:
	<del>,</del>	14-21 Business Days	14-21 Business Days	14-21 Business Daγs	14-21 Business Days	Delivery, A.R.O.:
						Comments:

_				· · · · · ·		
57	56	55	55	ន	52	l ine ltem
ZEP Truck Wash Powder #4358, 5 Gallon Patt	Zep Double Play #095018, 4 - 1 Gal Containers WITH ONE (1) Dispenser/Case, or Equal	Zep Reach #092520, 4-1 Gal Containers WITHOU! Dispenser/Case, or Equal	Zep Reach #092520, 4 · 1 Gal. Containers WITH ONE {1} · D4000 Dispenser/Case, or Equal	Arm & Hamme Pure Baking Soda, 12 - 2 lb. Boxes/Case	Cleaning Powder with Bleach, Babo or Equal, 24 - 21 Oz. Cans/Case	Description
15		V1 ·	1	7	60	Quantity
PAIL	CASE	CASE	CASE	CASE	CASE	ปีกit of Measure
\$173.91	No Rd	\$102.56	No Bid	\$29.90	\$37.51	Unit Cost
\$2,608.65	No Gid	\$512,80	No Bid	\$209.30	\$2,250.60	Total
	×		×			No Bid
ZEP #40/3/		ZEP #92524		Arm&Hammer# CDC3320001140	Ajax # CPC14278CT	Manufacturer & Packaging:
14 21 Business Days		14-21 Business Days		14-21 Business Days	14-21 Business Days	Delivery, A.R.O.:
,,,,						Comments:

78	7/	76		75	Line (tem
Zep Acclaim # 099924 Mild Antimicrobial Hand Geaner, Biodegradable Surfactants, 4 - 1 Gal. Containers WITH ONE (1)- 04000 Dispenser/Casc, or Equal	Lep Zepynamic A Disinfectant Spray #0110, 12 - 20 oz. Cans/Case	Lep Powerhouse Heavy Duty Aerosol Cleaner, Product #0282, 12 - 24 oz. Cans/Case	Supply 1 Gallon Bottle with Pump with Each Case Ordered, As Specified or Equal, 4 - 128 oz. Bottlics/Case	Heavy Duty Hand Cleaner, Heritage with PC 2 Dual Turho Scrubbers, Low Salvent with Lanolin Moisturicer, Vendor MUST	Description
20	10	Ų.			Quantity
CASE	CASE	CASE		CASE	Unit of Measure
\$31.88	\$123.93	\$108.25		No Bid	Urit Cast
\$1,837.60	\$1,739.30	\$541.25		No Bid	Total
	:	į		×	No Bid
ZEP #314924	ZEP #351501	ZEP #28201			Vienufacturer & Packaging:
14-21 Business Cays	14-21 Business Days	14-21 Business Days			Delivery, A.R.O.:
					Comments:

						4	
28	83	82	81	8	DEODORIZERS, A	79	tin∈item
Clorox* Bleach, or Austin Brand, 6-1 Galfor Containers/Case	Clorox® Outdoor Bleach, 3 - 121 oz. Containers/Case	Clarox* Disinfecting Wipes, CLO- 15949C, 75 Wipes/Canister, 6 Canisters/Pack, or Equal	Clorox® Fresh Scent Disinfecting Wipes, 35 Sheets/Container, 12 Containers/Case	(B&G) Claire Handheld Air Heshicher - 10cz. can 12/case, item # 10216500	DEODORIZERS, AIR FRESHENERS, CLEANSERS, AND WIPES	Zep D4000 Soap Disperser, #600101 for 1 Gal. Containers	Description
355	15		8	) : : :	SERS, AND WIPES	្រ ទាំ	Quantity
CASE	CASs	PACK	CASE	CASE		FA	Unit of Measure
\$23,46	\$37.43	\$40.17	\$44.16	\$51.64		\$72.37	Unit Cost
\$8,328.30	\$561.45	\$9,239.10	\$2,870.40	\$1,549.20		\$3,256.65	lotat
					:		No Biá
PRIME SQURCE # P342-00350	Clorox #C003-32437	Clorox# CLO15949CT	Clanabeact	C608-06941		TOT009# 477	Manufacturer & Packaging:
14 21 Business Days	14-21 Business Days	14-21 Business Days	14-21 Business Days	14-21 Business Days		14-21 Business Days	Delivery, A.R.O.:
			!				Comments:

Distriction   Customer   Control Number   Control Numbe									
retarit (165 C/SE \$13.95 \$1.464.75 ectarit of Spray, 9.99% of 9.12-19 or 5.12-19 or 5.22-19 or 5.22	une tem	uescription	Chauth	Ont or Measure	Unit Cost	0#A	No 816	Manui Pac	Manufacturer & Packaging:
S. 12 - 19 oz Case, Model Z70, or CASE No Bid No Did X  Distrifectant CASE No Bid No Did X  Distrifectant Distrifectant CASE No Bid No Did X  Esent Case Mist of Sas. 25 Sec. 60  Face Wipes, S. 25 Sec. 60  Face Wipes, S. 25 Sec. 60  Face Wipes, Sec. 60  Face	95	Lysol* Disinfectant Aerosol Spray, Kills gg ggw. of	<del>.</del> [05	CASE	\$13.95	\$1,464.75		ZEP # 2J	ZIP#ZP\$1050017
Disinfectant CASE No Bid No Bid X Sover Mist of Spray, 9% of se and na, or Equal, oz. case 7. X Hree Glass X Size 7" X Windex or X Size 7" X Windex or X Size 7" X Package, 6 /Case /Case  Storm ASO  CASE S62.88 \$1,886.40		Kills 99.99% of Germs, 12 - 19 oz Cans/Case, Model # 454270, or Equal			,				
sand fria, or Equal, oz. CASE \$33.28 \$665.60 case \$33.28 \$665.60 case \$7 x findex or 7.28 Pro cened from \$1.88 \$665.60 case \$1.886.40 case \$1	బ కు	lysol Disinfectant Max Cover Mist Aerosol Spray, Kills 99% of	i	CASE	No Bid	No Bid	×		
k Hee Glass		Viruses and Bacteria, or Equal, 6 - 15 oz. Gans/Gase							
Itra 30 CASE \$62.88 \$1,886.40 soble Wilpes 301, 450 s/Case	8.7	Studak Free Glass & Surface Wipes, & Surface Wipes, Approx. Size 7" x 10", Windex or Equal, 28 Pro Moistened Wipes/Package, 6 Packs/Case	20	CASE	\$33.28	\$665.60		Windex # SIN31925	Windex # SIN319251EA-6
VACUUMS AND SUPPLIES	00 00	Zep Ultra Disposable Wipes #895601, 450 Wipes/Case	30	CASE	\$62.88	\$1,886.40		ZEP #	ZEP #895601 14-21
	VACUUMS AND S	JPPLIES							

	<u> </u>						
GLOVES .	104	103	102	tot 	100 	rg.	line dem
İ	GoJo Hand Cleaning Towels, 9" Lx 10" W, 130 Towels/Bucket, 4 Buckets/Case	Brawny Industrial Light Dury 2-Ply Paper Wipers, #29221, 8" x 12 X", 31.4 lh. Case, Z.960 Wipes/Case	Wiping Rags, Heclaimed, 100% Jersey Knit Cotton, White, 1- 25ib. Box	Wiping Rags. Reclaimed, 100% Terry Cloth, 25 lb. Box, 170 Rags/Box	Lambswool Suster with Plastic Handle, 35" L, Extends to	. B. 10 12	Description
	ett	10			30 i	¥	Guantity
	CASE	3%C	EX	\$	Ç	₽	Unit of Measure
	\$83.30	\$104.87	No Bid	N <sub>D</sub> Bid	\$7.29	\$5,85	Unit Cost
İ	00.E31, <b>6\$</b>	\$1,048.70	No Bid	No Bá	\$236.79	\$204.75	जं <i>व</i>
		:	×	ж			No Bid
	GOIO # GOI6298	Бrawny#GPC29221			Boardwalk# EWKL3850	Boardwalk # BWKL26 14-21 Business	Menufacturer & Packaging:
	14-21 Business Days	14-21 Brisiness Days		) <sub>1</sub>	14-21 Business Days	14-21 Business Days	Gelivery, A.R.O.:
						:	Comments:

	4	4		
117	116	115	71.14	Line Bern
Wasp and Homet Sprey, Ortho or Equal, 12 - 17 Oz. Cans/Case	REPEL, Permethrin Clothing and Gear insect and Tick Repellent, Aerosol Can, 12 - 6 02. Cans/Case, NO SUBSTITUTIONS	Despwoods Bug Spray, Aerosol Can, 12 - 6 Oz Cans/Cass, or Equal	Ant Killing System, Unscented, Combat or Equal, 6 Baits/Box	Description
45	50	50	3: 13:	Cuantity
CASE	CASE	CASE	×	Unit of Measure
\$75,21	\$78.84	\$83.48	\$4.7.87	Unit Cost
\$3,384,45	\$3,942.00	\$4,174.00	\$7,898.55	Total
		,		No Bid
Enfancet # BENEARTH # 1	Repel # H5-94127	OFF # SINBB\$742	Combat # DL445901CT	Manufacturer & Packaging:
.14-21 Business .Pays	14-21 Business Days	14-21 Bushess Days	14-21 Business	Delivery, A.B.O.:
16 oz Aerosol Synay, 12 Per Case			6/8mx, 12 Boxes/Carton	Consments;

Litte licette		Manuella					Fackaging:	
SPONGES, PADS AND SCRUBBERS	ND SCRUBBERS						d d	
28	Universal Absorbent Pads for Dil and Water.		PASK	\$40.47	\$607.05		Taskbrand, 100/pkg	7 days
	Absorbs 31.4 Callons, 199 Pads/Pack		n = n 10					
29	Universal Absorbent Pads For Oil and Water	Id	PACK	\$95.29	\$952.90		Taskbrand, 15"×150', 2/pkg	7 days
<del></del>	15" X 150", Fine Fiber Roll, 2 Rolls/Pack							
30	Oil Absorbent Omly Pads, Oil Use ONLY, Absorbs ZL5 Gallons, 15" X 18", 100	. 12	PACK	\$38.70	\$464.40		Taskbrand 15x18", 100/pkg	7 dyas
7	1 - 5 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			!				
31	Cellubose Sponge, 6" x 4.25" k 1.625", 3M #C31, 24 Sponges/Case, or Equat		CASE	<b>N</b> O <b>P</b> Nd	शुरु <b>छ</b> त्त	×		
32	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Padt/Box, 10		CASE	Mo Hid	No Bid	×		
	Boxes/Case							

_		4
21	50	Line (terri
Peroxy HDOX Multi Purpose, Germicidal, Verucidal and Fungicidal Cleaner and Deodorizer, 1 - 4 Gal. Containers/Case	Hydrogen Peroxide Cleaner, Ready-Made, 12- 32 Oz. Bothes/Case, Envirox "12 ORANGE-2 ONE" #117 or Equal MUST BE HYDROGEN PEROXIDE, EPA ASPRIOYED & GREFN SEAL CERTIFIED	Peroxy HDOX, Carth Lation atories, Hydrogen Peroxide Cleaner, Sanitizer Virucide, Fungicide, 4-1 Gallon Containers/Case, EPA REGISTERED, MUST FIT EXISTING SYSTEM #100772900 WITH ALL PARTS.
(A		Quantity 25
CASE	CASE	Unit of Measure
90.96\$	No Ed	Unit (2052
5495.00	No Bid	Total \$2,475.00
	×	No Sid
Peroxy HDOX		Manufacturer & Packaging: Packaging: Peroxy HDOX, exact item, 4x1ga
2 days		Dulizer <sub>is</sub> A.R.O.: 2 days
		Comments:

PLOCE MAIS 91 92		
MATS 91 92	8	शंतर विद्या १९८ १९८
Entrance Mar, 3' X 2', Brown Tweed with Vinyl Backing, Scoles System, or Equal Entrance Mat, 3' X 5', Brown Tweed with Vinyl Backing, Scoles System, or Equal	Or-Board Tools, Hoover Commercial Task Yac #HVRCH53010, or Equal Upright Vacuum Cleaning Part, 3 8 Ot. bag Capacity, 3 Stage Fittration with HEPA and Exhaust Filters, Includes On- Board Tools,	Description Lightweight,
	<b>ਬ</b>	Quantity
<b>3 5</b>	. <u>S</u>	Unit of Measure
No Bid	\$283 ( <b>0</b> )	Unit Gost No Bid
No Bid	\$2,830.00	ावात श्रव होतं
*		No Rid
	Tornado CK 14/1 pro	Manufacturer & Packaging:
	3 days	Delwerk, A.R.O.:
	!	Comments

			·
105		107	107
Disposable Nitrilla (Postdered Gloses)	8 mil, Sizes: Small, Medium, targe, X- Large, and XX- Large, Grainger #D1804, or Equal, 100 Gloves/Box, 12 Boxus/Case	Oisposable Mitrile Powder Free Gloves with Beaded Cuff, Latex Free, Fextured Grip, Puncture and Abrasion Resistant, Color: Blue, 8 will shick, Sizes: Medium, Large, X-Large and XX-Large, Greinger #D1814, or Edwes/Box, 10 Gloves/Case  Disposable Nitrile	Orsposable Nitrile Powder-Free Glowes, 3 mil Tinckness, 11" Langth, Finger Fextured, Latex Free, 2xl, 90 pair/box
94 4 1 1 2		155	15
CASE		ÇASE	8
No Sid		\$54.66 \$1.00	\$38.44  -  -
No 8td		\$5,739.30 \$576.60	\$576.60
× 2			
Mandiascher & Peckaging:		ProWorks, 8mil, beaded cuff, 190/kx, 10 bx/cs ProWorks, 3mil,	Proworks, amil, beaded cuff, 1907/bx, 10 bx /cs
Delivery A K.O.:	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	7 days	25 (2)
द्वागाम् छत्रीडः			

# SIMPLIFY CHEMICAL SOLUTIONS, INC.

108	Nitrile Glove,		вх	No 8id		No Bid	No Bid X
	Best-N-Dex Plus #8005pfl and 8005pfxl, 8 Mil Construction, 9.5"			9	6		>
	Long and Ambidextrous, Meets 21 CFR						
	Requirements, Sizes: Large, X-Large, XK-Large, SO Gloves/Box						
198	Disposable Nitrile Powder Free	545	CASE	\$41.66	\$22,704.70	1.70	1.70
	Gioves Wali Beaded Cuff, 6 Mill Thickness Tates				*·		
	Free, Textured Grip, Exam Grade						
	Level Protection, Color: Black, Sizes:						
	Medium, Large, X- Large, MCR,				· · ·		
	Grainger 490A84, 490A85, 490A87,						-
	or Equal, 100 Gloves/Box, 10				•		_
	Boxes/Case						
(0) <b>I</b>	Nitrile Gloves,		ßX.	No Bid	No Bid		×
	Ammex SPNHD Glove Plus, 8 mil						
	thick Color: Blue,						_
	alog from				_		
	Latex Free, Powder Free, 12"				-		
	Latex Free, Powder Free, 12" Long, Sizes:	•					
	Latex Free, 12* Powder Free, 12* iong, Sizes: Medium, Large, X- Large, 50						. ———

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPLIES

		_			
10	10	05		6	Line izem
Lobby Broom, Tough Polypropylene with Flagged Bristles, 35" H, Rubbermaid Lobby Pro 6374, or Equal	Rubbermaid Brute Angled Broom with a minimum 48" Steel Handle, Polypropylene Bristles	Broom with 54" L Steel Handle, Polypropylene Bristles	Corn Broom, #6 with Handle, Heavy Duty, Sold by the dozen	Push Broom, 24" [NO HANDLE], for multi-floor use, Libman or Equal	Description
10	į cą	10	15	40	Quantity
Ę.	poz	EA	2002	EA	Uait of Measure
\$11.70	\$281.57	\$12.74	\$6.36	\$14.33	Unit Cost
\$117.00	\$281.52	\$127.40	\$1,004.40	\$573.20	Total
					No Bid
Rubbermaid Commercial Products 187151	Rubbrumald Commercial Products 187151	STAPLES BRANDS GROUP	THE ODELL CORPORATION	THE ODELL CORPORATION	Manufacturer & Packaging:
					Delivery, A.R.O.:
					Comments:

	·		· <b></b> -			,_ <del></del>
Line Item	11	12		13	14	12 ( 12 (
Description	Floor Sweeper (Non-Electric), Scolch-Brite Quick #M-QG/-CCM, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5" WIDF CLEANING PATH	Angled Security Broom Head, 10.5" Sweep Area with	Polypropylene Brisiles, 12 Broom Hearls/Case, Rubbermaid #6397, or Equal	Security Broom Handle, Fiberglass with Nylon Thread, 15/16" x 50", Norshell or Equal	12" Dust Pan, Rubbermaid #2005 or Equal, 12 Dust Pans/Case	Yacht Mop, 16 oz., Rayon with Attached Wooden Handle
Quantity		100		115	25	1
Unit of Measure	₽	CASE		FA	CASE	DOZ
ilnit Cost	No Bid	\$140.40		\$7.59	\$66.36	No Bid
Total	No Bid	\$14,040.00	•	\$872.85	\$1,659.00	No Bld
No ซีเส	×		,			*
Manufacturer & Packaging:		Rubbermaid Commercial Products 187151		STAPLES BRANDS GROUP	Rubbermaid Commercial Products 187151	
Celivery, A.R.O.:					-	-
Confinents:						

4	4					
21	뫒 :	Ħ	: 55	17	16	Line Itsim
Floor Squeegee, 18" Heavy Duty Channel Type with 60" L Wooden Handle	Swiffer Duster Starter Nit, 6" Handle, 6 Dusters/Nit, 5 Kits/Carton	Security Mop Handle, 80" Hollow Fiberglass with Alligator Gripper Head, Rubbermaid # H14C, or Equal	Mop Handle, Smooth Finish Wood, Clamp Style to screw down on mop head, NO PLASTIC PARTS	Mop Head, 24 oz., Rayon	Mop Head, 16 oz., Kayon	Bescription
· ·	당      -	215		200	25	Quantity
ĘĄ	CFN	Ę	E.	poz	200	Unit of Measure
\$18.39	\$6.70	\$26.45	No Bid	\$52.32	\$55.44	Unit Cast
\$91.95	\$107.20	\$5,626.75	No Bid	\$25,007.20	\$1,326.00	Total
			×			No Eid
the Librari Company	PROCIER & GAMBLE	Rubbermald Commercial Products 187151		THE ODELL	THE COELL	Manufacturer & Packaging:
•						Delivery, A.B.C.:
					· · · · · · · · · · · · · · · · · · ·	Comments:

PROPOSAL DOCUMENT REPORT BId No. TBD JANITORIAL SUPPLIES

PACK   \$33.35   \$500.25   LAGASET BROS IN	WGES, PADS AND SCRUBBERS  28  Universal Absorbent Padb for Oil and Water, 15" x 19", Absorbs 31.4 Gallons, 100 Pads/Pack  29  Universal Absorbent Pads for Oil and Water, 15" x 150", Fine Fiber Roil, 2 Rolls/Pack  30  Oil Absorbent Only Pads, Oil Use OffUt, Absorb, 21.5 Gallons, 15" X 18", 100 Pads/Pack 31  Cellulose Sponge, 6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring Pads, 6" x 9", Medium (Nny, 6)	Asserto	Unit of Measure	Unit Cast	Total	No Eid	Manufacturer & Packaging:
Universal   15   PACK   \$33.35   \$500.25							
Tor Oil and Water,   15" x 19",   Absorbs 31.4   Gallors, 100   Pads/Pack   PACK   Rin Bid   No Bid   X   Gallors, 100   Pads/Pack   PACK   Rin Bid   No Bid   X   Mo Bid   No Bid   X   Mo Bid   No Bid   X   Mo Bid   No Bid   X   Mo Bid   No Bid   X   Mo Bid   X   Mo Bid   No Bid   X   Mo		Ŧ.	PACK	\$33.35	\$500.25		LAGASSE BROS IN
Absorbs 31.4 Gallors, 100 Pads/Pack  Universal Absorbent Pads for Oil and Water, 15" X 150', Fine Fiber Roll, 2 Rolls/Pack  Oil Absorbent Oil Absorbent Oil Absorbent 21.5 Gallors, 15" X 18', 100 Pads/Pack  Cellulose Sponge, 6" x A 25" x 1 625", 3M #C31, 24 Sponges/Case, or Equal  Pylon Scouring Pads, 6" x 9", Medium Dury, 6 Pads/Pack  CASE S32.94  S1,246.80  S2,246.80  Sales S32.94  S1,246.80  Fads/Case		,					
Gallons, 100 Pads/Pack  Universal Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pank  Only Pads, Oil Use O'RUY, Absorbent Childhose Sponge, 35 CASE \$44.35 24 Sponges/Case or Equal  Nylon Scouring Pads, F'x 9", Medium Durty, 6 Pads/Pack  Pads/Pack  Rolls/Pack  Sellons, 15"  CASE \$32.94 S1,246.80  Pads, F'x 9", Medium Durty, 6 Pads/Pack  Pads, Case  Sellons, 100  Pads/Pack  Rolls/Pack  Ro							
Pads/Pack         PACK         No Bid         No Did         X           Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack         PACK         No Bid         No Did         X           Oil Absorbent Cnly Pads, Oil Use OfW.Y. Absorbs 21. SGalloss, 15" X 18", 100         PACK         No Bid         No Bid         X           Cellulose Sponge, 6" x A.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal         35         CASE         \$44.35         \$1,552.25           Nylon Scouring Pads/Box, 10 Boxes/Case         ZZU         CASE         \$32.94         \$1,246.80           Boxes/Case         Case         \$32.94         \$1,246.80							
Universal Absorbent Pads for Oil and Water, 15"X 150", Fine Fiber Roil, 2 Rolls/Pack		- ,,,,,	,,,,,		<del></del>		
Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack  Chly Pads, Oil Use O(NLY, Absorbent Chly Pads, Oil Use O(NLY, Absorbent X 18", 100 Pads/Pack  Cellulose Spornge, 6" x A 25" x 1.625", 3M #C31, 24 4 pnnges/Case, or Equal  Nylon Scouring Pads, 6" x 9", Medium (Bufy, 6) Pads/Box, (0) Boxes/Case			PACK	No Bid	No Did	સ≼	
for Oil and Water, 15" X 150", Fine Fiber Roll, 2         Fine Roll, 2         Fiber Roll, 2         And Mark Rolls/Pack         No Bid         No Bid         X           Coll Absorbent Carly Pack, Oil Use OVLY, Absorb, 21.5 Gallons, 15"         PALIX         No Bid         No Bid         X           Cally Pack         Sollons, 15"         X 18", 100         X 18", 100         Y         Y           Pack/Pack         Sollons, 15"         X 16", 100         X 1552.25				.,			
## ## ## ## ## ## ## ## ## ## ## ## ##							
Fiber Roll, 2   Rolls/Pack		•					
Oil Absorbent Only Pads, Oil Use Offly Pads, Fack Cellulose Spronge, 35 CASE \$44.35 \$1,552.25 6" x A 25" x 16.25", 34M #C31, 24 Spronges/Case, or Equal Or Equal  Nylon Scouring ZZO CASE \$32.94 \$1,246.80 Pads, 6" x 9". Affedium (Naty, 6) Pads/Box, 10 Boxes/Case							-
Oil Absorbent Only Pads, Oil Use Oil Use Oil Use Oil Use Oil V, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack Cellutose Sponge, 35 Cellutose Sponge, 35 Cellutose Sponges/Case, or Equal  Nylon Scouring Pads, 6" x 9". Anedium Ukrty, 6 Pads/Box, 10 Boxes/Case							
Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack  Cellulose Sponge, 35 CASE \$44.35 \$1,552.25 6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring 720 CASE \$32.94 \$7,246.80 Pads, 6" x 9". Medium (Mrty, 6) Pads/Box, 10 Boxes/Case			PACK	No Bid	,		
Old Y, Absorts 21.5 Gallons, 15" X 18", 100 Pads/Pack  Cellutose Sponge, 35 CASE \$44.35 \$1,552.25  6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring 720 CASE \$32.94 \$7,246.80  Pads, 6" x 9", Medium (Vally, 6 Pads, 6" x 9", 6 Pads/Pack, (0 Boxes/Case					No Bid	*	
21.5 Gallons, 15" X 18", 100 Pads/Pack  Cellutose Sponge, 35 CASE \$44.35 \$1,552.25  6" x 4.25" x x x 25" x x 1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring 720 CASE \$32.94 \$7,246.80  Pads, 6" x 9", 6 Pads/Box, 10 Boxes/Case					No Bid	ж	
Pads/Pack  Cellulose Spornge, 35 CASE \$44.35 \$1,552.25   6" x 4.25" x   1.625", 3M #C31,   24 Sponges/Case, or Equal   Nylon Scouring 720 CASE \$32.94 \$1,246.80   Pads, 6" x 9".   Medium (Naty, 6   Pads/Bax, 10   Boxes/Case					No Bid	34	
Cellutose Sponge, 35 CASE \$44.35 \$1,552.25 6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring 720 CASE \$32.94 \$7,246.80 Pads, 6" x 9". Medium (Mry, 6) Pads/Case					No Bid	ж	
6" x 4.25" x 1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring Z20 CASE \$32.94 \$1,246.80 Pads, 6" x 9". Medium Ustry, 6 Pads/Box, 10 Boxes/Case					No Bid	×	
1.625", 3M #C31, 24 Sponges/Case, or Equal  Nylon Scouring ZZO CASE \$32.94 \$7,246.80  Pads, 6" x 9". Medium Ustry, 6 Pads/Box, 10 Boxes/Case		ži	CASE	46.465	No 8kd	*	3M
24 Sponges/Case, or Equal		35 J	CASE	46.465	No 8kd	**	3M CURPURATION
or Equal         Aylon Scouring         ZZU         CASE         \$32.94         \$7,246.80           Pads, 6" x 9".         Medium Ustry, 6         Pads/Box, 10           Boxes/Case         Boxes/Case         Fraction Ustry, 6		ä j	CASE	4E.4P\$	No 8kd \$1,552.25	>4	3M CURPURATION
Nylon Scouring         ZZU         CASE         \$32.94         \$1,246.80           Pads, 6" x 9".         Medium thur, 6           Pads/Box, 10         Boxes/Case         Factorial transfer		ä	CASE	\$44.35	No 8kd \$1,552.25	*	3M CORPORATION
Pads, 6" x 9".  Medium (kity, 6  Pads/Box, 10  Boxes/Case		ä l	CASE	\$44.35	No Bid \$1,552.25	*	3M CORPORATION
Aledium LMTV, 6 Pads/Box, 10 Boxes/Case	Medium thity, 6	35	CASE	4E.4P\$	No Bid \$1,552.25	*	3M CURPORATION STAPLES BRANDS
Pads/Box, (D) Boxes/Case	A Charles Control &	3.5	CASE	\$44.35	No 8kd \$1,552.25 \$7,246.80	*	3M CORPORATION STAPLES BRANDS SROUP
Boxes/Case	Paralalana (D)	35	CASE	\$44.35	No 8kd \$1,552.25 \$7,246.80	*	3M CORPORATION STAPLES BRANDS GROUP
	Boxes/Case	3.5	CASE	\$44.35	No Bid \$1,552.25 \$7,246.80	*	3M CORPORATION STAPLES BRANDS GROUP
		35 220	CASE	\$44.35	No Bid \$1,552.25 \$1,246.80	*	3M CURPURATION STAPLES BRANDS GROUP

PROPOSAL DOCUMENT REPORT Bid No. TBD JANITORIAL SUPPLIES

36 Toilet B		35 Toli Plu Me	34 Mop, Delux Acid R Yam a Head	33 Hus 329 112/ 128	. Live them
ider	Trailet Rosul Mono	Toilet Bowl Flunger without Metal Clips	Mop, Toilet Bowl, Deluxe Style with Acid Resistant Yarn and Fuller Head	Husky 303 i ollet Bowl Cleaner 32oz bottle 1.2/case MFR #303-Qt12	Description
	Ž.	175		50	inn Appuero
	; \$2   	ĘĄ	<u>.                                    </u>	3370	Unit of Measure L
\$30.69		\$5.14	No Brd	\$27.97	Unit Cost
\$1,913.80	\$111.00	\$591.1u	No Bid	\$1,398.50	Total
	<u> </u>	ខ្មុ	*	G	No Bid N
MPACT PROD	Rubbermaid Commercial Products 187151	STAPLES BRANDS GROUP		STAPLES BRANDS GROUP	Manufacturer & Packaging:
		i			Delivery, A.K.O.:
					Comments:

PROPOSAL DOCUMENT REPORT Bid No. TBD JANITORIAL SUPPLIES

	4					<del>,,,</del> ,,,	,
6.6	42	SPECIALTY CLEAN	41	40	39	જે	Ling Mon
Floor Absorbent, Oil Dry or Equal, 40 lb. Bag	All Purpose Cleaner, Simple Green, MUST BE All Natural, 6 - 1 Gallon Containers/Case, or Equal	SPECIALTY CLEANSERS, ABSORBENTS AND SUPPLIES	Zeprvuc K.T.U. Glass Cleaner Spray Bottle #1010, 12 - 32 Oz. Bottle / Case	Zep Foarning Glaw Cloanser, Annonia Free, 7UPGC13/1, or equal, 6-19oz cans/cas/	Window Cleaner, Earth Friendly Products #PL9301 or Equal, 12 - 32 Oz. Bottles/Case	SprayPAK, Acrosol Spray Glass Cleaner, 12 - 21 Oz. Cans/Case	Description
150	30	D SUPPLIES	å	*   *	6D 		Appleno
RAG	CASE		CASE	CASE	CASE	CASE	ปกในที่ เพียนรมยย
\$57.75	\$10.38	İ	\$48.82	\$16.69	\$48.82	No Sid	Unit Cost
\$8,662.50	\$329.40		\$1,952.80	\$584.15	\$2,929.20	Ao Bid	Total
				,		 	No Bid
ORS NASCO, INC. 136471	UNITED		STAPICS BRANDS GROUP	CLAIRE MANUFACTURING	STAPLES BRANDS GROUP		Manufacturer & Porkagner
							Delivery, A.R.O.:
					, p. p. s. s. s. s. s. s. s. s. s. s. s. s. s.		रक्रामानकारेडः

51	50	. Ag
Peroxy HDOX Multi Purpose, Germicidal, Verucidal and Fungicidal Cleaner and Deodorizer, 1 - 4 Gal. Containers/Case	Hydrugen Peroxide Cleaner, Ready-Made, 12- 32 Oz. Bortley/Case, Enviroz "H2 OBANGE-2 ONE" #117 or Equal MUST BE HYDROGEN PEROXIDE, EPA APPROVED & GREEN SFAI CERTIFIED	Peroxy HDOX, Farth Laboratories, Hydrogen Peroxide Cleaner, Sanitizer Virucide, Fungicide, 4-1 Gallon Containers/Case, EPA REGISTERED, MUST FIT EXISTING SYSTEM #10072900 WITH ALL PARTS.
	25	Quantity
CASE	CASE	Unit of Measure
No Bki	\$70.85	Unit Cost No Bid
No Bid	\$1,771.25	No Bid
×		No Bid
	DIAERZEA TOHM20M	Manufacturer & Packaging:
		ltelwity A.R.O.:
		Comments:

				4	
57	56	55	<b>5</b>	53	Line item 52
ZEP Truck Wash Fowder #4358, 5 Gallon Pail	Zep Double Play #095018, 4-1 Gal. Containers with CNE (1) Dispenser/Case, or Equal	Zep Reach #092520, 4-1 Gal Containers WILHOUT Dispenser/Case, or Equal	Zep Reach #092520, 4 1 Gal. Containers WITH ONE [1] - D4000 Dispenser/Cose or Equal	Arm & Hammer Pure Baking Sorfa, 17 - 7 lb. Boxes/Case	Description Clearing Powder with Bleach, Babo or Equal, 24 - 23 Oz. Cans/Case
		4n		!	Quantity 60
PAII	CASE	CASE	CASF	CASE	Unit of Measure CASE
No Bid	No Rid	\$91.44	Mo Bid	\$27.42	935.14
Mo Bid	No Bid	\$457.20	No 9d	\$191.94	Total \$2,108.40
×	×		*		<b>작</b> 수 타건
	, , , , , , , , , , , , , , , , , , , ,	SOJO INDUSTRIES		Essentiari	Manufacturer & Packaguis: COLGATE- PALIMOUNE-IP
					Delivery, A.R.O.:
				İ	Cemmenta:

PROPOSAL DOCUMENT REPORT Bid No. TBD JANITORIAL SUPPLIES

e e	2 2	g: er:	8	HAND SANTTZERS	. <u>1</u> 9	SI SI	Line liem
Antimicrobial Hand Soap, Dial, MUST BE INICLUSAN HEE, 4-1 Gal. Containers/Case	Sani-Hands Packet Wipes, #D43800, 100 Packets/Box	Dawn Manual Pot and Pah Detergent, 8 - 38 Oz. Bottles/Case	Derma Gel Instant Waterless Hand Sanitizing Gel with Moisturizing Aloc, Vitamin E & Dimethicone, 24 - 4 oz, Bottles/Case	HAND SANTTZERS, SOAPS, AND SUPPLIES	Orange Super Plus Degresse (1 Gal containers) Manufactured by Green Power Chemical	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Casts,	Description
	73	Ç.	70	<b>**</b>			Quantity
Ş.	2	CASE	CASE		GAL	CASE	Unit of Measure
No Bid	95 \$5	\$55.94	\$52,46		No Bid	No Bid	Unit Cost
No Bid	\$629.25	\$279,70	\$1,049.20	: : !	No Bid	No Bid	Total
×					×	×	No Bid
	GOYO INDUSTRIES	PROCTER & GAMBLE	GOIO INDUSTRIES				Manufacturer & Packagng:
	i				:		Delivery, A.R.O.:
							Comments:

PROPOSAL DOCUMENT REPORT BIG - JANITORIAL SUPPLIES

Page 17

	4		_		
\$	\$1	24	9		tine k∈m
Instant Hand Sanitizer, Shali Kili 99.9% of Cerms, Purell or Equal, 12 -3.02 Bottles/Case	Pureil Touch Free Dispenser Stand, Model # H2398, As Specified or Equal	Purell Advanced Gel Hand Sanitizer, 2 oz. Filip Cap Bottle, 24-2 oz. bortles/case	Touch Free Dispenser to Hold 1 - 1700 ml Bottle of Purell TFX Model #2720 01	Vendor Shall Provide Additional Dispensers as Required at No Charge to the County, NO SUBSTITUTIONS	Deb Aero Rose Free Model #5/530, 6 - 1 liter Cartridges/Case,
10	20		<b>8</b>		Quantity
r.Ase	FA	CASE	E i		Unit of Measure
\$60.28	\$68.16	No Bld	\$35.60		Unit Cost No Bid
\$ <del>1</del> 02.80	\$1363.20	₩ 8.0 1.0	\$2,314.00		Total No 81d
		. **			· 사 사
GOIO (NDUSTRIES	STAPLES BRANDS GROUP		GOJO INDUSTRIES		Manufacturer क Packagings
					Belivey, A.K.O.
					६,वत्तात्त्रसादः

## STAPLES CONTRACT & COMMERCIAL, LLC

·— <del>,</del>		4				
* 4.	73	72	71	70	<b>&amp;</b>	Line İtem
Borax Powder Hand Cleaner, 20 Mule Team or Equal, 10 -5 lb.   Containers/Case	Zep Grip Heavy Dury Hand Cleaner #091224, 4-1 Gal. Containers/Case	Zep Cherry Bomb Heavy-Duty Purnice Hand Cleaner #0951, 4 - 1 Gal. Containers/Case	Waterless Hand Cleaner, Godo, or Equal, 6 - 4,75 Oz. Cans/Case	Purell Gei Cartridge Refill, 1000mi, Model #514836, Mr151 FIT Purell Fush Button Dispenser Model H228	Purell Instant Hand Sanitizer Foam, or Eugal, 2 -40.5 Fl. Oz. Bottles/Case	Description
;		40			` ***	Quantity
SRO	CASE	CASE	CASE	CASE	CASE	Unit of Mussure
No Bid	ทีบ Sid	\$43.59	No Bid	\$116.50	\$80.09	Vnit Cost
No Bid	No Sid	\$1,743.60	No Bid	\$2,912.50	\$4,004.50	Total
×	*	;	×			Ne Bid
	,	AMREP		GOJO INDUSTRIES	SOLO INDAZ I KIES	Manufacturer & Packaging:
						Delivery, A.R.O.:
:						Comments

751-					
28	77	<i>)</i> 5		75	Line <b>Ke</b> rn
Zep Acclaim # 099924 Mild Anthricrobial Hand Cleaner, Biodegradable Surfactants, 4 - 1 Gal. Containers WITH ONE (1)- 04000 Dispenser/Case, or Equal	Zep Zepynamic A Disinfectant Spray #01.0, 12 - 20 vz. Cans/Case	Zep Powerhouse Heavy Duty Aerosof Cleaner, Product #0282, 12 - 24 oz Cans/Case	Vanolin Moisturizer, Verido MUST Supply 1 Gailon Bottle with Pump with Each Case Ordered, As Specified or Equal, 4 - 128 oz. Bottles/Case	Heavy Duty Hand (Cleaner, Heritage with PC 2 Dual Turbo Scrubbers, Low Solvent with	Description
	10			25	A) TURNO
CASE	CASE	CASE		3590	Unit of Measure
No Sid	\$1035	No Bid		20.165	បីកដែលនៅ
No Bid	\$103.50	No Bid		\$2,286.00	(otal
×		*			No gia
	AMREP			Packaging: Signo (Noustraes	Manufacturer &
					Delivery, A.R.O.:
				A III No Ive Ive	Comments:

VACUUMS AND SUPPLIES	88	<u>oc</u>	on cn	Çin Çri	Line Kon
SUPPLIES	Zep Ultra Disposable Wipes #895601, 450 Wipes/Case	Straak-Free Class & Surface Wipes, Approx. Size 7" x 10", Windex or Equal, 28 Pre- Moistened Wipes/Fackage, 6 Packs/Case	Lysol Disinfectarit Max Cover Mist Aerosol Spray, Kills 99% of Viruses and Bacteria, or Equal, 5-15-02. cans/case	Lysul* Disinfectant Aerosi Spray, Kills 99.99% of Germs, 12 - 19 or Cans/Case, Model # 454270, or Equal	Description
		22		105	Quantity
	CASE	CASE	CASE	CASE	Unit of Measure
	No Bid	\$25.02	No Bid	\$96.30	Unit Cost
	No Bid	\$500.40	No Bid	\$10,111,01\$	न्वध
	×		×	i	No Bid
		SONS		RECKITT BENICKISER, LI C	Manufacturer & Packaging:
					Delivery, A.R.O.:
				:	Comments

BId No. TBD JANITORIAL SUPPLIES

PROPOSAL DOCUMENT REPORT

	4			
92	8	FLOOR MATS	*	Line licens
Entrance Mat, 3"X S', Brown Tweed with Vinyl Backing, Scoles System, or Equal	Entrance Mat, 3'X 2', Brown Tweed with Yiny Backing, Scoles System, or Equal		Upright Vacuum Cleaner, 14.75" W Cleaning Path, 3.8 CL. bay Capacity, 3 Stage Filtration with HEPA and Exhaust Filters, Includes On-Board Tools, Tormado CK 14/1 PRO, or Equal	Lightweight, Lightweight, Bagless Vacuum, On-Board Tools, Hoover Commercial Task Vac #HVRCH53010, or Equal
75	110		10	Quantity 15
Ţ.	rn 32		₽	Unit of Measure
\$33.96	\$39 28		\$671.29	\$198.13
\$2,697.00	\$4,370.80		\$6,712.90	\$2.97.95
				- -
Unimat Industries	Supplies Network		NIESS-ADVANCE INCAMERICAN	Manuacure: & HOOVER INC
				Delivery, A.R. O
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		LAPTERERS

PROPOSAL DOCUMENT REPORT BID No. TBD JANITORIAL SUPPLIES

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPLIES Page 24

			4
117	116	115	Line Item
Wasp and Flormet Spray, Ortho or Equal, 12 - 17 Oz. Cans/Case	REPEL, Permethriti Clothing and Gear Insect and Tick Repellent, Aerosol Can, 12 6 Oz. Cans/Case, NO SUBSTITUTONS	Deepwoods Bug Spray, Acrosol Can, 12 - 6 Oz. Cans/Case, or Equal	Description Ant Killing System, Unscented, Combat or Equal, 6 Baits/Box
45	, ,	  -  -  -  -	Quantity 165
CASE	CASE	CASE	Unit of Measure
\$92.04	No Bid	\$90.72	1)nit Cost \$5.39
\$4,141.80	No Bid	\$4,536.00	Tota? \$889.35
	*		No Bid
SONS SCIOHNSON &		CORPORATION	Manufacturer & Packaging: UNITED STATIONERS
			Delivery, A.K.O.:
			Comments:

PROPOSAL DOCUMENT REPORT BIG NO. TRD JANITORIAL SUPPLIES

			х	<b>하네</b> 아니	nlij old	Ε¢		Ageogen Hengle Muth eQu T' Chennel JAive T3, Heavy Quty Hoot 2dneesee'	IZ
			х	內包 图试	Ne Bic	MID:		Swiller Dueter "3 jahrer Starter (G Handes, G Dusters/Kil, G Kits/Carlon	50
Frankard 7	səqsnq 2 g	rubbermaid RCPH146 each		061988195	Z8'vZ\$	∀∃	STZ	qoM yān, cač "Uč. "albasi Halipasi Albasi Albasi Halipasi Isabi Basi Basi Basi Basi	<b>6</b> Ľ
			x	Mo Det	Ciā ovi	77		Mon Hanole, Smooth Fluish Wood, Clamp Style to serew down on map Mead, NO PLASTIC PARTS	18
sáup ss	Salsud 7-E	rias9		ORTESTS	66,83	204	097	WON Hebbi, 24 cz., noydki	લ
qsAa	१वक्तारंश्वर्य ५-६	<b>ся</b> ср вуго		<b>0</b> C 06\$	da.8\$	200	<del>द</del> र	узо 36 ,beaH цоМ поуля	91
anou	מא אפגל אונגטט	ൻഡർജ്ബറു ഇ കമാതൃസമ്യ	b 5 aM	jeto <u>.</u>	1903 01	anited Vilatina	ViltacuQ	no (deasing)	wer, earl

PROPOSAL DOCUMENT REPORT BIA - JAMITORIAL SUPPLIES Page 9

PROPOSAL DOCUMENT REPORT Bid No. TBD JANITOR AL SUPPLIES

PROPOSAL DOCUMENT REPORT Bud - JANITORIAL SUPPLIES Off aged

							Type, 35 Quart Capacity, NO VETAL PARTS, Bob Barker R835 S9YW or Equal	
	:	х	PH ON	bid off	<b>7</b> 3		Plont Suth & Way Bucket with Wringer, Rubbermaid Model #RMVE/Y,	£?
2-S business days	OSOI contraț		04.5522	\$70°64	V-F	06	"Wet Floor" Sign, 37* Maxi-Weim, Continental #180, ALL PLASTIC, NO NETAL PARTS	5 <b>7</b>
ayab septiand 7-8	8801 ooinsi dasa		b <i>7</i> '6885	66.40¢	A3	99	Unight, Out Pan With Cover, Black, Rubbarreld Labby Pre fizisz, to Gellal	<u> इ</u> र
		<u> </u>	oif old	bié oil	JSVO	,	Spray Bortle, thethe with Trigger Style Hand Trigger Style Hand Sprayer, 125-80 oc. Buttles/Cese	97
		х	bia cu	blst on	∀∃		Hand Sprayer, Trigger Style, NUST 36 UNIVERSELETT	

PROPOSAL DOCUMENT REPORT BIA No. TBD JANITORIAL SUPPLIES

an mail — NASA Are	് വ പ്രദേശത്തിലും ജന്ദ്യയുട	p.g. 3N	-10	380,33 613	ainstaw <sub>a</sub> onjeg	A: puentij	40j.dj.osog	աժվ <u>Ն</u> այի
eyak asanisind	Chase 4-8-94101 3-7 12/CS		00'706'7\$	ळादरई	35 <b>V</b> 7	991	SprayPAK Aerosol Spray Glass Cleoner, C2 - 23 Oc. Cens/Case	25.
ayab asaniand	17\C? b10301\e ECO2 bBO	•	09:747/25	रस्यस्ट्	CASS	09	Window Cleaner, Early Friency Producting 1995/22 or Equal, 12 - 57 seed explosive Sees	 6×4
		x	bie on	PH3 6N3	25823		garmeol qoZ See Cleanser, earli ulmanririA to ,etCD2NUZ seUF-2 ,lunpe	ΟÞ
वित्रहोगस्त्रह पृष्ठके	First Potde 95090 12/CS 3-7		d0:556\$	ogreze	CV25	5 <del>t</del>	Zepvue B.T.U. Glass Cleaner Syavy Bottle #1016, 12 - 82 Cz. Bottles/Case	Ιν
						531744 <b>/15</b>	CIMA STINERROZEA, ZREE	ньэнэ үтларэ
अतंश्वी अडक्साइतात् अतंश्वी	Simple Green SMP11001CT 3-7 2.CS		GZ:06 <b>Z\$</b>	þ61973	H(VC)	9€	All Purpose Clevner, Simple Green, MUST Be All Matural, 6 - 1 Gallon Consideral Case, or Boual	C#
2 yab ssamand	EYCH  28-408/Y8201 3-7  28-408/A8201 3-7		00°E25°Z\$	7T:6T\$	5 <b>/v</b> fl	051	Floor Absorbent, O'l Div or Equal.	EÞ

PROPÓSAL DOCUMENT REPORT BIA - JAN'TORIAL SUPPLIES PABE 13

PROPOSAL DOCUMENT REPORT BIG No. 1 BD JANITORIAL SUPPLIES

Open		- <del></del>	T	·	<del></del>	<del></del>	<del>,</del>			$\neg$
Chest State   Chest State		<u> </u>						or Equal		
CASE   Sept.   CASE   Sep 74   St.   St.   Sep.				1				ູ່ຄ <b>າຍວ່າ/ປ</b> າຍຕາສາກໝື		
Mark   Mark	•				l	l				
44 WD40 WH)  44 WD40 WH)  44 WD40 WH)  44 WD40 WH)  44 WD40 WH)  45 Geriffe State  46 Geriffe State  47 Sep State  48 Ground State  49 Geriffe State  40 Geriffe State  40 Geriffe State  40 Sep State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 Geriffe State  40 MD40 WH)  41 Cast State  42 Sep State  43 Geriffe State  44 WD40 WH)  45 Geriffe State  46 WD40 WH)  47 Sep State  48 Geriffe State  49 Geriffe State  40 MD40 WH)  40 MD40 WH)  41 MD40 WD40  42 Sep State  43 Sep State  44 WD40 WH)  45 Geriffe State  46 WD40 WH)  47 Sep State  48 Geriffe State  49 Sep State  40 MD40 WH)  40 MD40 WH)  40 MD40 WH)  41 MD40 WH)  42 Sep State  44 WD40 WH)  45 Geriffe State  46 WD40 WH)  47 Sep State  48 Sep State  49 Sep State  49 Sep State  40 MD40 WH)  40 State  40 St		l i								
Content   Cont		l								
See   See										
CONTROL 1986   CONT										
### AND THE CONTRACT CASE \$59.74 \$1.040.040  ### PAND CHARGE STAND THE TAND CONTRACT STAND THE TAND CHARGE STAND THE TAND CHARGE STAND THE TAND CHARGE STAND THE TAND CHARGE STAND CHARGE STAND CHARGE STAND THE TAND CHARGE STAND S		,								- 1
## PATONE CHANGE TO THE CASE \$99.74   W.D4D with A T.S. CASE \$99.74   S.4.96.30    44   W.D4D with Pail   D. D. D. D. D. D. D. D. D. D. D. D. D.	•									
48 ENVINA 32 CASE NO BIR NO BIR X  48 ENVINA 32 CASE NO BIR NO BIR X  49 ENVINA 32 CASE NO BIR NO BIR X  40 CASE STATE TO PALL TO PALL SESSE SES										
Care   Care										
### FUNION ### CASE NO BID NO BID A										
### AND WHAT IS CASE \$99.74 \$1,496.30  ### WORD WHAT IS CASE \$99.74 \$1,496.30  ###################################		:		Bic ON	ON CN	2695			U fee	
47 Zep Big Dringe-2  AD ADD With 12 - 24 Oc.  Concentrer to the big Dringe-2  Concentrer to the big Dringe-3  Concentrer to th			^	Pitt vile	PID VII	3385		Cultural usaling	·	
47 Zep Big Dringe-2  AD ADD With 12 - 24 Oc.  Concentrer to the big Dringe-2  Concentrer to the big Dringe-3  Concentrer to th								until nomes ee		
47 Zep Big Drongo-1		'								
## CASE   1997			×	INO DAIL	DRI DN	i tanta :			76	
Total   Tota		<del></del>			155 51	1				'
## Wash Wash Wash Wash Wash Wash Wash Wash		EACH						Palicu (Sa)		
CONCOMENS DUCK	3-7 preguess days	99511-01		:						
4D         269-30         \$69-30         \$69-30         \$69-30           CDAY (CASE)         CDAY (CASE)         40 810         No 814         X           AD Septiment (CASE)         CASE         40 810         No 814         X           AD POWIN         35 - 20 No         12 / CS         3-7 business days           AD POWIN         35 - 20 No         ND POWIN         ND POWIN           AD POWIN         35 - 20 No         ND POWIN         ND POWIN	ļ,					1 1				
45 Cork/Case 46 WOAD with 15 Case \$99.74 \$1,496.10 47 Cork/Case 48 WD40 with 12-24 Or  Cork/Case 49 WD40 with 12-24 Or  Cork/Case 40 WD40 with 12-24 Or  Cork/Case 41 WD40 With 12-24 Or  Cork/Case 42 Case 29040  WD40	į.	une.		D9,6 <del>9</del> 98	96'69\$	1:74	et		92	
#0144, 12 - 24 OE.  45 Zep 20 Non.  46 WD40 with 15 - 24 OE.  47 Zep 20 Non.  50 245 AD 40 Bid X  WD540040  WD540040  WD540040  WD540040  WD540050  AD 55 AD 12 - 24 OE.  50 54 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.	<del></del>	<del> </del>				-		-	-	-
#0144, 12 - 24 OE.  45 Zep 20 Non.  46 WD40 with 15 - 24 OE.  47 Zep 20 Non.  50 245 AD 40 Bid X  WD540040  WD540040  WD540040  WD540040  WD540050  AD 55 AD 12 - 24 OE.  50 54 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.  50 55 AD 12 - 24 OE.		!						@99 <b>2\('92</b> \$		
20.00   20.0								10 144, 12 - 24 OE		
Tologo   T										
Edney 17 - 17 OF   ADDED NOT	1		Х	bill oN	PI8 9N	3597		-novi 04 qeS	42	- 1
Edney 17 - 17 OF   ADDED NOT		<del>                                     </del>	-			- <del></del>				"
### ##################################	sám ssausmo 7-c	1 83/21						Seat/knab		
Switzetraw, Te CASE \$559.74 \$1,496,300 WD40		I I		1	1					
99 /ADMD MAILY JTP CVRE \$365.5< ই.T.496/J.D. 2015/2016/15		I I		1		1.				
44 (АОФАМИ JE CVEE \$355 Xt £7426.1.0		MD40		·	· .	1 1				
				0'0'96b'T\$	7Z 66\$	CASE	3.5	WOOD WILL	bb	^
strain (Sentral Control of the Contr		:geigedasc								
	perjouth & B.O. Godt ments:	Manufacturated	भाग दर्भ	(etc.)	.90 <sub>4</sub> ) pur	United Michaelle	th brieful)	noting resold	ածլլ մել	

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPL'ES Page 1

PROPOSAL DOCUMENT REPORT BIG No. TBD JANITORIAL SUPPLIES

ps with Alaba a confi	ଞ୍ଜ ଅବସ୍ଥାନ ଅଧିକ ଅଧିକ ଅଧିକ ଅଧିକ ଅଧିକ ଅଧିକ ଅଧିକ ଅଧିକ	F 0 39	230	16000111	аттебару за эк п	di juring	oc janasog	цацаст
ayab sesaizud 7-6	15/C2 4334109 chase		08'969¢	i	C∀SE	92	Pledge Fumilians Pollsh, or lates 12 - 32 Oc. Containers/Case,	ଓ୍ର
		х	pič ON	bill on	EV)		Orange Super Plus Corris ners) Manufactured by Green Power Chemical	<i>ক</i> ণ
							SELUTIONS ONA , 24ACR , 2	MESTINAS GIVA
		Х	pie aN	PRICN	- CASE		Demna Gel Inctant Water ess Hand	09
							dyiw log gollyllag? Doly gollyllag yloc, B 3 alocylly	
							* PC // hethicone, PC // sasD/zatthod ,so P	
I. 3-5 pospoese quke	B/CS Dewn Dewn		STIFALES	£9,22¢	isyo	5	toglishsiv, mwaq hadibne, fet - fi "tr-ognated exeC\astrodissO	<b>T</b> 9
:		x	bill aM	PKI AN	਼ ਮਹ		Sani-Hands Packet Wiese, ND43800, 300 Packets/Box	25
ayab saəntand 7-8	D4al DIA88047CT 4/CS		05'5 <b>19</b> '2\$	্ হল'দধ্য	SSAO	06	Liquid Artinicrobial Handras Sapp, Dial, TRICLOSAN FSEE, TRICLOSAN FSEE, TRICLOSAN FSEE,	£9

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPLIES 71 0889

PROPOSAL DOCUMENT REPORT BIG NO. "BD JANITORIAL SUPPLIES

шаша од	nowally wealer	និ ខោងវេត្តblungM ឡៅមួនបទ <sup>0</sup>	ভাষ ক্ৰম	<b>19</b> 10.	Modified	arcasale to this	AUSTO	क्यमुची, १५७८	-481, 6U[]
10/6		Ъ <i>m</i> ∉IJ	17	00°099'6\$	20765	(15)42)	ପ୍ର	Their of Henry (1994)	69
s.Ce	do asomismd 7-6.	4\C2 GO]242604C)		i . !				S (lapted no amach act (in and si- ased \text{\text{VashMod}}	
\$Å( \$2 <b>/</b> 8		B/C2   GO]srzeosC  }		CS:T#d'&\$	99°atts	CASE	5ह	Purell Ge Co-Yidge Refall 1000ml, Model #500ml, Model FIT Purell Push Puten Dispotest	űŁ
			X	No Ed	Ne Bie'	3847		Water ess Hand Geance; Geds, e. Equal, 6 - 4,75 Oz.	τ.,
s dat	assemiand %- E	\$2/% \$2156H4X		oxecels3	86'24'03	35V3		Zep Cherry Bomb Heavy-Duty Fumiles Hand Cleaner Accest, 4: 1 Cel.	ZZ
361	b seamend 7-8	7\C8 308254 ZED		86'652'15	66'62'1\$	3843	Ł	Zep Grio Heavy Cleaner B080/kgt. 4 - 1 Gel. Contellores	57
1 lb Box, 6 (wxes/Carton	sb ssociand V-£	DOUBOT 101AD0201 4 lb Box, 6 B¢		46.8224	<b>Q</b> Q.5 <b>h</b> \$	32A.)	5	######################################	P2

FROPCIAL DOCUMENT REPORT BID - JAN TORINE SUPPLIES BL 3ga 9

PROPOSAL DOCUMENT REPORT BIS NO. TBD JANITORIAL SUPPLIES

aysb sasmand 7-€	979 9490 Vireim						1:-0 ,hreat8 ntsuA collect eseD\anentainoD	
	Viggett V		00'57E'9\$	08'2,75	CVSE		Clorox* Bleach, or	FB
syeb asantaud 7-8	3\C2 CFO30809CL CJ010X		\$97008\$	22°07\$	HEN)	ŝI	100bit.O **xonolD 30 LSL + 6 Jibasile 4262\kranistnoD	Eð
T. T. Pusiness days	2010) 06)-6210 20/9		co 960'8\$	0 <i>8</i> 1588	PACIK	780	Money do Dydneydd Webel, CLO- 19949d, Ya Webell er 6 Ganlsteryfedi oc Gallsteryfedi oc	85
3-7 business days	CLOOT593C		C5.752,5\$	b0'68\$	<b>35</b> VO .	50	Clorax* Presh Scent Disinfecting Wipes, 35 Sheets/consiner, 12 12 12 12 12 12 12 12 12 12 12 12 13 14 14 15 15 15 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Ţ9
		×	pika < N	pen on	35V.)		med) (edel Handheld Hr Frzeloner (Look Gas (Astanta Orses/St (astanta) Orses/St (astanta)	0.9
						SERIM ONA (SE	n eneshemers, citeansi	IN SHEZHOGGE
evalt sessities of 7-5	EVCH D-4000		ST:108'E5	ረቱ ፑፕኝ	A£	Sy	7ep D4000 Soap 19arequid 1901.01 11 1901.001 1469	64
med	Sign SedandM Backes ing:	DIE CN	[e10]	isab ilnili	out seedly to that	VitrauC	uguy msag	անգլուց

PROPES. DOCUMENT REPORT BIG - IANITORIAL SUPPLIES BAGE 21

PROPOSAL DOCUMENT REPORT BIG No. 180 JANTORIAL SUPPLIES

	T	<u> </u>	, ,	T		T		สสตา/สเองจาก	
ayab :	3-7 busines	5016 904629(08) 904629(08)		dalenciot 8	21 '68\$	4540	επ	Seaword Tanked Cest W. 121 Cest W. 121 2 Lx 10" Willer 2 Lx 10" Water 2 Cx 10" Water 2 Cx 10" Water 2 Cx 10" Water 2 Cx 10" Water 2 Cx 10" Water 2 Cx 10" Water 2 Cx 10" Water 2 Cx 10" Wa	<b>₩</b> 07
			x	기원 에/	p.ଶ ଦN	EV\$E		Browny Industrial Light Duty 2 My Paper Wipers, 859231, 84 M. Case, 2,960 Wiper/Case	eor_
			x	aisi ok	হণ্ড নম	ХЫ		W oing Regs. Redainsed, 100% Jersev Knit Godlon, White, 1.~ Solb, 8ex	gor
ayab ;		W leondamani ogalasasca, gast somalt as		90°922°0\$	00. AS\$	Ха	55	Wiping Regs. Rentelmet, 100% Teny Cloth, 24 lb. Rety 270 fags/30x	<b>101</b>
		·	Х	सह अप	pis 4N	¥9 ;		loowedmal his wasud at shoars it is g is is in and it is is in and it is in an and it is in a and it is in an ana and it is in an an an an and it is in an an and it is in an an and it is in an an	
		:	ж	bist ev	PIN ON	A:		Landswool Duster with Plastic Hernie, 26" L	66
жист	aO 9.A prisvitor;	នាការដ្ឋមានទីM នាការដ្ឋមានទីM	PM KH	[4.5]	Rod Krid	arresoy, and	All:ueu()	वस्तार अवस्त	Jost anti-

TREGORM AFOROMENT REPORT SELIGENE JAIROTHAL - BIE PS 25/25/20

PROPOSAL DOCUMENT KEPORT Bid No. TBD JANITOR AL SUPPLIES

ett	Insect Repellant, HEPEL or Equal, 55 os. can, Contains Porreshorr, MUST BE SAFE		E≽	ोस <b>०</b> ४	PIE SV	×			
711	Actosol Bug Spray, Incidentational Grade, 32 - 12 Oc. Cando, 22 - 12 Oc.	. 96	SVO CVSE	NE.822	00'29M'Z\$	7	chase 4354106 12/55	sh esaniand V-E	šų
I CNA ZYANIS D	тизест лерецьемт								
	Flowder Free Gloves with Feed Cuff, Color Blas, S. Will Color Blas, S. Will Color Blas, S. Will Color Blas, S. Will Color Blas, S. Will Color Branched Carde, Lever Protection, Glove Frengt, P. Longe, Ambitest, Dange, Ambitest, Carde, Lever Color Emglan, Y. Carge, Ambitest, Carge, Ambitest, Carge, Ambitest, Carge, Ambitest, Carge, Ambitest, Carge, Ambitest, Carge, Ambitest, Carge, Carg						7.082 bistornii	કક્તાવકામવ્ ૮-૬	svat
122	Shrille alexandald	SS	3\$V0	00'998	00'\$30'\$\$		100\P× 10\ca parkaging.		

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPLIES 8S #384

### MILLED SALES USA CORP.

PROPOSAL DOCUMENT REPORT BIG No. TBD JANITORIAL SUPPLIES

	3-7 business	15/C8 4334108 cjarec		ପ୍ୟାଅବରୀଙ୍କୁ	सरायक्ड	नक्षत्रयः	<u>4</u> t	Wasp and Hernet Spray, Ortho or Equal, 13 - 17 Cz. Cars/Case	ATT
			'n	hiff cM	개의 연기	3543		ACPPL Permedant Parect and Tota Con. 12 - 6 Or. Con. 12 - 6 Or. CanyCourt NO.	āĽ
·			×	গর নধ	वाद स्थ	3240		हमी बीटकसवस्य क्राम्थे स्थापन क्राम्थे स्थापन क्राम्थे स्थापन	STT
			×	tie oM	চার বশ্	Xa		imotavä gal til änd åcamosenti eugäna tedmad ad8/ziled ä	<b>₽</b> OT:
ആവാധ പര്വ	т Ом А утвенед	ម្រីបានខេត្តបានរូប ស្តី រួមហេវៈ១៩ភាពស្វេប្ប	ti ë tivi	310 <sub>L</sub>	35 <b>0</b> 000 000	emass Milla print	Aguerity	go jejmsag	เมอน อนทุ

PROPOSAL DOCUMENT REPORT Pid - JANITORIAL SUPPLIES Page 29


4		
107	106	Line form
Disposable Mitrile Powder-Free Sloves, 3 mit Thickness, 11" Length, Finger Textured, Labex Free, 2d, 90 pair/box	Disposable Mitale Powder Free Gloves with Beaded Cuff, Latex Free, Textured Grip, Puncture and Abrasion Resistant, Color: Bive, 8 Mil thick, Stres: Medium, Large, X-Large and XX-Large, Bus, 100 Gloves/Box, 10 Boxes/Case	Disposable Mitrilic Powdered Gloves with Beaded Cuff, 8 mil, Sizes: Small, Medium, Large, X-Large, Grainger #D1804, or Equal, 100 Gloves/Box, 12 Boxes/Case
15	105	Quantity 10
\$	CASE	Unit of Measure
\$2.60	\$55.00	Unit.co.si \$55.00
\$39.00	\$5,775.00	\$550.000
		No Sid
MG-I2 / Hepro	Dimond Brand	Manufacturer & Packaging: Dimond Erand
<u> </u>		Delivery, A.R.O.:
MG-H2 / Hepro Nitirell Exam 3.5 mil Caseof 10 boxes / 1000 Cloves / Price cer use \$25	thinuid Brand Mitiral Exam Case of 10 Box/500 glove MG-D28/ price per case \$55	Comments: Dinund Brand Nitrail Fxam Case of 10 Box/500 glove MG-D28/ price per case \$55

PROPOSAL DOCUMENT REPORT BId No. TBD JANITORIAL SUPPLIES

		<u> </u>
1 0	109	Une item
Anthrile Gloves, Anmex GPNHD Glove Plus, 8 mil thick, Color: Blue, Latex Free, 17" Long, Sizes: Medium, Large, X- Large, 50 Gloves/Box	Disposable Nitrile Powder Free Flower with Beaded Cuff, 6 Mil Thickness, Latex Free, Textured Gio, Exain Grade Level Protection, Color: Black, Sizes: Medium, Large, X- Large, MCIR, Grainger 49DASA, 45DASC, 45DASA, 50 ASE, 45DASA, 07 Equal, 100 Gloves/Box, 10 Boxes/Case	Mitrile Glove, Best-N-Dex Plus #8005prid and 8005prid, 8 Mil Construction, 9.5" Long and Ambidextrous, Meets 21 CTR Bequirements, Sizes: Lange, X Lange, XX-Lange, 50 Gloves/Box
\$	\$4 <del>.</del>	Quantity 25
\$\$	CASE	Unit of Measure BX
\$5.50	\$61.00	Unit Cost \$5.50
\$412.50	\$32,245.00	Total
		No 3id
Dinwaid Brand	Dimond Brand	Manufacturer & Packaging: Dimond Brand
		Velwery, AR.O.:
Dimend Brand Nitiral Exam Case of 10 Box/500 glove M6-D28/ price per case \$55	Dimond Brand Nitiral Exem Case of 10 Box/14XII glove MG-D26B/ price per case \$61	Comments:  Dimond Braini Nithrall Exam Case of 10 Box/500 glove M6-028/ price per case \$55

PROPOSAL DOCUMENT REPORT Bid - JANITORIAL SUPPLIES Page 27

_ 1			
113 37	BUG SPRAYS AND	<u>.</u>	Ŭne čem
insect Repellent, REPEL, or Equal, 6.5 oz. can, Contains Permethrin, MUST BE SAFE FOR CLOTHING	BUG SPRAYS AND INSECT REPELLENT  112  Aerosol Bug Spray. Institutional Grade, 12 - 12 0z. Cans/Case	Powder Free Glaves with Beaded Cutt, Color: Blue, 3 Mil Thickness, Latex-Free, Textured Grip, Puncture Resistant, Exam/Medical Crade Lavel Protection, Glove Length 9" to 9 1/2", Sizes: Medium, Large, X-Large, Ambitex N400, or Equal, 100 Gloves/Case	Description
		, ,	Quantity
Ę.	CASE		Unit of Measure
No Bid	No Bed	X6.00	Unit Cost
No Bid	No Bid	\$1,436,00	राज्य
×	×		Mc Sid
		Недго	Manufacturer & Packaging:
			Delivery, A.R.O.:
		MG-H2 / Hepro Nithail Dam 3.5 mil Caseof 10 boxes / 11/00 Gloves / Price on cse \$26	Cammerts:



### RESOLUTION

July 19, 2023

WHEREAS, on June 21, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of ENGINEERING AND DRAFTING SUPPLIES NO. II for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name of Bidder Office Basics Address of Bidder 22 Creek Circle Boothwyn, PA 19061 (610) 471-1000

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, be accepted, namely that of OFFICE BASICS. No bids were received on Item Nos. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 41, 42, 43, 45, 47, 49, 51, 52 and 53. The Purchasing Agent is given the authority to enter into a negotiated contract pursuant to N.J.S.A. 40A:11-5(3) for all No Bid Items, as no responsive bids were received for a second time.

WHEREAS, N.J.S.A. 40A:11-5(3) provides that, in the event no qualified bids are received on two occasions, a governing body may enter into a negotiable contract.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of ENGINEERING AND DRAFTING SUPPLIES NO. II for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year, or until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15 as follows:

### OFFICE BASICS for seven (7) items, to wit:

ITEM NOS. 11, 13, 38, 44, 46, 48 and 50.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful hidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-127.
- 4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Engineering Department and Office Basics, the successful bidder.

ENGINEERING AND DRAFTING SUPPLIES NO. II

			4		4	
<b>15</b>	15	14	13	12	11	tine fem
Aervoe Regular Survey Marking Paint, SKU 229, Fluorescent Pink, [12-20 oz. cans/case] Top Nazzlu Spray OMLY, NO SUBSTITUTIONS	White Foans Boards - 30 x 40	Foamcore Board, 4'x8'x3/16" (25 SHEETS MIN. OROER)	No. E Faber #101 Bx 12 Pink Pearl Crasers, San- 70521 (12/bx), or Fqual	Peel Off Crasers, MUST be White, (12/box)	Scotch Apramount Adhesive 3M# 6065, or Equal	Description
	!		≥ i		ຜາ	Quantity
CASE	\$	SA.	×	8%	F	Unit of Measure
No Bid	No Bìd	Big 2월	\$5.15	No Bid	\$12.04	Unit Cost
No Bia	No Bid	No Bid	og at \$	No Bid	\$72.24	Total Cost
><	<b>%</b> <	% <b>&lt;</b>		* :		No gid
		· · · · · · · · · · · · · · · · · · ·	SANFORD		366	Manufacturer:
	į		PAP/05Z1		MMM6065	Product Name/Number:
	<u> </u>		IDAY		1 DAY	Delivery A.R.O.:
						Comments

	<del> </del>						<del>_</del>	
<u>*</u>	38	PENS, PENCIS & ACCESSORIES	37	36	35	፠	33	Line Rem
Leads, Peritel #100, H, 2H, 3H, 4H, 0.5MM P100- Degree, 12 Lead Tube per Box, or Equal	Graphic Pencil, Pentel Graph Gear 1000, 9,5mm #PG1015, or Equal	ACCESSORIES	32" Rust-Ofeum Marking Stick with built in trigger or equal	Keson Road Runner Model RRTE Measuring Wheel or equal	m-d SmarTool 24 In Level with Suft Case	MOTORHEAD Smart Digital Forpedo Level	Rapidesign Architectural and Contractors Templates Abc Architoctural, 1/4 in = 1 ft. (R22)	Description
	12		!				:	Quantity
PX.	ĘĄ		g.	2136	E <sub>A</sub>	된	۶	Unit of Measure
No Bid	\$17.25		No Bid	No Bid	No Sid	No Bid	Na Bid	Unit Cost
PIS ON	\$207.00		ੀਂ ਹ Bid	No Bid	No Bid _	No Sid	PRE GIA	Total Cost
×		:	<b>*</b>	×	×	×	×	शिव क्षत
	PENTEL							Manufacturer:
	PENPGIOIS	<u> </u>						Product Name/Number:
	Ιυαγ							Delivery A.R.O.:
								Comments:


### ENGINEERING AND DRAFTING SUPPLIES NO. II PROPOSAL DOCUMENT REPORT BId No. TBD

			···			
45	#	43	42	41	40	Line (tem
Yellow Markel Paintstik "B" or equal (Case of 12)	Black Permanent Markers Chisel Tip, Dixon Redimark or equal (Case of 12)	Dixon Walnut Lumber Crayon Holder 813468 for 4-1/2" x 1/2" round and hexagon crayons, or Equal	Teanderoga Erasable Checking Pencils - Red Lead - Red Wood Sarrell - 4/Pack NO SU8STITUTIONS	Pentel Energire Deluxe Automatic Pencils 0.5 mm Black, #PL/5A, or Equal	leads, Super Hi- Polymer, H, 2H, 3H, 4H, 0.7MM, Pentel #50, or Equal, 12 Lead Tube per Box	Description
	10					Quantity
CASE	CASE	Ş	PACK	<u>r</u>	\$	Unit of Measure
No 8id	\$13.80	No Bid	No Bid	No Bid	No Bid	Unit Cost
No Bid	\$138.00	No Bid	No Bid	No Bld	No Bid	Total Cost
×		×	×	×	×	No Bid
	SANFORD			· · · · · · · · · · · · · · · · · · ·		Manufacturer:
	SANT5001A				ı	Product Name/Number:
	1 DAY					Dolivery A.R.O.:
		·				Comments:

PROPOSAL DOCUMENT REPORT BID No. TBD

ENGINEERING AND DRAFTING SUPPLIES NO. II

		4		4	<u> </u>
50	49	43	47	**	Line Item
24 lb. Inkjet Bond, 36" x 150" roll, 2" core, 2 rolls/pkg, Uletagen #731365U, or Equal	24 lb. lakjet Band, 36" x 300" rolf, ?" core, Z rolls/pkg, Dietzgen #/31360U, or Fqual	20 lb. Laser Bond, 24" x 500' roll, 3" core, 2 rolls/pkg., Dietzgen #430C24L, or Equal	20 lb. Laser Bond, 18" x 500' roll, 3" core, 2 rolls/pkg, thetagen \$430C181-26, or Equal	20 lb. Laser Bond, 36" x 500 roll, 3' core, 7 rolls/pkg, Dietzgen #430C36L or Equal	Description
		ب		N	Quantity
PKG	PKG	PKG	PKG	PKG	Unit of Measure
\$20.00	No 8id	\$44.74	No Bid	\$72.72	Unit Cast
\$160,00	Na Bid	\$89.48	Na byg on	\$1,599.84	Total Cost
	⊳e	į	×		No Bid
CONEX		CONEX	RECINEX	ICONEX	Manufactoren
ICX90750213		10/40750202	ICX90750203	10090750205	Product Norra/Number:
1 DAY		I DAY	1 DAY	1 MAY	Delivery A.R.O.:
					Camrents



### RESOLUTION

July 19, 2023

WHEREAS, on June 21, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLES: EQUIPMENT TRAILERS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name of Bidder

Stephenson Equipment, Inc.

Address of Bidder

135 Lincoln Ave.Prospect Park, PA 19076(610) 534-0700

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, STEPHENSON EQUIPMENT, INC. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts accepting the bid for the furnishing and delivery of MOTOR VEHICLES: EQUIPMENT TRAILERS for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

### STEPHENSON EQUIPMENT, INC. for four (4) items, to wit:

ITEM NOS, 1, 1A, 2 and 2A.

For a Total Lump Sum Award (Item #s 1 - 1A) of \$240,000.00.

For a Total Lump Sum Award (Item #'s 2 - 2A) of \$97,000.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment and services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for the equipment and services shall be available within the following funding Source: Solid Waste Management O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-132.
- 5. **BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Solid Waste Management and the successful bidder.

PROPOSAL DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: EQUIPMENT TRAILERS

	_ <	•	4	
TOTAL	J.	OP NONS	! 	Line litery
	Training, As Specified		Current Model Year, or Newer, 50 for Non- Round Engaging Detachable Gooseneck 3-Axis Air Rids Centle Rive Lowboy Semi-Trailer, Ay Specified, Or Equal	Dascription
į	32		N	Quantity
	HCAJR	ļ 	Ç.	Unit of Messure
	10.0\$		\$119,999.84	Unit Cost
\$240,000,00	\$0.32	ļ	\$239,999.58	Total
				No Sig
	1	•	2024 Magues CYSOGR	Year, Make &
			7-year structural	भूकानार्कत
			20/72 weeks 4/-	Delivery, A.R.O.:

# ITEM #2 - CURRENT MODEL YEAR, OR NEWER, 21 TON DRAWBAR TAG-ALONG TANDEM AXLE SPRING RIDE SUSPENSION TRAILER, AS SPECIFIED, OR EQUAL

							4	_	•	
OPTIONS.							· <b></b>	2		tine Item
	Equal	Specified, Or	Suspension	Spring Ride	Tandem Axie	Tag-Atome	21 Ton Crawbar	Year, or Messer.		Овзагірбол
								<b>ķ</b> ∪		Quantity
								Ę.		tinit of Measure
								548,499 84		Unit Cost
								\$35,099,58		Total
										No Bid
ŀ	· <u>·</u>						1897   881	2024 Rogers	Wodel:	Year, Make &
								7-year structural   15/17 weeks i/-		Warranty:
				•		,		15/17 weeks 1/-		Warranty: Delivery, A.R.O.:

PROPOSAL DOCUMENT REPORT

BIG - MOTOR VEHICLES: FQUIPMENT TRAILERS

Разе 8

### STEPHENSON EQUIPMENT, INC.

PROPOSAL DOCUMENT REPORT BId No. TBD MOTOR VEHICLES: EQUIPMENT TRAILERS

			_
	TOTAL	2A	Line Item
		Training, As Specified	Description
		32	Quantily
		HOUR	Unit of Measure
i		\$0.01	Unit Cost
	\$97,000.00	\$0.37	ফাৰ
	,,		No Sid
			Yesi , ਅਿੰਡke & Model:
			Warrantyc
			Warranty: Delivery A.R.O.;

### ✓ ITEM #1 – CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL

		COMPLIANCE	
		<u>YES</u>	<u>NO</u>
DIMENSIONS  Conversely Loughly	12' 1"		
Gooseneck Length Swing Clearance	98"		
Kingpin Setting	15"		•
Gooseneck Height (light)	51"		
Clear Deck Length	24' 0"		
Deck Height (loaded)	22"		
Ground Clearance (loaded)	6**		
Axle Spacings	54 ½"		
Overall Trailer Width (maximum)	102"		
Capacity (concentrated in 19° 0" @ 60 MPH)	100,000 lbs.		
Overall Length	52' 8"	$\boxtimes$	
Overall Length	32 0		Ļ
General Description			
Trailer shall be equipped with a self-lifting (non-ground bear	ring) detachable		
gooseneck so that equipment can be loaded over the front of	the deck.	$\boxtimes$	
Trailer shall be rated for full capacity at 60 MPH, concentrate	ted in 2/3's		_
the combined length of the deck and the riser.		$\boxtimes$	
SPECIFICATIONS OF THE GOOSENECK			
Materials and Construction			
The longitudinal carrying members shall be fabricated, using	g high strength,	_	_
low alloy steels.		$\boxtimes$	
The webs shall be ASTM A572-GR50, 50,000 psi minimum	wald steel and		
the flanges shall be ASTM A512-GR36, 50,000 psi minimum yiel	=	$\boxtimes$	
the hanges shall be ASTM AST4, 100,000 psi minimum yiel	d Stoct.		Ц
The gooseneck shall be a tapered, self-lifting detachable type	e with		
a "Scraperneck" profile for additional load clearance.		$\boxtimes$	
Shall be equipped with two (2) 8.5" x 8" double acting hydra		š.,	
anchored in a vertical position in the gooseneck. These cylin			
of the deck of the trailer. The cylinders shall require a maxin	<del>-</del> ,		
operate the gooseneck. The lifting mechanism shall not carry	the load in the		
normal transport of the trailer.		$\boxtimes$	
The recoverage must also be equipmed with a 24 times in last	famina to SAET700A		
The gooseneck must also be equipped with a 2" kingpin (con			
properly boxed to prevent cracking and dishing of the fifth w fifth wheel plate shall be adequate in size for coupling to a 3-			
oscillation fifth wheel.	O HILIT MIREL OF WITHIT	$\square$	П
oscorporo filli waeer		12/1	1 1

### ITEM #1 -- CURRENT MODEL YEAR, OR NEWER, 50 TON NON-ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIAN	
CDECTELCATIONS OF THE COOSENERS (Complete	YES	NO
SPECIFICATIONS OF THE GOOSENECK (Cont'd) Materials and Construction (Cont'd)		
The gooseneck shall connect to the main frame of the trailer using two (2) interlocking gooseneck hooks. Each hook shall be no less than 6" thick and flame cut from $\Lambda$ 572- GR42 plate stock. The use of multiple plates welded together to form hooks		
shall not be acceptable.	$\boxtimes$	
The gooseneck shall be equipped with a hydraulic gooseneck support and transverse frame shoe to support the gooseneck on the frame of the tractor		
when the gooseneck is detached from the trailer.	$\boxtimes$	
Range of Movement		
Further, these cylinders shall be able to lower the trailer's main deck to the ground so that the gooseneck can be detached and shall be able to raise a fully loaded trailer without shifting the load in order to reattach the gooseneck.	⊠	$\Box$
without similing the load in order to resitach the gooseneer.	<b>⊘</b> I	
The design of the detachable gooseneck shall also be capable of lifting the loaded platform above the normal travel position to assist in avoiding highway obstructions and to lower the loaded platform below the normal travel position to assist in avoiding overhead obstructions. This will be done without the gooseneck or the deck making contact with the ground.	×	
The gooseneck shall be equipped with two (2) pairs of trap door extension blocks to adjust the ride height at the front of the deck. The normal or standard deck height of 22" loaded requires the ½" blocks to be in place giving a loaded ground clearance of 6". The 1" blocks will allow you to raise the deck height 2" giving you a loaded deck height of 24" and a loaded ground clearance of 8". To lower the deck height requires no blocks giving you a 20" loaded deck height with a loaded ground clearance of 4".	⊠	
Power Source		
Power shall be supplied by a customer furnished Power Take-Off (PTO) system mounted on the tractor developing a maximum 2,300 psi pressure.		
54		
Storage  A steel covered lockable toolbox shall be located at the front center of the gooseneck.	$\boxtimes$	
Material and Construction - Main Frame to Gooseneck Connection  The main deck of the trailer shall connect to the gooseneck by means of two (2) interlocking beam hooks. Each hook shall be no less than 6" thick and flame cut from A572-GR42 plate stock. The use of multiple plates welded together to form		
hooks shall <b>not be acceptable</b> .	X	
The front of the trailer shall be designed to allow the beam hooks to self-align		
for easy reconnection. Use of eye and pin connection for deck to gooseneck shall not be permitted.		П
MUNICIPAL TO SEE SEE SEE SEE SEE SEE SEE SEE SEE SE	5-3	_

## ITEM #1 - CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLI	<del></del>
SPECIFICATIONS OF THE MAIN FRAME	YES	<u>NO</u>
Longitudinal Members All longitudinal carrying members shall be fabricated, using high strength low alloy steels. The main frame shall consist of two (2) 16" deep I-beams for the main beams. The webs shall be ASTM A572-GR50, 50,000 psi minimum yield steel and the flanges shall be ASTM A514, 100,000 psi minimum yield steel. All welding of these main beams will be accomplished by use of a submerged are machine.		
The side beams for this 50-ton capacity lowbed trailer shall be a 13" deep I-beam. The webs shall be ASTM A572-GR50, 50,000 psi minimum yield steel and the flanges shall be ASTM A514, 100,000 psi minimum yield steel. All welding of these side beams will be accomplished by use of a submerged are machine.		
Vertical gussets shall be installed in the front slope area of the deck to support the top flange of the side beams, three (3) on each side.	<b>⊠</b>	
Reinforcing shall support the top of the side beam flange, full length of the deck and riser on both sides of the trailer.	×	
Cross Members Construction of the main frame shall include two (2) anchor channels (one (1) at each end of deck). These channels shall be 10" deep.	<b>⊠</b>	
The full width cross members for this trailer shall consist of eleven (11) 10" deep and spaced on 24" centers, pierced through the web of the main beams. Multiple piece cross members are not acceptable.	$\boxtimes$	
All cross members shall be welded to the main beams and side beams.	Ø	
Access to Main Deck Two (2) 33 ½" long by 23 ½" wide laterally adjustable front fold-down loading ramps with oak inserts shall be provided to form a 9° approach to the main deck area.	×	
The front of the main beams, side beams, and beam hooks shall be tapered on the top to permit easy loading of low ground clearance equipment. Also, the bottom of the main beams and side beams must facilitate the deck resting evenly on the ground.	Ø	
Side Brackets This platform deck trailer shall be equipped with one (1) set of twenty-six (26) cast ductile iron side brackets (thirteen (13) brackets per side) to increase the width of the deck to 10'-6.	ĺ⊠	

## ITEM #1 - CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIAN	
SPECIFICATIONS OF THE MAIN FRAME (Cont'd)	<u>YES</u>	<u>NQ</u>
Side Brackets (Cont'd)		
When the side brackets are not in use, they shall be secured against the side		
beam with spring loaded clips. Fabricated side brackets are not acceptable.	$\boxtimes$	
Andrew Alexander and and an annual an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual and an annual an annual and an annual an annu	_	
Anchor Points (Lashing D's)		
Twenty-Three (23) drop forged lashing D's of 1" diameter steel (C1030 steel construction	n)	
shall be provided. The lashing D's shall have a working load limit of 15,586lbs.	·	
Rotating lashing D's are not acceptable.	$\boxtimes$	
•		
They shall be positioned as follows: three (3) standard D's on the gooseneck, six (6)		
Bent D's on each side of the deck, one (1) bent D on each side of the riser section		
between the main deck and the rear frame area, one (1) standard D on the end of		
each trunnion beam between the tires, and one (1) D on top of each rear outside		
corner of the wheel covers.	$\boxtimes$	
The successful bidder shall furnish test results from an independent testing agency		
detailing strength and characteristics of the lashing D's to be supplied.	X	
Flooring		
The platform deck shall have full cut 1 3/4" air-dried oak laid longitudinally with the		
planking secured to the cross members with countersunk button head carriage bolts		
and floor clips. A center board shall be installed in the centerline of the deck,		
approximately 10' long, with center boards loose with hand holes on each side of	Ø	П
the installed board. The hardwood decking shall be fitted to eliminate gaps.	<b>123</b>	ш
Drilling of the cross members or use of self-tapping screws to secure the deck		
is not acceptable.	$\boxtimes$	
Storage		
A wood covered toolbox shall be installed at the front center of the deck in		
the 2nd bay.	$\boxtimes$	
A wood covered toolbox shall be installed at the rear center of the deck in the	57	·
2nd to last bay.		
Materials and Construction		
The main carrying members of the rear frame shall be fabricated using high-strength,		
low alloy steel. The webs shall be ASTM A572- GR50, 50,000 psi minimum yield steel		
and the flanges shall be ASTM A514, 100,000 psi minimum yield steel.	$\boxtimes$	
¼" tread plate reinforced, flush wheel covers shall be installed over the tire area.	$\boxtimes$	
One (1) pair of flag holders shall be built into the rear channel.	$\boxtimes$	

✓ ITEM #1 — CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIAN	<u>ICE</u>
	<u>YES</u>	<u>NO</u>
SPECIFICATIONS OF THE REAR FRAME		
Access to Rear Frame  The rear riser section shall run at a 20° angle between the main deck and the rear frame area and have a 20" drop between these two parts of the trailer. The riser area shall be covered with wood decking. The length of the riser shall be 55". Wood shall be installed in the center of the rear frame, between the wheel covers, making the rear frame fully covered. This Gentle Riser shall facilitate the loading of equipment from the		
deck onto the rear frame	$\boxtimes$	
The rear frame shall include trunnion beams between each set of wheels.	这	
Suspension Each of the three axles shall be equipped with an air ride suspension rated at 25,000 lbs.		
capacity by the suspension manufacturer. The suspension shall require no lubrication.	$\boxtimes$	
The suspension shall also include a height control system to mechanically adjust the ride height of the suspension by 3" up or down.	×	<u></u>
<ul> <li>This system shall have five (5) positions:</li> <li>Two (2) positions to increase the standard ride height</li> <li>One (1) standard ride height</li> <li>Two (2) positions to decrease the standard ride height.</li> </ul>	⊠	
An air dump valve shall be installed to be able to fully exhaust or dump the air from the air bags of the air ride suspension. The push/pull valve to operate the air dump valve shall be located on the roadside of the riser section between the main deck and the rear frame area.	⊠	
Axles Each of the three (3) axles of the trailer shall be of a through-type design with a 5" round axle bar. The wheel bearings shall be an oil-bathed type.	×	
Each axle shall be rated at 25,000 lbs. capacity by the axle manufacturer.	×	
There shall be a spacing of 54 1/2" between each axle.	$\boxtimes$	
An axle lift shall be installed on the 3rd axle. This lift shall be controlled by air furnished by the tractor, inflating airbags causing the axle to lift off the ground. The air bags for the axle air lift shall be located in front of the 3rd axle below the rear frame beams. The push/pull valve to operate the axle air lift shall be installed on the roadside of the riser section between the main dock and the rear frame area.	⊠	

## ITEM #1 – CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	
SPECIFICATIONS OF THE REAR FRAME (Cont'd) Hubs and Wheels	. <u>YES</u>	<u>NO</u>
The hubs shall be ten (10) stud, hub-piloted type and made of cast ductile iron.	$\boxtimes$	
The inner wheels shall be $22.5 \times 8.25$ 10-hole hub piloted steel disc and the outer wheels shall be $22.5 \times 8.25$ 10-hole hub piloted steel disc.	×	
Tires The trailer shall be equipped with twelve (12) size 275/70R 22.5 H16 radial tubeless tires.	$\boxtimes$	
These tires shall be rated by the tire manufacturer at 24,700 lbs. per axle at highway speed.		
Two (2) spare wheels and tires to be provided	$\boxtimes$	
BRAKE SYSTEM Air Delivery System The air brakes shall conform to DOT specifications in effect at time of delivery.	⋈	
The complete system shall include all necessary tubing; glad hand connectors at the front of the gooseneck; and air reservoir(s).	×	
Mechanical Brakes The six (6) wheel brakes shall be the two-shoc internal expansion type with molded block lining, size 16 1/2" x 7", actuated by constant riser "S" type cam,		
connected to Type 30 spring brake air chambers through automatic slack adjusters on each drum.	$\boxtimes$	
Lubrication points shall be provided for lubrication of the cam shaft and brake shoe bushings.	$\boxtimes$	
The entire system will be controlled by a 4-sensor, 2-module (4S/2M) anti-lock braking system.	⊠	
All precautions shall be taken to prevent the brake mechanism from being damaged by road hazards.	$\boxtimes$	
LIGHTS, ELECTRICAL SYSTEM AND MARKINGS		
General Specifications The trailer shall be furnished with a complete 12-volt light system consisting of marker lights and directional signals to comply with existing DOT regulations.	Ø	

✓ ITEM #1 – CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING
DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER
TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

\	,	COMPLI	
T TANTETON TO TO COMPOSITAL ASSOCIATION AS A SITE OF A	DESCRIPCIO (Classed II)	$\underline{\mathbf{YES}}$	<u>NO</u>
LIGHTS, ELECTRICAL SYSTEM AND MA Wiring System	RKINGS (Cont'a)		
The 12-volt wiring system shall be contained in t	nodular-type, water-resistant		
harnesses.		$\boxtimes$	
		_	
The tractor/trailer connector shall be a seven-wire	e socket.		
All wiring that runs through cross members shall	be adequately protected from		
grounding.			
A self-powered auxiliary light system that flasher	s all of the trailer lights when		
power is interrupted or disconnected from the tra	iler shall be provided.		
Lights, Reflectors and Conspicuity			
All lights shall be of the sealed beam style and be	e mounted in a rubber grommet.		
They shall be recessed or provided with guards to	· <del></del>	$\boxtimes$	
A71 1 17 17 1 11 1		( <del>5.3</del> )	
All marker lights shall be reflectorized.		Ø	لــا
Red and white conspicuity tape will be installed i	n conformity with		
NHTSA regulations.		$\boxtimes$	
LAMP CONFIGURATION			
Two (2) LED amber marker/turn lights	Center of gooseneck, facing	M	
Three (2) I ED white weals tickes welended	out Gooseneck	52	_
Three (3) LED white work lights w/switch Two (2) LED amber marker lights	Front of deck, facing forward	⊠ ⊠	
Two (2) LED amber marker lights	Front slope of deck, facing out	X I	
	Front slope of deck, facing out	⊠ ©7	
Two (2) LED mini strobe lights w/switch	• •	⊠ ⊠	
Ten (10) add' 1 LED amber marker lights Two (2) LED amber marker/turn lights	Deck, facing out	X	
Two (2) LED amber marker/turn lights	Center of deck, facing out  Center of riser area, facing out	⊠ ⊠	
• * *	Below each trunnion between	oxtimes	
Four (4) LED amber marker lights	tires, facing out	ʹ⊠	
Two (2) LED mini strobe lights	Rear of trailer, facing out		
Two (2) LED red marker lights	Rear of trailer, facing out	×	
Two (2) LED red stop/turn signal lights	Rear of trailer, facing aft	<b>\B</b>	
Two (2) LED red marker lights	Rear of trailer, facing aft		$\exists$
Three (3) LED red marker lights	Rear of trailer, center, facing		
and the second second second	aft	×	
One (1) LED white license plate light	Rear of trailer, facing aft	$\boxtimes$	
Two (2) LED oval amber strobe lights w/switch	Rear of trailer, facing aft	oxtimes	

## ITEM #1 ~ CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	IANCE
There are a real properties of the party of the area of the control of the contro	<u>YES</u>	<u>NO</u>
PREPARATION, PRIME AND FINISH Preparation and Primer		
Prior to welding and assembly, the steel shall be shot-blasted and buffed.	$\boxtimes$	
Prior to painting, the steel shall be cleaned and ground to eliminate splatter and scale.		
Finish		
The assembled frame shall be primed with an epoxy primer. The frame shall be finished with one coat of the manufacturer's lead-free and chromate-free rust		
preventative.		
Accessories to be Included		
Four (4) Grade 70, 10-Foot Long, 3/8" Chains with hooks	$\boxtimes$	
Two (2) Grade 70, 16-Foot long, 3/8" Chains with hooks	$\boxtimes$	
Two (2) Grade 70, 20-Foot long, 3/8" Chains with hooks	$\boxtimes$	
Eight (8) binders for 3/8" chain, Grainger Peerless ratchet load binder rated for		
12,000 lb., or equal	$\boxtimes$	
Four (4) tie-down straps with u-hooks; shall be between 15 and 20 feet in length,		
Grainger Tie Down Strap #38Z943, or equal	$\boxtimes$	
WARRANTY		
The bidder shall include a copy of their standard commercial warranty with their bid.	Ø	
Additionally, the warranty must include, at minimum:		
Limited Structural Warranty		
Shall warrant new trailer structure to be free from defects in material and		
workmanship under normal usage and service for a period of seven (7) years		
after delivery of the trailer to the customer. Warranty coverage will be in accordance with the schedule below. Trailer structure shall be considered		
the framework of the trailer (gooseneck, main frame and/or rear frame.		
This warranty is not transferable to any other customer who may purchase this trailer		
from the original owner within the seven-year period.	$\boxtimes$	

 $\Box$ 

## ITEM #1 – CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND ENGAGING DETACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY SEMI-TRAILER TRAILER, AS SPECIFIED, OR EQUAL (CONT'D)

<b>COMPLI</b>	ANCE
<u>YES</u>	<u>NO</u>

X

 $\bowtie$ 

### WARRANTY (Cont'd)

### Structural Warranty Coverage Schedule:

Vendor shall bear that portion of the cost of repairing or replacing any trailer structure found to be defective within the seven-year warranty period based on the following schedule:

One (1) Year: 100% Two (2) Years: 90% Three (3) Years: 80% Four (4) Years: 70% Five (5) Years: 60% Six (6) Years: 50% Seven (7) Years: 40%

### Warranty of Other-Manufactured Components:

Manufactured components of trailers (other than the trailer structure), with the exception of loading ramps, for a period of one (1) year after delivery of the trailer to the customer. Vendor shall make no warranty of loading ramps, or of components supplied by other manufacturers, and the vendor's warranty of its own components will not expand or alter in any way the warranties of the original manufacturers and suppliers of components or accessories. Vendor shall assign to the customer any warranty rights it receives from the component manufacturer or supplier. Please contact you dealer in the event of a problem with the trailer or its components.

In general, components will be subject to the following manufacturers' warranties:

- 1. Axles, suspensions, wheels, rims, hubs, landing gear, hydraulic valves, and manufactured components: One (1) year: 100%; Over one (1) year: 0%
- 2. Cylinders, brake drums, brake valves, oil seals, shock absorbers, springs, air bags, leveling valves, air lines, bearings, electrical, hydraulic hoses/connections and paint: One (1) to six (6) months: 100%; Over six (6) months: 0%
- 3. Tires and tubes: Make claim directly to local tire dealer.
- 4. Engines: Make claim directly to local engine dealer.
- 5. Wear parts, including light bulbs, brake lining, all loading ramps and wood: 0% \( \times \)

### Service Center

Awarded vendor shall	have an authorized	l service center w	ithin 90 miles from
Toms River	v		

CO	DMPLIANCE PAGES FOR MOTOR VEHICLES: EQUIPMENT TRAILERS	Page	10 of 17
$I_{\rm IT}$	EM #1 – CURRENT MODEL YEAR, OR NEWER, 50 TON NON- ROUND EN	GAGING	
<u>Di</u>	TACHABLE GOOSENECK 3-AXLE AIR RIDE GENTLE RISER LOWBOY	SEMI-TRAI	<u>LER</u>
TF	RAILER, AS SPECIFIED, OR EQUAL (CONT'D)		
		COMPLIA	<del></del> .
	PTIONS (Cont'd) Training	<u>YES</u>	<u>NO</u>
	aining shall take place at a designated Ocean County Facility. Training shall be ordinated with the user department upon delivery of the vehicle.		
Fo	tial training will be eight (8) hours long: ur (4) hours shall be spent with operators ur (4) hours shall be spent with vehicle services technicians.		

 $\boxtimes$ 

An outline of both training sessions shall be provided prior to occurrence.

will take place similar to the first at a designated Ocean County Facility.

Once the trailer has been in service for 60 days, another 8-hour training session

		COMPLI YES	<u>IANCE</u> <u>NO</u>
<b>GENERAL</b> The purpose of these specifications is to describe in general terms to in a 21-ton capacity, two-axle tagalong trailer.	he components	$\boxtimes$	
It shall be capable of being towed over both improved and unimpro a full capacity load.	ved roads with	×	
The trailer shall be rated for full capacity at 60 MPH, concentrated length of the deck.	in one-half the	×	
DIMENSIONS			
Drawbar Length	80,,	Z	
Clear Deck Length (24° 0" flat deck plus 6° 0"	30' 0"	$\boxtimes$	
beavertail)	m 444		_
Deck Height (loaded)	34"	Ø	
· · ·	•		
Axle Spacing	49"	$\boxtimes$	
Wheelbase	26' 0"	<b>X</b>	
Overall Length	36' 10"	$\boxtimes$	
Overall Width	102"	$\boxtimes$	
SPECIFICATIONS FOR THE MAIN FRAME Material and Construction Longitudinal Members: All longitudinal carrying members shall be high strength low alloy a The main frame shall consist of two (2) 14" deep 1-beams made of ASTM A572 GR50, 50,000 psi minimum yield steel.	steel.	<b>X</b> .	<u> </u>
The side channels for this 21-ton capacity tagalong trailer shall be 8 and made of ASTM A572 GR50, 50,000 psi minimum yield steel.	l" deep		
Cut-away areas over the tires will not be acceptable.		Ø	
Cross Members: Construction of the main frame shall include seventeen (17) full wide members: ten (10) 4" deep channels made of ASTM A36, 36,000 ps yield steel, five (5) 6" deep I-beams made of ASTM A36, 36,000 ps yield steel and two (2) formed cross members made of ASTM GR50 minimum yield steel, pierced through the web of the main beams. Moreoss members and knee braces shall be deemed unacceptable for the	si minimum si minimum 0, 50,000 psi fultiple piece		
(17) cross members.	CHELLER T THE ESTADAGE	X	
All cross members shall be welded to the main beams and side chan	inels.	oxtimes	

Drawbar:	YES	IANCE NO
The drawbar shall be an integral "A" type at least 80" in length. Bending of the beam flanges is not acceptable when forming the drawbar.		
The front plate that the pintle eye attaches to shall be a flat ½" thick late flush fit to the miter cut drawbar beams.	$\boxtimes$	
The drawbar pintle eye shall be a 4-bolt adjustable type and provide at least six (6) positions of height adjustment. The pintle eye shall have a minimum 15,000 lb vertical load capacity and 60,000 lb tow capacity. The inside diameter shall be 3".	<b> </b>	
The safety chain shall be ½" proof coil and 132" long. It shall be fitted through the front plate of the drawbar instead of two (2) separate pieces of chain being welded or bolted to the drawbar. One (1) pair of clevis grab hooks with a safety latch will be supplied.	×	
A heavy-duty single two-speed landing gear shall be installed in the center of the drawbar with a lifting capacity of 50,000 lbs and a static capacity of 70,000 lbs. The trailer will also be prepared to accept a dual landing gear setup if so desired in the future.	⊠	
A steel covered lockable toolbox shall be provided at the rear of the drawbar.	$\boxtimes$	
Access to Main Deck: The trailer shall have an 8-degree rear slope for easy loading of equipment. It shall be equipped with two (2) air operated rear loading ramps. The ramps shall be steel with oak inserts and shall measure 84" long x 38" wide. The ramps will have an additional 12" tapered ramp extension made of aluminum and is removable. When the ramps are not in use, they shall be in the upright vertical position and secured with a safety link bar that is attached to the sides of the beavertail of the trailer and the sides of the air ramps.	×	
Anchor Points (Lashing D's): Fourteen (14) drop forged lashing D's of 1" diameter steel (C1030 steel construction) shall be provided, seven (7) each side of the deck.	×	
Flooring: The platform deck shall have full cut 1 1/2" air-dried oak laid longitudinally with the planking secured to the cross members with countersunk button head carriage bolts and floor clips. The hardwood decking shall be fitted to eliminate gaps.	×	Ė
Drilling of the cross members or use of self-tapping screws to secure the deck is not acceptable.	Ø	

	COMPLE	
THE REAR ASSEMBLY	YES	<u>NO</u>
Suspension: The trailer shall be equipped with a multi-leaf spring, tandem axle underslung suspension rated at 44,800 lbs. capacity by the suspension manufacturer. The suspension shall be completely rubber mounted and require no lubrication.	⊠'	П
•		_,
Axles: Each of the two (2) axles of the trailer shall be of a through-type design with a 5" round axle bar. The wheel bearings shall be an oil-bathed type.	×	
The two (2) axles shall have a 71" track length so that the out-to-out of the tires dimension does not exceed 96".	⊠	
Each axle shall be rated at 22,500 lbs. capacity by the axle manufacturer.	$\boxtimes$	
Hubs and Wheels: The hubs shall be eight (8) stud, hub-piloted type and made of cast ductile iron.	$\boxtimes$	
The wheels shall be four (4) 17.5 x 6.75 bub piloted steel disc on the inner wheels and four (4) 17.5 x 6.75 hub piloted steel disc on the outer wheels.		
Tires: The trailer shall be equipped with eight (8) size 235/75R17.5 H16 radial tubeless tires.	$\boxtimes$	
These tires shall be rated by the tire manufacturer at 22,700 lbs. per axle at highway speed.	×	$\supset$
Two (2) spare wheels and tires to be provided	×	
BRAKE SYSTEM Air Delivery System: The complete system shall include: all necessary tubing; glad hand		
connectors at the front of the drawbar; and air reservoir(s), each with not less than 1507 cubic inch capacity.	$\boxtimes$	
The trailer shall be equipped with cable pull remote air tank drains.	$\boxtimes$	
Mechanical Brakes: The four (4) wheel brakes shall be the two-shoe internal expansion type with molded block lining, size 12 ½" x 7 ½", actuated by constant riser "S" type cam, connected to Type 30 spring brake air chambers through		
automatic slack adjusters on each drum.	×	

	COMPLIAN YES	CE NO
Mechanical Brakes: (Cont'd) Lubrication points shall be provided for lubrication of the cam shaft and brake shoe bushings.	<u> </u>	
The entire system will be controlled by a 4-sensor, 2-module (4S/2M) anti-lock braking system.	⊠	
LIGHTS, ELECTRICAL SYSTEM AND MARKINGS  The trailer shall be furnished with a complete 12-volt light system consisting of marker lights and directional signals to comply with existing DOT regulations.	Ø	
Wiring System: The 12-volt wiring system shall be contained in modular-type, water-resistant harnesses.		
The tractor/trailer connector shall be a seven-wire socket.  One (1) 7-wire jumper cord is to have 7-round semi plugs on both ends.  The drawbar is to have a 7-round harness socket connected to the main harness and mounted in the drawbar to accept the jumper plug.	凶 .	
All wiring that runs through cross members shall be adequately protected from grounding.	×	
Lights, Reflectors and Conspicuity: All lights shall be of the sealed beam style and be mounted in rubber grommets. They shall be recessed or otherwise provided with guards to prevent accidental damage. All marker lights shall be reflectorized.	×	
Red and white conspicuity tape will be installed in conformity with NHTSA regulations.		


		<u>COMPLI</u> <u>YES</u>	IANCE NO
LIGHTS, ELECTRICAL SYSTEM AN Lamp Configuration:	D MARKINGS (Cont'd)	Manufacture of the Control	
Two (2) LED white license plate lights	Inside of toolbox	$\boxtimes$	
Two (2) LED amber marker lights	Front of deck, facing forward	$\boxtimes$	
Two (2) LED mini strobe lights w/switch	Front of deck, facing out	$\boxtimes$	
Two (2) LED amber marker lights	Front of deck, facing out	$\boxtimes$	
Two (2) LED amber marker lights	Side of deck behind 2nd lashing D	$\boxtimes$	
Two (2) LED amber marker/turn lights	Side of deck behind 3rd lashing D	oxtimes	
Two (2) LED amber marker lights	Side of deck behind 4th lashing D	oxtimes	
Two (2) LED amber marker lights	Side of deck ahead of last lashing D	×	
Two (2) LED mini strobe lights	Front of beavertail, facing out	$\boxtimes$	
Two (2) LED red marker lights	Rear of trailer, facing out	×	
One (1) amber ABS marker light	Rear of trailer, roadside, facing out	$oldsymbol{ol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}oldsymbol{ol}oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{oldsymbol{ol}oldsymbol{oldsymbol{ol}}}}}}}}}}}}}}$	
Two (2) LED red stop/turn signal lights	Rear of trailer, facing aft	$\boxtimes$	
Two (2) LED red marker lights	Rear of trailer, facing aft	$\boxtimes$	
Three (3) LED red marker lights	Rear of trailer, center, facing aft	$\boxtimes$	
Two (2) LED mini strobe lights w/switch	Rear of trailer, above 3-light cluster	$\boxtimes$	
One (1) LED white license plate light	Rear of trailer, facing aft	$\boxtimes$	
PREPARATION, PRIME AND FINISH Prior to welding and assembly, the steel sh Prior to painting, the steel shall be cleaned and scale.	all be shot-blasted and buffed.		
The assembled frame shall then be primed	with epoxy primer.		
Finish The assembled frame shall be primed with finished with one coat of the manufacturer preventative.	<b>4</b> 7 6	×	G
Accessories to be Included			
Four (4) Grade 70, 10-Foot Long, 3/8" Cha	ains with hooks	$\boxtimes$	
Two (2) Grade 70, 16-Foot long, 3/8" Chai	ns with hooks	$\boxtimes$	
Two (2) Grade 70, 20-Foot long, 3/8" Chai	ns with hooks	☒	
Eight (8) binders for 3/8" chain, Grainger F 12,000 lb., or equal	Peerless ratchet load binder rated for	M	

	COMPLI	ANCE
	YES	NO
Accessories to be Included (Cont'd)		
Four (4) tie-down straps with u-hooks; shall be between 15 and 20 feet in length,		
Grainger Tie Down Strap #38Z943, or equal	X	
WARRANTY		
The bidder shall include a copy of their standard commercial warranty with their bid.	$\boxtimes$	
Additionally, the warranty must include, at minimum:		
Limited Structural Warranty		
Shall warrant new trailer structure to be free from defects in material and		
workmanship under normal usage and service for a period of seven (7) years		
after delivery of the trailer to the customer. Warranty coverage will be in		
accordance with the schedule below. Trailer structure shall be considered		
the framework of the trailer (gooseneck, main frame and/or rear frame.		
This warranty is not transferable to any other customer who may purchase this trailer		
from the original owner within the seven-year period.	X	
Structural Warranty Coverage Schedule:		
Vendor shall bear that portion of the cost of repairing or replacing any trailer		
structure found to be defective within the seven-year warranty period based on		
the following schedule:		
One (1) Year: 100%		
Two (2) Years: 90%		
Three (3) Years: 80%		
Four (4) Years: 70%		
Five (5) Years: 60%		
Six (6) Years: 50%		
Seven (7) Years: 40%	$oldsymbol{\boxtimes}$	

### Warranty of Other-Manufactured Components:

Manufactured components of trailers (other than the trailer structure), with the exception of loading ramps, for a period of one (1) year after delivery of the trailer to the customer. Vendor shall make no warranty of loading ramps, or of components supplied by other manufacturers, and the vendor's warranty of its own components will not expand or alter in any way the warranties of the original manufacturers and suppliers of components or accessories. Vendor shall assign to the customer any warranty rights it receives from the component manufacturer or supplier. Please contact you dealer in the event of a problem with the trailer or its components.

	COMPLIAN YES	CE NO
WARRANTY (Cont'd) Warranty of Other-Manufactured Components: (Cont'd) In general, components will be subject to the following manufacturers' warranties:	<u> </u>	1113
<ol> <li>Axles, suspensions, wheels, rims, hubs, landing gear, hydraulic valves, and manufactured components: One (1) year: 100%; Over one (1) year: 0%</li> <li>Cylinders, brake drums, brake valves, oil seals, shock absorbers, springs, air bags leveling valves, air lines, bearings, electrical, hydraulic hoses/connections and pa One (1) to six (6) months: 100%; Over six (6) months: 0%</li> <li>Tires and tubes: Make claim directly to local tire dealer.</li> <li>Engines: Make claim directly to local engine dealer.</li> </ol>		
5. Wear parts, including light bulbs, brake lining, all loading ramps and wood: 0%	×	
Service Center Awarded vendor shall have an authorized service center within 90 miles from Toms River  OPTIONS 2A. Training		
Training shall take place at a designated Ocean County Facility. Training shall be coordinated with the user department upon delivery of the vehicle.		
Initial training will be eight (8) hours long: Four (4) hours shall be spent with operators Four (4) hours shall be spent with vehicle services technicians.		
An outline of both training sessions shall be provided prior to occurrence.		
Once the trailer has been in service for 60 days, another 8-hour training session will take place similar to the first at a designated Ocean County Facility.		



### RESOLUTION

July 19, 2023

WHEREAS, on June 21, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLES: SUVS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

All American Ford 3698 US Highway 9 South Old Bridge, NJ 08857 (732) 672-1917 Name and Address of Bidder

Winner Ford 250 Berlin Road Cherry Hill, NJ 08034 (856) 214-0759

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, ALL AMERICAN FORD be accepted. No bids were received on Item Nos. 1, 1a, 1b, 1c, 1d, 1e, 1f and 1g. They will not be rebid as they are no longer needed.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts accepting the bid for the furnishing and delivery of MOTOR VEHICLES: SUVS for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

ALL AMERICAN FORD for one hundred four (104) items, to wit:

ITEM NOS. 2, 2a, 2b, 2c, 2d, 2e, 2f, 2g, 2h, 2i, 2j, 2k, 2l, 2m, 2n, 2o, 2p, 2q, 2r, 2s, 2t, 2u, 2v, 2w, 2x, 2y, 2z, 2aa, 2bb, 2cc, 2dd, 2ee, 2ff, 2gg, 2hh, 2ii, 2jj, 2kk, 2ll, 3, 3a, 3b, 3c, 3d, 3e, 3f, 3g, 3h, 3i, 3j, 3k, 3l, 3m, 3n, 3o, 3p, 3q, 3r, 3s, 3t, 3u, 3v, 3w, 3x, 3y, 3z, 3aa, 3bb, 3cc, 3dd, 3ee, 3ff, 3gg, 3hh, 3ii, 3jj, 3kk, 3ll, 4, 4a, 4b, 4c, 4d, 4e, 4f, 4g, 4h, 4i, 4j, 4k, 4l, 4m, 4n, 4o, 4p, 4q, 4r, 4s, 4t, 4u, 4v, 4w, 4x and 4y.

For a Total Lump Sum Award Item 2 (Item #s 2 - 211) of \$2,963,477.00.

For a Total Lump Sum Award Item 3 (Item #'s 3 - 31l) of \$2,903,937.00.

For a Total Lump Sum Award Item 4 (Item #'s 4 - 4x) of \$2,186,497.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment and services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for the equipment and services shall be available within the following funding Source: Vehicle Services O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-133.
- 5. **BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Vehicle Services and the successful bidders.

PROPOSAL DOCUMENT REPORT BIG No. TBD MOTOR VEHICLES: SUVS

3.0		. <del></del>
Warranty: Delivery, A.R.O.:	l 	
Warranty:		: 
Make/Medel;		
No Bid	×	
Tatal	No Bid	\$0.00
Measure Unit Cost	No Bid	
Unit of Messure	Ą	
Quantity		]     
Line tem Description	Installation of County Supplied Two-Way Radios and Accessories, As Specified	
Line Itam	t∆	TOTAL

## ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL MAX 4X4, ASPECIFIED, OR EQUAL

	Line Item	Description	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Make/Model:	Warranty:	Delivery, A.R.O.:
-	52	Current Model Year, or Newer, Ford Expedition XL Max 4X4, As Specified or Equal	26	43	\$61,242.00	\$1,224,840.00				
<del></del> -	CPTIONS				;	-		ļ		   
	F	Heavy Duty Trailer Tow Packages (536), As Specified	   81 	<u> </u>	\$745,00	\$14,500,00				
>	전	Sears - 60/40 Power Fold (folds flat), Third Row (879), As Specified	20	4	\$766.00	\$15,320.00	<u> </u> 			
	2c	Vehicle Package Option 102A (SSV), As Specified	02	<u></u>	-\$3,046.00	-\$60,920,00				
<u></u>	24	Ford Protect Extra Care Extended Service Plan, As Specified	, z <sub>0</sub>	EA	\$4,765.00	00'008'368				

PROPOSAL DOCUMENT REPORT Bid - MO TOR VEHICLES: SUVS Page 8

PROPOSAL DOCUMENT REPORT BIG No. TBD MOTOR VEHICLES: SUVS

. Delivery, A.R.O.:	<del>-,</del>								
Warranty:									
Make/Madel									
No Bid	,								
Total	53,760.00	\$7,600.00	\$39,000,000	\$176,980.00	\$460,520.00	\$163,600,00	\$290,000,005	\$261,800.00	\$193,780.00
Unit Cast	00'8815	\$181.00	\$1,950.00	\$8,849.00	\$23,031.00	\$2,180.00	\$14,500.00	58,090.00	\$9,689.00
Unit of Measure	ЕА	ď	F.A.	మే 	EA	Ę	F.A.	EA	FA
Quantity	20	gr L	. 002	0₹	20	20	62	20	20
Description	Hoor Liners, Fron and Second Row (478), As Specified	Running Boards, Plaiform - Black (188), As Specified	Whelen: IX2AAAA Liberby II, Soro IX Fow Current Series Light Bar - S4", As Specified	CIU Package, As Sperified	K9 Package, As Specified	Admin Package, As Spedfied	Patrol Package, As Specified	Detective Package, As Specified	Responder Pachage, As Specified
Line Item	. 2e	## ·	28.	- 4Z	Įξ	ফ	水	ম	æ
		The same of the sa		, may	7	7	******	***************************************	>

PROPOSAL DOCUMENT REPORT BId No. TBD MOTOR VEHICLES: SUVS

Delivery, A.R.O.:									1
Werranty:	<del></del>								
Make/Model:									
No Bid							     		
Total	00'005'2\$	\$6,180.00	\$10,000,00	00.080,512	00'000'6\$	wroosits	\$10,500.00	02,004,812	\$2,500.00
Unit Cost	00.2413	\$305.00	\$500.00	\$699,00	\$450.00	\$175.00	\$575.00	\$975.00	\$125.00
Unit of Measure	8	£.	<b>4</b>		et u	43	er.	ű	ंस
Quantity	20	28	<u></u>	: 32 	70	50	22	20	20
Cestription	Panasonic Toughbook CF3U/31 Docking Station, As	Ford Expedition Pedexivi Kit, As Specified	ford Expedition Console System Vehicle Kit, As Specified	Visor Lighthan, As Specified	Push Bumper with Integrated Lights, As Specified	Freestanding Weapon System, As Specified	Cargo Box with Brackets, As Specified	Custom Built Weapons Drawer, As Specified	NotePad V Universa! Computer Cradle {Installed,) As Specified
Line Item	2n 1	20 (6)	dg.	<b>1</b> 77	H	82	<u>। ।</u> ।	<del>                                    </del>	23
	7	· · · · · · · · · · · · · · · · · · ·	7		~~~~			<u> </u>	7

PROPOSAL DOCUMENT REPORT BIA - MOTOR VEHICLES: SUVS Page 10

PROPOSAL DOCUMENT REPORT BID NO. TBD MOTOR VEHICLES: SUVS

Delivery, A.R.C.:								
Warranty:						   		
Make/Mode!:								
No Bid					   			
[otal	00.00 <b>c</b> ,1\$	\$14,500.00	\$13,880.00	\$1,50200	\$2,500.00	\$200.00	\$1,500.00	\$1,000.00
Unit Cost	\$95.00	\$725.00	\$684.00	\$75.00	\$125.00	\$25.00	\$75.00	\$ <b>50</b> 00
Unit of Measure	EA	¥4	F	Ā	ű	á	#	E.A.
Quantity	20	20	20	50	   02 	8	20	20
Description	Lind Electronic Auto Adapter, As Specified	Wespons Rack with Freestanding Bracket, As Specified	2000 Watt Power Inverter with Built-In 30 A AC Transfer Relay, As Specified	Surveillance Package, As Specified	Panasonic Laptop Docking Station, As Specified	Panasonic Aigain Cellular 3 m-1 Antenna, As Specified	Panasonic Vehicle DC Power Adapter, As Specified	Panasonic Detachable Premium Keyboard, As Specified
Line Dem	MΣ	×	25/	22	288	2b <b>b</b>	אכב	2d4
	7	7	7	~	7	7	7	7

PROPOSAL DOCUMENT REPORT Bid - MOTOR VEHICLES: SUVS

Page 11

PROPOSAL DOCUMENT REPORT BID NO. TBD MOTOR VEHICLES: SUVS

		·y—- <del></del>			<del></del>		
Delivery, A.R.O.:							
Warranty:							
Make/Model:							
No Bid		:	İ				
Total	\$1,000.00	\$12,500.00	\$8,500.00	\$3,900,00	\$20.00	\$24,597.00	\$2,500.00
Unit Cost	aoress	\$625.00	\$425.00	\$195.00	\$1.00	\$8,199.00	\$125.00
Unit of Measure	FA	\$ \$	<b>4</b>	₹.	₹	SET	r.
Quantity	20	20	20	20	20	en.	20
Description	Panasonic Premium Rotation Strap with Pen Holder and Stano, As Specified	Getac A140 Docking Station with Integrated Power Supply, As Specified	Getac Console Mount, As Specified	Getar, Keyboard, As Specified	Special Paint Colors Not Specified on the Standard Color Chart	Diagnostic Tools/Test Equipment, As Specified	Two-Way Radio Power and Witing Requirements for New Vehicles, As Specified
Line Itam	3ee	7 <del>1</del>	288	144 <i>5</i>	28	31)	244
	7	7	~	7	7	7	7

PROPOSAL DOCUMENT REPORT MOTOR VEHICLES: SUVS Bid No. TBD

Watranty: Delivery, A.B.D.:		
Maka/Model:	and the same of th	_
No Rid		
Total	00'000'65	\$2,963,477.00
Unit Cost	\$450.00	
Unit of Measure Unit Cost	<u>-</u>	
Quantity	R	
Description	installation of Coulinty Supplied Two-Way Radios and Accessories, As Specified	         
Line Item	₹	TOTAL

## ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL 4X4, AS SPECIFIED OR EQUAL

Quantity Unit of Measure Unit Cost Total No Rid Make/Wodel; Warranty: Delivery, A.B.D.;		20 EA \$747.00 \$14,940.00	20 EA \$766.00 \$15,320.00	20 EA -\$1,965.00 -\$39,300.00	20 FA \$381.00 \$7,520.00
	 - - - -	<u> </u>	1		<u>-</u>
Line Item Description	OPTIONS				

PROPOSAL DOCUMENT REPORT BIG MOTOR VEHICLES: SUVS Page 13

## PROPOSAL DOCUMENT REPORT Bid No. TBD MOTOR VEHICLES: SUVS

			F		·		Ι	<u> </u>	Г
Delivery, A.R.O.:									
Warranty:									
Make/Model:									
No Bid								i 	
Total	00'00/'88\$	\$3,760.00	\$39,000.00	\$176,980.00	\$460,620.00	\$163,600.00	\$230,000.00	\$161,800.00	\$193,780.00
Unit Cost	\$4,435.00	\$188.00	\$1,956.00	\$8,849.00	\$23,031.00	\$8,180.00	\$14,500.00	\$4,090.00	\$9,689.00
Unit of Measure	EA	##	<b>t</b>	£3	FA.	Ą.	Æ.		EA
Quantity	26	20	જ	50	20	20	20	ge	20
Description	Ford Protect Extra Care Extended Service Plan, As Specified	floor Liners, Fron and Second Row (47R), As Specified	Whelen: K2AAAA - Liberky II, Salo IX Low Current Series light Bar - 54", As Specified	Clu Package, As Specified	K9 Package, As Specified	Admin Package, As Specified	Patrol Package, As Specified	Derective Package, As Specified	Responder Package, As Specified
Line Item	3c	<i>"</i> 6	38	Æ	řīπ	₩.	<del>X</del>	ਲ	as:
	7	>	>	>			<b>\</b>	7	7

PROPOSAL DOCUMENT REPORT Bid No. TBD

MOTOR VEHICLES: SUVS

op Delivery, A.R.O.:								ļ	
Make/Modet Warrang		     							
No Bid									
Total	\$2,500.00	\$5,100,00		\$13,980.00	29,020,020	\$3,500.00	\$10,500.00	00'005'61\$	22,502.00
Unit Cost	\$125.00	00.208\$	\$500.00	\$699.00	\$450.00	\$175.00	\$525.00	\$375.00	\$125.00
Unit of Measure	<b>4</b>	 	<b>4</b>	띠	Ą	Ą	<u>র</u>	Ą	<b>3</b>
Quantity	20	M	20	30	20	 	30	e R	20
Description	Panasonic Toughbook ::F30/31 Docking Strativn, As Specified	Ford Expedition Fedestal Kit, As Specified	Ford Expedition Console System Vehicle Kit, As Specified	Visor Lightbar, As Specificd	Push Rumper with Integrated Lights, As Specified	Freestanding Weapon System, As Sperified	Cargo Box with Brackets, As Specified	Custom Built Weapons Drawer, As Specified	NotePad v Universal Computer Cradle (Installed), As Specified
Line Item	<b>H</b>	Q.		   සි	લ	ń	# #	- R	Ä
	7		7	-	The second	Andrew Market	Annual Market Control	-	-

PROPOSAL DOCUMENT REPORT Bid - MOTOR VEHICLES: SUVS Page 15

## PROPOSAL DOCUMENT REPORT

BId No. TBD MOTOR VEHICLES: SUVS

	<del></del>							<del></del>
Delivery, A.3.0.:								· -
Warranty:								<b>.</b>
Make/Model:								
No Bid								
Total	\$1,900.nn	\$14,500.00	\$13,880.00	\$1,500.00	\$2,500.00	\$500.00	\$1,500.00	\$1,000.00
Unit Cost	00°565	\$/25.00	\$694.00	275.00	\$125.00	\$25.00	\$75.00	\$50.00
Unit of Measure	£Α	EA	₹ 4	EA	ĘĄ	EA	EA	Ą
Quantity	20	20	20	20	20	20	26	30
Description	Und Electronic Auto Adapter to work with Lenovo Laptops, As Specified	Wezpons Rack with Freestanding Bracket, As Specified	2000 Watt Power Irverter with Built In 30 A AC Transfer Relay, As Specified	Surveillance Package, As Specified	Panasonic Laptop Docking Station, As Specified	Panasonic Airgain Cellular 3-in-1 Antenra, As Specified	Panasonic Vehicle DC Power Adapter, As Specified	Panasonic Detachable Premium Keyboard, As Specified
Line Item	3.6 5	×	ř	E	Sed.	35.6	300	3dd
	7	خب ,		7	7	,	-	7

PROPOSAL DOCUMENT REPORT
Bid - MOTOR VEHICLES: SUVS
Page 16

PROPOSAL DOCUMENT REPORT MOTOR VEHICLES: SUVS Bid No. TBD

Delivery, A.R.O.:	;				,,	<u></u>	
	<u> </u>	-			·		
Warranty:							
Make/Medei:			,				
No Rid							
Total	031020'1.\$	\$12,500,00	\$8,500.00	\$3,500.00	\$20.00	\$24,597 00	\$2,500.00
Unit Cost	\$50.00	\$625.00	\$425.00	\$195.00	\$1.00	\$8,139,00	905618
thit of Measure	£À	£.A	EA	ਵ <b>ੱ</b> ਜ਼ਾ	ž.	ES	ĹĄ
Quantity	20	a	20	20	20	w.	20
Descripcion	Panasconic Premium Rosation Strap with Per Holder and Stand, As Specified	Gerac A140 Booking Station with Integrated Power Supply, As Specified	Geral Console Mount, As Specified	Gotac Keyboard, As Sperified	Special Paint Colors Not Specified on the Nandard Color Chart	Dragnostic Tools/Test Equipment, As Specified	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified
tine liem	3e6	3#	325	3hh	ii:	JE .	**************************************
	7		-	7	7		~

PROPOSAL DOCUMENT REPORT Bid No. TBD

MOTOR VEHICLES: SUVS

	Line Item	Description	ហ្គាមក្រ	Unit of Measure Unit Cost	Unjt Cast	Total	No Bid	Make/Model:	Warranty:	Warranty: Delivery, A.R.D.:
	<del>7</del> 8	Installation of	22	FA	\$450,00	00'000'65				
		County Supplied								_
		Iwo-May Radios								
		and Accessories,				,				
		As Specified				,,				
:										
	1					00'/E6'506'75				
نہ										

# ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED, OR EQUAL

Line Item	Теп	Description Current Model	Quantity	Unit of Measure	Unit Cost	Total	No Bid	Make/Modet;	Warrantyc	Calvary, A.R.O.:
		Year, or Newer, Ford Police Interceptor Unity, As Specified, or Equal		· · · · · · · · · · · · · · · · · · ·						
OPTIONS				<u>-</u>			:			
7	_	Ford Protect Extra Care Sxtended Service Plan, As Specified	92	्री	\$4.435.00	\$88,700.00				
유		Patrol Package, As Specified	207	- - - - - - - - - - - - - -	\$17,495.00	\$349,900,00		· -		
: : <del>व</del>		Warrents Package, As Specified	20	굕	\$16,197.00	\$323,940.00	<u> </u>			
25		Admin Package, As Specified	. 20	\$	\$10,784,00	00.089,2102				

PROPOSAL DOCUMENT REPORT BIG - MOTOR VEHICLES: SUVS Page 18

PROPOSAL DOCUMENT REPORT MOTOR VEHICLES: SUVS Bid No. TBD

			<del>_</del>		T	-r ·	
Delivery, A.R.O.:							
Warranty:							
Make/Model:							
No Bid							
Total	00'006'1.6\$	\$500,00	\$5,000.00	ගලදේ	\$24,000.00	51,620,00	623,900,00
Unit Cost	00.288,42	\$25.00	\$250.00	\$48.00	\$1,205.00	\$34 m	\$1,195.00
Unit of Measure	¥3	<b>4</b>	EA	<b>5</b>	<b>5</b>	£A	K.
Quantity	20	32	30	W.	20	20	20
Description	Prosecutor's Package, As Specified	Panasonic Toughbook CF30/31 hocang Station, As Specified	Ford Police Interruptor Utility Perfects System Kit, As Specified	Split Cage Partition (Instalbed), As Specified	Open Top Iray with Anchor Points and Lower Drawer with Combination Lock (Installed), 75 Specified	Freestanding Mount Kit, As Specified	Dual Weapon Lock Blac-Bac [Installed], As Sperified
Line Item	de de	<b>\</b>	B당	₩.	₹	र्ष	4k
	~~ <u>~</u>	The same of the sa		The same of the sa		manage and	<del></del>

PROPOSAL DOCUMENT REPORT Bid No. TBD

S
$\exists$
ES
걸
ζĒΗ.
E S
ŏ
2

ä	1	1				1
Delivery, A.B.O.:					101 70	
Waranay						! !
Make/Model:						
No Bid						
Total \$5,000.nc	\$5,900,00	\$13,500.00	\$200.00	\$4,500.00	\$35,000,00	\$19,000,00
ปกส์ Cost \$250.00	\$295.00	\$695.00	Şınıon	\$225,00	\$1,750.00	\$950.00
Unit of Measure EA	EA	35	<b>t</b> i	গ্ৰ	Ę	Ę
Quantity 20	50	50	20	50	20	20
Description Aluminum Push Bumper with Integrated Dual Color Lights (Installed), As	Single Weapon Drawer with Lock (Installed), As Specified	Oust Color (EP) Light Bar with Vehicle Specific Mounts [Installed], As	Harness (Instakled), As Specified	Dust Color Warning Light, As Specified	Getac A140 Docking Station with Integrated Power Supply, As Specified	Whelen: KOAAAA - Jiberty II, Solo IX Low Current Series Light Bar- 54", As Specified
Line Item	A.	S.	40	ा. च	हे	<b>चें</b>

PROPOSAL DOCUMENT REPORT Bid - MOTOR VEHICLES: SUVS Page 20

PROPOSAL DOCUMENT REPORT MOTOR VEHICLES: SUVS Bid No. TBD

Delivery, A.R.O.:			<u>;                                    </u>				
Warrante			:				
Make/Model:							·
No Bid				· :			
Total	\$20.00	\$1.50000	\$20.00	\$24,597.00	\$2,538.30	\$9,000,00°	\$2,186,497.00
Unit Cast	\$1.00	\$95.00	\$1.00	\$8,109.00	\$125.00	\$450.00	!
Unit of Measure	<b>*</b>	Æ	EA		EA	+· · ·—-· -	
Quantity	20	22	32	m	20	30	
Description	Light Color Option, As Specified	54" Lightbar, As Specified	Special Paint Colors Not Specified on the Standard Color Chart	Diagnostic Tools/Test Equipment, As Specified	Two-Way Radio Power and Witing Requirements for New Vehicles, As Specified	Installation of County Supplied Two-Way Redios and Accessones, As Specified	
Line Item	s <del>t</del>	41	₽	₩.	456	*	TOTAL
	7	7		7	7	7	

## ITEM #4Y - FORD FACTORY INSTALLED OPTIONS, AS SPECIFIED

ALL BIDDERS MUST BID ON THIS ITEM IN ORDER TO BE CONSIDERED FOR AWARD OF ITEM #4.

PROPOSAL DOCUMENT REPORT Bid - MOTOR VEHICLES: SUVS Page 21

PROPOSAL DOCUMENT REPORT Bid No. TBD

Bid No. TBD MOTOR VEHICLES: SUVS

Delivery, A.R.O.:	
No Bid	
Percentage	89
Unit of Micasure	જ
Description	Ford Factory Installed Options, Percentage (%) Discount from MSRP List, List MUST be supplied with bid
Line Nem	44

### 2023 EXPEDITION PRICE LIST (PRICE LEVEL CODE 350)

PROPRIETARY

MODEL		SERIES CODE	BASE VEHICLE PRICE	DEALER INVOICE WHOLDBACK	SUGGESTE RETAIL
E XL	4x2	U1F	4x2 Expedition XL	\$ 52,565	\$ 54,755
X	424	U1G	4x4 Expedition XL	55,493	57,805
Z XL	4x2 4x4	K1F K1G	4x2 Expedition MAX XL 4x4 Expedition MAX XL	56,405 59,333	58,759 61,805
XLT	4×2 4×4	חוא	4x2 Expedition XLT 4x4 Expedition XLT	57,399 60,327	59,730 62,840
XLT	4×2 4×4	K1H K1J	4x2 Expedition MAX XLT 4x4 Expedition MAX XLT	60,27 <u>0</u> 63,207	62,790 65,840
Timberline	4)(4	UIR	4x4 Expedition Timberline	69,120	72,000
Limited - 301A	4x2	OXA	4x2 Expedition Limited	65,913	68,660
	444	AYQ	4x4 Expedition Limited	69,841	71,710
Limited - 301A	4x2 4x4	AXR AYR	4x2 Expedition MAX Limited 4x4 Expedition MAX Limited	# 69,793 71,721	\$ 71,660 74,710

## 2023 EXPEDITION PRICE LIST (PRICE LEVEL CODE 350)

PROPRIETARY

		<del></del>		T	(PRICE LEVEL CODE 390)	1	<del></del>
X	King Ranch		4x2	UIL	4x2 Expedition King Ranch	75,566	78,716
	rung reacion		4x4	U1F		78,494	
			4x2	Kir		78,446	91,765
			4 <u>xz</u> 4x4	KII			81,715
┢	Piatinum			U11		81,374	84,765
E	Fremium		1x2		4x2 Expedition Platinum	79,502	82,615
P		'	4x4	ŲTN	4x4 Expedition Platinum	62,430	85,865
E						1	
E						ł	
1		- 1					
∣ 🕆							
;							
o				i	· ·		
N				1			1
E	Platinum		104	KIL	4x2 Expedition MAX Platinum	62,382	85,615
	Manual		lx2				
X	1	1 '	1x4	KIN	4x4 Expedition MAX Platinum	65,310	80,865
E							
	1						
0	!	- I		i i			
Ţ							
11	1					1	
O.	ŀ			1		i	
N				1		1	
1							
M				1		1	
I A		- !					
X	til tidadi	·		├	Figure 6' mark's many many of Figure 1's and 1's and 1's	1 2008	1 000
L	ALL MODELS			<u>. – </u>	Destination and Delivery	1,895	1,895
	<del></del>			Lange		DEALER	SUGGESTED
1	TRIM SERIE	s Di	NVE	ORDE		INVOICE	
1	. , . , . ,	_		COD		WHOLDBACK	RETAIL
<u> </u>	XL	_		100/	Equipment Group 100A	N/C	N/C
	'-			1014		\$ 781	\$ 830
	!			1024	Equipment Group 102A (Filed only)	(1,950)	(2,080)
	į			1444	Equipment Group 102A - EL (Fleet only)	(3,046)	(3,240)
	STX	$\overline{}$		1044	Equipment Group 104A	911	970
						N/G	N/C
	XLT			2004	Equipment Group 200A	3,567	3,795
	1.0-16-1			2024	Equipment Group 202A		
	Limited	- 1		301/	Equipment Group 301A	N/C	N/C
		- 1		3024	Equipment Graup 302A	1,603	1,705
		- 1	j	303/	Equipment Group 303A	4,389	4,670
	Į	- 1		304/	Equipment Group 304A	9,993	10,630
					Egulpment Group 304A - EL	9,993	10,630
	King Ranch			40UA	Equipment Group 400A	N/C	N/C
	Timberline			5004	Equipment Group 500A	N/C	N/C
		į		501#	Equipment Group 501A	8,556	9,220
	Platinum	$\neg \vdash$		600A	Equipment Group 600A	N/C	N/C
=	<del>, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>			<del></del>	the state of the s	DEALER	
1		DRIVE		TION	POWERTRAINS	INVOICE	SUGGESTED
1		DMIAE		BOO	LAMED I UVIIAS	WHOLDBACK	RETAIL.
					A Council has good of Transaction of the Santact Lieux	Std	Stol
11/10/1			. 4		0-Speed Automatic Transmission with SelectShirt®		
_	NOIBEIMENA		-	PR 2000	RO-STATE EMISSION SYSTEM	N/C	N/C
API			4	25			
_			_	<del></del>	The state of the s	DEALER	SURRESTON
_		TRIN	<u>.                                    </u>	raim .	SEATS	DEALER	SUGGESTED
_	EA	TRIN SERIE	<u>.                                    </u>	<del></del>	The state of the s	DEALER	SUGGESTED RETAIL
AFI	MODEL		<u>.                                    </u>	TRIM TYPE	The state of the s	DEALER	
_	MODEL		<u>.                                    </u>	TRIM TYPE	SEATS	DEALER INVOICE W/HOLDBACK \$ 494	RETAIL
AFI	MODEL	SERIE	<u>.                                    </u>	THIM TYPE	SEATS ActiveX™ Seating Material-Trimmed 1st & 2nd-Row	DEALER INVOICE W/HOLDBACK \$ 494 DEALER	RETAIL \$ 525 SUGGESTED
AFI	MODEL	SERIE	1   S   T	THIM TYPE	SEATS	DEALER INVOICE WITHOUDBACK \$ 494	RETAIL \$ 525
XLI	MODEL	SERIE	S T	THIM TYPE V	SEATS ActiveX <sup>TM</sup> Seating Material-Trimmed 1st & 2nd-Row OTHER OPTIONS	DEALEH INVOICE WHOLDBACK § 494 DEALEH INVOICE WHOLDBACK	RETAIL \$ 525 SUGGESTED HETAIL
XU1	MODEL  ALABLE ON A	SERIE	TION ODE	THIM TYPE V	SEATS  Active X 1 Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package	DEALER INVOICE W/HOLDBACK § 494 DEALER INVOICE W/HOLUBACK \$ 747	RETAIL \$ 525 SUGGESTED RETAIL \$ 795
XLT AV/	MODEL  AILABLE ON AIDELS UNLESS	SERIE	TION ODE	THIM TYPE V Heav	SEATS  ActiveX <sup>TM</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package	DEALER INVOICE W/HOLDBACK § 494 DEALER INVOICE W/HOLUBACK \$ 747 1,781	RETAIL \$ 525 SUGGESTED HETAIL \$ 795 1,896
XLT AV/	MODEL  ALABLE ON A	SERIE	TION ODE 536 578 988	Heave Black	SEATS  Active X <sup>TM</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Contour Seat Removal	DEALER INVOICE WHOLDBACK \$ 494  DEALER INVOICE WHOLDBACK \$ 747 1,761 (282)	#ETAIL \$ 525 SUGGESTED HETAIL \$ 795 1,896 (300)
XL1	MODEL  AILABLE ON AIDELS UNLESS	SERIE	TION ODE 536 578 586	PEIM PPE V Heav Black Muttl	SEATS  ActiveX <sup>TM</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Contour Seat Removal Park Assist 2.0 Removal	DEALER INVOICE W/HOLDBACK \$ 494 DEALER INVOICE W/HOLDBACK \$ 747 1,781 (282) (334)	#ETAIL \$ 525 SUGGESTED HETAIL \$ 795 1,696 (300) (355)
XLT AV/	MODEL  AILABLE ON AIDELS UNLESS	SERIE OF C	TION ODE 536 578 588 19L	PRIM TYPE V Heav Black Muttl Activ Expri	SEATS  ActiveX <sup>TM</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Contour Seat Removal Park Assist 2.0 Removal se Down/Up Rear Window Removal	DEALEH INVOICE W/HOLDBACK § 494 DEALEH INVOICE W/HOLDBACK \$ 747 1,761 (282) (334) (47)	RETAIL \$ 525 SUGGESTED HETAIL \$ 795 1,895 (300) (355) (50)
XLT AV/	MODEL  AILABLE ON AIDELS UNLESS	SERIE OF C	TION ODE 536 578 989 19L	Heave Black Muttle Active Exponents	SEATS  ActiveX <sup>TM</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Accent Package Contour Seat Removal Park Assist 2.0 Removal se Downfup Rear Window Removal  -Free Liftgale Removal	DEALEH INVOICE W/HOLDBACK § 494 DEALEH INVOICE W/HOLDBACK \$ 747 1,761 (282) (334) (47) N/C	# STAIL # 525 SUGGESTED HETAIL # 795 1,895 (300) (355) (50) N/C
XL1	MODEL  AILABLE ON AIDELS UNLESS	SERIE	TION ODE 536 578 588 19L 18D 178	Heave Black Muttl Activ Exph Hance Fleate	SEATS  ActiveX <sup>M</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Contour Seat Removal Park Assist 2.0 Removal se Down/Up Rear Window Removal -Free Liftgale Removal of Mirror Removal	DEALEH INVOICE W/HOLDBACK § 494 DEALEH INVOICE W/HOLDBACK \$ 747 1,761 (282) (334) (47) N/C (42)	RETAIL \$ 525 SUGGESTED RETAIL \$ 795 1,895 (300) (355) (50) N/C (45)
XL1	MODEL  AILABLE ON AIDELS UNLESS	SERIE	TION ODE 536 578 588 19L 175 196	Heave Black Muttl Actily Expn Hand Fleate Blued	SEATS  Active X <sup>M</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Contour Seet Removal Park Assist 2.0 Removal se Down/Up Rear Window Removal -Free Liftgale Removal of Micror Removal rulsa Removal	DEALEH INVOICE W/HOLDBACK § 494 DEALEH INVOICE W/HOLUBACK \$ 747 1,781 (282) (334) (47) N/C (42) (1,763)	RETAIL \$ 525 SUGGESTED RETAIL \$ 795 1,895 (300) (355) (50) N/C (45) (1,875)
XLT AV/	MODEL  AILABLE ON AIDELS UNLESS	SERIE	TION ODE 536 578 588 19L 18D 178	Heave Black Muttl Actily Expn Hand Fleate Blued	SEATS  ActiveX <sup>M</sup> Seating Material-Trimmed 1st & 2nd-Row  OTHER OPTIONS  -Duty Trailer Tow Package Accent Package Contour Seat Removal Park Assist 2.0 Removal se Down/Up Rear Window Removal -Free Liftgale Removal of Mirror Removal	DEALEH INVOICE W/HOLDBACK § 494 DEALEH INVOICE W/HOLDBACK \$ 747 1,761 (282) (334) (47) N/C (42)	RETAIL \$ 525 SUGGESTED RETAIL \$ 795 1,895 (300) (355) (50) N/C (45)

### 2023 EXPEDITION PRICE LIST (PRICE LEVEL CODE 350)

	OPTION CODE	OTHER OPTIONS (continued)	DEALER INVOICE WHOLDBACK	SUGGESTED RETAIL
AVAILABLE ON ALL	50T	Special Edition Package (equipped when Texas addition	N/C	N/C
MODELS UNLESS		selected)		İ
OTHERWISE NOTED	1	Special Edition Package	\$ 2,580	\$ 2,745
	50J	Livery Package	2,755	2,930
	87P	Seats - 50/40 PowerFold® (folds flat), Third Flow (Cloth) (XL Only)	766	815
	218	Seats - 40/20/40 Bench, Second Row (Cloth) (XL Only)	103	110
	188	Running Boards, Platform - Black (XL Only)	381	405
i		Running Boards, Platform - Black (XLT & Limited Only)	NVC	N/C
1	18H	TBL Running Boards, Platform - Black (XLT & Limited Chily)	WC	NC
	64C	20 inch Sparkle Silver Aluminum Wheels 22 inch 6-Spoke Polished Wheel	1,034 1,175	1,100 1,250
	64E 641	22 Inch 6-Spoke Class Black Painted	1,034	1,100
	96L	15,5 LCD Capacitive Touchscreen with Swipe Capability	747	795
	21F	Seats, Second Flow - Power-Folding 40/20/40 with Tip-and-	559	595
		Slide		
	43V	Panorantic Vista Roote	1,387 Incl.	1,475
	618	Fanorardic Vista Root® (included in Platinum series) Roof-Rail Crossbars, Black	212	ind. 225
	61J	Hool-Rall Crossbars, Black (Optional on Platinum)	212	225
	960	Advanced Cargo Manager	315	335
	300	Advanced Cargo Manager (included in Platinum series)	incl.	incl
	910	Dual-Headrest Rear Seat Entertainment System	1,875	1,995
	41K	4x4 Skid Plates (Front, Transfer Case, and Fuel Tank)	94	100
	478	Floor Liners, Front and Second Rows (with Carpet Mats)	188	200
İ	47C	Floor Liners, First and Second Rows	150	160
	PCS	Jewel Red Metallic Tinted Clearboat	465	495
	PC8	Stone Blue Metallic	465	495
	PAS	Infinite Blue Metallic Tinted Clearcoat	465	495
1	PAZ	Star White Metallic Tri-Coat	935	995
	60P	Continuous Controlled Damping (CCD) with Suspension Hoad Preview	1,405	1,495
	60R	Sport Tuned Suspension and Continuous Controlled Damping (GCD) with Suspension Road Praylew	1,405	1,495
1	62E	ControlTrac with aLSD	1,410	1,500
	64X	18 MACH ALUM WHL WIPNTO PKTS	447	475
1	'	18 MACH ALUM WHL WPNTO PKTS - Included in Heavy-	N/C	N/C
		Duty Trailer Package (536)	L	
	орттом		DEALER	SUGGESTED
	CODE	FLEET OPTIONS	INVOICE WHOLDBACK	RETAIL
	L	The state of the state of the state of	\$ 94	\$ 100
AVAILABLE ON ALL	41H 942	Engine Block Heater	N/C	N/G
MODELS UNLESS	242	Daytime Running Lamps	(#15	1470
OTHERWISE NOTED		, <u>, , , , , , , , , , , , , , , , , , </u>		
	OPTION	water and the second	DEALER	SUGGESTED
}	CODE	DEALER INSTALLED OPTIONS	INVOICE	RETAIL
			W/HOLDBACK \$ 479	\$ 510
AVAILABLE ON ALL	BAMAB	Transmission Underbody Shield	3 479 235	250
MODELS UNLESS	A6ZP1	Gargo Protection Package	235 235	250 250
OTHERWISE NOTED	A6ZAD (	Cargo Frotection Package 2 Cargo Organizer Soft-Sided Cooler Bag	42	45
}	FHLAH FHBAC	Cargo Organizer Soft-Sided Ltp	103	110
	FHBAD	Cargo Organizer Suft-Sided Std	94	100
	FREAD	Wheel Lack Kit	71	75
	4 7 4 5	1 ** 1 ** ** ** ** ** ** ** ** ** ** **		4000

- Ç -

3/21/2023

### 2023 UTILITY POLICE INTERCEPTOR PRICE LIST

PROPRIETARY

					(PRICE LEVEL CODE 350)			
MODEL	"]		SERII		BASE VEHICLE PRICE	DEALER MYOICE WHOLDBACK	SUGGESTED RETAIL	
Police		(WD	Ker	4	Utility Palice Interceptor AWD	\$ 45,750	\$ 47,165	
ALL MODELS					Destination and Defivery	1,595	1,595	
TRIM SERIE	TRIM SERIES DRI		VE PKO		PREFERRED EQUIPMENT PACKAGES	DEALER INVOICE WHOLDBACK	SUGGESTED RETAIL	
Police	$\dashv$		B50	Ţ	Interior Upgrade Package	\$ 367	\$ 390	
Interceptor			664		Pront Headlamp Eighting Solution	841	895	
1			861		Tail Lamp / Police Interceptor Flousing Only	96 405	430	
			.66E		Teil Lamp Lighting Solution Rear Lighting Solution	428	456	
			67h		Ready For the Road Package	3,379	3,595	
<u> </u>		<del>_</del> _	1 0/1	<u>'-</u> '	restry to the passage	DEALER	****	
	DRIV		PTION CODE		POWERTRAINS	INVOICE W/HOLDBACK	SUGGESTED RETAIL Std	
NGINE			99W		SL V6 DI Hybrid Engine SL V6 DI Engine	\$td \$ (2,661)	\$ (2,830)	
		j	89C	3.0	V6 EcoBoost Engine	893	950	
HANSMISSION			44IJ	10	speed Automatic Transmission (with 99B/99C)	N/C	N/C	
MÖDEL			PTION		TIRES	DEALER INVOICE WHOLDBACK	SUGGESTED RETAIL	
Police			65L	W	neel Covers (18 in. Full Face Wheel Cover)	\$ 56	\$ 50	
nterceptor	<u> </u>		64E	18	in. Painted Aluminum Wheel	447	475	
		optio CODI			OTHER OPTIONS	DEALER INVOICE WHOLDBACK	SUGGESTED RETAIL	
VALABLE ON A	ALL 67U		Ultin	timate Wiring Package		\$ 526 174	\$ 560 185	
AODELS UNLESS		67V	Poli	ice V	Nire Harness Connector Kit - Front/Rear Block Heater	85	90	
THERWISE NOT	LED	41H 153	Line		. Dista Bracket . Froni	N/G	N/C	
		43D	Dar	rk Ca	ar Faature – Courtesy lemp disable when any door is	24	25	
		942	l Dav	aper vtime	e Flunning Lamps	42	45 50	
	l l	17 <b>T</b>	Dar	me L	amp - Red/White in Cargo Area	47 517	550	
		21L 96W	Fro	int Vi	Varning Audiliary Light hterior Windshield Warning Lights	1,076	1,145	
		60A	1 110	4 6 4	ring for grille LED lights, siren and speaker	47	50	
			P76	ı-Wir			ا ممت	
		43A	I Rea	ar Au	uxiliary Liftgate Lights	371	395 675	
		43A 63L	Rea	ar Al ar O	uxiliary Liftgate Lights uarter Glass Side Marker Lights		675 1,495	
	-	43A 63L 961	Rea Rea Rea Sid	ar Au ar Ch ar Si a Ma	uxlliary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A)	371 541 1,405 273	675 1,495 290	
		43A 63L 961 63B 51P	Rea Rea Sid	ar Au ar Qr ar Si lei Ma ot La	uxliiary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A) amo Prep Kit, Oriver Side	371 541 1,405 273 132	675 1,495 290 140	
		43A 63L 96T 63B 51P 51W	Rea Rea Rea Sid Spo	ar Au ar Qi ar Si iei Ma ot La ot La	uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A) amp Prep Kit, Driver Side amp Prep Kit, Dual Side	371 541 1,405 273 132 264 371	675 1,495 290 140 280 395	
		43A 63L 96T 63B 51P 51W	Residence Special Spec	ar Au ar Cli ar Sile Ma ot La ot La	uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp LED Bulb, Driver Only (Unity) amp - LED Bulb, Driver Only (Unity)	371 541 1,405 273 132 264 371 394	575 1,495 290 140 280 395 420	
		43A 63L 96T 63B 51P 51W 51R 51T	Residual Section Secti	ar Au ar Cir ar Sile Ma ot La ot La ot La	uxiliary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp Prep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Oriver Only (Whelen)	371 541 1,405 273 132 264 371 394 582	675 1,495 290 140 280 395 420 620	
		43A 63L 96T 63B 51P 51W 51R	Read   Read	ar Au ar Gr ar Si ie Ma ot Le ot Le ot Le ot Le	uxiliary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp Prep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Flear Quarter and Liftgate Window	371 541 1,405 273 132 264 371 394 582 625	675 1,495 290 140 280 395 420 520 665 120	
		43A 69L 96T 63B 51P 51W 51R 51T 51S	Real Real Real Real Real Real Real Real	ar Au ar Sile Ma ot La ot La ot La ot La ot La ot La	uxiliary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights amp Frep Kit, Oriver Side amp Frep Kit, Oriver Side amp Frep Kit, Dual Side amp Frep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Oual (driver and passenger) (Unity) amp - LED Bulb, Oual (driver and passenger) (Whelen) solar Tint 2nd Row, Flear Quarter and Liftgate Window letes Privacy Glass) Solar Tint 2nd Row Only, Frivacy Glass on Flear	371 541 1,405 273 132 264 371 394 582 625 112	675 1,495 290 140 280 395 420 520 665 120	
		43A 63L 96TB 63B 51P 51W 61R 61S 51V 82G 92R	Residence of the control of the cont	ar Au ar Si ar Si ar Si at La ot La ot La ot La Cha ar Cha ar Cha ar Cha ar Cha ar Cha ar Cha ar Cha ar Cha ar Cha ar Cha ar ar ar ar ar ar ar ar ar ar ar ar ar	uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp Prep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) - Solar Tint 2nd Row, Rear Quarter and Liftgate Window eites Privacy Glass) - Solar Tint 2nd Row Only, Privacy Glass on Rear urber and Littgate Window or Plabe	371 541 1,405 273 132 264 371 394 582 625 112 80	675 1,495 290 140 280 395 420 620 665 120 85	
		43A 63L 63B 63B 51P 51W 51R 51T 51V 82G 92R 76D	Residence of the control of the cont	ar Au ar Ch ar Sila Mh ot La ot La ot La ot La Ot La Gua (Del dasa - Chua (la cto 1 in.	uxiliary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp - LED Bulb, Driver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Plear Quarter and Liftgate Window letes Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Plear uter and Liftgate Window or Plate Liftgate Computer Soreen	371 541 1,405 273 132 264 371 394 582 625 112	675 1,495 290 140 280 395 420 620 685 120 85 335 2,745 N/C	
		43A 43A 69L 63B 51P 51R 51R 51R 51Y 82G 82R 76O 47E 87F	Resident State Spot Spot Spot Spot Spot Spot Spot Spot	ar Arar Arar Arar Arar Arar Arar Arar A	uxiliary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights amp Frep Kit, Oriver Side amp Frep Kit, Oriver Side amp Frep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Oual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Flear Quarter and Liftgate Window ates Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Reer uter and Littgate Window or Flate Lintegrated Computer Soreen item Camera (mirror display) item camera (on-Pernand	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 NAC 217	675 1,495 290 140 280 395 420 520 665 120 85 120 87	
		43A 43A 43L 43L 43L 43L 43L 43L 43L 43L 43L 43L	Real Real Real Real Real Real Real Real	ar Arar Crar Spile Milater Crar Spile Milater Crar Spile Milater Crar Spile Crar Spile Crar Spile Crar Crar Crar Crar Crar Crar Crar Cra	uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (req. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Flear Quarter and Liftgate Window ates Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Reer urter and Liftgate Window or Plabe . Integrated Computer Sorean few Camera (mirror display) amera On-Demand . Open-Linck Plunder w/Reer-door controls Inoperable	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 NrC	675 1,495 290 140 280 395 420 620 685 120 85 335 2,745 N/C	
		43A 43A 43L 95TB 95TB 51P 51P 51P 51P 51P 51P 51P 51P 51P 51P	Real Real Real Real Real Real Real Real	ar Ar ar Or ar Spile Man ot La ot La ot La ot La ot La Or Cuass - Cuass  uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (req. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp Prep Kit, Dual Side amp - LED Bulb, Driver Only (Unity) amp - LED Bulb, Driver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) solar Tint 2nd Row, Flear Quarter and Liftgate Window letes Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Flear urter and Littgate Window or Plate Littgate Window or Plate Littgate Computer Soreen hew Camera (mirror display) hamera On-Demand (Door-Look Plunger w/Rear-door controls Inoperable hoor Handles Controls Inoperable / Looks Inoperable hoor Hendles Controls Inoperable / Looks Inoperable	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 NAC 217	675 1,495 290 140 280 395 420 520 665 120 85 120 87 420 2,745		
		43A 63L 63B 63B 63B 63B 651W 651R 651W 651R 651W 651R 651W 651W 651W 651W 651W 651W 651W 651W	Reserved Res	ar Arage Ara	uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (red. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp - LED Bulb, Driver Only (Unity) amp - LED Bulb, Driver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) solar Tint 2nd Row, Flear Quarter and Liftgate Window letes Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Flear uter and Liftgate Window or Plate Lintegrated Computer Screen lew Camera (mirror display) camera On-Demand (Door-Lock Plunger w/Rear-door controls Inoperable to Chandles Controls Inoperable / Locks Inoperable to Flandles Controls Inoperable / Locks Inoperable mout 52P)	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 NAC 217 150 N/C	675 1,495 290 140 280 395 420 620 685 120 89 335 2,745 N/C 230 160 N/C	
		43A 63L 63B 63B 63B 63B 63B 63B 63B 63B 63B 63B	Residence Reside	ar Aragar	unitiary Liftgate Lights uarter Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Flear Quarter and Liftgate Window ates Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Reer uter and Liftgate Window or Plate Liftgate Window or Plate Liftgate Window or Plate Lintegrated Computer Sorsen haw Camera (mirror display) hamera Chi-Demand Liftgate Window or Oriver (mirror display) hamera Chi-Demand Liftgate Vinger will be a controls inoperable toor Handles Controls inoperable / Locks Inoperable n 52P) Lock / Unlock feature	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 NAC 217 150 NAC 71	675 1,495 290 140 280 395 420 620 665 120 85 120 87 140 275 N/C 240 160 N/C 340	
		43A 43A 43A 43A 43A 43A 43A 43A 43A 43A	Real Real Real Real Real Real Real Real	ar Arar Arar Arar Arar Arar Arar Arar A	uxiliary Liftgate Lights uarter Glass Side Marker Lights poller Traffic Warning Lights arker LED - Sideview Mirrors (req. 60Å) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp Prep Kit, Dual Side amp Prep Kit, Dual Side amp - LED Bulb, Oriver Only (Unity) amp - LED Bulb, Oriver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Flear Quarter and Liftgate Window etes Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Rear urler and Littgate Window or Plate Lintegrated Computer Sorsen new Camera (mirror display) namera On-Demand I Coor-Lock Plunger wRear-door controls Inoperable noor Handles Controls Inoperable / Locks Inoperable noor Hendles Controls Inoperable / Locks Inoperable noor Hendles Controls Inoperable / Locks Inoperable noot 52P) Lock / Unlock feature e Keyless-Entry Key FOB Ajike – 1486x	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 N/C 217 150 N/C 71	675 1,495 290 140 280 395 420 620 685 120 89 335 2,745 N/C 230 160 N/C	
		43A 43A 43A 43A 43A 43A 43A 43A 43A 43A	Real Real Real Real Real Real Real Real	ar Ar Ar Ar Ar Ar Ar Ar Ar Ar Ar Ar Ar Ar	uarliary Liftgate Lights uarler Glass Side Marker Lights poiler Traffic Warning Lights arker LED - Sideview Mirrors (req. 60A) amp Prep Kit, Oriver Side amp Prep Kit, Dual Side amp - LED Bulb, Driver Only (Unity) amp - LED Bulb, Driver Only (Whelen) amp - LED Bulb, Dual (driver and passenger) (Unity) amp - LED Bulb, Dual (driver and passenger) (Whelen) Solar Tint 2nd Row, Rear Quarter and Liftgate Window ates Privacy Glass) Solar Tint 2nd Row Only, Privacy Glass on Rear uter and Liftgate Window or Plate Lintegrated Computer Sorsen haw Camera (mirror display) hamera Ch-Demand (Door-Lock Plunger wRear-door controls Inoperable hoor Handles Controls Inoperable / Locks Inoperable no 52P) Lock / Unlock feature e Keyless-Entry Key FOB	371 541 1,405 273 132 264 371 394 582 625 112 80 315 2,580 NAC 217 150 NAC 71	675 1,495 290 140 280 395 420 620 685 120 85 120 87 140 160 N/C 75 N/C 340 50	•

3/21/2023

## 2023 UTILITY POLICE INTERCEPTOR PRICE LIST (PRICE LEVEL CODE 350)

PROPRIETARY

	OPTION CODE	OTHER OPTIONS (continued)	DEALER INVOICE W/HOLDBACK	SUGGESTED RETAIL
AVAILABLE ON ALL	59J	Keyed Alike - 1111x	\$ 47	\$ 50
MODELS UNLESS	59C	Keyed Alike - 1294x	47	50
OTHERWISE NOTED	59G	Keyed Alike - 0151x	47	50
	160	1st and 2nd row carpst floor covering (incl. floor mats, front and rear)	118	125
1	86F	2nd Row Cloth Seats	56	60
į .	QD1	2nd Row Cloth Seats (incl w/ 65U)	i incl	(ncl
)	87P	Power Passenger Seat	306	325
	65D	Front Console Plate - Delete	NC	N/C
	85S	Rear Center Seat Delete	N/C	N/C
	65A	Rear Console Plate	42	45
	900	Ballistic Door Panels (LVL III+) - Driver Front Door Only	1,490	1,585
	90E	Ballistic Door Panels (LVL III+) - Driver & Pass Front Doors	2,979	3,170
1	90F	Ballistic Door Panels (LVL IV+) - Driver Front Door Only	2,270	2,415
	90G	Ballistic Door Panels (LVL IV+) - Driver & Pass Front Doors	4,541	4,630
1	16P	Rear Bumper Step Pad	89	95
\	55 <b>B</b>	BLIS - Blind Spot Monitoring with Cross Traffic Alert	512	545
	66B	Police Perimeter Alert	635	675
	76P	Pre-Collision Assist with Pedestrian Detection	136	145
	549	Minors - Heated Sideview	55	60
	593	Perimeter Anti-Theft Alarm - Activated by Hood, Door, or Lifetate (red 55F)	112	120
ı	59W	4G LTE WiFi Hotspot Credit	(18)	(20)
	63A	Radio Delete Credit	(141)	(150)
	47A	Police Engine Idia Feature	244	260
1	76R	Reverse Sansing System	259	275
•	17A	Aux Air Conditioning	573	610
1	16D	Badge Delete	N/C	N/C
1	63V	Cargo Storage Vault	230	245
1	19K	H8 AGM Battery	103	110
	60R	Noise Suppression Bonds (Ground Straps)	94	100
1	18X	100 Watt Stren/Speaker (Includes bracket and pigtall)	296	315
1	615	OBD - II Split Connector	52_	<u>55</u>

- 8 -

# ITEM # 2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL MAX 4X4, AS SPECIFIED OR EQUAL

DESCRIPTION Current Model Year Ford Expedition XL Max 4x4, or newer S. 5.L PeoBoost V6 Engine Four-Wheel Disc Brakes with Anti-Lock Brake System Four-Wheel Disc Brakes with Anti-Lock Brake System Fransmission – 10 Speed Automatic Transmission with SelectShift Capability Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black Coptional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform – Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform — Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform — Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Running Board, Platform — Black (optional for 102 (SSV PKC))  Kill Configurable Daytime Running Lamps Runnin		COMPLIANCE		
Current Model Year Ford Expedition XI. Max 4x4, or newer  3.51. EcoBoost V6 Engine  Four-Wheel Disc Brakes with Anti-Lock Brakes System  Four-Wheel Disc Brakes with Anti-Lock Brakes System  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Configurable Daytime Running Lamps  Control — 275/65R18 All terrain (ATT)  Wheels – 18" Machined-face aluminum with magnetic painted pocket  Control — Cabin Particulate fliter  Dual-zone Automatic Temperature control  Rear Auxiliary Manual Controls  Cruise Control  Lighting – Front Coverhead Console Mounted Manual Fedition  Front Cloth Captains Chair  Front Cloth Captains Chair  Front Cloth Captains Chair  Front Row 8-way power bucket seal  Front row – 4 way manual passenger  Second orw 40/20/40 center slide with manual recline  Rear Cargo Area – Cargo Area Management System  Carter High-Mounted Stop Lamp  Door Looks – Power  Autolock/Autounlock  Headlamps – LED reflector with Black Bezel  Winer Activated  Control Lighting – Carter With Black Bezel  Winer Activated	DESCRIPTION	YES	NO.	
Four-Wheel Disc Brakes with Anti-Lock Brake System  Transmission – 10 Speed Automatic Transmission with SelectShift Capability  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Tires – 275/65R18 All terrain (A/T)  Wheels – 18" Machined-face aluminum with magnetic painted pocket  Windshield Wipers – Intermittent Front and Rear  Climate Control –  Cabin Particulate filter  Dual-zone Automatic Temperature control  Rear Auxiliary Manual Controls  Cruise Control  Lighting –  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay  Rear cargo area light  Second and third row dome lights  Rear Cargo Area – Cargo Area Management System  Seats –  Five (5) passenger  Front Cloth Captains Chair  Front Row 8-way power bucket seat  Front row – 4 way manual passenger  Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags –  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks –  Power  Autolock/Autounlock  Headlamps –  LED reflector with Black Bezel  Winer Activated		<b>5</b>		
Transmission — 10 Speed Automatic Transmission with SelectShift Capability  Configurable Daytime Running Lamps  Running Board, Platform — Black (optional for 102 (SSV PKG))  Tires — 273/65R18 All terrain (A/T)  Wheels — 18" Machined-face aluminum with magnetic painted pocket  Windshield Wipers — Intermittent Front and Rear  Climate Control —  Cabin Particulate filter  Dual-zone Automatic Temperature control  Rear Auxiliary Manual Controls  Cruise Control  Lighting —  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy Jamp delay  Rear cargo area light  Second and third row dome lights  Rear Cargo Area — Cargo Area Management System  Seats —  Five (5) passenger  Front Cloth Captains Chair  Front row — 4 way manual passenger  Second row 40/20/40 center slide with manual recline  Rotary Gear Skift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power — Front one-touch up/down feature  AdvanceTrae w/RSC (Roll Stability Control)  Airbags —  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Row: Safety Campy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  Power  Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel  Winer Activated	3.5L EcoBoost V6 Engine	<b>S</b>		
Transmission – 10 Speed Automatic Transmission with SelectShift Capability  Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Tires – 275/65R18 All terrain (A/T)  Wheels – 18" Machined-face aluminum with magnetic painted pocket  Windshield Wipers – Intermittent Front and Rear  Climate Control –  Cabin Particulate filter  Dual-zone Automatic Temperature control  Rear Auxiliary Manual Controls  Cruise Control  Lighting –  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay  Rear cargo area light  Second and third row dome lights  Rear Cargo Area – Cargo Area Management System  Seats –  Five (5) passenger  Front Cloth Captains Chair  Front Row 8-way power bucket seat  Front row – 4 way manual passenger  Second row 40/2040 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tik/Telescoping  Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Alrbags –  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Rows: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks –  Power  Autolock/Autounlock  Headlamps –  LED reflector with Black Bezel  Wine Activated	Four-Wheel Disc Brakes with Anti-Lock Brake System	E		
Configurable Daytime Running Lamps  Running Board, Platform – Black (optional for 102 (SSV PKG))  Tires – 275/65R18 All terrain (A/T)  Wheels – 18" Machined-face aluminum with magnetic painted pocket  Windshield Wipers – Intermitent Front and Rear  Climate Control –  Cabin Particulate filter  Dual-zone Automatic Temperature control  Rear Auxiliary Manual Controls  Cruise Control  Lighting –  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay  Rear cargo area light  Second and third row dome lights  Rear Cargo Area — Cargo Area Management System  Seats –  Five (5) passenger  Front Cloth Captains Chair  Front Row 8-way power bucket seat  Front row – 4 way manual passenger  Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Titly Telescoping  Windows, Power – Front one-touch uy/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags –  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks –  Power  Autolock/Autounlock  Headlamps –  LED reflector with Black Bezel  Winer Activated				
Running Board, Platform — Black (optional for 102 (SSV PKG))  Tires — 275/65R18 All terrain (A/T)  Wheels — 18" Machined-face attentium with magnetic painted pocket  Windshield Wipers — Intermittent Front and Rear  Climate Control —  Cabin Particulate filter  Dual-zone Automatic Temperature control  Rear Auxiliary Manual Controls  Cruise Control  Lighting —  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay  Rear cargo area light  Second and third row dome lights  Five (5) passenger  Front Cloth Captains Chair  Front Row 8-way power bucket seat  Front row — 4 way manual passenger  Second row 40/20/40 center slide with manual recline  Steering Column- Manual Titl/Telescoping  Windows, Power — Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags —  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  Power  Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel  Wine Activated  Wine Activated  Lighting —  Wine Control  Lighting —  L		<b>⊘</b>		
Tires - 275/65R18 All terrain (A/T)  Wheels - 18" Machined-face aluminum with magnetic painted pocket  Windshield Wipers - Intermittent Front and Rear  Climate Control - Cabin Particulate filter Dual-zone Automatic Temperature control Rear Auxiliary Manual Controls  Cruise Control  Lighting - Front Overhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights  Front Goverhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights  Catas - Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front Row 8-way power bucket seat Front row -4 way manual passenger Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping Windows, Power - Front one-touch up/down feature AdvanceTrac w/RSC (Roll Stability Control)  Airbags - First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Campy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks - Power Autolock/Autounlock Headlamps - LED reflector with Black Bezel Wiper Activated		نکر		
Windshield Wipers – Intermittent Front and Rear  Climate Control – Cabin Particulate filter Dual-zone Automatic Temperature control Rear Auxiliary Manual Controls  Cruise Control  Lighting – Front Overhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights Second and third row dome lights Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row – 4 way manual passenger Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted Steering Column-Manual Tilt/Telescoping Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags – First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor Center High-Mounted Stop Lamp  Door Locks – Power Autolock/Autounlock Headlamps – LED reflector with Black Bezel Wiper Activated	Tires - 275/65R18 All terrain (A/T)	B		
Climate Control — Cabin Particulate filter Dual-zone Automatic Temperature control Rear Auxiliary Manual Controls Cruise Control Lighting — Front Overhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights Rear Cargo Area — Cargo Area Management System  Seats — Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row — 4 way manual passenger Second row 40/20/40 center slide with manual recline Retary Gear Shift dial, Center Console Mounted Steering Column- Manual Tik/Telescoping Windows, Power — Front one-touch up/down feature Advance Trac w/RSC (Roll Stability Control) Airbags — First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor Center High-Mounted Stop Lamp Door Locks — Power Autolock/Autounlock Headlamps — LED reflector with Black Bezel Wiper Activated	Wheels - 18" Machined-face aluminum with magnetic painted pocket	B		
Climate Control — Cabin Particulate filter Dual-zone Automatic Temperature control Rear Auxiliary Manual Controls  Cruise Control  Lighting — Front Overhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights Rear Cargo Area — Cargo Area Management System  Seats — Five (5) passenger Front Cloth Captains Chair Front Row 3-way power bucket seat Front row — 4 way manual passenger Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted Steering Column- Manual Tit/Telescoping Windows, Power — Front one-touch up/down feature AdvanceTrac w/RSC (Roll Stability Control) Airbags — First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor Center High-Mounted Stop Lamp Door Locks — Power Autolock/Autounlock Headlamps — LED reflector with Black Bezel Wiper Activated	Windshield Wipers - Intermittent Front and Rear	<b>2</b>		
Dual-zone Automatic Temperature control Rear Auxiliary Manual Controls  Cruise Control  Lighting — Front Overhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights Second and third row dome lights Rear Cargo Area — Cargo Area Management System  Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row — 4 way manual passenger Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power — Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags — First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks — Power Autolock/Autounlock Headlamps — LED reflector with Black Bezel Winer Activated				
Rear Auxiliary Manual Controls  Cruise Control  Lighting - Front Overhead Console Mounted map lights Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights Rear Cargo Area - Cargo Area Management System  Seats - Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row - 4 way manual passenger Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilk/Telescoping  Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags - First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks - Power Autolock/Autounlock Headlamps - LED reflector with Black Bezel Winer Activated	- Cabin Particulate filter			
Cruise Control  Lighting —  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay  Rear cargo area light  Second and third row dome lights  Rear Cargo Area — Cargo Area Management System  Seats —  Five (5) passenger  Front Cloth Captains Chair  Front Row 8-way power bucket seat  Front row — 4 way manual passenger  Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tik/Telescoping  Windows, Power — Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags —  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  Power  Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel  Winer Activated	<u>-</u>	₽		
Lighting —  Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay Rear cargo area light Second and third row dome lights  Rear Cargo Area — Cargo Area Management System  Seats —  Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row — 4 way manual passenger Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power — Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags —  First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  Power  Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel Winer Activated	·			
Front Overhead Console Mounted map lights  Illuminated entry system with courtesy lamp delay  Rear cargo area light  Second and third row dome lights  Rear Cargo Area — Cargo Area Management System  Seats —  Five (5) passenger  Front Cloth Captains Chair  Front Row 8-way power bucket seat  Front row — 4 way manual passenger  Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Titl/Telescoping  Windows, Power — Front one-touch up/down feature  AdvanceTrae w/RSC (Roll Stability Control)  Airbags —  First Row: Driver and passenger dual stage and front seat mounted side-impact  All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  Power  Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel  Winer Activated				
- Illuminated entry system with courtesy lamp delay - Rear cargo area light - Second and third row dome lights  Rear Cargo Area – Cargo Area Management System  Seats – - Five (5) passenger - Front Cloth Captains Chair - Front Row 8-way power bucket seat - Front row – 4 way manual passenger - Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags – - First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks – - Power - Autolock/Autounlock  Headlamps – - LED reflector with Black Bezel - Wiper Activated	<u> </u>			
Rear cargo area light Second and third row dome lights  Rear Cargo Area – Cargo Area Management System  Seats – Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row – 4 way manual passenger Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags – First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks – Power Autolock/Autounlock  Headlamps – LED reflector with Black Bezel Winer Activated				
Rear Cargo Area — Cargo Area Management System  Seats —  Five (5) passenger Front Cloth Captains Chair Front Row 8-way power bucket seat Front row — 4 way manual passenger Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted Steering Column- Manual Tilt/Telescoping Windows, Power — Front one-touch up/down feature AdvanceTrac w/RSC (Roll Stability Control)  Airbags —  First Row: Driver and passenger dual stage and front seat mounted side-impact All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  Power Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel Winer Activated	- Rear cargo area light	PC	П	
Seats -  - Five (5) passenger  - Front Cloth Captains Chair  - Front Row 8-way power bucket seat  - Front row - 4 way manual passenger  - Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags -  - First Row: Driver and passenger dual stage and front seat mounted side-impact  - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks -  - Power  - Autolock/Autounlock  Headlamps -  - LED reflector with Black Bezel  - Winer Activated		·		
- Five (5) passenger - Front Cloth Captains Chair - Front Row 8-way power bucket seat - Front row - 4 way manual passenger - Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks Power - Autolock/Autounlock  Headlamps LED reflector with Black Bezel - Wiper Activated		• <b>6</b> 2	-	
- Front Cloth Captains Chair - Front Row 8-way power bucket seat - Front row - 4 way manual passenger - Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks Power - Autolock/Autounlock  Headlamps LED reflector with Black Bezel - Wiper Activated				
- Front Row 8-way power bucket seat - Front row - 4 way manual passenger - Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks Power - Autolock/Autounlock  Headlamps LED reflector with Black Bezel - Wiper Activated				
- Front row - 4 way manual passenger - Second row 40/20/40 center slide with manual recline  Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping  Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks Power - Autolock/Autounlock  Headlamps LED reflector with Black Bezel - Wiper Activated				
- Second row 40/20/40 center slide with manual recline Rotary Gear Shift dial, Center Console Mounted  Steering Column- Manual Tilt/Telescoping Windows, Power - Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags -  - First Row: Driver and passenger dual stage and front seat mounted side-impact  - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks -  - Power  - Autolock/Autounlock  Headlamps -  - LED reflector with Black Bezel  - Wiper Activated		<b>े</b> डल		
Steering Column- Manual Tilt/Telescoping  Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags –  - First Row: Driver and passenger dual stage and front seat mounted side-impact  - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks –  - Power  - Autolock/Autounlock  Headlamps –  - LED reflector with Black Bezel  - Wiper Activated	<ul> <li>Second row 40/20/40 center slide with manual recline</li> </ul>		_	
Windows, Power – Front one-touch up/down feature  AdvanceTrac w/RSC (Roll Stability Control)  Airbags –  - First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks –  - Power - Autolock/Autounlock  Headlamps –  - LED reflector with Black Bezel - Wiper Activated	Rotary Gear Shift dial, Center Console Mounted	,≥≤		
AdvanceTrac w/RSC (Roll Stability Control)  Airbags —  - First Row: Driver and passenger dual stage and front seat mounted side-impact  - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  - Power  - Autolock/Autounlock  Headlamps —  - LED reflector with Black Bezel  - Wiper Activated	Steering Column- Manual Tilt/Telescoping			
Airbags —  - First Row: Driver and passenger dual stage and front seat mounted side-impact  - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks —  - Power  - Autolock/Autounlock  Headlamps —  - LED reflector with Black Bezel  - Wiper Activated	Windows, Power - Front one-touch up/down feature	<b>Æ</b>		
- First Row: Driver and passenger dual stage and front seat mounted side-impact - All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks Power - Autolock/Autounlock  Headlamps LED reflector with Black Bezel - Wiper Activated	AdvanceTrac w/RSC (Roll Stability Control)	<u>, [2</u>		
- All Row: Safety Canopy side-curtain with Rollover Sensor  Center High-Mounted Stop Lamp  Door Locks — - Power - Autolock/Autounlock  Headlamps — - LED reflector with Black Bezel - Wiper Activated				
Center High-Mounted Stop Lamp  Door Locks —  Power  Autolock/Autounlock  Headlamps —  LED reflector with Black Bezel  Wiper Activated	First Row: Driver and passenger dual stage and front seat mounted side-impact	<b>F</b>		
Door Locks —  - Power  - Autolock/Autounlock  Headlamps —  - LED reflector with Black Bezel  - Wiper Activated				
- Power - Autolock/Autounlock  Headlamps LED reflector with Black Bezel - Wiper Activated	**************************************	<b>/</b> LJ	Ь	
- Autolock/Autounlock  Headlamps -  - LED reflector with Black Bezel  - Wiper Activated				
Headlamps —  LED reflector with Black Bezel  Wiper Activated		ightharpoons		
- LED reflector with Black Bezel - Wiper Activated				
- Wiper Activated	·	<b>&gt;</b> ∕	П	
	- Wiper Activated			

## SPECIFIED OR EQUAL (CONT'D)

	COMP	LIANCE
<u>DESCRIPTION</u> (Cont'd)	$\underline{\mathbf{YES}}$	<u>NO</u>
Individual Tire Pressure Monitoring System	M	
Rear View Camera with Backup Assist Orid Lines and Washer	8	
Sync 4 –		
- Enhanced Voice		
- 12" LCD Screen in Center Stack	Ø	
Audio –		
- AM/FM Stereo		
- MP3 Capable - Six(6) Speakers		
- Speed-Compensated Volume		
Front and Rear Independent Suspension	<u>.</u>	
Keyless Entry with Push-button start (Integrated Key Transmitter for SSV 102A)	<b>E</b>	
Trailer Tow Prep Pack- Class IV (Trailer Tow Connector, 4-pin/7-pin wiring, Class	<del></del>	<b>L</b>
IV Trailer hitch receiver)	A	<b>(</b> )
Intelligent 4WD	Z	
Full Size Spare 275/65R18 all-terrain not mounted on Rim (Rim Not Needed)	# <u>C.</u>	Land
- Unless a package selected lists a different sized tire, then vendor is to supply the		
proper sized tire for that package.	<b>*</b>	
Interior Color: Black		
PAINT Color to be Specified from Standard Color Chart on Purchase Order when Ordering	×	
WARRANTY		
Bumper to Bumper: 3 years/36,000 Miles	<b>X</b>	
Vehicle Equipment Must be Rustproofed and Warrantied by the Manufacturer Against		
Rust for five (5) years or 50,000 miles, Whichever Comes Last. This Equipment Must		
Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and		
Regulations	`_>′	
<u>OPTIONS</u>		
2A. <u>Heavy Duty Trailer Tow Package (536</u> )		
8" Machined-Faced Aluminum with Magnetic-Painted Pocket		
- Pro Trailer Backup Assistant		
<ul> <li>3.73 Non-Limited-slip rear Axle (N/A 102A (SSV))</li> <li>Integrated Trailer Brake Controller</li> </ul>		
- Two Speed Automatic 4WD (4x4 only) with Neutral towing capability		
- Rear View Camera – Digital		
- Reverse Brake Assist	<b>Nc.</b> -1	<b>L</b> )
- 26MM Engine Radiator		$\sqcup$

ITEM # 2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL MAX 4X4, AS

### SPECIFIED OR EQUAL (CONT'D)

	COMP)	LIANCE
/ OPTIONS (Cont'd)	YES	NO
2B. Seats - 60/40 Power Fold (folds flat), Third Row (87P)		
- Eight (8) Passenger Seating.		
- Deletes standard third row storage bins		
1		
✓ 2C. Vehicle package option 102A (SSV)		
- Column Shifter		
- 17" Steel Wheels (265/70R17) OWL		
- ControlTrac with eLSD (3.73 Electronic Limited-Slip Differential)		
- Floor Covering Vinyl		
- Seats - Vinyl, Second Row	rNZT	
- Skid Plates	<b>Æ</b>	<b> _</b>
/		
✓ 2D. Ford Protect ExtraCare Extended Service Plan		
covering 113 components. 8 years/125,000 miles with \$0.00 deductible.	***************************************	
/		
J 2E. Floor Liners, Front and Second Row (47B)		
(Not Available on SSV 102A PKG)	×	
1		
J 2F. Running Boards, Platform – Black (18B)		
(SSV 102A PKG)	<b>ZE</b>	
/2G. Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light Bar-		
54"		
Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6		
rear facing and bar also includes two white take down lights in Front, 2 White		
Alley Light, Corner light wired on a Separate switch		
and the state of t		

## COMPLIANCE PAGES – MOTOR VEHICLES: SUVS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

)SK

#### OPTIONS (Cont'd)

12H. CIU Package (Colors to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 54<sup>st</sup> LED Lightbar Dual Color (Soundoff Signal Part Number: ENFLBS1254)
- QTY 1 8 Module Exterior LED Lightbar w/ Universal L-Brackets & 14 ft cable (Soundoff Signal Part Number: ENFTCDXS1208)
- QTY 6 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color(Soundoff Signal Part Number: EMPS2STS4)
- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 2 Single Deck/Grille Mount Light 12LED Dual Color (Soundoff Signal Part Number: ENFSGS3J)
- QTY 3 Rail Mounted Microphone Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- QTY 1 Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03)
- QTY 1 Motion Attachment (Gamber-Johnson Part Number: 7160-0220)
- QTY 1 Soundoff 480 Faceplate (Gamber-Johnson Part Number: 7160-0339)
- QTY 1 Motorola Faceplate (Gamber-Johnson Part Number: 7160-0321)
- QTY 1 Power Distribution Block with Negative Bus (Gamber-Johnson Part Number: 7160-0313)
- QTY 1 Low Profile Shut Down Timer (Gamber-Johnson Part Number: 13792)
- QTY 1 Can
- - Module (Soundoff Signal Part number:ENGLNK002)
- QTY 1 Vehicle Specific Push Bumper w/ Tri Color Integrated Lights (Setina Part Number: BK2044EPD18)
- QTY 1 Dual XI. Weapon Rack w/Key Override (Setina Part Number: GK10342UHKSSCAXL)
- QTY 1 Power Inverter (Xantrex Part Number: 806-1220)
- Window Tint 2 Front Windows 20% 3M or Johnson material
- QTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL)
- QTY 1 Setina Partition (Part Number: PK1156EPD18) 10 XL Coated Poly Partition
- Remove Rear Seats
- Install Customer Supplied Radio

## <u>ITEM # 2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL MAX 4X4, AS SPECIFIED OR EQUAL</u> (CONT'D)

COMPLIANCE

YES

<u>NO</u>

#### OPTIONS (Cont'd)

#### $\sqrt{2}$ I. K9 Package (Colors to be determined at time of order) –

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 54" LED Lightbar Dual Color (Soundoff Signal Part Number: ENFLBS1254)
- QTY 1 8 Module Exterior LED Lightbar w/ Universal L-Brackets & 14 ft cable (Soundoff Signal Part Number: ENFTCDXS1208)
- QTY 6 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color (Soundoff Signal Part Number: EMPS2STS4)
- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 2 Single Deck/Grille Mount Light 12LED Dual Color (Soundoff Signal Part Number: ENFSGS3J)
- QTY 3 Rail Mounted Microphone Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- QTY 1 Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03)
- QTY 1 Motion Attachment (Gamber-Johnson Part Number: 7160-0220)
- QTY 1 Soundoff 480 Faceplate (Gamber-Johnson Part Number: 7160-0339)
- QTY 1 Motorola Faceplate (Gamber-Johnson Part Number: 7160-0321)
- QTY 1 Power Distribution Block with Negative Bus (Gamber-Johnson Part Number: 7160-0313)
- QTY 1 Low Profile Shut Down Timer (Gamber-Johnson Part Number: 13792)
- QTY 1 Vehicle Specific Push Bumper w/ TRI Color Integrated Nforce Lights (Setina Part Number: BK2044EPD18)
- QTY 1 Dual XL Weapon Rack w/Key Override (Setina Part Number: GK10342UHKSSCAXL)
- QTY 1 Extended 2018-2023 Ford Expedition K9 Transport System (Havis Part Number: K9-F27-XL-B)
- QTY 1 K9 Transport Fan Option for Heat Alarm Hot-N-Pop Unit (Havis Part Number: K9-A-301)
- QTY 1 K9 Transport Hot-N-Pop Unit Option (Havis Part Number: K9-A-201)
- QTY 1 K9 Transport Long Range Remote Pager Option with Dual Band Antenna for Acck9 Heat Alarm And Hot-N-Pop Units (Havis Part Number: K9-A-303)
- QTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL)

## COMPLIANCE PAGES – MOTOR VEHICLES: SUVS

#### SPECIFIED OR EQUAL (CONT'D)

COMPL	(ANCE
YES	NO

### OPTIONS (Cont'd)

#### 21. K9 Package (Colors to be determined at time of order) (Cont'd)

- QTY 1 Can-Module (Soundoff Signal Part Number: ENGLNK002)
- Window Tint 2 Front Windows 20% 3M or Johnson Material
- Remove Rear Seats
- Install Customer Supplied Radio

### X

### 2J. Admin Package (Colors to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 Vehicle Specific Dual Color Light bar w/ TD 12LED (Soundoff Signal Part Number: ENFWBF)
- QTY 1 Solid State Headlight Flasher (Soundoff Signal Part Number: ETHFSS-SP-ISO)
- QTY 8 4" 12 LED Single Deck-Mount Light Dual Color 10-30v Black Housing (Soundoff Signal Part Number: EMPS2STS4)
- QTY 2 3" 4LED Surface Mount Light (Soundoff Signal Part Number: EMPS1STS1)
- QTY 2 Single Deck/Grille Mount 6LED Light (Soundoff Signal Part Number: ENFSGS1J)
- QTY 1 8 Mod 6LED Single Color Interior Traffic Controller (Soundoff Signal Part Number: ENFTCDGS1208)
- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC2S025J)
- QTY I 100 Watt Handheld Siren w/ Button Control, 10-16v (Soundoff Signal Part Number: ETSA461HPP)
- QTY 1 100 Watt Professional Siren Speaker (Soundoff Signal Part Number: ETSS100H)
- QTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL or equal)

## ×

### 2K. Patrol Package (Colors to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 54" LED Lightbar Dual Color (Soundoff Signal Part Number: ENFLBS1254) (Color to be determined at time of order)
- QTY 1 8 Module Exterior LED Lightbar w/ Universal L-Brackets & 14 ft cable (Soundoff Signal Part Number: ENFTCDXS1208)
- QTY 6 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color (Soundoff Signal Part Number: EMPS2STS4)

ITEM # 2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL MAX 4X4, AS SPECIFIED OR EQUAL (CONT'D)

### COMPLIANCE

#### OPTIONS (Cont'd)

#### YES

#### <u>NO</u>

#### 2K. Patrol Package (Colors to be determined at time of order) (Cont'd)

- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 2 Single Deck/Grille Mount Light 12LED Dual Color (Soundoff Signal Part Number: ENFSGS3J)
- QTY 3 Rail Mounted Microphone Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- QTY 1 Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03)
- OTY 1 Motion Attachment (Gamber-Johnson Part Number: 7160-0220)
- QTY 1 Soundoff 480 Faceplate (Gamber-Johnson Part Number: 7160-0339)
- QTY 1 Motorola Faceplate (Gamber-Johnson Part Number: 7160-0321)
- QTY 1 Power Distribution Block with Negative Bus (Gamber-Johnson Part Number: 7160-0313)
- QTY 1 Low Profile Shut Down Timer (Gamber-Johnson Part Number: 13792)
- OTY 1 Can-Module (Soundoff Signal part number: ENGLNK002)
- QTY 1 Vehicle Specific Push Bumper w/ Tri Color Integrated Lights (Setina Part Number: BK2044EPD18)
- QTY 1 Dual XL Weapon Rack w/Key Override (Setina Part Number: GK10342UHKSSCAXL)
- QTY 1 Setina front partition (Setina Part Number: PK1156EPD18)
- OTY 1 Setina Rear Partition (Setina Part Number: PK0316EPD182ND)
- OTY 1 Setina Door Panels (Setina Part Number: DK0598EPD18)
- OTY 1 Window Bars (Setina Part Number: WK0514EPD18)
- QTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL)
- OTY 1 Prisoner Dome wired to turn on wire rear doors
- Window Tint 2 Front Windows 20% 3M or Johnson Material
- Remove Rear Seats
- Install Customer Supplied Radio

X

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

## ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL MAX 4X4, AS SPECIFIED OR EQUAL (CONT'D)

**COMPLIANCE** 

#### OPTIONS (Cont'd)

<u>YES</u>

 $\underline{NQ}$ 

#### 21., Detective package (Colors to be determined at the time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 Vehicle Specific Dual Color light bar w/Take down 12 LED (Soundoff Signal part number: ENFWBF)
- QTY 1 Solid State headlight flasher (Soundoff Signal part number: ETHFSS-SP-ISO)
- QTY 8 4" 12 LED Dual Color surface mount light (Soundoff Signal part number; EMPS2STS4)
- QTY 2 3" 4 LED surface mount light (Soundoff Signal part number; EMPS1STS1)
- QTY 2 Single Deck/Grille Mount 6 LED light (Soundoff Signal part number; ENFSGS1J)
- QTY 1 8 Module 12 LED single color Interior Traffic Controller (Soundoff Signal part number: ENFTCDGS1208)
- QTY 4 Universal Undercover Screw-in LED Insert single light kit (Soundoff Signal part number: ELUC3S025J)
- Qty 1 Siren w/button control, electrical control system 10-16V (Soundoff Signal part number: ENGKTGD002)
- Window tint two front windows and windshield 20% using 3M or Johnson window film.
- Install Customer Supplied Radio

### 

## 2M. Responder package (Colors to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 Vehicle Specific Dual Color light bar with take down 12 LED (Soundoff Signal part number: ENFWBF)
- QTY 1 Solid State Headlight Flasher (Soundoff Signal part number: ETHFSS-SP-ISO)
- QTY 10 4" 12 LED Dual color surface mount light (Soundoff Signal part number: EMP\$2ST\$4)
- QTY 2 3" 4 LED surface mount light (Soundoff Signal part number: EMPS1STS1)
- QTY 2 single deck/grille mount 6 LED light (Soundoff Signal part number: ENFSGS1J)
- QTY 1 = 8 module 12 LED single color interior traffic controller (Soundoff Signal part number: ENFTCDGS1208)
- QTY 4 Universal Cover Screw-in LED insert single light kit (Soundoff Signal part number: ELUC2S025J)

COMPLIANCE PAGES $-$	MOTOR	VEHICI	ES:	SHVS

Page 13A of 42

	COMP	LIANCE
OPTIONS (Cont'd)	YES	<u>NO</u>
2M. Responder package (Colors to be determined at time of order) (Cont'd)		
<ul> <li>QTY 1 - Siren with button control, Electrical control system 10-16V (Soundoff Signal part number: ENGKTGD002) Must be wired with ignition security option.</li> <li>QTY I - Can-Module (Soundoff Signal part number: ENGLNK002)</li> <li>QTY 2 - Dome Interior LED Lights mounted to hatch and must be wired to automatically turn on when hatch door opens. (Soundoff Signal part number: ECVDMLTAL00)</li> </ul>		
<ul> <li>Window tint full vehicle including windshield with 3M or Johnson window film tint. Shade to be determined at time of order.</li> <li>Install Customer supplied Radio Radio antennas to be mounted behind rear pillars; not visible to outside of vehicle.</li> </ul>	À	0
2N. Panasonic Toughbook CF-30/31 Docking Station with Integrated Power Supply (Dual RF, Standard Lock) (Garnber-Johnson Part Number: 7160-0318-06)	Ø	
20. Ford Expedition Pedestal Kit (Gamber-Johnson Part Number: 7170-0129)	<b>X</b> ^	
2P. Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03 or equal)	×	
2Q. <u>Visor Lightbar</u> Vehicle Specific Dual Color Light bar with TD 12LED (Soundoff Signal Part Number: ENFWBF)(Color to be determined at time of order or equal)	<b>≥</b>	
2R. <u>Push Bumper with Integrated Lights</u> (Setina Part Number: BK2044EPD18 or equal) Color to be determined at time of order	€	
2S. <u>Freestanding Weapon System</u> (Setina Part number: GF1092EPD18 or equal)	<u> </u>	
2T. <u>Cargo Box with Brackets</u> (Setina Part Number: TK0243EPD18, TF0237EPD18 or equal)	8	

SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		ge 14A of 42 <u>LIANCE</u>
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
2U. Custom Built Weapons Drawer  Weapons drawer is to be 44" Wide x 12" tall and 24" wide with black carpeting inside and out. The box is to consist of MDO plywood with a %" HDP drawer face, a simplex lock, two southco latches, steel angle support and full extension heavy duty slides. Drawer is to have a lifetime warranty and is to include a gun foam cutout to weapons specified by the department.	×	
2V. NotePad V Universal Computer Cradle (Installed) (Gamber Johnson Part Number: 7160-0250 or equal)	×	
2W. Lind Electronic Auto Adapter to work with Lenovo Laptops T570 and E590 (Installed)(Lind Part Number: LV1935-4145 or equal)	Zŏ	
/ 2X. Weapons Rack with Freestanding Bracket (Setina Part Number: GK11222B or equal)	K	
2Y. 2000 Watt power Inverter with Built-in 30 A AC Transfer Relay ignition control (Xantrex part number: 217-2000 or equal)	Ø	
2Z. Surveillance Package Removable blackout curtains, between 1 <sup>st</sup> and 2 <sup>nd</sup> row, side rear windows and rear windows installed.	Æ.	
/ 2AA. Panasonic Laptop Ducking Station (Gamber CF-33) Dual Pass – USB 2.0, Serial (2), Ethernet, Lock (Part Number 204397)	**	
2BB. Panasonic Airgain Cellular 3-in-1 Antenna for Docking Station (Part Number AI-3MDCBL19)	<b>B</b>	
/ 2CC. Panasonic Vehicle DC Power Adapter (Lind CF-33) (Part Number PA1555-655)	S	
2DD. <u>Panasonic Detachable Premium Keyboard</u> (CF-33) (Part Number CF-VEK331LMP)	<b>1</b>	
/2EE. Panasonic Premium Rotation Strap with Pen Holder and Stand (CF-33) (Part Number CF-VST332U)  ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION 3 SPECIFIED OR FOUAL (CONT'D)	257 KL <u>MAX 4X4, A</u>	<u>.s</u>

COM	PLIANCE PAGES – MOTOR VEHICLES: SUVS	-	e 15A of 42
		<del></del>	<u>JANCE</u>
	ONS (Cont'd)	<u>YES</u>	NO
	Getac A140 Docking Station with Integrated Power Supply ber 7160-1246-03; Power Supply LIND - GE1950-3709)	K	
	Getac Console Mount		
N .	[TM-5502-SMP]		
Doub Tilt/S	le Telescopic Post for Display/Tablet and Keyboard including G.R.I.P. wivel	矣	
-	Getac Keyboard		
(IKE)	(IK-88-TP-USB)	# <u>r</u> _D	
<b>211</b> . ,	Special Paint Colors Not On the Standard Color Chart	8	
$\sqrt{2JJ}$	<u>Diagnostic Tools / Test Equipment</u> Successful Successful bidder may be required to supply between one (1) to three	: (3)	
1	complete sets of OEM (Original Equipment Manufactured) test/diagnostic/	. \-,	
	programming equipment (i.e. laptop, software, cabling, and adapters) and		
	special tools required to perform the full range of diagnostic and maintenance		
	actions necessary to maintain vehicle operability. This equipment will cover		
	the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional		
	equipment (if applicable). Examples of OEM diagnostics are as follows:		
	Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advisor,		_
	Freightliner Diagnostic Link	<b>≥</b>	
2.	All laptop computers will be of the newest available technology and have		_
	sufficient storage and memory to operate all required software	<b>B</b>	
3,	Provide a list of all test/diagnostic/programming equipment and special	New?	
	tools being supplied at the time of bid	X	
4.	All software installations and activations will be completed by the	<b>X</b>	
	successful bidder at no cost to the County	<i>2</i> □)	البسيا
5.	All software updates and renewal will be provided at no cost to the		
	County for a period of five (5) years from the acceptance of the	*	
,	equipment All technical issues relating to test/diagnostic/programming equipment and	<b>~</b>	_
6.	special tools shall be resolved by the successful bidder at no cost to		
	the County for a period of five (5) years from the acceptance of the		
	equipment	<b>2</b> 5	
7.	Training shall be provided on all items in this section at a specified County		
11	Location	28	
4	I # 2 - CURRENT MODEL YEAR, OR NEWER, FORD EXPEDITION XL.	MAX 4X4. A	\S
√ <u>ITEM</u>	1 # 2 - CURRENT MUDEL TEAR OR DEVIEW FORD BATEMITION ALL		

SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE

#### OPTIONS (Cont'd)

<u>YES</u>

NO

### 2KK. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps
- #12 AWG BLACK wire connected to chassis ground
- #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps

Wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. Wiring harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminated. 12VDC sources shall be protected from making contact with grounded metal surfaces



### 2LL. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- #12 AWG BLACK wire connected to chassis ground.
- #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

+	

ITEM # 3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION XL 4X4, AS SPECIFIED OR EQUAL

**COMPLIANCE** 

<u>YES</u>

<u>NO</u>

DESCRIPTION

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 17A of 42
Current Model Year Ford Expedition XL 4x4, or newer	<b>≥</b>	
3.5L EcoBoost V6 Engine	<b>a</b>	
Four-Wheel Disc Brakes with Anti-Lock Brake System	<b>\$</b>	
Transmission - 10 Speed Automatic Transmission with SelectShift Capability	8	
Configurable Daytime Running Lamps	<b>E</b>	
Running Board, Platform - Black	<b>2</b>	
Tires - 275/65R18 All terrain (A/T)	<b>Z</b>	
Wheels - 18° Machined-face Aluminum with Magnetic-Painted pockets	25	
Windshield Wipers - Intermittent Front and Rear	Ø	
Climate Control –	480	_
- Cabin Particulate filter		•
- Dual-zone Automatic Temperature Control	=	
- Rear Auxiliary Manual Controls	Ø	
Cruise Control	Æ	
Lighting -		
- Front Overhead Console Mounted map lights		
- Illuminated entry system with courtesy lamp delay		
- Rear cargo area light	<u>r</u>	
- Second and third row dome lights Seats -	6 <del></del>	ι,
- Five (5) passenger		
- Front Row Cloth Captain's chair		
- Second Rows Cloth (Vinyl Second row on SSV 102A)		
- Front Row 8-way power Driver's seat		
- Front row – 4 way manual passenger	A CONTRACTOR OF THE PERSON OF	,—,
- Second row 40/20/40 center slide with manual recline	Q	
Rotary Gear Shift dial, Center Console Mounted		
Steering Column-Manual Tilt/Telescoping	<b>S</b>	
Windows, Power - Front one-touch up/down feature	<b>⊠</b>	
AdvanceTrac w/RSC (Roll Stability Control)		
Airbags –		
- First Row: Driver and passenger dual stage and from seat mounted side-		
impact	<b>7</b>	
- All Row: Safety Canopy side-curtain with Rollover Sensor Center High-Mounted Stop Lamp	<b>₩</b> <b>₩</b>	
	457)	u
Door Locks -		
- Power - Autolock/Autounlock	R	
/ Autolock/Autoullock		
ITEM # 3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION	XL 4X4, AS	SPECIFIED OR
EQUAL (CONT'D)		
	<u>COM</u>	<u>PLIANCE</u>
<u>DESCRIPTION</u>	$\underline{\mathbf{YE}}\underline{\mathbf{S}}$	<u>NQ</u>
Headlamps –	<b>2</b> 5	

.

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 18A of 42
- LED reflector with Black Bezel		
- Wiper Activated	_,	_
Individual Tire Pressure Monitoring System	Æ	
Rear View Camera with Backup Assist Grid Lines and Washer	<b>X</b>	
Sync 4—		
- Enhanced Voice Recognition	æď.	F=1
- 12" LCD Capacitive touchscreen with swipe capability	*	
Audio –  - AM/FM Stereo		
- MP3 Capable		
- Six(6) Speakers		
- Speed-Compensated Volume	45	
Front and Rear Independent Suspension		
Keyless Entry with Push-button start (Integrated Key Transmitter for SSV		
102A)		
Trailer Tow Prep Pack- Class IV Trailer Hitch (Trailer Tow Connector, 4-		
pin/7-pin wiring, Class IV Trailer hitch receiver)		
Intelligent 4WD		
Full Size Spare 275/65R18 A/T not mounted on Rim (Rim Not Needed) -		
Unless a package selected lists a different sized tire, then vendor is to supply		
the proper sized tire for that package.		
Interior Color: Black Onyx		
	,	
PAINT		
Color to be Specified from Standard Color Chart on Purchase Order when		
Ordering		
WARRANTY		
Bumper to Bumper: 3 years/36,000 Miles		
Vehicle Equipment Must be Rustproofed and Warrantied by the Manufacturer		
Against Rust for five (5) years or 50,000 miles, Whichever Comes Last. This		
Equipment Must Also Meet or Exceed All Applicable State, Federal and		_
PEOSHA Laws and Regulations	A	

	ITEM#3-CURRENT MODEL YEAR OR NEWER	, FORD EXPEDITION XI	<u>. 4X4, AS SPECIFIED OR</u>
<b>"</b> -7	EQUAL (CONT'D)		

COMPLIANCE
YES NO

**OPTIONS** 

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 19A of 42
JA. Heavy Duty Trailer Tow Package (536)		-
- 18" Machined-Faced Aluminum with Magnetic-Painted Pocket		
- Pro Trailer Backup Assistant		
- 3.73 Non-Limited-slip rear Axle (N/A 102A (SSV))		
- Integrated Trailer Brake Controller		
- Two Speed Automatic 4WD (4x4 only) with Neutral towing capability		
- Rear View Camera - Digital		
- Reverse Brake Assist	/	
- 26MM Engine Radiator	Ø	
J 3B. Seats - 60/40 Power Fold (folds flat), Third Row (87P) (101A Only)		
- Eight (8) Passenger Scating.	B	П
- Deletes standard third row storage bins		ш
JC. Vehicle Package Option 102A (SSV)		
- Column Shifter		
- 17" Steel Wheels (265/70R17)		
- ControlTrac with eLSD (3.73 Electronic Limited-Slip Differential)		
- Floor Covering Vinyl		
- Seats - Vinyl, Second Row		
- Skid Plates	<b>≥</b> ≤	
J 3D. Running Boards, Platform Black (18B)		
(For SSV 102A PKG)	<b>½</b>	
J 3E. Ford Protect ExtraCare Extended Service Plan		
Covering 113 components, 8 years/125,000 miles with \$0.00 deductible.	₽	
The same of the sa		_
J 3F. Floor Liners, Front and Second Row (47B)		
(Not Available on SSV 102A PKG)	<b>\S</b>	
✓ 3G. Whelen: IX2AAAA - Liberty II, Solo IX Low Current Series Light		
Bar- 54"		
Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing		
and 6 rear facing and bar also includes two white take down lights in Front, 2		
White Alley Light, Corner light wired on a Separate switch	**	
	~.3	
/ market the commence of the c	atera sera so	Allegan and the sales are
✓ ITEM#3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION	<u>y XL 4X4, AS</u>	SPECIFIED OR
EQUAL (CONT'D)	~~~	CAT II A BLY-MINN
		PLIANCE
/ OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
√ 3H. CIU Package (Color to be determined at time of order)	*******	
In an effort to maintain consistency and uniformity among all light patterns in		

NO

#### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 54" LED Lightbar Dual Color (Soundoff Signal Part Number: ENFLBS1254) (Color to be determined at time of order)
- QTY 1 8 Module Exterior LED Lightbar w/ Universal L-Brackets & 14 ft cable (Soundoff Signal Part Number: ENFTCDX\$1208)
- QTY 6 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color (Soundoff Signal Part Number: EMPS2STS4)
- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 2 Single Deck/Grille Mount Light 12LED Dual Color (Soundoff Signal Part Number: ENFSGS3J)
- QTY 3 Rail Mounted Microphone Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- QTY 1 Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03)
- OTY 1 Motion Attachment (Gamber-Johnson Part Number: 7160-0220)
- QTY 1 Soundoff 480 Faceplate (Gamber-Johnson Part Number: 7160-0339)
- OTY 1 Motorola Faceplate (Gamber-Johnson Part Number: 7160-0321)
- OTY 1 Power Distribution Block with Negative Bus (Gamber-Johnson Part Number: 7160-0313)
- OTY 1 Low Profile Shut Down Timer (Gamber-Johnson Part Number: 13792)
- QTY 1 Can-Module (Soundoff Signal Part Number: ENGLNK002)
- QTY 1 Vehicle Specific Push Bumper w/ Tri Color Integrated Lights (Setina Part Number: BK2044EPD18)
- QTY 1 Dual XL Weapon Rack w/Key Override (Setina Part Number: GK10342UHKSSCAXL)
- QTY 1 Power Inverter (Xantrex Part Number; 806-1220)
- OTY I PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-SII-BL)
- Window Tint 2 Front Windows 20% 3M or Johnson Material
- Remove Rear Seats
- Install Customer Supplied Radio

## ITEM # 3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION XL 4X4, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE OPTIONS (Cont'd) YES

√31. K9 Package (Color to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in

M

#### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 54" LED Lightbar Dual Color (Soundoff Signal Part Number: ENFLBS1254) (Color to be determined at time of order)
- QTY 1 8 Module Exterior LED Lightbar w/ Universal L-Brackets & 14 ft cable (Soundoff Signal Part Number: ENFTCDXS1208)
- QTY 4 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color (Soundoff Signal Part Number: EMPS2STS4)
- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 2 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color(Soundoff Signal Part Number: EMPS2STS4)
- QTY 2 Single Deck/Grille Mount Light 12LED Dual Color (Soundoff Signal Part Number: ENFSGS3J)
- QTY 3 Rail Mounted Microphone Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- QTY 1 Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03)
- QTY 1 -- Motion Attachment (Gamber-Johnson Part Number: 7160-0220)
- QTY 1 Soundoff 480 Faceplate (Gamber-Johnson Part Number: 7160-0339)
- QTY 1 Motorola Faceplate (Gamber-Johnson Part Number: 7160-0321)
- QTY 1 Power Distribution Block with Negative Bus (Gamber-Johnson Part Number: 7160-0313)
- QTY 1 Low Profile Shut Down Timer (Gamber-Johnson Part Number: 13792)
- QTY I Vehicle Specific Push Bumper w/ TRI Color Integrated Nforce Lights (Serina Part Number; BK2044EPD18)
- QTY 1 Dual XI, Weapon Rack w/Key Override (Setina Part Number: GK10342UHKSSCAXL)
- QTY 1 Extended K9 Transport System For 2018-2023 Ford Expedition Black (Havis Part Number: K9-F27-XI-B)

/	TIEM # 3 - CURRENT MODEL YEAR OR NEWER, FORD EXPER	DITION XL 4X4, AS S	PECIFIED OR
- 4	OPTIONS (Cont'd)	<u>COMP</u> <u>YES</u>	<u>LIANCE</u> <u>NO</u>
/	31. K9 Package (Color to be determined at time of order) (Cont'd)		

- QTY 1 - K9 Transport Fan Option for Heat Alarm Hot-N-Pop Unit (Havis Part Number: K9-A-301)

#### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

- QTY 1 K9 Transport Hot-N-Pop Unit Option (Havis Part Number: K9-A-201)
- OTY 1 K9 Transport Long Range Remote Pager Option with Dual Band Antenna for Acek9 Heat Alarm And Hot-N-Pop Units (Havis Part Number: K9-A-303)
- OTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL)
- QTY 1 Can-Module (Soundoff Signal Part Number: ENGLNK002)
- Window Tint 2 Front Windows 20% 3M or Johnson material
- Remove Rear Seats
- Install Customer Supplied Radio

#### 3J. Admin Package (Color to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 Vehicle Specific Dual Color Light bar w/ TD 12LED (Soundoff Signal Part Number: ENFWBF)(Color to be determined at time of order)
- QTY 1 Solid State Headlight Flasher (Soundoff Signal Part Number: ETHESS-SP-ISO)
- QTY 4 Single Deck-Mount Light Dual Color 10-30v Black Housing (Soundoff Signal Part Number; EMPS2STS4) (Color to be determined at time of order)
- QTY 2 3" 4LED Surface Mount Light (Soundoff Signal Part Number: EMPS1STS1) (Color to be determined at time of Order)
- OTY 2 Single Deck/Grille Mount 6LED Light (Soundoff Signal Part Number: ENFSGS1J)
- QTY 4 4" 12LED Dual Color Surface Mount Light (Soundoff Signal Part Number; EMPS2STS4) (Color to be determined at time of order)
- QTY 1 8 Mod 6LED Single Color Interior Traffic Controller (Soundoff Signal Part Number: ENFTCDX\$1208) (Color to be determined at time of order)
- OTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL)
- Window Tint 2 Front Windows 20% 3M or Johnson material
- Install Customer Supplied Radio

ZŚ.

ITEM #3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION XL 4X4, AS SPECIFIED OR COMPLIANCE

OPTIONS (Cont'd)

EQUAL (CONT'D)

YES

<u>NO</u>

3K. Patrol Package (Color to be determined at time of order)

In an effort to maintain consistency and uniformity among all light patterns in

#### COMPLIANCE PAGES - MOTOR VEHICLES; SUVS

emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 54" LED Lightbar Dual Color (Soundoff Signal Part Number: ENFLBS1254) (Color to be determined at time of order)
- QTY 1 8 Module Exterior LED Lightbar w/ Universal L-Brackets & 14 ft cable (Soundoff Signal Part Number: ENFTCDXS1208)
- QTY 4 Fascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color(Soundoff Signal Part Number: EMPS2STS4)
- QTY 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025J)
- QTY 1 Siren w/ Button Control, Electrical Control System 10-16v (Soundoff Signal Part Number: ENGKTGD002) Must be wired with ignition security option
- QTY 2 Pascia Light w/ Stud Mount, 18 hard wire w/ sync option, SAE Class I & CA Title 13, 9-32 Vdc, Black Housing, 12 LED, Dual Color(Soundoff Signal Part Number: EMPS2STS4)
- QTY 2 Single Deck/Grille Mount Light 12LED Dual Color (Soundoff Signal Part Number: ENFSGS3J)
- QTY 3 Rail Mounted Microphone Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- OTY 1 Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03)
- QTY 1 Motion Attachment (Gamber-Johnson Part Number: 7160-0220)
- OTY 1 Soundoff 480 Faceplate (Gamber-Johnson Part Number: 7160-0339)
- OTY 1 Motorola Faceplate (Gamber-Johnson Part Number: 7160-0321)
- OTY 1 Power Distribution Block with Negative Bus (Gamber-Johnson Part Number: 7160-0313)
- OTY 1 Low Profile Shut Down Timer (Gamber-Johnson Part Number: 13792)
- QTY 1 Can-Module (Soundoff Signal part number: ENGLNK002)
- QTY 1 Vehicle Specific Push Bumper w/ Tri Color Integrated Lights (Setina Part Number: BK2044EPD18)
- QTY 1 Dual XL Weapon Rack w/Key Override (Setina Part Number: GK10342UHKSSCAXL)
- QTY 1 Setina front partition (Setina Part Number: PK1156EPD18)
- QTY 1 Setina Rear Partition (Setina Part Number: PK0316EPD182ND)

#### ITEM #3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION XL 4X4, AS SPECIFIED OR EQUAL (CONT'D). COMPLIANCE NO YES OPTIONS (Cont'd) 3K. Patrol Package (Color to be determined at time of order) (Cont'd) QTY 1 - Setina Door Panels (Setina part number: DK0598EPD18)

- QTY 1 Setina Window Bars (Setina part number: WK0514EPD18)

- QTY 1 Prisoner Dome wired to turn on wire rear doors
- QTY 1 PC Antenna for Docking Station (Antenna Plus Part Number: AP-CG-A-S11-BL)
- Window Tint 2 Front Windows 20% 3M or Johnson Material
- Remove Rear Seats
- Install Customer Supplied Radio

3L. <u>Detective Package (Colors to be determined at the time of order)</u> In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 Vehicle Specific Dual Color light bar w/Take down 12 LED (Soundoff Signal part number: ENFWBF)
- QTY 1 Solid State headlight flasher (Soundoff Signal part number: ETHFSS-SP-ISO)
- QTY 8 4" 12 LED Dual Color surface mount light (Soundoff Signal part number: EMPS2STS4)
- QTY 2 3" 4 LED surface mount light (Soundoff Signal part number: EMPS1STS1)
- QTY 2 Single Deck/Grille Mount 6 LED light (Soundoff Signal part number: ENFSGS1J)
- QTY 1 8 Module 12 LED single color Interior Traffic Controller (Soundoff Signal part number: ENFTCDGS1208)
- QTY 4 Universal Undercover Screw-in LED Insert single light kit (Soundoff Signal part number: ELUC3S025J)
- Qty 1 Siren w/button control, electrical control system 10-16V (Soundoff Signal part number: ENGKTGD002)
- Window tint two front windows and windshield 20% using 3M or Johnson window film.

-	Install	Customer	Supplied	Radi	Q
---	---------	----------	----------	------	---

<b>A</b>	

/ ITEM # 3 - CURRENT MODEL YEAR OR NEWER, FORD EX	PEDITION XL 4X4, AS S	PECIFIED OF
EQUAL (CONT'D)		
	COMP	<u>LIANCE</u>
/OPTIONS (Cont'd)	$\underline{\mathbf{Y}}\underline{\mathbf{E}}\mathbf{S}$	<u>NQ</u>
√ 3M. Responder Package (Colors to be determined at time of orde)	<u>r)</u>	
In an effort to maintain consistency and uniformity among all light pa	atterns in 🔯	

### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- QTY 1 Vehicle Specific Dual Color light bar with take down 12 LED (Soundoff Signal part number: ENFWBF)
- QTY 1 Solid State Headlight Flasher (Soundoff Signal part number: ETHFSS-SP-ISO)
- QTY 10 4" 12 LED Dual color surface mount light (Soundoff Signal part number: EMPS2STS4)
- QTY 2 3" 4 LED surface mount light (Soundoff Signal part number: EMPS1STS1)
- QTY 2 single deck/grille mount 6 LED light (Soundoff Signal part number: ENFSGS1J)
- QTY 1 8 module 12 LED single color interior traffic controller (Soundoff Signal part number: ENFTCDGS1208)
- QTY 4 Universal Cover Screw-in LED insert single light kit (Soundoff Signal part number; ELUC2S025J)
- QTY 1 Siren with button control, Electrical control system 10-16V (Soundoff Signal part number: ENGKTGD002) Must be wired with ignition security option.
- QTY 1 Can-Module (Soundoff Signal part number: ENGLNK002)
- QTY 2 Dome Interior LED Lights mounted to hatch and must be wired to automatically turn on when hatch door opens. (Soundoff Signal part number: ECVDMLTAL00)
- Window tint full vehicle including windshield with 3M or Johnson window film tint. Shade to be determined at time of order.

Number: ENFWBF)(Color to be determined at time of order or equal)

 Install Customer supplied Radio – Radio antennas to be mounted behind rear pillars; not visible to outside of vehicle.

	A MANAGE TO SERVICE TO		
/	3N. <u>Panasonic Toughbook CF-30/31 Docking Station</u> with Integrated Power Supply (Dual RF, Standard Lock) (Gamber-Johnson Part Number: 7160-0318-06 or equal)	×	
/	30. Ford Expedition Pedestal Kit (Gamber-Johnson Part Number: 7170-0236 or equal)	<b>8</b>	
/	3P. Ford Expedition Console System Vehicle Kit (Gamber-Johnson Part Number: 7170-0727-03 or equal)	×	
_/	ITEM #3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION EQUAL (CONT'D)	N XL 4X4, AS 5	SPECIFIED OR
	DOCAL (COLLEY)	COMP	<u>LIANCE</u>
	OPTIONS (Cont'd)	YES	<u>NO</u>
J	3Q. <u>Visor Lightbar</u> Vehicle Specific Dual Color Light bar with TD 12LED (Soundoff Signal Part	$\checkmark$	_

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 27A of 42		
/ 3BB. Panasonic Airgain Cellular 3-in-1 Antenna for Docking Station (Part Number Al-3MDCBL19)	×			
Jacc. Panasonic Vehicle DC Power Adapter (Lind CF-33) (Part Number PA1555-655)	<b>X</b>			
January (CF-33) (Part Number CF-VEK331LMP)	×			
√3EE. Panasonic Premium Rotation Strap with Pen Holder and Stand (CF-33) (Part Number CF-VST332U)	8			
√ 3FF. Getac A140 Docking Station with Integrated Power Supply (Gamber 7160-1246-03; Power Supply LIND - GE1950-3709)	. <b>23</b> *			
√ 3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard including G.R.I.P. Tilt/Swivel  3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  including G.R.I.P. Tilt/Swivel  3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  including G.R.I.P. Tilt/Swivel  3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  including G.R.I.P. Tilt/Swivel  3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  including G.R.I.P. Tilt/Swivel  3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  including G.R.I.P. Tilt/Swivel  3GG. Getac Console Mount  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  Including G.R.I.P. Tilt/Swivel  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Keyboard  Including G.R.I.P. Tilt/Swivel  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet and Mount  Including G.R.I.P. Tilt/Swivel  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet And Mount  Including G.R.I.P. Tilt/Swivel  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet And Mount  Including G.R.I.P. Tilt/Swivel  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet And Mount  Including G.R.I.P. Tilt/Swivel  (HINT TM-5502-SMP) Double Telescopic Post for Display/Tablet And Mount  Include The Telescopic Post for Display/Tablet And Mount  Include The Telescopic Post for Display/Tablet And Mount  Include The Telescopic Post for Display/Tablet And Mount  Include The Telescopic Post for Display/Tablet And Mount  Include The Telescopic Post for Display/Tablet And Mount  Include The Telescopic Post for Display/Tablet Post for Display/Tablet Post for Display/Tablet Post for Display/Tablet Post for Display/Tablet Post for Display/Tablet Post for Display/Tablet Post for Display/Tablet Post for	Ø			
√ 3HH. Getac Keyboard (IKEY IK-88-TP-USB)	<b>X</b>			
JII. Special Paint Colors Not On the Standard Color Chart	<b>7</b> 2			
1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM (Original Equipment Manufactured) est/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydrautics, and all additional equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quicksery, Mack Tech Tool, John Deere Service Advisor, Freightliner Diagnostic Link	×	` []		
/ITEM#3 - CURRENT MODEL YEAR OR NEWER, FORD EXPEDITION XL 4X4, AS SPECIFIED OR EQUAL (CONT'D)				
/OPTIONS (Cont'd)	YES	<u>PLIANCE</u> <u>NO</u>		
3JJ. Diagnostic Tools / Test Equipment (Cont'd)	A E/O	110		
All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software	<b>2</b> 3			
<ol> <li>Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid</li> </ol>				

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 28A of 42
4. All software installations and activations will be completed by the		
<ul><li>successful bidder at no cost to the County</li><li>All software updates and renewal will be provided at no cost to to</li></ul>	the County	
for a period of five (5) years from the acceptance of the equipme	ent K	
6. All technical issues relating to test/diagnostic/programming equi	ipment and	
special tools shall be resolved by the successful hidder at no cost County for a period of five (5) years from the acceptance of the		
7. Training shall be provided on all items in this section at a specific	ied County	[7]
Location	<b>2</b> 5	L.J
For the purpose of installing two-way radios into new County vehicle equipment, the following power and wiring components shall be incomposed:  #12 AWG RED wire connected to 12VDC Battery Source to Amps  #12 AWG BLACK wire connected to chassis ground  #16 AWG YELLOW wire connected to 12VDC Ignition Set 5 Amps  Wires shall be encased in plastic wire loom and routed from their so the cab of the vehicle and secured in the vicinity of the operator. With harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminated. 12VDC sources shall be protected from making contagrounded metal surfaces	eles and cluded: ated at 20  use rated at  ource into iring e	
ITEM#3-CURRENT MODEL YEAR OR NEWER, FORD E. EQUAL (CONT'D)  OPTIONS (Cont'd)  3LL. Installation of County Supplied Two Way Radio and Access Install is to include but not limited to antenna cable, mounts, speaker	<u>COM</u> <u>YES</u> ssories	S SPECIFIED OR IPLIANCE NO
Install is to include but not limited to antenna cable, mounts, speaker brackets, etc. For the purpose of installing two-way radios into new	County	
extensional size, was one has barbana are sensualistically and asserted and asserted	Control	emj

vehicles and equipment, the following power and wiring components shall be

#### included:

- #12 AWG RED wire connected to 12VDC Battery Source rated at 20
- #12 AWG BLACK wire connected to chassis ground.
- #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

### ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

	COMP	LIANCE
DESCRIPTION	YES	' <u>NO</u>
Current Model Year or Newer Police Interceptor Utility		
AWD 3.3L V6 Direct-Injection FFV with 10-speed automatic transmission	<b>4</b>	
250- Amp Alternator	₩	
H7 SLI Battery (730 CCA/80-amp)	ĕ	
Suspension - Independent front & rear	Ø	

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 30A of 42
Brakes  - 4-Wheel heavy duty disc w/heavy duty front and rear calipers  - Police calibrated high-performance regenerative braking system  - Anti-lock brakes with Traction Control  Class III Trailer hitch receiver with 5,000 lbs. towing capacity and 2 recovery hooks (Included Class III Trailer Tow Lighting Package)  Column Shifter	M M	
Headlamps - Automatic, LED Low-and-High-Beam (Includes front headlamp/Police		
Interceptor Housing) - Pre-Drilled hole for side marker police use, does not include LED strobe, but includes LED wig-wag functionality - Pre-molded side warning LED holes with standard sealed capability (does	Ø	. <del>[</del> ]
not include LED installed lights) Wheels	<del></del>	_
<ul> <li>18" x 8.0 painted black steel with polished stainless steel hub cover</li> <li>Full size 18" spare tire with TPMS (Same speed rating as original tire)</li> <li>Tire - 255/60R18 A/S BSW</li> </ul> Seats -	Þ	
<ul> <li>Front Police Grade cloth Trim, dual front buckets with reduced bolsters</li> <li>1st row - 6-way power track with 2 way manual lumbar.</li> <li>1st row Passenger 2-way manual track</li> </ul>		
<ul> <li>Built-in steel intrusion plate in both front-seatbacks</li> <li>2<sup>nd</sup> row- vinyl, 35/30/35 split bench seat</li> </ul>		
Flooring Heavy Duty Thermoplastic Elastomer	<b>⊠</b>	
Speedometer - Certified, digital readout in message center and analog gauge	₽	
Hidden Door-lock Plunger w/rear door controls inoperable (locks, handles and windows) (Pkg, 52P) Interior Lighting —		
<ul> <li>Overhead console</li> <li>Red/White Task Lighting in Overhead Console</li> <li>3<sup>rd</sup> row overhead map light</li> <li>Speed Control</li> </ul>	翼	<u>,</u>
ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INT SPECIFIED OR EQUAL		
		PLIANCE NO
DESCRIPTION (Cont'd)	<u>* F9</u>	<u>NO</u> □
AdvanceTrac with Roll Stability	YES 之 哲	
Rearview Camera with Washer viewable in 4,2" center stack	7-1,1	<b>_</b>
Audio		
- AM/FM - Bluetooth Interface		
4.2" Color LCD Screen Center-stack "Smart Display"	<b>_</b>	

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS Interior Color - Charcoal Black	K	Page 31A of 42 □
PAINT		
Color to be specified from standard color chart on Purchase Order when ordering	×	₽
WARRANTY		
3 year/36,000 miles bumper to bumper	<b>₩</b>	
5 year/100,000 miles power train CARE Extended service plan (zero deductible)	Ą	
<u>OPTIONS</u>		
4A. Ford Protect ExtraCare Extended Service Plan Covering 113 components. 8 years/125,000 miles with \$0.00 deductible.	<b>B</b>	
<ul> <li>4B. Patrol Package In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.</li> <li>Emergency Lighting Equipment (Colors to be determined at time of Order)</li> <li>Vehicle should be configured with the following options;</li> <li>Ignition Security System - Button on Siren keypad activates Ignition Security System.</li> <li>Park flash - All warning lights flash an alternating single flash @ 1.2 FPS, Only one color displaying per flash</li> <li>Diagnostics and fault log - On board diagnostic and log to help diagnose and record any issues</li> <li>Remote Configuration- Vehicle Setup to have support login to electrical control system via vehicle PC</li> <li>Car-to-car sync - Warning system to sync from vehicle to vehicle. Must integrate with system deployed in current vehicles.</li> <li>1 - 54" Lightbar Dual Color with 12 LED Inboard &amp; 24 LED Corners (Soundoff Signal Part Number: ENNLBOOLCV-27Z). Includes Photo Cell Sensor</li> <li>1 - Activate Factory Headlight Flasher</li> <li>ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INT SPECIFIED OR EQUAL</li> </ul>	ERCEPTOR 1	UTILITY, AS
SI ECIFIED OR EOUAL	COM	PLIANCE
OPTIONS (Cont'd)	YES	NO
4B. <u>Patrol Package</u> (Cont'd)		
I – Rear Lightbar Dual Color - Ford Utility (Soundoff Signal Part Number:		
ENFWBRFF0)  2. 4" Passis Light and Stud Mount, 18" hard wire and sweet sure ontion, SAE Class 1.8:		
2 -4" Fascia Light w/ Stud Mount, 18" hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED (Soundoff Signal Part Number:		
EMPS2STS4)		

2 - 6 Inch Round Interior Light Red/White Chrome Trim Ring (Techniq Part Number: E20-WC0R-1) 1 - 200 Watt Remote Siren (Soundoff Signal Part

#### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

Number: ENGSA07152)

2 -4" Fascia Light w/ Stud Mount, 18" hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED (Soundoff Signal Part Number: EMPS2STS4)

2 - 100 Watt Professional Siren Speaker (Soundoff Signal Part Number:

ETS\$100J) With waterproof Connectors

- 2 Vehicle Specific Bumper Mount Siren Speaker Bracket (Soundoff Signal Part Number: ETSSVBK01)
- 1 200 Watt 500 Series Siren / Light Controller (Soundoff Signal Part Number: ENGSA582RSR)
- 1 Sync Module (Soundoff Signal Part Number ENGSYMD01)
- 1 Vehicle Integration Module (Soundoff Signal Part Number ENGLNK002)
- 3 Remote Node (Soundoff Signal Part Number: ENGND04101)
- 1 Plug & Play Engine Bay Harness Plugs into Soundoff Node and All Lightheads with waterproof connectors
- 1-Plug & Play Hatch Harness Plugs into Soundoff Node with Waterproof Connector
- 1 Ford Utility Wire Harness and Electronics Tray (Elite Vehicle Part Number:

EL WH Utility Tray)

1-20% window Tint front windows

#### Prisoner Transportation & Accessories

- 1 Vehicle Specific Front Prisoner Partition with Coated Poly & Sliding Window (Setina Part Number: PK11301TU20TM)
- 2 Universal UnderCover Screw-In LED Insert Single Light Kit, 9-32 VDC w/25' five wire harness insert white (Soundoff Signal Part Number: ELUC3H025W) With waterproof Connectors
- 2 Twist-lock adapter for LED Insert (Soundoff Signal Part Number PLUCTCL1)
- 2 Single Recess Mount Light, SAE Class 1, 10-16v, Black Housing, 12 LED (Soundoff Signal Part Number: ENFSRS3) With waterproof Connectors 2 - Intersector Under Mirror/Surface Mount Light, 9-32 Vdc, w/ 4-Wedges,
- Mounting Gasket & Hardware, 16 LEDs (Soundoff Signal Part Number: ENT2B3)

## ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

OPTIONS (Cont'd)

COMPLIANCE YES

NO

4B. Patrol Package (Cont'd)

2 - Single Deck/Grille Mount 12 LED Lights

(Soundoff Signal Part Number: ENFSGS3) with connector

4 - Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff

Signal Part Number: ELUC3H025)

1 - Vehicle Specific Rear Partition Coated Polycarbonate (Setina Part Number:

PK0316ITU202ND)

1 - Vehicle Specific Steel Vertical Window Barriers (Sctina Part Number: WK0514ITU20)



- 1 Dual T-Rail Weapon Mount System XL Lock w/ Key Override (Setina Part
- Number: GK20041UHKSVSCAXL)
- 1 Full Replacement Transport Seat TPO Plastic, with Center Pull Seat Beits
- (Setina Part Number: QK0634ITU20)
- 1 Aluminum Push Bumper with 4 Integrated Dual Color Lights (Setina Part
- Number: BK2044ITU20) with Waterproof Connector

#### Console & Computer Equipment

- 1 Ford Utility Police Console Kit ~ (Elite Vehicle Part Number: EL Utility Console, as specified or equal) shall include:
  - Console Kit 1 piece welded design
  - Sloped Upper
  - Armrest
  - Cupholders
  - Storage Pocket
  - Speaker Bracket
  - Mic Clip with L Bracket
  - Internal Electronics Tray
  - Recessed E-Ticket Bracket
- 1 9" Locking Slide Arm (Gamber-Johnson Part Number: 7160-1216-09)
- 2 -- Power Distribution Block w/ Negative Bus (Gamber-Johnson Part
- Number: 7160-0313)
- 1 Faceplate for Motorola XTL 2500-5000 (Gamber-Johnson Part Number:
- 7160-0321)
- 1 Faceplate for Soundoff 480 Control Head (Gamber-Johnson Part Number:
- 7160-0339)
- 2 Console Specific Side Mounted Mic Clip (Gamber-Johnson Part Number:
- MCS-EPICMIC)
- 1 PC Antenna for Docking Station (Antennas Plus part Number: SH-T900)
- 1 Mobile Radio Antenna Kit (Motorola Part Number: RAF4226A)
- 1 Mobile Radio Antenna Kit (Motorola Part Number: HAE6035A)
- 1 Mobile Radio GPS Kit (Motorola Part Number: HAG4000B)
- 1 Install 2 County Supplied Motorola Radios

## ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

OPTIONS (Cont'd)

COMPLIANCE

YES.

<u>NO</u>

#### 4C. Warrants Package

Emergency Lighting Equipment (Colors to be determined at time of order)
In an effort to maintain consistency and uniformity among all light patterns in
emergency vehicles in the fleet, the County requires the use of SoundOff Signal
BluePrint Control System for lightbars and lighting.

- Vehicle should be configured with the following options;
- Ignition Security System Button on Siren keypad activates Ignition Security System.
- Park flash All warning lights flash an alternating single flash @ 1.2

#### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

FPS, Only one color displaying per flash

- Diagnostics and fault log On board diagnostic and log to help diagnose and record any issues
- Remote Configuration—Vehicle Setup to have support login to electrical control system via vehicle PC
- Car-to-car sync Warning system to sync from vehicle to vehicle. Must integrate with system deployed in current vehicles.
- 1 Vehicle Specific Dual Color Light bar w/ TD 12LED (Soundoff Signal Part Number; ENFWBF)
- 1 Activate Factory Headlight Flasher
- 2 Universal UnderCover Screw-In LED Insert Single Light Kit, 9-32 VDC w/25' five wire harness insert white (Soundoff Signal Part Number: ELUC3H025W)

With waterproof Connectors

- 2 Twist-lock adapter for LED Insert (Soundoff Signal Part Number PLUCTCL1)
- 2 Single Recess Mount Light, SAE Class 1, 10-16v, Black Housing, 12 LED

(Soundoff Signal Part Number: ENFSRS3) With waterproof Connectors

2 - Intersector Under Mirror/Surface Mount Light, 9-32 Vdc, w/ 4-Wedges,

Mounting Gasket & Hardware, 16 LEDs (Soundoff Signal Part Number:

ENT2B3)

2 - Single Deck/Grille Mount 12 LED Lights

(Soundoff Signal Part Number: ENFSGS3) with connector

4 - Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal

Part Number: ELUC3H025)

- 1 Rear Lightbar Tri Color Ford Utility (Soundoff Signal Part Number: ENFWBRFF0)
- 2 -4" Fascia Light w/ Stud Mount, 18" hard wire w/ sync option, SAE Class 1 & CA Title 13, 9-32 Vdc, Black Housing, 12 LED (Soundoff Signal Part Number: EMPS2STS4)
- 2 6 Inch Round Interior Light Red/White Chrome Trim Ring (Techniq Part Number: E20-WC0R-1) 1 - 200 Watt Remote Siren (Soundoff Signal Part

Number: ENGSA07152)

## ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

<u>ÓPTIONS</u> (Cont'd)

YES NO

4C. Warrants Package (Cont'd)
2-4" Fascia Light w/ Stud Mount, 18" hard wire w/ sync option, SAE Class 1

& CA Title 13, 9-32 Vdc, Black Housing, 12 LED (Soundoff Signal Part

Number: EMPS2STS4)

2 - 100 Watt Professional Siren Speaker (Soundoff Signal Part Number:

ETSS100J) With waterproof Connectors

2 - Vehicle Specific Bumper Mount Siren Speaker Bracket (Soundoff Signal

Part Number: ETSSVBK01)

1 - 200 Watt 500 Series Siren / Light Controller (Soundoff Signal Part

Number: ENGSA582RSR)

#### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

- 1 Sync Module (Soundoff Signal Part Number ENGSYMD01)
- 1 Vehicle Integration Module (Soundoff Signal Part Number ENGLNK002)
- 3 Remote Node (Soundoff Signal Part Number: ENGND04101)
- 1 Plug & Play Engine Bay Harness Plugs into Soundoff Node and All Lightheads with waterproof connectors
- 1- Plug & Play Hatch Harness Plugs into Soundoff Node with Waterproof
  Connector
- 1 Ford Utility Wire Harness and Electronics Tray (Elite Vehicle Part

Number: EL WH Utility Tray)

1-20% window Tint front windows

#### Prisoner Transportation & Accessories

- 1 Vehicle Specific Front Prisoner Partition with Coated Poly & Sliding Window (Setina Part Number: PK1130ITU20TM)
- 1 Vehicle Specific Rear Partition Coated Polycarbonate (Setina Part Number: PK0316ITU202ND)
- 1 Vehicle Specific Steel Vertical Window Barriers (Setina Part Number: WK.0514ITU20)
- 1 Dual T-Rail Weapon Mount System XL Lock w/ Key Override (Setina Part

Number: GK20041UHKSVSCAXL)

1 - Full Replacement Transport Seat TPO Plastic, with Center Pull Seat Belts (Setina Part Number: OK0634ITU20)

#### Console & Computer Equipment

- 1 Ford Utility Police Console Kit (Gamber-Johnson Part Number: 7170-0166-01)
- 1 9" Locking Slide Arm (Gamber-Johnson Part Number: 7160-1216-09)
- 1 Faceplate for Motorola XTL 2500-5000 (Gamber-Johnson Part Number: 7160-0321)

## ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

## OPTIONS (Cont'd)

<u>YES</u>

### 4C. Warrants Package (Cont'd)

- 1 Faceplate for Soundoff 480 Control Head (Gamber-Johnson Part Number: 7160-0339)
- 2 Console Specific Side Mounted Mic Clip (Gamber-Johnson Part Number: MCS-EPICMIC)
- 1 Mobile Radio Antenna Kit (Motorola Part Number: RAF4226A)
- 1 Mobile Radio Antenna Kit (Motorola Part Number: HAE6035A)
- 1 Mobile Radio GPS Kit (Motorola Part Number: HAG4000B)
- 1 Install 2 County Supplied Motorola Radios

X

NO

COMPLIANCE

#### 4D. Admin Package

Emergency Lighting Equipment (Colors to be determined at time of order)
In an effort to maintain consistency and uniformity among all light patterns in
emergency vehicles in the fleet, the County requires the use of SoundOff Signal
BluePrint Control System for lightbars and lighting.

- Vehicle should be configured with the following options;
- Ignition Security System Button on Siren keypad activates Ignition Security System.
- Park flash All warning lights flash an alternating single flash @ 1.2 FPS, Only one color displaying per flash
- Diagnostics and fault log On board diagnostic and log to help diagnose and record any issues
- Remote Configuration—Vehicle Setup to have support login to electrical control system via vehicle PC
- Car-to-car sync Warning system to sync from vehicle to vehicle. Must integrate with system deployed in current vehicles.
- 1 Vehicle Specific Dual Color Light bar w/ TD 12 LED (SoundOff Signal Part Number: ENFWBF
- 1 Activate Factory Headlight Flasher
- 4 Single Deck/Grille Mount 12 LED Lights (SoundOff Signal Part Number: ENFSGS3) With waterproof Connectors
- 2 Universal UnderCover Screw-In LED Insert Single Light Kit (SoundOff

Signal Part Number: ELUC3H025W) With waterproof Connectors

2 - Single 12LED Recess Mount Lights (SoundOff Signal Part Number:

ENFSRS3) With waterproof Connectors

- 2 Single Deck/Grille Mount 12 LED Lights (SoundOff Signal Part Number: ENFSGS3)
- 2 Intersector Under Mirror/Surface Mount Light, 9-32 Vdc, w/ 4-Wedges, Mounting Gasket & Hardware, 16 LEDs (Soundoff Signal Part Number: ENT2B3)

## ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

PTIONS (Cont'd)

OPTIONS (Cont'd)

4D. Admin Package

2 - Single Deck/Grille Mount 12 LED Lights

(Soundoff Signal Part Number; ENFSGS3) with connector

4 - Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal

Part Number: ELUC3H025)

- I Rear Lightbar Tri Color Ford Utility (Soundoff Signal Part Number: ENFWBRFF0)
- 2-4" Fascia Light w/ Stud Mount, 18" hard wire w/ sync option, SAE Class 1 &

CA Title 13, 9-32 Vdc, Black Housing, 12 LED (Soundoff Signal Part Number:

EMPS2STS4)

2 ~ 6 Inch Round Interior Light Red/White Chrome Trim Ring (Techniq Part Number: E20-WC0R-1) 1 ~ 200 Watt Remote Siren (Soundoff Signal Part

COMPLIANCE

YES

NO

	OMPLIANCE PAGES MOTOR VEHICLES: SUVS		Page 37A of
2 -	100 Watt Professional Siren Speaker (Soundoff Signal Part Number:		
2 -	SS100J) With waterproof Connectors  Vehicle Specific Bumper Mount Siren Speaker Bracket (Soundoff Signal Part		
	imber: ETSSVBK01) 200 Watt 500 Series Siren / Light Controller (Soundoff Signal Part Number:		
EN	IGSA582RSR)		
	- Sync Module – (Soundoff Signal Part Number ENGSYMD01) - Vehicle Integration Module - (Soundoff Signal Part Number ENGLNK002)		
	- Remote Node (Soundoff Signal Part Number: ENGND04101)		
	Plug & Play Engine Bay Harness – Plugs into Soundoff Node and All	•	
	ghtheads with waterproof connectors  Plug & Play Hatch Harness Plugs into Soundoff Node with Waterproof		
1 -	Connector Ford Utility Wire Harness and Electronics Tray (Elite Vehicle Part Number:		
	, WH Utility Tray) - 20% window Tint front windows	•	
1 ~	- 70.29 Mludóm Tillt trótir mildoms		
	onsole & Computer Equipment		
1 - 01	- Ford Utility Police Console Kit (Gamber-Johnson Part Number: 7170-0166-		
1 -	- 9" Locking Slide Arm (Gamber-Johnson Part Number: 7160-1216-09)		
	Faceplate for Motorola XTL 2500-5000 (Gamber-Johnson Part Number: 7160-21)		
1 -	Faceplate for Soundoff 480 Control Head (Gamber-Johnson Part Number: 60-0339)		
2 -	- Console Specific Side Mounted Mic Clip (Gamber-Johnson Part Number: CS-EPICMIC)		
1 -	Mobile Radio Antenna Kit (Motorola Part Number: RAF4226A)		•
/ <sub>IT</sub>	<u>EM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTE</u>	RCEPTOR !	UTILITY, AS
SP	ECIFIED OR EQUAL	COM	PLIANCE
01	PTIONS (Cont'd)	YES	NO
•	. Admin Package (Cont'd)		
! - 1 -	Mobile Radio Antenna Kit (Motorola Part Number: HAE6035A)  Mobile Radio GPS Kit (Motorola Part Number: HAG4000B)	*******	
1 -	- Install 2 County Supplied Motorola Radios		

√4E. Prosecutor's Package

Emergency Lighting Equipment (Colors to be determined at time of order) In an effort to maintain consistency and uniformity among all light patterns in emergency vehicles in the fleet, the County requires the use of SoundOff Signal BluePrint Control System for lightbars and lighting.

- Vehicle should be configured with the following options;
- Ignition Security System Button on Siren keypad activates Ignition

Security System.

- Park flash All warning lights flash an alternating single flash @ 1.2 FPS, Only one color displaying per flash
- Diagnostics and fault log On board diagnostic and log to help diagnose and record any issues
- Remote Configuration—Vehicle Setup to have support login to electrical control system via vehicle PC
- Car-to-car sync Warning system to sync from vehicle to vehicle.
   Must integrate with system deployed in current vehicles. No subscription fee.
- 1 Vehicle Specific Dual Color Light bar w/ TD 12LED (Soundoff Signal Part Number: ENFWBF)
- 4 Single Deck/Grille Mount 12 LED Lights (Soundoff Signal Part Number: ENFSGS3)
- 1 Activate Factory Headlight Flasher
- 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff

Signal Part Number: ELUC3H025W)

- 2 Single 12LED Recess Mount Lights (Soundoff Signal Part Number: ENFSRS3)
- 4 Universal UnderCover Screw-In LED Insert Single Light Kit (Soundoff Signal Part Number: ELUC3H025)
- 1 Rear Lightbar Dual Color Ford Utility (Soundoff Signal Part Number: ENFWBRF)
- 1 200 Watt Remote Siren (Soundoff Signal Part Number: ENGSA07152)
- 1 15 Programmable Button w/ 3 Position Slide Switch Controller (Soundoff

Signal Part Number: ENGCP18001)

2 - 100 Watt Professional Siren Speaker (Soundoff Signal Part Number: ETSS100N)

## ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTERCEPTOR UTILITY, AS SPECIFIED OR EQUAL

'OPTIONS (Cont'd)

COMPLIANCE

NO

4E. Prosecutor's Package (Cont'd)

- 2 Vehicle Specific Bumper Mount Siren Speaker Bracket (Soundoff Signal Part Number: ETSSVBK01)
- 1 100 Amp Central Controller (Soundoff Signal Part Number:

ENGCC01241)

- 1 Sync Module (Soundoff Signal Part Number ENGSYMD01)
- 1 Vehicle Integration Module (Soundoff Signal Part Number ENGLNK002)
- 1 Central Controller Harness Kit (Soundoff Signal Part Number:

ENGHNK01)

- 1 Remote Node (Soundoff Signal Part Number: ENGND04101)
- 1 Remote Node Harness (Soundoff Signal Part Number: ENGHNK02)
- 1 Ford Utility Wire Harness and Electronics Tray Ford Utility Vehicle

YES

Specific electronics tray and harness. Tray and harness is designed for minimal connection points and seamless integration of aftermarket electronics into vehicle upfitter connectors. No cutting or splicing of any vehicle wires. Tray - Aluminum Tray fits behind rear OE panel. Electronics control system, Power & Ground distribution should be preinstalled onto tray. Harness - GXL function labeled wire. Wires should have no connections in line, wires terminated on both ends with plug-n-play connectors. Vehicle side of harness should have OEM spec terminals and connectors, terminated with tool press applicator to OE spec.

- 1 DBUtility2021 Pro Clipusa, or equal; Vehicle Specific Dash Bracket-Dash bracket consists of light gauge steel with a black powder coating. It is to be mounted near the factory AM/FM Radio without drilling any holes in the vehicle. The bracket is to have the Amps hole pattern.
- 1 Mobile Radio Antenna Kit (Motorola Part Number: RAF4226A)
- 1 Mobile Radio Antenna Kit (Motorola Part Number: HAE6035A)
- 1 Mobile Radio GPS Kit (Motorola Part Number: HAC4000B)
- 1 Install County Supplied Motorola Radios
- 1 20% window Tint front windows & Strip on windshield

	-		
. /	4F. Panasonic Toughbook CF-33 Docking Station with Integrated Power		
	Supply (Dual RF, Standard Lock) (Installed) (Gamber-Johnson Part Number: 7170-0684-02)	型。	
nds	4G. Ford Police Interceptor Utility Pedestal System Kit (Installed) (Gamber-Johnson Part Number: 7170-0814-01)	Ě	
4	4H. Split Cage Partition (Installed) (Setina part number: 1K0574ITU20FR)	E	П
	ITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTER		TILITY. AS
-V ;	SPECIFIED OR EQUAL		, , , , , , , , , , , , , , , , , , , ,
		COMPLIANCE	
	/OPTIONS (Cont'd)	<u>YES</u>	NO
Į.	4I. Open Top Tray with Anchor Points & Lower Drawer with		
	Combination Lock (Installed)	<b>√</b> w	
	(Setina Part Number: TK0236ITU20)	,eX	
1	4J. <u>Freestanding Mount Kit (Installed)</u>		
	(Setina Part Number: GF1092ITU20)		
<b>√</b>	4K. Dual Weapon Lock Blac - Rac (Installed)	_	_
	(Setina Part Number: GK11222B)	R	L
/	4L. Aluminum Push Bumper with Integrated Dual Color Lights		
	(Installed)	Ĵkn	
	(Setina Part Number: BK2044ITU20)	<b>41</b>	أبسيا

COMPLIANCE PAGES - MOTOR VEHICLES: SUVS		Page 40A of 42
4M. Single Weapon draw with lock (Installed)		_
(Rockland part Number: DRU-1)	赵	
/ 4N. Dual Color LED light bar with vehicle specific mounts (Installed)	er.	ren's
(Soundoff Signal Part Number: ENFWBRF)	Æ	
40. <u>Harness (Installed)</u>	æ	["]
(Soundoff Signal Part Number: PCPNRCNG1)	<b>*E</b>	
14P. Dual color warning light - Color to be specified at time of order		
(Installed)	Æ	
(Soundoff Signal Part Number: EMPS2STS4)	24	<b></b>
4Q. Getac A140 Installtion Kit		
- Close to Dash Bracket (Hint Part Number TM-5126-PIU-20)		
<ul> <li>Power Supply (Lind Part Number (GE1950-3709)</li> <li>KeyBoard (iKey Part Number: IK-88-TP-USB)</li> </ul>		
- ReyBoard (Rey Fart Number: Resolution - Gamber Johnson Part Number: 7160-1247-03)	8	
4R. Whelen; IX2AAAA - Liberty II, Solo IX Low Current Series Light		
Bar- 54"		
Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing		
and 6 rear facing and bar also includes two white take down lights in Front, 2	. <del>52*</del> 1	П
White Alley Light, Corner light wired on a Separate switch.		Ц
A STRUCTURE OF STRUCTURE FORD BOLLOW INTE	: <b>ድ</b> ረፍ <b>ታፕ</b> ብጽ 1	ITILITY. AS
VITEM #4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTE SPECIFIED OR EQUAL	ACCE TORY	V KIRZE A AQUAN
di Echiley Ox Double	<u>COM</u> I	LIANCE
OPTIONS (Cont'd)	YES	NO
4S. Light Color Option		
Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the		
amber rear arrow stick.		
4T. 54" Lightbar		
Color to be determined at time of order. Fully Populated, Dual Color, Low		
Profile mount with solar panel. (Soundoff Signal Part Number:		
ENNLB00LMM-29L)	<b>S</b> I	<u> </u>
4U. Special Paint Colors Not On the Standard Color Chart	-2	L_J
4V. Diagnostic Tools / Test Equipment		
1 Successful hidder may be required to supply between one (1) to three (3)	,	
complete sets of OEM (Original Equipment Manufactured) test/diagnostic	s/	
programming equipment (i.e. laptop, software, cabling, and adapters) and	vi ma	
special tools required to perform the full range of diagnostic and maintena	nce	

СОМІ	PLIANCE PAGES - MOTOR VEHICLES: SUVS actions necessary to maintain vehicle operability. This equipment will cove	r.	Page 41A of 42
	the vehicle chassis, engine, transmission, brakes, hydraulics, and all additio equipment (if applicable). Examples of OEM diagnostics are as follows: Ford IDS, Cummins Quickserv, Mack Tech Tool, John Deere Service Advi Freightliner Diagnostic Link		
2.	All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software	À	
3.	Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid	<u>Ja</u> c	
4.	All software installations and activations will be completed by the successful bidder at no cost to the County	×	
5.	All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment	À	
6.	All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment	¥	
7.	Training shall be provided on all items in this section at a specified County Location		
	#4 - CURRENT MODEL YEAR, OR NEWER, FORD POLICE INTE	RCEPTO	R UTILITY, AS
SPEC	<u>IFIED OR EQUAL</u>	COM	PLIANCE
<b>4W. <u>T</u></b> For t	ONS (Cont'd)  wo-Way Radio Power and Wiring Requirements for New Vehicles  he purpose of installing two-way radios into new County vehicles and equipallowing power and wiring components shall be included:	YES	<u>NO</u>
•	#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amp #12 AWG BLACK wire connected to chassis ground #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 A		
of the label	s shall be encased in plastic wire loom and routed from their source into the experience and secured in the vicinity of the operator. Wiring harness shall be ed "TWO-WAY RADIO". Wires shall be unterminated, 12VDC sources shall cted from making contact with grounded metal surfaces	clearly	
Insta	installation of County Supplied Two Way Radio and Accessories Il is to include but not limited to antenna cable, mounts, speakers, brackets, e the purpose of installing two-way radios into new County vehicles and equip	te. nent,	

### COMPLIANCE PAGES - MOTOR VEHICLES: SUVS

the following power and wiring components shall be included:


- #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- #12 AWG BLACK wire connected to chassis ground.
- #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.

4Y. <u>Ford Factory Installed Options</u> – percentage discount from Manufacturer's Suggested Retail Price (List Price) Must submit price list with bid.

**X** 

 $\mathbf{\Xi}$ 



### RESOLUTION

July 19, 2023

WHEREAS, on June 21, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name of Bidder

Winner Ford

Address of Bidder

250 Berlin Road Cherry Hill, NJ 08034 (856) 214-0759

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, WINNER FORD be accepted. Recommendation is made to reject Item Nos. 5, 5a, 5b, 5c, 5d, 5e, 5f, 5g, 5h, 5i, 5j, 5k, 5l, 5m, 5n, 5o, 5p, 5q, 5r, 5s, 5t, 5u, 5v, 5w, 5x, 5y, 5z, 5aa, 5bb, 5cc, 5dd, 5ee, 5ff, 5gg, 5hh and 5ii, as they were unresponsive They will be rebid with revised specifications.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

### WINNER FORD for one hundred sixty seven (167) items, to wit:

ITEM NOS. 1, 1a, 1b, 1c, 1d, 1e, 1f, 1g, 1h, 1i, 1j, 1k, 1l, 1m, 1n, 1o, 1p, 1q, 1r, 1s, 1t, 1u, 1v, 1w, 1x, 1y, 1z, 1aa, 1bh, 1cc, 2, 2a, 2b, 2c, 2d, 2e, 2f, 2g, 2h, 2i, 2j, 2k, 2l, 2m, 2n, 2o, 2p, 2q, 2r, 2s, 2t, 2u, 2v, 2w, 2x, 2y, 2z, 2aa, 2bb, 2cc, 2dd, 2ee, 2ff, 2gg, 2hh, 2ii, 2jj, 2kk, 2ll, 2mm, 2nn, 2oo, 2pp, 2qq, 2rr, 2ss, 2tt, 2uu, 2vv, 3, 3a, 3b, 3c, 3d, 3e, 3f, 3g, 3h, 3i, 3j, 3k, 3l, 3m, 3n, 3o, 3p, 3q, 3r, 3s, 3t, 3u, 3v, 3w, 3x, 3y, 3z, 3aa, 3bb, 3cc, 3dd, 3ee, 3ff, 3gg, 3hh, 3ii, 3jj, 3kk, 3ll, 3mm, 3nn, 3oo, 3pp, 3qq, 3rr, 3ss, 4, 4a, 4b, 4c, 4d, 4e, 4f, 4g, 4h, 4i, 4j, 4k, 4l, 4m, 4n, 4o, 4p, 4q, 4r, 4s, 4t, 4u, 4v, 4w, 4x, 4y, 4z, 4aa, 4bb, 4cc, 4dd, 4ee, 4lf, 4gg, 4hh, 4ii, 4jj, 4kk, 4ll, 4mm, 4nn and 4oo.

For a Total Lump Sum Award (Item #'s 1 - 1cc) of \$7,144,480.00.

For a Total Lump Sum Award (Item #'s 2 - 2vv) of \$8,821,255.00.

For a Total Lump Sum Award (Item #s 3 - 3ss) of \$7,235,255.00.

For a Total Lump Sum Award (Item #s 4 - 400) of \$3,711,250.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment and services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for the equipment and services shall be available within the following funding Source: Vehicle Services O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-134.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Vehicle Services and Winner Ford the successful bidder.

### WINNER FORD

PROPOSAL DOCUMENT REPORT BId No. TBD

MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

# Acknowledgement of Submission of Forms from Current Bid Package\*

executed prior to the date of advertising. Failure to follow these instructions is cause for rejection. package as forms change frequently and the most updated forms are provided in this specification. The forms must not be dated or Bidders shall complete all documents and acknowledge all terms included with the bid package. All documents should be from this bid

Confirmed

### 12. Submission of Bld Package\*

solicitation must be submitted and that failure to do so may be cause for rejection. By submitting a response to this solicitation, the Vendor understands and acknowledges that all required documents to this

Submitting a manual response in addition to the electronic response is cause for rejection of your bid Bidder also understands that only one (1) bid submission shall be considered. Please DO NOT Submit a manual bid response.

Confirmed

### PRICE TABLES

	<	
CPTIONS	н	l ine item
	Current Model Year Or Newer, Ford F550 Regular Cab With Steel Dump Body, As Specified, Or Equal	Description
	K	Quantity
5 5 9 9 9 9 9	5	Unit of Measure
	\$82,812.00	Unit Cost
	\$2,070,300.00	Ĩcta'
	; ;	No Rid
	2024 F550 RC	Make/Model:
	see #7 in questionaire	Warranty:
	unknown at this time	Warranty: Delivery, A.S.O.:

# PROPOSAL DOCUMENT REPORT BIG No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

	<u> </u>	. <		<u></u>		<u> </u>	<u> </u>	
	<del>5</del>	If	Le	<b>1</b> d	10	#	en H	Line Item
	Stainless Steel Rody Ungrade Olimensions, as Specified	Fold Down Sides on Standard Dump Body, as Specified	Upgrade to Crew Cab Chassis with 84° Cub to Axle, as Specified	Upgrade to Super Cab Chassis with 84" Cab to Axle, As Specified	Upgrade to Regular Cab Chassis with 84" Cab to Axle, As Specified	Upgrade Chassis to Crew Cub Chassis, retaining 60" Cab to Axie, As Specified	Upgrade Chassis to Super Cab Chassis, retaining 60" Cab to Axle, as specified	Description
	25	25	25	ы (Л	<u>ئ</u>	25	25	Quantity
	£Α	EA	EA	EA	EA	EA	FA	Unit of Measure
	\$7,060.00	\$850.00	\$5,170.00	\$4,130.00	\$1,320.00	\$4,995 (IV)	\$3,980,00	Unit Cost
	\$176,500.00	\$21,250.00	\$129,250.00	\$103,250.00	\$33,000.00	\$124,875.00	\$59,000.00	Total
								No Bid
								Make/Model:
								Warranty:
-			i					Belivery, A.R.O.:

# PROPOSAL DOCUMENT REPORT BIG No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

						4		•
10	  -  - 	1111	Ħ	*	1]	11	1ት	[ਜਦ ਵਿਜ
30" Under Body Tool Box, as Specified	ProTech Aluminum t-Pack With Stainless Steel Doors PN #20-2737, as Specified	I-Pack Tool Box, as Specified	Մաուր-Through Liftgate, as Specified	Stainless Steel UTG Syreader General, as Specified	Central Hydraulic System Hydraulic Pump, as Specified	Body Faint Option for Stainless Steel Body Upgrade, as Specified	Stainless Steel Fold Down Sides Ful Stainless Steet Body Option, as Specified	Description
25	S	25	25	25	25	<i>ይ</i>	54	Quantity
Ţ,	Ţ.	ĘĄ.		t A	5	· 50 (	E .	Unit of Measure
\$1,550.00	\$7,390.00	\$6,300.90	\$11,000.00	\$5,000.00	\$25,200.00	\$4,000.00	\$1,500.00	Unit Cost
\$38,750.00	\$184,750.00	\$157,500.00	\$275,000.00	\$225,000.00	\$6,000,006	\$190,400.00	\$37,500,00	<u>  [ata]</u>
			J					No Fid
								Make/Model;
		.   						Wallanty:
							PRINCIPLE BY PERINCIPLE	Delivery ARD:

PROPOSAL DOCUMENT REPORT BId No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

	_ <				<u> </u>		
W,	ĄŢ	1-	 	<b>រ</b>	 	1q	Line (term
Whelen Light Bar LED Liberty II Solo IX 48", as Specified	Foly Electric Spreation Dimensions, as Specified	9' Rezdiy Detachable Western Snow Plaw System, as Suscified	Go-Lights, Model 30264, as Specified	Air Compressor, 150 CHM, as Specified	Air Compressor, 70 CFM, as Specified	Spreader leg Stand Kit PN #903/295, as Specified	Stainless Streil V- Box General, as Specified
33	25	25	25	25	25	25	SZ Aguena
FA	F	G.	<b>%</b>	ĘΑ	EA.	ĒA	Unit of Messure
\$5,400.00	<b>\$4,</b> 690.00	\$9,235.00	\$1,280,00	522,135.00	\$19,110.00	\$4,265.00	933,400.00
\$135,000.00	\$21,72000	\$236,875.00	\$32,000.00	\$553,375.00	\$477,750.00	\$106,525.00	\$835,000.00
							No Bid
		-				:	Make/Medel:
						·	Warrante
							Delvery, A.R.O.:

Bid No. TBD

MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

		C.		-	<u></u>	4
TOTAL	λιc	186	Lag	27	19	Line (tem
	Tuchnical Support, as Specified:	Installation of County Supplied Two Way Radio and Accessories, as Specified	1990 Way Radio Power and Wiring Requirements for New Vehicles, as Specified	Diagnostic Tools / Test Equipment, as Specified	Special Paint Colors Not On the Standard Color Chart, as Specified	Road Department Paint Color Scheme, as Specified
	180	25	25	g.	25	Quantity 25
	HR	Ø	E.A.	SET	EX.	Unit of Measure EA
	\$1.00	\$500.00	\$30,00	\$7,500,00	\$860.00	Unit Cost. \$3,500.00
\$7,144,480.00	\$180.00	\$15,000.00	\$9,600.00	\$22,500.00	\$16,500.00	(90,002,78\$
						Na Bid
5 5 5 5 5						Make/Model:
						Warranty:
						Delivery, A.R.O.;

ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH 9 FOOT UTILITY BODY, AS SPECIFIED, OR EQUAL

Bid No. TBD

<				<	_
2#	24	20	23-	OPTIONS 2a	Line Item
Upgrade to Crew Cab Chassis with 84" Cab to Axle, es Specified	Upgrade to Super Cab Chassis with 84" Cab to Axle, As Specified	Upgrade to Regular Catr Chass's with 84" Catr to Axle, As Specified	Upgrade Chassis to Crew Cab Chassis, retaining 60° Cab to Isole, As Specified	Upgrade Chassis to Super Cati Chassis, ettaining 60° Cati to Asle, as specified	Corrent Model Year Gr Newer, Ford F550 Regular Cab With 9 Foot Utility Body, As Specified, Or Equal
*	25	25	. 25	35	Quantity 25
FA.	ÇA.	Ţ,	<u>.</u> .	F	Unit of Measure
\$5,170.00	\$4,180.00	\$1,320.00	\$4,935,00	000 Def. 5.5	\$90,416.00
\$129,250.00	\$103,250,00	00.000%88\$	\$124,875,00	407000°E6\$	\$2,250,400.00
	:			,	No Bid
					Make/Model: 2014 F550
					Warranty:
					Delivery, A.R.D.: Unknown

PROPOSAL DOCUMENT REPORT BID No. TBD

MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

		<u> </u>		<u></u>	<u> </u>		
<u> </u>	2%	. 21	<u></u>	2h: ::	29	<b>,</b> }†	tine Item
Bottle Retainer Compartment, as Specified	Raised Front Curbside Compariment for both 9 Foot and 11 Foot Utility Bodies (Bottle Cas Retairer Not Included), as Specified	Flip Top Compartment both Street and Curbside for 11 Foot Utility Body, as Specified	Flip Top Comparement both Street and Curbside for 9 Foot Utility Body, as Specified	Maxon Liftgate, as Specified	11 Foot Body Upgrade, as Specified	9' Aluminum Utility Booy Upgrade Body Shell, as Specified	Description
25	. 25	25	25	স	25	25	Quantity
E	T <sub>A</sub>	Œ,	Ę,	Ë	En A	<b>~</b>	Unit of Measure
\$3,260.00	\$1,670.00	\$3,815.00	\$1,8na.na	\$4,600.00	\$1,955.00	\$4,200.00	Unit Cost
\$81,500.00	\$41,750.00	\$45,375.00	\$45,000.00	\$115,000.00	\$48,875.00	\$105,000.00	Total
					```		No Bid
							Make/Modei:
				:			Warranty:
							Delivery, A.R.O.:

PROPOSAL DOCUMENT REPORT

BIG - MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

Page 13

PROPOSAL DOCUMENT REPORT

Bid No. TBD

MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

<	_						
#	25	2.	2զ	2р	20	211	Line kern 2m
Custom Kear Work Bumper, as Specified	Venco Venturo 4,000 LB. Electric Crane, as Specified	C-Tech Drawer Unit for 60" High Utility Body, as Specified	C-Tech Drawer Unit for Standard Height Body, as Specified	Transverse Compertment, as Specified	Subfloor with Full Height Taligate, as Specified	High Compartment Body, 11 Foot Utility Body, as Specified	Description High Compartment Body, 9 Foot Utility Body, as Specified
×	·	25	អ	25	25	25	Quantity 25
EA.	EA.	ĒĀ	5	£A	EA	EA	Unit of Measure
\$4,845.00	\$33,100,00	\$4,060.00	\$2,740.00	\$7,525.00	\$3,200.00	\$7,100.00	Unit Cost \$5,400.00
\$123,125.00	\$827,500.00	\$101,500.00	\$68,500,00	\$188,125.00	\$80,000.00	\$177,500.00	Tota: \$135,000.00
	·						No Bid
						٠.	Make/Model:
,		:					Wаггалъу:
				:			Delivery, A.R.O.:

PROPOSAL DOCUMENT REPORT BID No. TBD

					<u> </u>	<u> </u>	4	_
260	266	238	22	£7.	<b>7</b> x		, y	Line item Zu
Windi, as Specified	Trailblazer 302 Air Pak, as Specified	Emergetry Lighting Spiir Red Blue Body Lights, as Specified	Ught Color Option for Uberty (1501o 1% 48" Ught Ber	Whelen LED uborty II Solo IX 48" Light 8ar, as Specified	BASE Spray liner on Floor of Compartments, as Specified	Four (4) 2" X 12" Ratchet Straps, As Specified	E-Track Down Each Side of Body -2" from Top of Compartments, As specified or Equal	Description Ladder Rack, as Specified
£2.	25	25	25	25	25	5-	H	ស្មាតក្សាស្វ 25
FF.	EA	F.	<b>T</b>	ēΑ	76	SI	<b>[</b> 0]	Unit of Measure EA
\$5,260.00	\$ <b>1</b> 4,100.00	\$1.00	. \$1.00	\$5,400.00	\$1,590.00	\$80.00	\$365.00	\$2,195.00
\$121,500.00	\$1,102,500.00	\$25.00	\$25.00	\$135,000.00	\$39,750.00	\$2,000,60	\$9,125.00	Total \$54,875.00
								No ਬੇਂਦ
								Make/Wodel:
								Warranty
								Delivery, A.R.O.:

MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS Bid No. TBD PROPOSAL DOCUMENT REPORT

_ <	_ <	_	<u> </u>	_	<		
2kk	ZÚ	<b>7</b> 11	2hh	382	2#	2 a e	Line ilem 2dd
Road Department Paint Color Scheme, as Specified	Booster Jump Set, as Specified	1700 Peak Amp 12 Yolt Jumper Starter, as Specified	Truck Steel Air/Hydraulic Service Jack, as Specified	Husky 815-Piece Mechanic's tool Set, as Specified	Cast Iron Micelianic's Vise on Removable Plate with Receiver Type Hitch, as Specified	Pioneer Flood Light Head - Model PFP2P1, or Equal, as Specified	Air Compressor, 150 CFM, as Specified
25	25	25	25	25	25	25	Quantity 25
5	ΕA	EA	E A	EA	EA	EA	Unit of Measure
\$3,500.00	\$475.00	\$415,00	\$3,500.00	\$3,400.00	\$1,175.00	\$2,790,00	Unit Cost \$22,135.00
\$87,500.00	\$11,875.00	\$10,375.00	\$87,500.00	\$85,000.00	\$29,375.00	\$69,750.00	Total \$553,375.00
							No Bid
							Make/Madel:
							Warranty:
							Delivery, A.R.O.:

### MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS Bid No. TBD PROPOSAL DOCUMENT REPORT

	line Item	Description	Quantity	Unit of Measure	Unit Cost	Tatal	No Biri	fidako (Marcial)	. Li	
_	. 211	Vehicle Special Order Paint Colors Not on the Standard Color Chart, as Specified	25	· F	\$660.00	\$16,500.00		,	v en en en	on hell is where
<u> </u>	2mm	EnPak A30GBW, as Specified	25	ņ <b>4</b>	\$30,440.00	\$761,000.00				
<u> </u>	2an	Inverter, as Specified	25	FA	\$4,840.00	\$121,000.00				
<u> </u>	200	Go Lights, Model 3024, as Specified	25	m #	\$2,310.00	\$57,750.00				
<u> </u>	2рр	Readily Detachable Western Snow Plow System, as Specified	SA	\$	\$9,235.00	\$230,875.00				
<u> </u>	2 qq	Poly Electric Spreader, as Specified	25	Ę	\$8,690.00	\$217,250.00	·			
. ' <	? <del>।</del>	Pipe Vise on Removable Plate with Receiver Type Hitch, as Specified	25	Σ	\$1,165.00	\$29,125.00				
	255	Diagnostic Tools / Test Equipment, as Specified	ω	SET	\$7,500.00	\$22,500.00				
<	2tt	Two-Way Radio Power and Wiring Requirements for 1 New Vehicles, as Specified	%	\$	\$360.00	\$3,000.00				

PROPOSAL DOCUMENT REPORT
BIG - MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

### MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS Bid No. TBD PROPOSAL DOCUMENT REPORT

Line Item	
Description	
Quantity	
Unit of Measure	
Unil Cost	
Total	
No Bid	•
Make/Model:	
Warranty:	
Delivery,	

	4	4
TOTAL	204	Line item Zuu
	Technical Support, as Specified	Description Instaliation of County Supplied Two Way Radio and Accessories, as Specified
	180	Quantity 25
	KF.	Unit of Measure EA
	\$2.00	Unit Cost \$600.00
\$8,821,255.00	\$150.00	\$15,000,000
		No Bid
		Make/Model:
		Warranty
		Warranty: Delivery, A.R.O.:

# ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL

<	_	
32	OTTOKS 3	Lijie item
Upgrade Chassis to Super Cab Chassis, revaining 60" Cab to Axie, as specified	Current Model Year Or Newer, Ford F550 Regular Cab With Enclosed Utility Service Body, As Specified, Or Equal	Description
25	25	Quantity
5	E	ปกit of Measure
\$3,960.00	\$103,357.00	Unit Cost
AD'000'66\$	\$2,583,925.00	Total
		No Bid
	2024 Ford F550	Make/Modek
	See#7	Warranty
	Unknown	Delivery A.R.O.:

### PROPOSAL DOCUMENT REPORT BID No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

			_	_	-	4
ఆ	, in the second	31	(J)	رب 3.	i'n	line fem 3b
11 Foot Low Height Enclosed Body Upgrade For Use With 84" CA Chassis, as Specified	High Height Enclosed Body Upgrade, as Specified	Medium Height Enclosed Body Upgrade, as Specified	Upgrade to Grew Cab Chassis with S4" Cab to Axle, as Specified	Upgrade to Super Cab Chassis with 84" Cab to Axle, As Specified	Upgrade to Regular Cab Chassis with 84" Cab to Axle, As Specified	Description Upgrade Chassis to Crew Cab Chassis, retaining E0" Cab to Axle, As Specified
25	25	25	25	25	75	Quantity 25
EA	Ç,	Ş	Ę	EA.	<u>r</u>	Unit of Measure
\$2,500.00	37,006.715	\$1,410.00	\$5,170,00	\$4,130.00	\$1,320.00	Unit Cost \$4,995.00
\$62,500.00	\$47,500.00	\$35,000.00	\$129,250.00	\$103,250.00	\$33,000.00	) otal \$124,875.00
						No Bid
	· · · · • • • • • • • • • • • • • • • •					Make/Model:
						warenty:
						Delivery, A.R.O.:

Bid No. TBD

_	<		_		
3a	3711	31	36	ঞ	Line Item 27
13 Foot Medium Height Enclosed Body Upgrade For Use With 84° CA Chassis, as Specified	High Height Enclosed Body Upgrade, as Specified	Medium Height Endosed Body Upgrade, as Specified	Aluminum Body Upgrade from Steel, As Specified	11 Foot High Height Enclosed Body Ubgrade For Use With 84" C4 Chassis, as Specified	Description 11 Foot Medium Height Enclosed Body Upgrade For Use With 84" CA Chassis, as Specified
25	25	55.	25	25	Quantity 25
;n ;+	FĄ	EA	EA	m Þ	Unit of Measure
\$7,000.00	\$\$,950.00	\$4,900.00	\$4,825.00	\$3,900.00	Out Cost
\$175,000.00	\$123,750.00	\$122,500,00	\$125,450.00	\$97,500.00	Total \$79,200.00
					No aid
			j		Makejidoda:
	***** d1 - 64 ·				Warranty:
		i			Defvery, A.R.O.:

# PROPOSAL DOCUMENT REPORT BId No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

<b>\</b>	**************************************	_		4			American	A	
	334	*	מנ	Ŝī	ដូ		34	છુ	Line Item 30
Sumper Crane, as Specified	Hide-A-Way	BASE Spray timer on Floor of Compartments, as Specified	BASE Spray Unier on Floor and Sides of Cargo Area, as Specified	inverter, as Specified	Whelen 900 Series Super LED Scene Lights, as Specified	8ASF DTE Liner JWALTA, as Specified	Bottle Retainer Compartment, as Specified	Side Access Doors In Roof, as Specified	Description  11 Foot High Height Enclosed Body Upgrade For Use With 84" CA Chassis, as Specified
	35	 	25	25	25	25	25	ម្រ	Quantity 25
	ĘĄ.	T.	EA	ፔ	7.	£A .	FX	F-1 ,!b-	Unit of Measure EA
	\$11,600.00	\$1,590,00	\$655.00	\$4,840.00	\$200.00	\$1,460.00	\$5,050.00	\$2,200.00	Unit Cost \$15,850.00
	\$290,000.00	\$39,750.00	\$16,625.00	\$121,000.00	\$20,000.00	180 TOS 49.E.\$	\$126,250.00	00,000,22\$	(174,250.00
			i	;     					No Sid
									Mak <i>al</i> Model:
									Warranty:
				:					Delivery, A.R.D.:

PROPOSAL DOCUMENT REPORT BID - MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS Page 21

### BId No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS PROPOSAL DOCUMENT REPORT

	_ <	_ <	<u>_</u>		<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>
388	₩.	3ee	3dd	360	3bb	ਤੇਰਕ	32	åЕ	Une Item 3x
Go-Lights, Model 3024, as Specified	Air Compressor, 150 CFM, as Specified	Air Compressor, 70 CFM, as Specified	C-Tech Drawer Unit, as Specified	Iransverse Compartment, as Specified	Subfloor, as Specified	Maxon Liftgate, as Specified	Emergency Lighting LED Body Lights, as Specified	Light Color Option for Liberty II Selo IX 48" Light Bar	Useription Whelen LED , Liberty II Solo IX 48" Light Bar, as Specified
25	25	25	25	25	25	25	25	25	Quantity 25
g.	£.A	FΛ	۲A	Ç.A	ΕA	ĘĄ	£.	· · · · · · · · · · · · · · · ·	Unit of Measure EA
\$1,1/0.00	\$22,135.00	\$19,110.00	\$3,020.00	\$6,195.00	\$2,800.00	\$4,600.00	\$1.00	\$1,250.00	Unit Cost \$4,010.00
\$29,250.00	\$553,375.00	\$477,750.00	\$75,500.00	\$154,875.00	\$70,000.00	\$115,000.00	\$25.00	\$31,250.00	Total \$100,250.00
			İ						: % 87d
		,							Make/Model:
									Warranty:
	·		j		<u> </u>				Delivery, A.R.C.:

# PROPOSAL DOCUMENT REPORT BId No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

		<u> </u>			_	<u> </u>	_		
Зэр	300	3nn	3mm	311	3kk	3jj	u.	3hh	Line item
Diagnostic Tools / Test Equipment, as Specified	Special Paint Colors Not On the Standard Color Chart, as Specified	Booster Jump Sct, as Specified	1700 Peak Amp 12 Volt Jumper Starter, as Specified	Truck Steel Air/Hydraulic Service Jack, as Specified	Husky 815-Piece Mechanic's tool Set, as Specified	Winch, as Specified	Road Department Paint Color Scheme, as Specified	9' Readily Detachable Western Snow Plow System, as Specified	Description
	180	25	55	25	25	35	25	25	Quantity
SET	E A	ΕA	۲A	t A	EA	ΕA	EA	Ç.	Unit of Measure
\$7,500.00	\$60.00	\$475.00	\$415.00	\$3,500.00	\$3,400.00	\$5,260.00	\$3,500.00	\$9,235.00	Unit Cost
\$22,500.00	\$118,800.00	\$11,875.00	\$10,375.00	\$87,500.00	\$85,000.00	\$131,500.00	06'005'28\$	\$230,875.00	Total
		į						, , , , , , , , , , , , , , , , , , , ,	No Bid
									Make/Model:
									Warranty:
									Delivery, A.R.O.:

Bid No. TBD

MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

TOTAL	388	317	3qq	Line item
	Technical Support, as Specified	Installation of County Supplied I wo Way Radio and Accessories, as Specified	Two-Way Radio Power and Wiring Requirements for New Yehicles, as Specified	Description
	180	25	S c	Quantity
	HR.	Ę,	r A	Unit of Measure
	\$1.00	\$600.00	\$360.00	Unit Cost
\$7,235,255.00	\$180.00	\$15,200.00	\$9,000.00	Total
				No Bid
				Make/Model:
			;	Warranty
				Delivery, A.R.O.:

# ITEM #4 - CURRENT MODEL YEAR, OR NEWER FOR F550 REGULAR CAB WITH PLATFORM BODY, AS SPECIFIED, OR EQUAL

<u> </u>	<b>-</b> -,	
ាំង	OPTIONS	Line Item 4
Upgrade Chassis to Super Cab Chassis, retaining 60° Cab to Axle, as specified		Current Model Year, Or Newer, Ford F550 Regular Cab With Platform Body, As Specified, Or Equal
10		Quantity 10
Ä		Unit of Measure
\$3,950,00		\$78,287.00
\$39,600.00		<b>Total</b> \$782,870.00
		No Bid
		Make/Medel: 2024 F550
	ļ	Warranty: see क्षे7
		Delivery, A.R.O.: unknown

Bid No. TBD

# MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

_			-	<u></u>	_	
4h	Å	Ļi, ⊅n	48	<b>4</b> d	4c	Line liern 46
Thieman TT Liftgate, as Specified	Upgrade to 12' 3" Platform Body with Removable Stake For Use With 84" CA Chossis, as Specified	Upgrade to Regular Cab Chassis with 108" Cab to Axie, As Specified	Upgrade to Crew Cab Chassis with 84' Cab to Axie, as Specified	Upgrade to Super Cab Chassis with 84" Cab to Axle, As Specified	Upgrade to Regular Cab Chassis with 84" Cab to Axie, As Specified	Upgrade Chassis to Crew Cab Chassis, retaining 50" Cab to Axle, As Specificul
10	10	10	10	10	10	Quantity 10
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	E A	F۸	EÀ	Ş	£. (	Unit of Messure EA
\$7,600.00	\$6,300.00	\$1,810.00	\$5,170.00	\$4,130.00	\$1,320.00	∪ <del>пі</del> т Сея \$4,995.00
\$76,000.00	\$63,000.00	\$18,100.00	\$51,760.W	\$41,300.00	\$13,200.00	<b>\$49,95</b> 0.00
						No Bid
						Make/Model:
		<u> </u>	i   			Warranty:
!						Delivery, A.R.O.:

PROPOSAL DOCUMENT REPORT

Bid No. TBD

Laurence.	- Sugarana			-			-	
45	: <del>1</del> 2	Ç.	4n	<b>G</b> 183	A	Ą.	4.	tino item 4i
Color Option for 52" Stake Sides, as Specified	52" Stake 5ides (12" 3" Body), as Specified	52" stake Sides (9' 3" Body), as Specified	Color Option for 40" Stake Sides, as Sperified	40" Stake Sides (12" 3" Body), as Specified	40" Stake Sides (9' 3" Body), as Specified	Dump-Through Liftgate, as Specified	Under Booy Hoist For Dumping Capabilities, as Specified	Description Thicmost Stow Away Standard Tallgate Liftgate, as Specified
16	10	סנ	) St.	ot	ot	01:	ů;	Quantity 10
Ţ,	E\$	F	ĒA	ĘĄ	EA	FA	EA	Unit of Measure
\$2,790.00	\$6,635.00	\$5,515.00	\$2,790.00	\$5,610.00	\$4,710.00	00'7005'6\$	\$8,500.00	Unit Cost \$7,000.00
\$27,960.00	\$66,350.00	\$56,150.00	\$27,960.00	\$56,180.80	\$47,160.60	\$55,000,00	\$26,600,00	<u> </u>
			i					<b>Pio</b> Bid
								Make/Model
			~					Warenty:
								Delivery, A.R.O.:

PROPOSAL DOCUMENT REPORT BId No. TBD

	Since the second second	-	<u></u>	K-sansanana.	Andrew Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contraction of the Contra	-		hammen	h-
####	42	Ap	#	W	. देंश	4п	舟	45	<b>4</b> r
I-Pack Tool Box, as Specified	Go Light Work Lights, Model 30004ST, as Specified	Light Package 2, as Specified	Light Package 1, as Specified	Color Option for 52" Grain Sides, 65 Specified	52" Grain Sides (12" 3" Body), as Specified	52" Grain Sides (9' 3" Body), as Specified	Color Option for 40" Grain Sides, as Specified	40" Grain Sides (12" 3" Body), as Specified	40" Grain Sides (9') 3" Body), as Specified
to .	10		οt	10	10	10	0.F	10	
\$2	E	\$	¥3	Ē	ŧΑ	¥	£Α	E	rri D
\$5,705.00	\$5,400.00	\$3,850.00	\$3,300 00	\$2,790.00	\$8,000.00	\$7,600.00	\$290.00	\$5,500.00	\$5,225.00
\$67,050.00	\$54,000.00	\$38,500.00	\$33,000.00	\$27,900.00	\$80,000.00	\$76,000.00	\$2,900.00	\$55,000000	\$52,250.00
									7 ·
									संबद्ध ।
					3 1 33 A				क्ष्राचा ना (है)
									DOINELY, PURLOCA

PROPOSAL DOCUMENT REPORT BId No. TBD

<u> </u>		_	_	<u> </u>	_	<u>`</u>	,	
4JJ	<u>4</u> :	4hh	488	4ff	de•	4dd	Исс	Line Item 455
Slide Bar With. Straps, as Specified	Road Department Paint Color Scheme, as Specified	Trailblazer 325 Air Pak, as Specified	9' Readly Detachable Western Snow Plow System, as Specified	Whelen LED 54" Light Bar, as Specified	Air Compressor, 150 CFM, as Specified	Air Compressor, 70 CFM, as Specified	48" Linder Body Tool Box, as Specified	Description 30" Under Body Tool Box, as Specified
.00	.10	1.0	. 10	10	10	то	Ŋ	Quantity
EA	ĒA	EA	EA	FA	ĒA	Æ	E.	Unit of Measure EA
\$1,010.00	\$3,500.00	\$44,100,00	\$9,235.00	\$5,600.00	\$22,135.00	\$19,110.00	\$1,565.00	Unit Cost \$1,560.00
\$10,100.00	\$35,000.00	\$441,000.00	\$92,350.00	\$56,000.00	\$221,350.00	\$191,100.00	\$15,650.00	Total \$15,600.00
		İ	j					No Bid
							weatherguard 648-0-02	Make/Model:
		:						Wananty:
						·		Deiwery, A.R.O.

# PROPOSAL DOCUMENT REPORT BIG No. TBD MOTOR VEHICLES: VARIOUS BODIED HEAVY DUTY TRUCKS

}
1
PIS GN

ITEM #5 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH SWITCH-N-GO DETACHABLE TRUCK BODY SYSTEM, INCLUDING ACCESSORIES, AS SPECIFIED, OR EQUAL

	<u>COMPI</u>	<u>LANCE</u>
	<u>YES</u>	<u>NO</u>
CHASSIS SPECIFICATIONS		
Current Model Year, or newer Ford F550 Regular Cab with Steel Dump Body		
Dual Rear Wheels, Four Wheel Drive	$\boxtimes$	
60" Cab to Axle (CA)	Ø	
7.3L V8 gasoline engine	X	
40 gallon fuel tank	$\boxtimes$	
TorqShift transmission with PTO option 19,000 lb. GVWR	$\boxtimes$	
Cab shall be military grade aluminum alloy for longevity to the County		
in lieu of carbon steel	$\boxtimes$	
Frame shall be fully boxed under cab and "C" channel behind cab	$\boxtimes$	
Oil life monitor, engine hour and engine idle hour meters	$\boxtimes$	
Air Conditioning	$\boxtimes$	
Airbags, frontal driver & passenger, side impact and side air curtains	×	
TowCommand integrated trailer brake controller, manual telescoping trailer tow		
mirrors	$\boxtimes$	
7 wire trailer wiring harness (no plug)	Ø	
AM/FM radio, SYNC4 Enhanced voice recognition communication and entertainment,		
911 Assist, AppLink 4-2" LCD Center Screen, One (1) Smart charging USB Port	$\boxtimes$	
Power windows, locks, mirrors, and heated mirrors	$\boxtimes$	
Center High Mount Stop Lamp	$\boxtimes$	
240 amp HD alternator, 12V 750 CCA battery	Ø	
Tilt and telescoping steering wheel		
4.88 ratio limited slip axle	$\boxtimes$	
4 wheel power ABS brakes, front and rear disc, power steering, front and		
rear stabilizer bars	$\boxtimes$	
Quad-beam jewel-effect halogen headlamps, five (5) roof marker lights	$\boxtimes$	
LT225/70R19.5G BSW Traction tires – six (6)	$\boxtimes$	
One (1) full sized spare tire mounted to wheel and one (1) jack	$\boxtimes$	
Chrome front bumper, front tow hooks	$\boxtimes$	
Chrome hub covers, front bumper grill	$\boxtimes$	
Power Sliding Rear glass with defrost – sc/cc only	$\boxtimes$	
Remote Start	$\boxtimes$	
Halogen Fog Lamps	$\boxtimes$	
40/20/40 split vinyl bench seat with center arm rest		
Auxiliary power point, six (6) upfitter switches located overhead center		
Tachometer, speedometer, oil pressure, transmission temp, engine temp,		
and fuel gauge	$\boxtimes$	
Interval windshield wipers	oxtimes	
Driver & passenger grab handles	$\boxtimes$	
Standard XL Rear view camera and prep kit	$\boxtimes$	
Auxiliary power point, six (6) upfitter switches located overhead center	$\boxtimes$	

	COMPL	
STYLEGES STREETS APPORTS (SOUTHERN)	<u>YES</u>	<u>NO</u>
CHASSIS SPECIFICATIONS (CONT'D)  Took arouter and arouter oil programs transmission terms around terms and		
Tachometer, speedometer, oil pressure, transmission temp, engine temp, and fuel gauge	$\boxtimes$	
· ·	⊠	
Interval windshield wipers	•	•
Driver & passenger grab handles		
Standard XL Rear view camera and prep kit	$\boxtimes$	
Chome hub covers front bumper/grill	<del>57</del> 0	
3-year/36,000 mile bumper-to-bumper warranty on OE components		
5-year/60,000 mile powertrain warranty	$\boxtimes$	
Shift on the fly		
Cab steps, molded black (running boards)	Ø	
Snow plow prep package	×	
Single color to be selected from standard color chart at time of order	$\boxtimes$	
Undercoating – entire truck chassis, underside of cab and underside		
of added body (dump, utility, platform) shall be coated with Tectyl 2423 Haps		
Free Black, or Z Guard Product, a low VOC, High Solids,		
Emulsion Corrosion preventing coating	$\boxtimes$	
STEEL DUMP BODY SPECIFICATION:		
DUMP TBEI/ELIMINATOR		
Dimensions:		
• 10 ga. Steel Dump Body		
• Length – 9'		
• Width - 96"		
• Inner side height – 17" high		
<ul> <li>Inner tailgate height – 23" high</li> </ul>		
Rated capacity: 3.3 cubic yard nominal (water level load)		
• 4.5 cubic yards with 6" side extensions	$\boxtimes$	
Floor and Understructure;		
Floor shall be seamless one piece design and material thickness 10 ga. high strength steel for minimal deflection in critical areas.	( <del>5</del> 21	
Floor sheet shall have two (2) 5/8" radius bends to complete 90° radius to	⊠	
finalize the transition from side to floor and uninterrupted look that will not		
hold back debris.	$\boxtimes$	П
The minimum floor surface width is 82"		
Rear edge of floor sheet is reinforced to prohibit deflection and maintain a		L
positive, long lasting tailgate seal. The understructure to be of stacked structural		
design for maximum load support.	$\boxtimes$	
Longsills to be 5" structural C-channel, Cross sill shall be 3" I-beam, spaced		<b></b> -
anny and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state	স	$\neg$

	COMPL	
STEEL DUMP BODY SPECIFICATION: (CONT'D)	<u>YES</u>	NO
Floor and Understructure: (Cont'd)		
Rear apron shall be 8" high, full-width design and made from 10 ga high		
strength steel, Rear apron to include 3 FMVSS 108 compliant clearance lamps		
mounted in shock resistant rubber grommets to maximize bulb life.	$\boxtimes$	
Body Front & Side:		
Front shall be fabricated from 10 ga, Steel.	$\boxtimes$	
Front to be seamless one piece design with triple bend top rails for long term durability.	$\boxtimes$	
Working height of front shall be 24" above floor, which matches rear tailgate.	⊠	
Full height front corner posts shall include clearance lights at each corner to comply	<b>6</b> -3	
with FMVSS 108 safety standards.	×	
Sides include two (2) 6" wide vertical braces per side, with continuous weldment to	<b>⊠</b>	
side and top and bottom rail for additional strength.	⊠	니
Full depth rear corner posts to be 11.6" wide and 5" deep with hardware concealed		
for a clean streamlined look.		
Double walled design, single-walled <b>NOT ACCEPTABLE</b> .  Sides are equipped with front and rear 6" board pockets with retaining holes,		Ц
board pockets are designed for 2" nominal lumber	Ø	П
board pockets are designed for 2 months reducer	E-3	_
Tailgate:		
Shall be fabricated from 10 gauge steel with fully boxed dirt shedding top and bottom	$\boxtimes$	
rails and incorporates 2 vertical braces to provide additional strength and rigidity.	⊠ ⊠	
Tailgate shall be recessed flush with rear edge of corner post		
Tailgate shall be of double acting design incorporating Rugby's patented E-Z LATCH	$\boxtimes$	П
system with cam action to draw in annoying miss-aligned upper tailgate pins.  E-Z LATCHES are easily accessible from the ground and are located on sides of left	<b>23</b>	
and right corner posts to promote operator safety, center latches are not acceptable.		
Latch system is permanently connected to the body, so that tailgate pins cannot be stolen	Į	
or lost. Latch system does not have an internal linkage that would require the removal		
of panels to repair or replace.	$\boxtimes$	
The lower tailgate latch release handle is located at the left front corner of the body		
for quick access	$\boxtimes$	
Tailgate top pins are 1.25" and bottom pins are 1.00" diameter	$\boxtimes$	
Shall include 1/4" proof coil chain and banjo eye slotted holders in corner posts to		_
allow the tailgate to lay flush with the floor and for spreading applications.	⊠	
Lights/Wiring:	573	انصنا
All lamps/reflectors exceed FMVSS 108 requirements.	X	ĻJ
Lamps shall be LED flush mounted in shock resistant rubber grommets to maximize	rol	<del>, –</del> 1
bulb life.	X	

	117	LIANCE
CONTRACT THE TRACK CONTRACT CONTRACTOR AND AND AND AND AND AND AND AND AND AND	<u>YES</u>	<u>NO</u>
STEEL DUMP BODY SPECIFICATION: (CONT'D) Lights and Wiring: (Cont'd)		
Each rear corner post shall include a rear facing auxiliary stop/turn lamp LED for		
improved visibility and operator's safety.	$\boxtimes$	
Color-coded wire harnesses are provided to minimize installation time and		
simplify diagnosis.	$\boxtimes$	
Body up light in cab.	$\boxtimes$	
Cabshield:		
1.27 Fabricated from 10 ga. steel, slotted viewing window. Design to be ½ cabshield		
and non tapered.	$\boxtimes$	
Hoist: SR4020		
Rugby's SR series line of subframe scissor hoists are designed to reduce installation time and make hoist application easier. Built with an incorporated body prop and table top rear hinge, subframes are available to accommodate 60" CA and 84" CA		
chassis.	$\boxtimes$	
NTEA rated and classified class 40: ISO Certified.	$\boxtimes$	
The hoist shall be an NTEA approved scissor design. Approx weight: 650 #	$\boxtimes$	
Hoist shall be fabricated of high strength steel.	$\boxtimes$	
Single Cylinder	$\boxtimes$	
Bore 5.5"	$\boxtimes$	
Stroke 20"	$\boxtimes$	
Mounting Height 10.5"	$\boxtimes$	
CA./CT 60" – 108"	$\boxtimes$	
Capacity Range 9.6 – 13.3 Tons	Ø	
Hydraulically operated run off the chassis PTO	X	
ACCESSORIES		
Sleeve adapter Part # HCZ-19H282-A, or equal	$\boxtimes$	
Manual pull tarp system with mesh tarp	X	
Pintle plate 3/2" thick with:		
Class V receiver hitch		
Pollak 7 pole RV style harness and twist and lock plug		
• (Harness Part #11-998, or equal/7-Way Plug Part #11-916P, or equal)		
• 102 dB Preco backup alarm • 2 hall receive take 1.7/2" 22.2.5/1.5" looking bitch pin		
<ul> <li>3-ball receiver tube 1 7/8", 2", 2 5/16" locking hitch pin</li> <li>6-ton receiver mount pintle &amp; 2" ball combination hitch</li> </ul>	× ×	Г"]
- Ծ-այս այցության հիման արագի աշա Հայաստում անուսում հիման	V24	L.J

	<u>COMPI</u> <u>YES</u>	JANCE NO
ACCESSORIES (Cont'd) Two (2) pull out ladders mounted behind the cab. Grab handle mounted to work		
in conjunction with ladders	$\boxtimes$	
Stone shields and mud flaps	$\boxtimes$	
<ul> <li>LED strobe system:</li> <li>Four (4) oval strobe lights to be mounted in cab shield</li> <li>Two (2) facing forward</li> <li>One (1) on each side of cab shield</li> </ul>		
<ul> <li>Two (2) facing rear in rear corner posts</li> </ul>	$\boxtimes$	
6" high oak boards covered in aluminum diamond plate	⊠	
LED spreader light	×	
Spreader chain kit	$\boxtimes$	
DOT safety kit, first aid kit, 10 lb. fire extinguisher with bracket and safety triangles	⊠.	
Amber Atomic LED Lights	$\boxtimes$	
Conspicuity enhancement:  • 2" red and white diamond grade reflective striping  • 6" red and yellow inverted V in face of tailgate	⊠	
<u>OPTIONS</u> 1A. <u>Upgrade chassis to Super Cab chassis, retaining 60" Cab to Axle</u>	$\boxtimes$	
1B. Upgrade chassis to Crew Cab chassis, retaining 60" Cab to Axle		
1C. Upgrade to Regular Cab chassis with 84" Cab to Axle	$\boxtimes$	
1D. Upgrade to Super Cab chassis with 84" Cab to Axle	$\boxtimes$	
1E. Upgrade to Crew Cab chassis with 84" Cab to Axlc	$\boxtimes$	
1F. <u>Fold Down Sides on Standard Dump Body</u>	$\boxtimes$	
1G. <u>Stainless Steel Body Upgrade Dimensions</u> DynaPro by DeJana fixed side steel dump body, as specified or equal	×	
Material: stainless steel, specifically ASTM A240 type 201 stainless steel having a minimum yield strength of 52,900 psi.	$\boxtimes$	

DOM: BODI, AS SCIENTISS, OKLOVIE (COM D)	COMPLIAN YES	NCE NO
OPTIONS (Cont'd) 1G. Stainless Steel Body Upgrade Dimensions (Cont'd)		
Finish 2B cold rolled standard surface finish, free of scratches & surface defects on all exterior visible surfaces.	X	
<ul> <li>Dimensions/Capacity</li> <li>Body Length: 9' in length</li> <li>Body Width: 95.7" exterior width, 85.7" interior usable width.</li> <li>Side Height: interior wall height of 16"</li> <li>Head Sheet Height: 23" interior head sheet height, all models.</li> <li>Tailgate Height: exterior tailgate height of 24.6". Interior tailgate height of 21.3"</li> <li>Dump body capacity (water level loading): 9' x 16" side height; 3.2 cubic yards.</li> </ul>	×	
Materials/Construction: Body Sides and Head Sheet The dump body sides shall be fixed in place and fabricated from 10- gauge inner panel/ 12-gauge outer panel ASTM A240 type 201 stainless steel having a minimum yield strength of 52,900 psi.	×	
The dump body head sheet shall be fabricated from ASTM A240 type 201 stainless steel having a minimum yield strength of 52,900 psi.	⊠	
Dump body side lower rub rails shall have a 45° slope for a self-cleaning design	$\boxtimes$	
Dump body upper top rails shall have a 31° slope as a dirt & debris shedding feature.	×	
The fixed dump body sides shall be a double-walled design and have front and rear boxed corner posts.	$\boxtimes$	. 🗆
Materials/Construction: Body Sides and Head Sheet (Cont'd) The dump body sides shall have 6" tall formed 10-gauge steel board pocket extensions welded in place. Approximate 4.2 cubic yard heaped load	×	
All welds on sides and head sheet shall be "continuous" to prevent entrance and entrapment) of moisture.		
Materials/Construction: Floor & Understructure The one-piece dump body floor sheet shall be 3/16" AR400F abrasion resistant carbon steel plate having a minimum yield strength of 150,000 psi.	⊠	
The dump body floor shall have a minimum 45-degree angle debris shedding chamfer at the side walls and the side wall sheets shall lap the floor sheet by approximately 2".		

The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		JANCE
OPTIONS (CONT'D)	<u>YES</u>	<u>NO</u>
IG. Stainless Steel Body Upgrade Dimension (Cont'd) Materials/Construction: Floor & Understructure (Cont'd)		
The understructure shall be a crossmember-less boxed trapezoidal longsill design, with 10-gauge steel longsills. Longsills to be 8° in height, and continuously welded in order to unitize the body structure.	×	
The rear of the dump body shall be reinforced with a full width skirt panel supporting the rear of the floor and welded to both the longsills and rear corner posts.	X	
Materials/Construction: Tailgate & Cabshield The double-walled tailgate shall be 10-gauge inner panel/ 12-gauge outer panel ASTM A240 type 201 stainless steel having a minimum yield strength of 52,900 psi.	M	
The tailgate upper and lower rails shall be sloped 45° for self-cleaning.	Ø	
Tailgate and rear corner posts to be sloped inwards by 6° for a sleek appearance and to aid in self-closing against the upper tailgate pin sockets.	X	
The tail gate shall also have fully boxed end sections for added strength and incorporate 1-1/4" diameter upper & lower tailgate pins.		
Double chain guide pockets on each side of the tailgate. 5/16" transportation grade chain with sleeving to protect the body surface finish.	×	
There will be sufficient chain to allow the tailgate to lay flat (flush) with the dump body floor when hinged open at the bottom.		
Dump body rear corner posts shall have "banjo eye" slotted chain keepers.	$\boxtimes$	
The lower tailgate latches shall be retractable type safety latches and incorporate a "toe keeper" feature.	Ø	
The lower tailgate latches shall stay locked via a control rod lever and a manual over-center release lever located at the roadside front of the body.	$\boxtimes$	
The upper tailgate latches shall be independent and manually operated via hinged capture clamps. A sliding rod lock shall be used on both upper latches to positively lock and secure the tailgate in place.	$\boxtimes$	
Farp rod accommodation hooks built into the tailgate upper latch mount plates.		
The cab shield shall be 10-gauge ASTM A240 type 201 stainless steel having a ninimum yield strength of 52,900 psi.	×	

	<u>COMPL</u> YES	IANCE NO
<u>OPTIONS</u> (CONT'D) 1G. <u>Stainless Steel Body Upgrade Dimension</u> (Cont'd)	- All Annual Control	<del></del>
Materials/Construction: Tailgate & Cabshield (Cont'd) The cab shield shall be 95.5" inches wide, of a straight-sided design, and shall project over the cab a nominal 22" 1/2 cab.	⊠	
The cab shield shall be modular in design and easily service replaceable.	×	
A ventilated window shall be cut into the center of the cab shield bulkhcad sheet.	$\boxtimes$	
Hoist/Subframe The seissor hoist shall meet NTEA Class D/40 performance requirements.		
A suitable full-length support subframe with tabletop rear hinge blocks shall be provided.	Ø	
The scissor hoist shall have an integral safety body prop and have grease zerk accommodations at all points of rotational motion.		
Scissor hoist range of motion to be a maximum dump angle of 50°	Ø	
The hoist cylinder shall be a single-stage $5.5$ ° diameter housing x $16$ ° stroke ram with a $2$ ° diameter chrome moly piston rod.	Ø	
Hoist operating capacity by design to be a maximum of 11.4 tons (9' body, 6" overhang)	M	
Hoist to be operated by direct mount PTO and pump. PTO must be a Chelsea 210 with direct mount pump and 9 gallon reservoir providing up to 4 gallons per minute.		
Shall be operated by a rocket switch on the dash	×	
Finish Painted to match cab; base coat/clear coat	· ⊠	
1H. Stainless Steel Fold Down Sides for Stainless Steel Body Option	M	
11. <u>Body Paint Option for Stainless Steel Body Upgrade</u> Body finish color shall match cab color, base coat and clear coat.	Ø	
1J. <u>Central Hydraulic System Hydraulic Pump</u> Hydraulic pump and PTO shall be a Chelsea 210 series.	⊠	
The pump shall be a gear pump that is direct mounted to a hotshift PTO for a live transmission with gasoline engine	×	

	COMPL VES	
OPTIONS (CONT'D)	YES	<u>NO</u>
1J. <u>Central Hydraulic System Hydraulic Pump</u> (Cont'd) The pump shall have a flow rate of 10.6 GPM at 1200 engine RPM The pump shall have a ¾" 11T splined drive shaft	$\boxtimes$	
The suction hose to the pump shall be a minimum of 1 1/4" L.D. SAE 100-R4 hose	$\boxtimes$	
The PTO shall be a Parker/Chelsea 210 series and have a ratio of 144%	$\boxtimes$	
Heat shield to protect PTO wiring	$\boxtimes$	
The PTO shall be engaged/disengaged from the cab by a dash mounted 12VDC on/off switch	Ø	
In power over speed protection required	$\boxtimes$	
Modular Manifold Central Hydraulic System  The central hydraulic valve system shall be a mobile design to withstand exposure to deicing chemicals and severe weather conditions with a 5-year warranty on all hydraulic components		
The central hydraulic valve system shall be specifically designed for low volume hydraulic pump output	$\boxtimes$	
All implements will function simultaneously	$\boxtimes$	
The modular manifold must be constructed of 6061 anodized aluminum material	$\boxtimes$	
The modular manifold shall be adjustable to a maximum pressure of 3,500 PSI with multiple flow and pressure performance and with function configuration	$\boxtimes$	
The modular manifold will consist of multiple sections bolted together for multiple function configurations	$\boxtimes$	
The entire hydraulic system shall be completely serviceable without removing from the enclosure or disassembling the sections	×	
A one-piece manifold will not meet the intent of the specification for easy maintenance and service	×	
The modular manifold must be capable of operating in either open center (fixed displacement) or closed center (variable displacement) hydraulic circuits	$\boxtimes$	<u></u>

	<del></del>	LIANCE NO
OPTIONS (Cont'd)	YES	<u>NO</u>
1J. Central Hydraulic System Hydraulic Pump (Cont'd)		
Modular Manifold Central Hydraulic System (Cont'd) All functions will be proportional controlled, pulse width modulated, and pressure		
and flow compensated with counter-balance		
Each function will have load holding with no internal leak-down	$\boxtimes$	
Implements shall not drift down during vehicle travel	⊠	
Heavy duty 12VDC coils must be protected with a corrosion resistant coating	×	
All coils must be rated for a 1000-hour salt spray as standard	$\boxtimes$	
Connections must be NEMA x6 standards for dust protection	$\boxtimes$	
Outside the cab connections shall be rated as NEMA "x8" - protected against the		
effects of permanent submersion in water as well as able to show no corrosion after 500 hours in a 35°C salt spray	$\boxtimes$	
The modular manifold shall be designed for lower pump capacity hydraulic	وسنب	
pumps (belt and gear)	☒	L'
Each section will have flow capacities from 3 to 20 GPM with load holding	×	$\Box$
on all cylinder sections		
All cylinder sections shall be load hold with A and B port relief as standard	$\boxtimes$	
The hoist section shall be 6 GPM, four way for a double acting cylinder and		
incorporate a 500 PSI relief and load hold	☒	
The spinner will be a 7 GPM motor spool cartridge and the auger/conveyor will		
be a 7 GPM motor spool cartridge		
The spinner or auger will not stop or slow when other implements are actuated	$\boxtimes$	
Each function will be equipped with adjustable manual overrides protected by	N31	_
jacketed debris covers	×	L
The hydraulic system shall be pressure and flow tested before the installation process	<b>X</b>	<b>~</b> 1

	<u>COMPI</u> <u>YES</u>	IANCE NO
OPTIONS (Cont'd)  1J. Central Hydraulic System Hydraulic Pump (Cont'd)  Granular Spreader and Single Stick Plow Controls  The spreader controls shall be capable of operating a granular spreader with		
auger/ conveyor, spinner and pre-wet (or anti-ice) output channels	Ø	
Each function can be operated individually or all simultaneously	図	
In-cab controller must be an automotive grade product (amusement/gaming type products are NOT ACCEPTABLE)	Ø	
The liquid channel can operate an electric or hydraulic pre-wet system	X	
Controller shall also have an optional dash mount, stand-alone, or console mounting options	×	
Operator shall have the ability to adjust the speed of each function and the amount of granular material or liquid with the soft touch key pad	$\boxtimes$	
Printed PVC soft touch membrane switch interface shall be tested to 5 million impressions for long life and durability	ïX	□
Touch pad to control granular feed rate/spinner speed	$\boxtimes$	
All set-up and programming shall be completed using the controller soft key pad with no programming keyboard	$\boxtimes$	
Controller shall have the ability to connect the feed rate and spinner function for single stroke simultaneous start up	Ø	
Controller must offer a "Spot Blast" feature. Spot Blast will activate the blast with a single keystroke when the controller is paused		
Adjustable valve unseat mode must be a standard feature	$\boxtimes$	
Spinner increase during Blast shall be an adjustable option	$\boxtimes$	
Spreader control shall be capable of operating each function in open loop mode	$\boxtimes$	
With a single switch setting, spreader shall be field configurable to operate either:  • Ground Speed Oriented OR		
No Ground Speed (simple manual operation)	Ø	
Controller shall also offer programmable Blast Features that will function during Ground Speed Triggered Operation	X	<u></u>

	COMPL	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
1J. <u>Central Hydraulic System Hydraulic Pump</u> (Cont'd) Granular Spreader and Single Stick Plow Controls (Cont'd)		
Controller must include integrated protection and diagnostic systems with safety features incorporated into the system	⊠	
PowerSafe Wiring Design: For safety reasons, grounding or cutting any wire at any point between any valve coil and the controller must not cause any	$\boxtimes$	<del>, -</del> 1
valve to actuate		
One lead from each hydraulic valve coil must be wired to a common ground point	$\boxtimes$	
System shall be capable of self-diagnosis using the pause indicator LED light	X	
System must supply pulsed +12 volt power to the other lead from each individual valve coil	$\boxtimes$	
All connections inside the hydraulic valve/electronic control junction box must be IP 68 rated	$\boxtimes$	
All connectors shall be rated as "6x" – dust proof	$\boxtimes$	
All connectors shall be rated as "x8" - protected against the effects of permanent		
submersion in water as well as showing no corrosion after 500 hours in a 35°C salt spray	$\boxtimes$	
System operating temperature range -4 to +104°F (-20° to +40°C)	×	
All connections shall be labeled with appropriate descriptions for each connection to individual solenoids of the hydraulic actuating cylinders	Ø	
Cirus EZ1 Controller shall have a five (5) year warranty	⊠	
Certified Cirus Lamprey Plow/Hoist Controller In-cab control system shall have one (1) fully proportional multi-function joystick	×	
Joystick shall be Hall Effect (magnetic) with no magnetic contacts (amusement/gaming joysticks are NOT ACCEPTABLE)		
Hoist joystick console shall mount to the center seat in the down position with Two (2) adjustable rods that slide into the head rest mounting holes	⊠	
Dash mounted momentary hoist switch shall be available when seat mounted controls are removed	Ø	

	<u>COMPLI</u> YES	IANCE NO
OPTIONS (Cont'd) 1J. Central Hydraulic System Hydraulic Pump (Cont'd) Certified Cirus Lamprey Plow/Hoist Controller (Cont'd)	_	<b>4</b>
Dump body hoist shall be controlled by a single joystick	X	
Hoist control lever must have a safety trigger protection for the hoist function	×	
Control lever will include a programmable plow float function (free-floating system requires a single acting valve)	Ø	
Operator shall have the ability to set the rate of speed for each direction of motion on a PC for all hydraulic devices controlled by the joystick without modification to the hydraulic system	龱	
Controller shall include integrated protection and diagnosis systems with safety features incorporated into the system	Ø	⊐
Channel Safe; protects the system and helps diagnose external shorted or open circuits	×	
SafeStik that shuts down the output channels if a joystick fails	M	
PowerSafe Wiring Design: For safety reasons, grounding or cutting any wire at any point between any valve coil and the controller must not cause any valve to actuate	×	
One (1) lead from each hydraulic valve coil must be wired to a common ground point	×	
System must supply pulsed +12 volt power to the other lead from each individual valve coil	$\boxtimes$	
All connections at the hydraulic control junction box must be IP 68 rated	$\boxtimes$	
Outside the cab harness will be IP 68 rated up to the valve coil connection	X	
All connectors shall be rated as "6x" – dust proof		
All connectors shall be rated as "x8" - protected against the effects of permanent		
Submersion in water as well as showing no corrosion after 500 hours in a 35°C salt spray	$\boxtimes$	
System operation temperature range -4 to +104°F (-20° to +40°C)	$\boxtimes$	
All connections shall be labeled with appropriate descriptions for each connection to individual solenoids of the hydraulic actuating cylinders		

	<u>COMPLIA</u> <u>YES</u>	NCE NO
OPTIONS (Cont'd)  1J. Central Hydraulic System Hydraulic Pump (Cont'd)  Certified Cirus Lamprey Plow/Hoist Controller (Cont'd)  Installing vendor must be authorized to perform warranty repairs and periodic maintenance on Cirus products	⊠	
Stainless Steel Reservoir/Valve Enclosure Valve sections and manifold shall be mounted in a 304 stainless steel combination reservoir and enclosure	   <b> </b>	
Overall width of the combo shall not exceed 27.66 inches	$\boxtimes$	
Enclosure shall be constructed in such a manner that any required maintenance or repair of the valves can be accomplished without obstruction		<u> </u>
Valve mount plate shall slide forward for work port access	$\boxtimes$	
Enclosure shall be mounted with a minimum of 1" frame clearance on each side of the combo		
Reservoir shall have a 14 gallon capacity	$\boxtimes$	
Reservoir/Valve Enclosure shall be designed to mount on either side of vehicle chassis	⊠	
Enclosure must have hydraulic hose hangers to route and protect hydraulic hoses		
Reservoir/Tank shall be constructed from 10 gauge 304 stainless steel with 0.25 inch steel bracing with 14 gauge cover	⊠ .	
Reservoir filler cap must be angled for easy fill	· 🖄	
Two rubber latches shall secure the enclosure lid and the lid must be removable without tools by one person	図	
The rubber latches shall be replaceable with a removable pin	×	
Tank return line shall be mounted internally with case drain and level sensor ports available on both sides of tank	×	
Fank shall have a basket type breather cap and ¾" magnetic drain plug	Ø	
Suction line shall be 1 1/4" strainer NPT with 1 1/4" full flow brass ball valve	×	
Suction line shall also have a 100 mesh stainless steel strainer	⊠	

OPTIONS (Cont'd)	YES	NO NO
1J. Central Hydraulic System Hydraulic Pump (Cont'd) Stainless Steel Reservoir/Valve Enclosure (Cont'd) Return line must be a minimum of 1 ¼" NPT with 10 micron filter and 25 psi bypass with gauge	×	
Hoses and Fittings Suction line between reservoir and pump shall be minimum of 1 ½" ID with a minimum SAE 100-R4 rating and shall be secured on both ends via heavy duty banding straps (radiator hose clamps are NOT ACCEPTABLE)	$\boxtimes$	
Hydraulic lines and plumbing shall be of sufficient capacity so as not to create heat or turbulence within hydraulic system	$\boxtimes$	
Pressure hoses, including signal sense to pump, shall have swivel fittings on both ends and have a minimum SAE 100-R2 rating	Ø	
Return lines and case drain shall have a minimum SAE 100-R1 rating	×	
Hydraulic lines shall be routed to minimize interference with equipment and chassis components requiring periodic servicing	Ø	
Support brackets, grommets, and tie wraps shall be provided where appropriate to protect lines from damage by abrasions, cutting or impact	×	
Quick disconnects shall be stainless steel		
Hoses shall not be routed near exhaust manifold pipes, bolts, sharp edges and exhaust system to prevent wear, fatigue or fire	$\boxtimes$	
Pipe fittings are not acceptable in any high-pressure line	$\boxtimes$	
Maximum distance between support clamps on all hydraulic lines shall be 24 inches All hoses must be encased in high temperature fiberglass rubber sleeve by high heat areas or high wear areas, <b>NO EXCEPTIONS</b>	⊠	
1K. Stainless Steel UTG Spreader General 6" auger under-tailgate spreader shall be of the bottom-opening design, with a safety shut off feature built into the hydraulic system		
Mounting shall allow the dumping of materials without interference from the spreader	⊠	
Maximum spreader width shall be 96"	$\boxtimes$	

	<u>COMPI</u> <u>YES</u>	JANCE <u>NO</u>
OPTIONS (Cont'd) 1K. Stainless Steel UTG Spreader General (Cont'd)		
Mounting Unit shall mount to the sides and below the floor level of the dump box with single-pin, quick-detachable hardware	$\boxtimes$	
Mounting and removing shall be done without the use of any special tools	$\boxtimes$	
Safety Shut Off Spreader shall incorporate a hydraulic safety shut-off feature that disables the hydraulic functions of the spreader		
Safety Shut-off feature shall prevent opening the bottom door or opening the top cover beyond a vertical position when the hydraulics are engaged	Ø	
Feed Mechanism 6" heavy-duty auger shall consist of 3/8" flighting with 4" pitch which is welded to a 2 3/8" O.D. Schedule 40 pipe	×	
Auger shall have continuous and reverse flighting for more uniform emptying and shall be supported by I 1/4" steel shaft ends	$\boxtimes$	
Auger shaft shall be supported on one end in scaled, self-aligning, precision single- row radial bearings with grease fittings and on the other end by the drive mechanism	×	
Auger shall be powered with a 22.6 cubic inch displacement hydraulic motor capable of delivering high torque at low speeds mounted to the end plate and directly coupled to the auger by a non-corrosive UHMW polyethylene sleeve and a ½" Grade 5 bolt	×	
Discharge port shall be located 24" from the left end	図	
Stainless Steel Hopper Rigid one-piece end plates of 7 gauge stainless steel shall be continuously welded to an auger trough of 7 gauge stainless steel	$\boxtimes$	
Unit shall have a three-point hinged bottom pan that will expose the entire auger for easy clean out	×	
Bottom Pan shall be fabricated of 7 gauge stainless steel and held in place with two (2) heavy-duty cam locks with a lifting handle near each lock for ease of use		

	<u>COMPL</u> <u>YES</u>	IANCE NO
OPTIONS (Cont'd) 1K. Stainless Steel UTG Spreader General (Cont'd)		
Stainless Steel Hopper (Cont'd) Anti-spill cover over each discharge opening shall be of 7 gauge stainless steel and shall be removable without the use of tools	$\boxtimes$	
Lid shall be of 7 gauge stainless steel and shall be an integral part of the unit that may be raised when spreading or lowered when dumping	$\boxtimes$	
Lid shall be locked in position by two (2) latches that are replaceable	$\boxtimes$	
Minimum inside width of the trough shall 10 7/8"	×	
Poly Spinner Disc Shall consist of a single 18" diameter polymer disc with six (6) formed polymer fins, to provide a flat trajectory and uniform spreading pattern	,	
from 4 to 40 feet	区	
Assembly shall be adjustable, allowing for variable spreading patterns left, center, or right by sliding the hinged frame sideways on the shaft so that the point at which the material hits the spinner disc is varied	⊠	
Assembly shall be adjustable in height, providing four (4) different ground clearance settings by means of four (4) bolts	M	
Assembly shall be easily removed by pulling two pins and uncoupling two (2) hydraulic quick-disconnect hoses	×	
Speed rate shall be variable through optional valve systems	×	
Shall be mounted directly onto the hydraulic motor shaft by means of a steel spinner hub	×	
Motor shall be 2.8 cubic inches with nickel plated shaft for enhanced corrosion		
Resistance and improved seal life	$\boxtimes$	
Assembly shall remain horizontal to the road at all dump box angles	$\boxtimes$	
Shield shall be provided to prevent material from striking the truck	Ø	

	<u>COMPI</u> <u>YES</u>	JANCE NO
OPTIONS (Cont'd) 1K. Stainless Steel UTG Spreader General (Cont'd)		
Finish All carbon steel components shall be painted black		
Stainless steel components shall be left in their natural finish	$\boxtimes$	
Spill Shields Shall be made of steel and mounted to tailgate to stop any salt from spilling over the sides or the rear of the body	$\boxtimes$	
Dump Accessibility NO hydraulic hoses or trough handles shall be above the surface of the spreader	×	
Clean dumping surface must be provided	⊠	
1L. <u>Dump-Through Liftgate</u> Anthony Liftgates Model #AR-DT 1800, or equal, dump-through liftgate	×	
Durable roller chain drive	$\boxtimes$	
Marine duty potted toggle switch Pressure compensated flow valve	$\boxtimes$	
Circuit protection		
Level ride platform 3-step powder coat	$\boxtimes$	
Two (2) year mechanical and Two (2) year electrical and hydraulic parts and labor warranty	$\boxtimes$	
90" platform width Cab cut off switch	$\boxtimes$	
1M. <u>I-Pack Tool Box</u> Knapheide I-Pack Tool Box mounted between cab and dump body	×	
Painted to match cab color, base coat and clear coat	$\boxtimes$	
Requires chassis to have an 84" Cab to Axle measurement	☒	
Stainless steel continuous hinges, no exception	<b>×</b>	
14 gauge Galvaneal shell, E-coat primer, and latches with ABS pans for superior corrosion resistance	$\boxtimes$	

	COMPLIANCE	
	YES	NO
OPTIONS (Cont'd) 1N. ProTech Aluminum I-Pack with Stainless Steel Doors PN # 20-2737	$\boxtimes$	
10. 30" Under Body Tool Box For use with chassis with 60" CA	$\boxtimes$	
Weatherguard Tread Plate Aluminum 631-0-02	$\boxtimes$	
Dimensions: 30 1/8" x 18" x 18"; 5.4 cubic feet	$\boxtimes$	
Door opening: 13 1/2" H X 25 1/4" W Stainless steel D-handles	$\boxtimes$	
1P. Stainless Steel V-Box General (NOTE: This option requires the Central Hydraulic System)	Ø	
This specification describes a self-contained hopper spreader designed to spread free-flowing material up to 40 feet. Spreader consists of a steel hopper and spinner assembly, pintle-chain conveyor system, a choice of hydraulic or engine drive power systems and all components required to deliver maximum performance		□
Hopper Shall be 9 ft, 44 in, and 70 in inside width	$\boxtimes$	
Hopper sides shall slope at a 45° angle	$\boxtimes$	. 🗀
Capacity of the unit shall be 4.0 cubic yards struck	$\boxtimes$	
Hopper sides and longitudinals shall be formed of one piece and shall all be of 12 gauge 201 stainless steel continuously welded on the inside of the hopper (Welding on the outside is <b>NOT ACCEPTABLE</b> )	×	
Each hopper side shall be supported by three (3) full slope body side supports on each side	. 🖂	
12-gauge 201 stainless steel front and rear panels	$\boxtimes$	
Top edge shall be double crimped for additional support	凶	
Adjustable feed gate with a maximum opening of 4 ½" x 9" shall be able to be clamped to allow for a positive gate setting	×	
A heavy duty lift shall be supplied in each corner of the hopper		

	YES YES	<u>NO</u>
OPTIONS (Cont'd) 1P. Stainless Steel V-Box General (Cont'd)		
Conveyor Shall be of the chain barflight type Conveyor section of body shall be 16" wide	$\boxtimes$	
Pintle-type chain with a tensile strength of 12,500 lbs Cross bars to be $\frac{12}{3}$ welded on 4 5/8" centers	$\boxtimes$	
Conveyor to be driven by a 20:1 ratio cast-bronze worm gear	$\boxtimes$	
Drive sprockets shall be drop-forged, six-tooth keyed to the minimum 1 1/4"	$\boxtimes$	
C1045 steel alloy drive shaft	×	
Idler shaft shall be 1"	$\boxtimes$	
Schedule 40 pipe, and shall be equipped with poly idler "sprockets"	lacktriangle	
Chain adjustment shall be accomplished with two (2) threaded block and rod assemblies	⊠	
Floor shall be 12-gauge 201 stainless steel of flange-type construction		
Spinner Assembly Polyurethane spinner disc shall be 13" in diameter	$\boxtimes$	
Four (4) formed fins that will give a uniform trajectory from 4 to 40 feet	$\boxtimes$	
Shall have two (2) adjustable 201 stainless steel internal baffles	$\boxtimes$	
Four (4) 201 stainless steel external overlapping baffles to control the direction and width of the spread	$\boxtimes$	
All spinner baffles shall be adjustable without the use of tools	$\boxtimes$	
Inverted V A 12-gauge 201 stainless steel protective inverted-V shall be installed above the conveyor to reduce load pressure and prevent material bridging	$\boxtimes$	
Top Screens Two section center hinged top screen shall be provided to protect the conveyor chain and spinner from large objects	×	

DOM BODY, AS STREET, ON LOOSE (COM D)	COMPL	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
1P. Stainless Steel V-Box General (Cont'd) Top Screens (Cont'd)		
Screen sections shall be made of 5/16" rods, with square opening of 2 ½", and framed by flat bars, and angle iron steel	×	
Paint All mild steel components shall be painted black		
Spinner Assembly Motor Shall be powered by an additional hydraulic motor, providing independent control over each motor	×	
Hydraulics Unit will be run off of the Central Hydraulic System which will have a key pad control to operate the speed of the conveyor and spinner	$\boxtimes$	
Unit will run off of the live drive transmission. NO belt systems	$\boxtimes$	
1Q. Spreader Leg Stand Kit PN #3037295 Accommodates 10' spreaders	$\boxtimes$	
1R. <u>Air Compressor, 70 CFM</u> VMAC VR70 Underhood Rotary Screw Compressor 70 CFM, 175 PSI	×	
3 gallon receiver tank Control panel Throttle control	$\boxtimes$	
Filter/Regulator/Lubricator	×	
Relief/Shut-Off valves with all required fittings Hose Reel: 50' of 1/2" I.D. air line		
1S. <u>Air Compressor, 150 CFM</u> VMAC VR150 Underhood Rotary Screw Compressor 150 CFM, 175 PSI		
3 gallon receiver tank	$\boxtimes$	
Control panel Throttle control	$\boxtimes$	
Filtor/Regulator/Lubricator	$\boxtimes$	
Relief/Shut-Off valves with all required fittings	Ø	
Hose Reel: 50° of ½" I.D. air line	×	

	COMPL YES	<u>JANCE</u> <u>NO</u>
OPTIONS (Cont'd) 1T. Go-Lights, Model 30264 Go Light Stryker Work Lights (Up to two (2) per vehicle)	×	
Permanently mounted on brackets on I-Pack tool box (I-Pack tool box Option MUST be selected)		
6000 maximum lumens	Ø	
5 amp draw	$\boxtimes$	
9-32 VDC input	×	
1U. 9' Readily Detachable Western Snow Plow System		
Blade Assembly Moldboard – 12 gauge (0.104") steel sheet formed to a 17.3" radius with a 1.76" diameter top curl	×	
Ribs – Eight (8), 0.25" thick, variable profile, electrically welded to sheet, torsion tube and 0.25" thick, high strength steel base channel	×	
Torsion Tube - 2" diameter, full width, electrically welded to all eight ribs	$\boxtimes$	
Cutting Edge – Reversible 0.5" x 6" high carbon steel C1080 attached with ten (10) 0.63" Grade 5 carriage bolts	$\boxtimes$	
Disc Shoes – Two (2), full rotation, height adjustable, Austempered Ductile Iron shoes with integral 1" diameter shaft secured to blade with lynch pins.	$\boxtimes$	
Shoe brackets shall be welded to vertical ribs	X	
Blade Trip – 50° full blade trip	Ø	
Blade Assembly Trip Springs – Four (4), 2.38" OD x 0.39" diameter, C1060, hard drawn, stress relieved wire, preloaded, with 0.63" x 4" eyebolts	×	
Shock Absorbers – Two (2), 5" stroke, shielded shock absorbers to retard extension velocity and dampen blade trip return	$\boxtimes$	
Blade Trip Pivot – Three (3) 0.75" diameter steel pins	×	
Blade Guides – Two (2) highly visible, vinyl coated, spring wound, with replaceable flags	×	

DOME BODE, AS SELECTION, ON LOCAL (CONT. D)		COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>	
1U. 9' Readily Detachable Western Snow Plow System (Cont'd)			
Blade Assembly (Cont'd)		_	
Plow Angling – 30° right and left	×		
A-Frame			
Electrically welded, reinforced, 3" x 3" x 0.19" wall structural steel side tubes			
with 0.50" thick, formed nose plate, and integral attachments for angling rams	rezi		
to receive 1" diameter pins	⊠		
Lift Chains - Two (2), 0.25" Grade 43 high test steel with 2,600 lb. working	_		
load limit, attached with 0.38" U-bolts	Ø	اا	
Quadrant			
Electrically welded, reinforced, 5" OD x 0.25" wall structural steel tube with			
0.50" thick nose plates and integral attachments for angling rams to receive	1521	<b>-</b> 1	
1" diameter pins			
A-Frame to Quadrant Angle Pivot – 1" diameter Grade 5 bolt	Ø		
Lift Frame			
Lift frame to have provision for attachment of out front hydraulies and light kit	Ø		
Lift Arm – 0.25" x 2" formed bar welded with a 7 gauge steel cover	$\boxtimes$		
Two Plow Stands - Self-storing and adjustable integrated into the plow			
artachment mechanism. Connecting hook and lever with integral 0.50" lock pin			
Lift Frame - Two piece lift frame with tubular construction.	这		
Lower lift frame to include drive in plow alignment horns	X		
Mount			
Custom designed, electrically welded, structural steel mounting readily adaptable	•		
to truck frame.			
Attached to truck with Grade 5 fasteners	<b>X</b> .		
Vehicle, with mount attached, shall meet Federal Motor Vehicle Safety			
Standards by compliance or by vehicle manufacturing approval	· 🗵		
Removable receiver brackets for additional ground clearance	$\boxtimes$	Ľ	
MANDAGUE LOOMAGE ELIGENCE IN CONTROLLING SECULIA CICCUMOS		<del></del>	

	<u>COMPI</u> <u>YES</u>	IANCE NO
OPTIONS (Cont'd) 1U. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Paint Plow blade shall be made of shot blasted steel and cleaned with phosphate solutions and have baked-on red polyester powder coating	図	
Hydraulies Electric solenoid activated and detachable with lift	Ø	
Front mounted hydraulic unit consisting of a fixed displacement gear pump, with 1750 PSI system relief, direct tang driven by a 4 ½" 12 volt DC motor	×	
Pump with filter screen shall be immersed in a steel deep drawn reservoir	$\boxtimes$	
Main valve manifold shall contain three (3) side mounted and covered solonoid cartridge valves	⊠	
Cushion relief valves set at 4,000 PSI and a quill adjustment screw to adjust blade drop speed	×	드
One (1) 1 ½" x 8" lift ram and two (2) 1 1/2" x 12" angling rams each with a rod seal, a wiper ring and a packing nut	×	
Hydraulic hoses shall be 1/4" steel braided SAE 100R1	図	
Hydraulic unit shall be controlled by a soft touch, hand held in-cab control	<u> </u>	
Control shall be equipped with an on/off, mode buttons and indicator lights	×	
Control shall be dash mounted	×	
Control shall provide a single button movement of angle right or left (hydraulically locked)	Ø	
In-cab control shall be connected to valve manifold and to the motor through an auxiliary 12-volt multiplexed harness. Power and control harness to have quick disconnects and covers at the grill	×	
Control shall allow plow to be in float when lowered	$\boxtimes$	
Unit shall be a "low side" drive system, which provides positive potential continuously with a switched ground to control the solenoids	$\boxtimes$	

	COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	NO
1U. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Hydraulics (Cont'd)		
Unit shall possess programmable security lockout feature	$\boxtimes$	<u>_'</u>
Unit shall possess programmable hydraulic soft stop feature	⊠	
Unit shall possess programmable one touch float feature	$\boxtimes$	
Hydraulic fluid shall be MIL5606 equivalent standard transmission fluid (ATF) oraircraft hydraulic oil for low-temperature operation	Ø	
Cycle times: Lift, 2.0 seconds; Angle, 1.5 seconds	×	
Hydraulic unit shall stay with plow when plow is disconnected from truck	×	
<b>Lights</b> Night Hawk LED Head Lamps	⊠	
<b>Headlights</b> Comprised entirely of light emitting diodes using solid optic elements for low beam and high beam lights	×	
A reflected LED light for the side lighting using EdgeView Technology	$\boxtimes$	
DRL/Park lights using white lights behind a frosted filter, turn signal utilizing amber lights behind the same frosted filter	×	
Plow Removal Blade assembly, A-Frame, Quadrant, Lift Frame with hydraulic unit, shall be easily removed as one complete unit		
Accessories with Plow Snow deflector	X	
Curb guard right and left	Ø	
Cab command Hand Held Control/Joystick (Shall be specified at time of order)	$\boxtimes$	

	YES	NO NO
OPTIONS (Cont'd)	<u> </u>	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>
IV. Poly Electric Spreader Dimensions		
Outside Hopper 103" L		
Outside Hopper 63" W		
Overall Spreader 117" L		
Overall Spreader 51" H		
Capacity shall be 2.5 cubic yards		
Empty Weight 734 lbs	×	
Poly Hopper Construction		
Shall be constructed of rotationally molded ¼" thick double walled		
polyethylene shell, 46° sloped sides with six (6) molded side support ribs		. 🗆
Molded rear "feet" for ease of removal, cleaning and storage	$\boxtimes$	
Shall include standard 2-piece hinged, double-walled, overlapping domed		
hard plastic covers that double as spill guards	$\boxtimes$	
Conveyor Drive Bed		
Shall be 100% constructed of 10 gauge 201 stainless steel with a 16 3/4"		
wide pintle chain conveyor system	$\boxtimes$	
Dual Motor Drive		
One motor shall be a sealed ½ HP – 12VDC capacity with an 11-tooth drive		
sprocket powering a #40 roller chain to gearbox which allows for independent	u=1	
pintle chain speed control	☒	
Separate 1/3 HP motor dedicated to power a belt driven spinner shall allow		
for independent spinner speed control	$\boxtimes$	. $\square$
Gear Box		
Gearbox shall be 20:1 reduction and driven by #40 heavy-duty drive chain		
with a 55-tooth drive sprocket	$\boxtimes$	
Chute Assembly		
Dual wall poly chute assembly shall be a two (2) position adjustable design to		_
accommodate dump body applications	Ø	
Assembly shall include a 1/3 HP motor dedicated to power a belt driven spinner	$\boxtimes$	
Assembly is designed for one piece, no tools, removal for quick detach and		-
Storage	$\boxtimes$	
Spinner disk shall be polyurethane, 15.5" in diameter, with four (4) flutes	$\boxtimes$	

DOING HOLD TO THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE	COMPLIANCE	
CONTRONIC (Clause 1)	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)  1V. Poly Electric Spreader Dimensions (Cont'd)		
Chute Assembly (Cont'd)	1571	J1
Spread Width shall be approximately 2' to 40'	$\boxtimes$	
Shall include a wide fixed stainless deflector to protect truck bumper and		
under parts from the material being spread	$\boxtimes$	
An alternate license plate location shall be molded into the poly chute housing	$\boxtimes$	
Feed Gate		
Shall have a stainless steel lever/handle, spring loaded, with positive detent	_	
calibration, for accurate adjustment		لسا
Cab Control and Wiring System		
Shall be fused to protect wiring, and have a blast feature for spot spreading		
and include self-diagnostic troubleshooting flash codes via LED's on control	$\boxtimes$	<u></u>
panel as well as audible indicators		<u> </u>
Control shall have dual controls to independently control the conveyor and	==	_
spinner speeds	. 🗵	<b>i</b> J
Harnesses		
Shall have multiplexed electrical system with no high current power cables	V	
routed into vehicle cab	$\boxtimes$	
Shall have two-piece harness with molded style connectors and covers routed to		
disconnect at the rear of the truck	$\boxtimes$	
CHMSL (Center High Mounted Stop Light) is provided as standard, and an		
accessory wire for optional work light shall also be included as standard	$\boxtimes$	
Standard Fraterina		
Standard Features Shall include heavy-duty top screen constructed from ¼" diameter rod	$\boxtimes$	
	l⊠.	П
Tent style top screens shall be angled at 15°	$\boxtimes$	Щ
Hopper body shall have four (4) molded-in-poly tie-down loops	$\boxtimes$	
1W. Whelen Light Bar LED Liberty II Solo IX 48"		_
All modules filled with amber LED	$\boxtimes$	لہا
Rear traffic advisor with flashing capabilities	⊠	
Alley lights and takedowns shall be white Twelve (12) scan lock flash		
patterns Controller	☒	

<u> </u>	TOTAL THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF	COMPL	IANCE
		<u>YES</u>	<u>NO</u>
	<u>ONS</u> (Cont'd) o <u>ad Department Paint Color Scheme</u>		
	Not all Vehicles will be painted this way)		
•	Bus Yellow from the bottom of the windows down		
	my Blue #5240 from the bottom of the windows up to and ing cab roof and back	×	
On how	od from bottom of windshield to a point on the hood to make a		
	id match the road department fleet	×	
611 <u> 11</u> - 1-		<b>⊠</b>	
Snan r	be base coat clear coat	es.	احتجا
1Y. <u>S</u> p	ecial Paint Colors Not On the Standard Color Chart	$\boxtimes$	
	Successful bidder shall be required to supply between one (1) and three (3) complete sets of OEM testing/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable)	⊠	
2.	All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software		
3.	Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid	×	
4.	All software installations and activations will be completed by the successful bidder at no cost to the County	図	
5.	All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment	$\boxtimes$	
6.	All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment	×	
7.	Training shall be provided on all items in this section at a specified County Location	$\boxtimes$	

COMPL:	IANCE
YES	NO

 $\times$ 

#### OPTIONS (Cont'd)

#### 1AA. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps

<ul> <li>#12 AWG BLACK wire connected to chassis ground</li> <li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps</li> </ul>		
Wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. Wiring harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminated, 12VDC sources shall be protected from making contact with grounded metal surfaces	Ø	
1BB. Installation of County Supplied Two Way Radio and Accessories Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:		
<ul> <li>#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.</li> <li>#12 AWG BLACK wire connected to chassis ground.</li> <li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.</li> </ul>		
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces.	⊠.	
1CC. <u>Technical Support</u> Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting	×	
The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification	X	

Technical support may be requested in the following areas:

- 1. Engine (cooling, fuel, ignition, lubrication systems) I day at each location.
- 2. Transmission I day at each location
- 3. Electrical 1 day at each location
- 4. Brakes 1 day at each location
- 5. Hydraulic system (dump body, spreader, snow plow) -- 1 day at each location
- 6. Upfitter (dump body, sweeper, etc.) 1 day at each location

	<u>COMPLI</u> YES	IANCE NO
OPTIONS (Cont'd)		,
1CC. <u>Technical Support</u> (Cont'd) Technical representative(s) shall be made available for a total of 180 training		
/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days shall be allowed only with consent of Vehicle Services. Total training hours shall be provided and no additional compensation will be considered. Actual		
time to be spent on each area will be by mutual agreement of the Vehicle Services		
Department and the successful bidder	$\boxtimes$	
Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:		
• Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm)		
<ul> <li>Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050</li> </ul>		
Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting		
Department	$\boxtimes$	
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only	$\boxtimes$	
Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12)		
months from the date of placing the last unit in service	$\boxtimes$	

	YES	JANCE NO
CHASSIS SPECIFICATIONS		1105
Current Model Year, or newer Ford F550 Regular Cab with 9 Foot Utility Body	$\boxtimes$	
Dual Rear Wheels	$\boxtimes$	
Four Wheel Drive	$\boxtimes$	<u></u> .
60" Cab to Axle (CA)	$\boxtimes$	
7.3L V8 gasoline engine	Ø	
40 gallon fuel tank	$\boxtimes$	
TorqShift transmission with PTO option	$\boxtimes$	
19,000 lb, GVWR	$\boxtimes$	
Cab shall be military grade aluminum alloy for longevity to the County		
in lieu of carbon steel	$\boxtimes$	
Frame shall be fully boxed under cab and "C" channel behind cab for easy		
mounting of body	$\boxtimes$	<u></u>
Oil life monitor, engine hour and engine idle hour meters		
Air Conditioning	×	
Airbags, frontal driver & passenger, side impact and side air curtains		
TowCommand integrated trailer brake controller, manual telescoping trailer		
tow mirrors	$\boxtimes$	
7 wire trailer wiring harness (no plug)		
AM/FM radio; SYNC Enhanced voice recognition communication	$\boxtimes$	
and entertainment, 911 Assist, AppLink 4-2" LCD Center Scroen, One		
(1) Smart charging USB Port SYNC	$\boxtimes$	
Power windows, locks, mirrors, and heated mirrors	$\boxtimes$	
Center High Mount Stop Lamp	$\boxtimes$	
240 amp HD alternator, 12V 750 CCA battery	H	
Tilt and telescoping steering wheel	$\boxtimes$	
4.88 ratio limited slip axle		
4 wheel power ABS brakes, front and rear disc, power steering, front and	_	<u> </u>
rear stabilizer bars	$\boxtimes$	
Quad-beam jewel-effect halogen headlamps, five (5) roof marker lights		
LT225/70R19.5G BSW Traction tires – six (6)	Ø	
One (1) full sized spare tire mounted to wheel and one (1) jack	X.	
Chrome front bumper, front tow hooks	$\boxtimes$	
Power Sliding Rear glass with defrost – sc/cc only	<u> </u>	
Remote Start	_ Ø	. 🗖
Halogen Fog Lamps	⊠	П
40/20/40 split vinyl bench seat with center arm rest	Ø	
Auxiliary power point, six (6) upfitter switches located overhead center	<i></i>	ч
l'achometer, speedometer, oil pressure, transmission temp, engine temp,		
and fuel gauge	Ø	
interval windshield wipers	$\boxtimes$	
Oriver & passenger grab handles	<b>A</b>	

	COMPLIANCE	
CHASSIS SPECIFICATIONS (Cont'd)	$\underline{\mathbf{YES}}$	<u>NO</u>
Standard XL Rear view camera and prep kit	⊠	<b>1</b>
3-year/36,000 mile bumper-to-bumper warranty on OE components		
5-year/60,000 mile powertrain warranty	$\boxtimes$	
Shift on the fly		
Cab steps, molded black (running boards)	<u>≥</u>	
Snow plow prep package		
Single color to be selected from standard color chart at time of order Undercoating – entire truck chassis, underside of cab and underside of added body (dump, utility, platform) shall be coated with Tectyl 2423 Haps Free Black, or Z Guard Product, a low VOC, High Solids,	_ ⊠	
Emulsion Corrosion preventing coating	$\boxtimes$	
	_	_
UTILITY BODY SPECIFICATIONS Body Shell		
Shall be constructed of 14 gauge two-sided A40 Galvanneal steel	⋈	
The compartment tops and backs shall be a one-piece seamless design	⊠	
All door, door openings, drip rails, and other exposed steel edges shall be hemmed for strength, safety, and resistance to corrosion	×	
Floor		
The floor plate shall be constructed of a minimum of 12 gauge treadplate with a 1 3/8" return flange on each side	×	
The side compartment back panel should overlap and interlock with the floor flange, providing support for the weight of the side compartment.	⊠	
Understructure		
Cross sills shall be constructed from 11 gauge steel with 50,000 PSI minimum yield strength.	$\boxtimes$	
l'ailgate		
Shall be constructed of 14 gauge two-sided A40 Galvanneal steel.	$\boxtimes$	
The tailgate shall be a minimum of 12" high and be a slammable style.	$\boxtimes$	
n the open position, the tailgate shall be level with the cargo floor.	Ø	
The tailgate shall not have any cables, chains, or bars to support it in the open position so it can be used as a work surface for objects wider than the tailgare.	$\boxtimes$	

		COMPLIANCE	
UTILITY BODY SPECIFICATIONS (Cont'd)	<u>YES</u>	<u>NO</u>	
Doors			
Shall be constructed of 20 gauge two-sided A40 Galvanneal steel,	$\boxtimes$		
Shall be double paneled with Expanded Foam Block reinforcements.	×		
Hinges			
Corrosion resistant all stainless steel continuous hinges shall be installed to provide full length support for the doors and pry-proof security with a built-in weather shield.	⊠		
They shall be spot welded to the door frames and must be supported with			
a six year warranty, no exceptions.			
Rotary Latches			
Nylon Housing Zinc Die Cast Chrome Finish, corrosion resistant rotary latches shall be secured to the door panels by three threaded studs attached to the back of the latch.	⊠	П	
	انجة		
The latch must also have an internal cover to protect it from the contents of the compartment.	$\boxtimes$		
Rotary latches shall be slam-latchable.	$\boxtimes$		
The latching cam shall be elongated to allow the latch to move vertically relative to the lockstrike to prevent torsional damage.	×		
A microcellular urethane foam gasket shall be installed between the latch flange			
and the outer door skin to prevent moisture from entering the compartment behind the latch.			
Door Strikers			
Adjustable strikers shall be affixed to the door frames with screws (welded-on door strikers are not acceptable).	$\boxtimes$		
Door Seals			
Automotive "bulb type" neoprene door seals shall be installed by the manufacturer of the body on all door frames (aftermarket not acceptable).	$\boxtimes$		
Door Retainers			
Double springs over center door retainers shall be installed on all vertical doors.	$\boxtimes$		
Door retainers must hold doors in positive open or closed position (other			
types of retainers, like cables or chains, are not acceptable on vertical doors).	⊠'		

		LANCE
UTILITY BODY SPECIFICATIONS (Cont'd)	<u>YES</u>	<u>NO</u>
Door Retainers (Cont'd) Horizontal doors shall be secured in an open position parallel to the ground by heavy duty chain retainers.	Ø	
The chain retainers must be easily removable so that the door can be opened to a full 180° to be able to access the compartment in tight areas.	$\boxtimes$	
Shelving Shelves shall be constructed of 18 gauge bright spangled galvanized steel.	<b>\(\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tin}\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tett{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\text{\tetx{\text{\text{\texi}\text{\text{\texi}\text{\text{\text{\text{\ti}\text{\text{\text{\text{\text{\texi}\tiex{\tiint{\text{\texit}\titt{\text{\ti}\tinttitt{\text{\texi}\text{\text{\texi}\t</b>	
All shelves shall have hemmed dividers on 4" centers:  2 shelves 1st verticals  1 shelf horizontal curbside		
<ul> <li>2 shelves rear verticals</li> </ul>	Ø	
Shelves must have a minimum capacity rating of 250 lbs., no exceptions.	$\boxtimes$	
Interior Paint Shall be a mid-gloss, mar resistant, light gray finish.	$\boxtimes$	
Undercoating The body shall be completely undercoated by the body manufacturer using a water based acrylic.	×	
Exterior Prime Paint The body shall be completely immersed in electrodeposition gray epoxy prime paint featuring a zinc phosphate precoat and seal for additional corrosion protection.	⊠	
Prime paint shall be oven cured to provide a hard, durable finish.	$\boxtimes$	
Final finish color shall match cab color, base coat clear coat.	$\boxtimes$	
Installation The manufacturer of the body shall supply a recommended installation process along with detailed installation instructions that conform to all applicable FMVSS standards.	⊠	
Rear body to chassis mounting brackets must incorporate bumper support as well as provide FMVSS 301 protection. Furthermore, the manufacturer of the body shall supply an owner manual describing the proper care and maintenance of the body to the County.	$\boxtimes$	

UTILITY BODY SPECIFICATIONS (Cont'd)	YES YES	NO NO
Warranty		
<ul> <li>The following items shall be covered by a 6-year limited warranty, no exceptions:</li> <li>Continuous Door Hinges (Guaranteed not to fail to operate or come off)</li> <li>Latches and Lock Cylinders (Unconditional guarantee against failure)</li> <li>Shelves (Guaranteed not to fail in bending under a maximum 250 lb. rated load)</li> <li>Body shall have a no rust-through guarantee for six (6) years</li> </ul>	⊠	
Lighting Lighting shall meet all FMVSS standards.	$\boxtimes$	
The wiring harness shall be encased in a plastic loom and all wires shall be colored for ease of troubleshooting.	×	
The wire harness must have connectors that make it compatible to the specified chassis without splicing.	⊠	
The stop/tail/turn/reverse built into the lights with amber strobes	$\boxtimes$	
The stop/tail/turn and backup lights, with strobes built into lights, shall be installed on the rear of the body	$\boxtimes$	
All Clearance, Marker, and RID lighting shall be LED type lighting.	$\boxtimes$	
Incandescent Lighting in any of these areas is NOT ACCEPTABLE	$\boxtimes$	
Compartment lighting must be LED, with one (1) horizontal and one (1) vertical light in each compartment fit to size		
All interior wiring must be retained by a mechanical fastening system (adhesive backs are not acceptable).	×	
Light guards shall be installed by the body manufacturer to provide protection for recessed stop/tail/turn and back up lights.	$\boxtimes$	
The wiring harness must be protected too.	$\boxtimes$	
Miscellaneous Sleeve Adapter HC3Z-19H282-A	$\boxtimes$	

	YES	NO.
UTILITY BODY SPECIFICATIONS (Cont'd)	And confusion	at 1 - sap
Miscellaneous		
Recessed Galva Grip Bumper:		
<ul> <li>Class V Receiver Hitch</li> <li>Pollak 7 pole RV style harness twist and lock plug</li> </ul>		
(Harness 11-998, Plug 11-916P)		
Back up alarm 102 Db		
• 3-ball receiver tube 1 7/8", 2", 2 5/16" locking hitch pin		
<ul> <li>6 ton receiver mount Pintle &amp; 2" ball combination bitch Master Lock</li> </ul>		
with Key coded locks to match ignition key	×	
Pre-build meeting at vendor's facility to see how work will be completed.	図	
Whelen Amber LED lights:		
<ul> <li>Body upfitter must provide installation of lights so</li> </ul>		
they work in conjunction with the equipment on the truck.		
Four (4) Micron Series Super LED in grille		
• Two (2) on body sides, one (1) each side		_
Four (4) rear of body - micron series Safety Back Rack	X	
BASF DTE Liner AXALTA Coating Cargo Area and top of compartments	×	
Atomic LED Amber Lighting	$\boxtimes$	. 🗀
DOT safety kit, first aid kit, 10 lb. fire extinguisher with bracket and safety triangles	$\boxtimes$	
Conspicuity enhancement:		
<ul> <li>2" red and white diamond grade reflective striping on face of bumper</li> </ul>		
• 6" red and yellow inverted V on rear of body compartment face	$\boxtimes$	
<u>OPTIONS</u>		
2A. Upgrade chassis to Super Cab chassis, retaining 60" Cab to Axle	Ø	Ц
2B. Upgrade chassis to Crew Cab chassis, retaining 60" Cab to Axle	$\boxtimes$	
2C. Upgrade to Regular Cab chassis with 84" Cab to Axle	X	
2D. Upgrade to Super Cab chassis with 84" Cab to Axle	$\boxtimes$	
2F. Ungrade to Crew Cab chassis with 84" Cab to Axle	· 図	П

	COMPLIANCE	
	YES	NO
OPTIONS (Cont'd) 2F. 9' Aluminum Utility Body Upgrade Body Shell		
Shall be constructed of 0.09" Aluminum.	$\boxtimes$	
The compartment tops and backs shall half-box structure with continuously formed corners	$oldsymbol{\boxtimes}$	
Compartment bottom over the wheel to be constructed of 0.125" Aluminum	×	
Body Shell shall be supported by structural 6061 T6 Aluminum extrusions for durability	×	
All door, door openings, drip rails, and other exposed steel edges shall be hemmed for strength, safety, and resistance to corrosion	⊠	
Floor The floor plate shall be constructed of interlocking, extruded 6061	$\boxtimes$	
T6 Aluminum Planks with locking aluminum end rails and aluminum side rails with a 1 3/8" return flange on each side		
The side compartment back panel should overlap and interlock with the floor flange, providing support for the weight of the side compartment	$\boxtimes$	
Understructure Support shall be constructed entirely of extruded 6061 T6 Aluminum Alloy		
Tailgate Shall be constructed of 0.09" Aluminum multi-panel	×	
The tailgate shall be a minimum of 12" high and be a slammable style		
In the open position, the tailgate shall be level with the cargo floor		
The tailgate shall not have any cables, chains, or bars to support it in the open position so it can be used as a work surface for objects wider than the tailgate	$\boxtimes$	
<b>Doors</b> Shall be box structure, doubled paneled and constructed of 0.08" Aluminum with outer panel corners formed continuously	×	

OPTIONS (Contld)	YES YES	NO NO
OPTIONS (Cont'd) 2F. 9' Aluminum Utility Body Upgrade (Cont'd)		
Hinges		
Corrosion resistant, all stainless steel, continuous hinges shall be installed to		
provide full length support for the doors, and pry-proof security with built-in		
weather shield	X	
Shall be applied with structural adhesive and rivets to the door frames and		
shall be supported with a ten (10) year warranty	$\boxtimes$	$\exists$
Rotary Latches		
Injection molded glass and mineral unfused UV Resistant Nylon Housing,		
Zinc Die Cast, Chrome Finished latch	X	
Corrosion resistant rotary latches shall be secured to the door panels by four		
(4) threaded stude attached to the back of each latch	$\boxtimes$	
The least second also have an internal according to the first flag and the second of		•
The latch must also have an internal cover to protect it from the contents of the compartment	$\boxtimes$	П
the compartment	IZŅ	
Rotary latches shall be slam-latchable	$\boxtimes$	
The latching cam shall be elongated to allow the latch to move vertically,		
relative to the lock strikes to prevent torsional damage	$\boxtimes$	
A microcellular urethane foam gasket shall be installed between the latch		
flange and the outer door skin to prevent moisture from entering the compartment		
behind the latch	$\boxtimes$	
Lock cylinders are to be flush mounted for additional security	$\boxtimes$	
Door Strikers		
Adjustable strikers shall be affixed to the door frames with screws		
(welded-on door strikers are NOT ACCEPTABLE)	$\boxtimes$	
Door Seals		
Automotive "bulb type" neoprene door seals shall be installed by the		
manufacturer of the body on all door frames (aftermarket NOT ACCEPTABLE)	$\boxtimes$	
Door Retainers		
Nitrogen gas strut door retainers shall be install on all vertical doors	$\boxtimes$	

UTILITY BODY, ILD OLLIGITY OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CONTROL OF THE CO	COMPLIANCE		COMPLIANCE
	YES	NO	
OPTIONS (Cont'd)			
2F, <u>9' Aluminum Utility Body Upgrade</u> (Cont'd) Door Retainers (Cont'd)			
Door retainers shall hold doors in positive open or closed position (other types of retainers, like cables or chains, are NOT ACCEPTABLE on vertical doors)	$\boxtimes$		
Horizontal doors shall be secured in an open position parallel to the ground by heavy duty chain retainers	Ø		
Chain retainers shall be removable so that the door can be opened to at least 150° to be able to access the compartment in tight areas	Ø	$\Box$	
Shelving Shelves shall be constructed of 0.06" Aluminum	$\boxtimes$	コ	
Two (2) adjustable divider shelves and dividers, street and curb side front vertical compartment	×		
One (1) adjustable divider shelf and dividers, street and curb side full height rear vertical compartment	$\boxtimes$		
One (1) adjustable divider shelf and dividers, curb side horizontal compartment	×		
Automotive style, rotary latches and gas spring door retainers on all vertical doors	$\boxtimes$		
All shelves shall have molded, infinitely adjustable sliding dividers	$\boxtimes$		
Shelves must have a minimum capacity rating of 250 lbs., no exceptions	$\boxtimes$		
Exterior Prime Paint Epoxy prime paint with a minimum of 1.2 mm coat	$\boxtimes$		
Prime paint shall be oven cured to provide a hard, durable finish	$\boxtimes$		
Final finish color shall match cab color, base coat clear coat	$\boxtimes$		
Interior Paint Shall be a mid-gloss, mar resistant, light gray finish	Ø		
Undercoating The body shall be completely undercoated by the body manufacturer using a water based acrylic	$\boxtimes$		

OHERT BUDY, AS OF ECONE (COME D)	COMPLIAN	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
2F. 9' Aluminum Utility Body Upgrade (Cont'd)		
Installation		
The manufacturer of the body shall supply a recommended installation process along with detailed installation instructions that conform to all		
applicable Federal Motor Vehicle Safety Standards	$\boxtimes$	
obligation of a second control of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second		_
Rear body-to-chassis mounting brackets shall incorporate bumper support		
as well as provide FMVSS 301 protection	$\boxtimes$	
Manufacturer of the body shall supply an owner's manual describing the		
proper care and maintenance of the body to the County	$\boxtimes$	
Warranty		
The following items shall be covered by a ten (10) year limited warranty:		
<ul> <li>Continuous Door Hinges (Guaranteed not to fail to operate or come off)</li> </ul>		
Latches and Lock Cylinders (Unconditional guarantee against failure)		
<ul> <li>Shelves (Guaranteed not to fail in bending under a maximum 250 lb. rated load)</li> <li>Body shall have a No-Rust-Through guarantee for ten (10) years</li> </ul>	$\boxtimes$	
Body shan have a No-Rust-Through guarantee for ten (10) years		Ш
Lighting		
Lighting shall meet all FMVSS standards		
The wiring harness shall be encased in a plastic loom and all wires shall		
be colored for ease of troubleshooting	$\boxtimes$	
The rejuing homograph II have conserved by that make it commetible to the		
The wiring harness shall have connectors that make it compatible to the specified chassis without splicing		
Specified charsis without spiroling		<b>-</b>
Rear lighting system to feature surface mount stop/tail/turn backup lights, with LED	_	_
strobe. Having eight (8) selectable patterns and built in reflectivity for additional safety		
All clearance, marker, and RID. Lighting shall be LED type (incandescent lighting		
in any of these areas is NOT ACCEPTABLE)	$\boxtimes$	
LED Compartment lighting each compartment to have one (1) full length vertical		
and horizontal light to illuminate full compartment.	$\boxtimes$	
•		
All interior wiring must be retained by a mechanical fastening system (adhesive backs are NOT ACCEPTABLE)	$\boxtimes$	
Light guards shall be installed by the body manufacturer to provide protection	[ <del></del> ]	
for recessed stop/tail/turn and back up lights	$\boxtimes$	$\Box$
Protection for the wiring harness shall be installed Safety Back Rack	$\boxtimes$	

	<u>COMPL</u> <u>YES</u>	<u>IANCE</u> <u>NO</u>
OPTIONS (Cont'd)		
2F. 9' Aluminum Utility Body Upgrade (Cont'd)		
Miscellaneous Recessed Galva Grip Bumper:		
Class V Receiver Hitch		
Pollak 7 pole RV style harness twist and lock plug		
<ul> <li>(Harness Part #11-998, or equal/7-Way Plug Part #11-916P, or equal)</li> <li>Back up alarm 102 Db</li> </ul>		
• 3-ball receiver tube 1 7/8", 2", 2 5/16" lock in style		
• 6 ton receiver mount Pintle & 2" ball combination hitch		
<ul> <li>Master Lock with Key Coded Locks to match ignition key</li> </ul>	$\boxtimes$	
Pre-build meeting at vendor's facility to see how work will be completed	$\boxtimes$	
DOT safety kit, first aid kit, 10 lb. fire extinguisher with bracket and safety triangles	×	
Conspicuity enhancement:		
<ul> <li>2" red and white diamond grade reflective striping on face of bumper</li> </ul>		
<ul> <li>6" red and yellow inverted V on rear of body compartment face</li> </ul>	$\boxtimes$	
<ul> <li>2G. 11 Foot Body Upgrade</li> <li>II' Body upgrade – requires a chassis with an 84" CA measurement</li> <li>132" L x 94" W Compartment Configuration:</li> <li>First Vertical 35 ¼" L x 40" H</li> <li>Second Vertical 21" L x 40" H</li> <li>Horizontal 44 ¾" L x 18 ½" H</li> <li>Rear Vertical 27 ½" L x 40" II – reinforced compartment and clips for shelves for heavy duty application</li> </ul>	×	
Shelving Configuration:		
Two (2) shelves first Vertical each side		
Two (2) shelves second Vertical each side		
One (1) shelf horizontal curbside		
• Two (2) shelves Rear vertical each side		
2H. Maxon Liftgate		
C2-54-1642-TP38 55" x 38" +4	Ø	
Aluminum 2 piece extruded plat form 1600 pound capacity	$\boxtimes$	
For use with utility bodies with openings of 54-61"	$\boxtimes$	
21. Flip Top Compartment both Street and Curbside for 9 Foot Utility Body	$\boxtimes$	

	COMPLIANCE	
	YES	NO
OPTIONS (Cont'd)	1571	
2J. Flip Top Compartment both Street and Curbside for 11 Foot Utility Body	$\boxtimes$	
2K. Raised Front Curbside Compartment for Both 9 Foot and 11 Foot Utility Bodie	es (bottle ga	s retainer
not included):	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•
<ul> <li>Front Vertical Compartment 60" H Raised with Masterlock</li> </ul>		
Rivet-less rotary latches		
Gas spring door retainers		
Code-able Padlock to match Ignition Key	$\boxtimes$	
2L. Bottle Retainer Compartment		
Bottle Retainer Compartment with Masterlock:		
• 60" H x 35 ¼" W x 20" D		
<ul> <li>Two (2) hooks for cords</li> </ul>		
Bottle holder		
• Victor Journeyman 450 Heavy Duty Outfit - 540/300 SR Regulators - Torch Set		
Code-able Padlock to match Ignition Key	$\boxtimes$	
2M. <u>High Compartment Body, 9 Foot Utility Body</u> Compartment Configuration 9' Utility:		
• First Vertical 35 ¼" L x 60" H		
• Horizontal 44 1/4" L x 38 1/2" H – will have barn doors with 3 point latches		
• Rear Vertical 27 ½" L x 60" H − reinforced compartment and clips for		
shelves for heavy duty application	図	
Shelving Configuration:		
<ul> <li>Four (4) shelves first Vertical Street side</li> </ul>		
<ul> <li>Bottle Retainer compartment first vertical curbside – Two (2) hooks for</li> </ul>		
cords, bottle holder, Journeyman 450 Heavy Duty Outfit torch set		
One (1) shelf horizontal curbside		
Three (3) shelves Rear vertical each side	$\boxtimes$	
Bottle Retainer Compartment with the high side utility:		
• 60" H x 35 ¼" W x 20" D		
<ul> <li>Two (2) hooks for cords</li> </ul>		
Bottle holder		
• Victor Journeyman 450 Heavy Duty Outfit – 540/300 SR Regulators- Torch Set		
<ul> <li>This option selected with the high utility will eliminate the shelves</li> </ul>	$\boxtimes$	

	COMPLIANCE	
	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)		
2N. High Compartment Body, 11 Foot Utility Body		
Compartment Configuration:  • First Vertical 35 ¼" L x 60" H		
• Second Vertical 21" L x 60" H		
• Horizontal 44 ¾" L x 38 ½" H - will have barn doors with 3 point latches	ı	
• Rear Vertical 27 ½" L x 60" H – reinforced compartment and clips for	$\boxtimes$	П
shelves for heavy duty application		
Shelving Configuration:		
• Four (4) shelves first Vertical Street side		
<ul> <li>Bottle Retainer Compartment first vertical curbside – Two (2) hooks</li> </ul>		
for cords, bottle holder, Victor Journeyman 450 Heavy Duty Outfit torch set		
Three (3) shelves second Vertical each side		
One (1) shelf horizontal curbside		
Three (3) shelves Rear vertical each side	$\boxtimes$	
Bottle Retainer Compartment with the high side utility:		
• 60" H x 35 ¼" W x 20" D		
Two (2) hooks for cords		
Bottle holder		
<ul> <li>Victor Journeyman 450 Heavy Duty Outfit – 540/300 SR Regulators-Torch Set</li> </ul>		
<ul> <li>This option selected with the high utility will eliminate the shelves</li> </ul>	Ø	Ц
2O. Subfloor with Full Height Tailgate		
6" High full length sub floor with full height tailgate	$\boxtimes$	
2P. Transverse Compartment		
First Vertical Full Transverse Compartment:		
Three (3) draw pull out both street and curbside		
If ordered with bottle cabinet, transverse will be street side only		
When ordered with C-Tech Drawer Unit, transverse shall		
be curb side pull out only	$\boxtimes$	
20. C-Tech Drawer Unit for Standard Height Body		
Drawer Unit to be installed in Street side first vertical:		
Drawers shall be rated for 250 lbs		
• 28" x 17.5"		
• .08", 5052 aluminum alloy construction		
40" Compartment Height Configuration		
One (1) 7" Deep Drawer		
• Two (2) 5" Deep Drawers		
• Three (3) 3" Deep Drawers	$\boxtimes$	
- remain (n) a manife meant them		

	<u>COMPLIANCE</u>	
OPETONS 40 A D	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)  OPTIONS (Cont'd)  OPTIONS (Cont'd)		
2R. C-Tech Drawer Unit for 60" High Utility Body  Drawer Unit to be installed in Street side first vertical:		
Drawers shall be rated for 250 lbs		
• 28" x 17.5"		
• .08", 5052 aluminum alloy construction		
40" Compartment Height Configuration		
Two (2) 7" Deep Drawers		
• Three (3) 5" Deep Drawers		
• Four (4) 3" Deep Drawers	$\boxtimes$	<u> </u>
2S. <u>Venco Venturo 4,000 LB. Electric Crane</u> (NOTE: Not Available with Aluminum Body)		
12VDC Electríc Crane – Venco Venturo Model ET16KX		
<ul> <li>Range 16,000 ft./lb. – 4,000 lbs. @ 4.0' – 900 lbs. @ 16'</li> </ul>		
<ul> <li>Boom Extension – Power 8'-12' – Manual 12'-16'</li> </ul>		
<ul> <li>Continuous power rotation &amp; Power boom elevation</li> </ul>		
25' plug in Remote Control Pendant		
Anti-Two Blocking	⊠	
Auxiliary Vented Battery:		
<ul> <li>Includes fuses</li> </ul>		
Smart Isolator & On/Off Switch		
Wireless FM Remote Control with On-Board Diagnostics System and		
Receiver	$\boxtimes$	
	-	F
Adjustable Boom Rest	$\boxtimes$	Li
Knapheide Corner Mount Crane Kit		
Right rear LEAF Spring upgrade for Crane Application	$\boxtimes$	
Venturo Outriggers:		
Electric Hydraulic Outriggers	X	
T. Custom Rear Work Bumper		
<ul> <li>24" deep with recessed vise mount housing</li> </ul>	•	
Step with grab handle		1
<ul> <li>Includes Outrigger housing tubes</li> </ul>		
BASF Spray liner on top	$\boxtimes$	

	COMPL	
OPTIONS (Cont'd)	<u>YES</u>	<u>NQ</u>
2U. Ladder Rack		
(NOTE: This option shall be used with non-flip-top utility bodies)	$\boxtimes$	
System One Ladder Rack:		
<ul> <li>Constructed of high-strength aluminum alloy with stainless steel hardware</li> <li>A 78" utility track provides a rigid mounting surface for the ladder rack</li> <li>The utility track attaches to the top surface of the utility body using concealed bolts and also serves as a structural anchor rail for tie-downs</li> <li>Set of four (4) work winches with straps and handles, which plug into the racks in just minutes</li> </ul>		
<ul> <li>Winches are constructed from aluminum alloy and stainless steel and have PVC bearings for rust-free durability</li> </ul>	$\boxtimes$	
2V. E-Track Down Each Side of Body - 2" from Top of Compartments		
2W. Four (4) 2' X 12" Ratchet Straps		
2X. BASK Spray Liner on Floor of Compartments	$\boxtimes$	
<ul> <li>2Y. Whelen LED Liberty II Solo IX 48" Light Bar</li> <li>Light Bar LED Liberty II Solo IX 48", all modules filled with amber LED</li> <li>Rear traffic advisor with flashing capabilities</li> <li>Alley lights and takedowns are to be white</li> <li>Twelve (12) scan lock flash patterns</li> <li>Controller</li> </ul>		
Brackets for mounting on Safety Back Rack	$\boxtimes$	
<ul> <li>2Z. Light Color Option for Liberty II Solo IX 48" Light Bar</li> <li>Light Color Option:</li> <li>Red and Blue – single color modules in lieu of amber for Sheriff's</li> </ul>		
Department, keeping the amber rear arrow stick; module placement shall be provided at time of order		
2AA. Emergency Lighting Split Red Blue Body Lights 3 1/2" Super LED clear lens with 3 1/2" Super LED Surface Mount clear lens with red and blue lights shall be installed	⊠	
<ul> <li>Whelen LED Lights: Emergency Light Package</li> <li>Body Upfitter must provide installation of lights so they work in conjunction with the equipment on the truck:</li> <li>Four (4) Micron Series Super LED in grill – split color</li> </ul>		
<ul> <li>Two (2) on body sides, One (1) each side split color</li> <li>Four (4) rear of body to work with chosen equipment – split color</li> </ul>	⊠	

			, ,	COMPLI	
ADTIONS (	ZC42 33			<u>YES</u>	NO
OPTIONS (		Dale			
	<u>lazer 302 Air F</u> el 907549003, o				
	•	-	25° Battery charge/jump cable Part #300422		
	ry Charge/Cran condent Weld ar		25 Battery charge/jump cause Part #300422		
•			10ddon		
	strial Rotary Scr		62801		
	Cooler Separator Filter Part	Part			
** ** *		T)			
	cant Air Dryer				
•	less Remote Ha	na Control Par	τ	KZ.	
• Prote	ctive Cover			Ø	
2CC. Winch					
	! issue must be 2	2021 or newer			
12,000 lbs. S		.021, 01 1.0000			
	s Wound, 12V I	OC 24V DC			
	ntrols: Contract				
	trol: Remote Sw				
	stage planetary	, <b>.</b>		⊠	
Gear ration:					. —
	spooling): Rotat	ting ring gear			
	natic mechanic				
Drum Diame	ster/Longth: 3.13	5"/9.0"			
Rope: 3/8" x	80' steel			$\boxtimes$	
12V DC Per	formance Spec	· 4 •			
	Line Speed -	Motor	Pull by		
Lbs.	Ft.	Current	Layer/Lbs.		
0	28,1	66 amps	1/12000		
2000	14.2	141 amps	2/9894		
4000	9.3	209 amps	3/8117		
6000	7.8	272 amps	4/7324		
8000	6.4	335 amps			
10000	4.3	401 amps			
12000	3.3	469 amps		•	
				$\boxtimes$	
Winch Dime	ensions:				
Integrated co	nfiguration: 24.	25" L x 7.15"	D x 10.52" H	$\boxtimes$	
Low-Profile	configuration: 2	4.25" L x 7.15	" D x 7.84" H		
Mounting B	olt Pattern:				_
10" x 4.5"				$\boxtimes$	□.

OTILITY BODY, AS OF METERSO, ON EQUILE	COMPLIANCE	
	YES	NO
<u>OPTIONS</u> (Cont'd) 2CC. <u>Winch</u> (Cont'd)		
Winch Mount Grille Guard/ Head Lamp Guard Kit, As Specified or Equal Weight: 148 lbs.		
Dimensions: 89" x 37" x 38"	×	
16,500 lb. straight line pull	×	
14 gauge 1.5" steel tube	×	
Center Crossbars: 1.5" diameter tubing	$\boxtimes$	<u> </u>
Removable headlight area cross bars	$\boxtimes$	
Double hood bar design	$\boxtimes$	
Powder coated black	⊠	
Warranty: Material and Workmanship: Lifetime of winch	×	
Electric Components: 7 years	×	
Winch Mount Grille Guard: 3-year warranty	$\boxtimes$	
Fairlead: Roller	$\boxtimes$	
Recommended battery: 650 CCA minimum for winching	X	
Battery Leads: 2 gauge, 72"	$\boxtimes$	
2DD. <u>Air Compressor, 150 CFM</u> VMAC VR150 Underhood Rotary Screw Compressor	$\boxtimes$	
150 CFM, 175 PSI	$\boxtimes$	
3 gallon receiver tank Control panel	$\boxtimes$	
Throttle control	<b>Z</b>	
Filter/Regulator/Lubricator	$\boxtimes$	
Relief/Shut-Off valves with all required fittings	Ø	

UTILITY BODY, AS STECKIED, ON EOOAD (CONT. D)		COMPLIANCE	
	YES	NO	
OPTIONS (Cont'd)			
2DD. Air Compressor, 150 CFM Hose Reel: 50° of ½" I.D. air line	$\boxtimes$		
2EE. Pioneer Flood Light Head - Model PFP2P1, or Equal			
General Specifications: 168 Watt +12VDC light head shall incorporate a Super-LED dual flood light installed in die-cast white powder coated aluminum housing.	×		
Configuration shall consist of 60 white Super-LEDs with a clear optic collimator/metallized reflector assembly and a clear non-optic polycarbonate lens.	Ø		
The flood light shall be installed with a pole/pedestal adaptor with a 1 1/8" adjustable sleeve, junction box, a toggle switch with weatherproof boot and a large anodized aluminum alloy ergonomic knob at the knuckle.	Ø		
Shall be installed with a black fiberglass enforced polycarbonate handle.	$\boxtimes$		
Flood light shall have 16,000 usable lumens.	$\boxtimes$		
The lens/reflector assembly shall utilize a liquid injected molded silicone gasket to be resistant to water, moisture, dust and other environmental conditions.	×		
The hard coated lens shall provide extended life/luster protection against UV and chemical stresses.	$\boxtimes$		
Shall be vibration resistant.	$\boxtimes$		
PC boards shall be conformal coated for protection	$\boxtimes$		
Two breathable membrane patches shall be installed to the bottom of the housing to maintain a consistent internal pressure.	×		
Shall have extended LED operation with low current consumption and low operating temperature.	⊠		
Furnished with a 6" non-terminated pigtail in the junction box	$\boxtimes$		
Shall have the ability to flash a secondary warning light in the "Clearing Right of Way" mode when installed with an external flasher.			
Shall be SAE 1113-42 compliant and Class 5 testing for EMI			
Voltage: +12v DC	$\boxtimes$		

UTILITY BODY, AS SPECIFIED, OR EQUAL (CONT. D)	COMPLIA	NCE
	YES	NO
OPTIONS (Cont'd)		
2EE. Pioneer Flood Light Head – Model PFP2P1, or Equal (Cont'd) General Specifications: (Cont'd)		
Size: H=4.125", W=14", D=2.5"	$\boxtimes$	
Amp Draw: Spot light=13 amps	$\boxtimes$	
Lens Color: Clear	×	
Warranty 5-year warranty on light and electronic circuit boards		
2FF. Cast Iron Mechanic's Vise on Removable Plate with Receiver Type Hitch		
Duty Rating: Standard Duty, Features Steel Channel and Jaws, Large Anvil Work Surface, Enclosed Screw Assembly, Powder Coated	$\boxtimes$	
Base Type: Swivel – Swivel Angle		
Jaw Width: 6"	$\boxtimes$	
Max. Opening: 5 1/4" Throat Depth: 4 1/8"		
Pipe Jaw Included: Yes	$\boxtimes$	
Pipe Capacity: 1/4" to 3 1/2" Material: Cast Iron	×	
Jaw face: Serrated	$\boxtimes$	
Number of Lock Down Bolts: 2	$\boxtimes$	
Body Casting: 30,000 PSI Number of Mounting Points: 4 Mounting Hole Diameter: ½"	X	
Overall Longth: 17 ¼", Overall Height: 10 ¼", Overall Width: 11"	×	
Lifetime Warranty against Manufacturer's defects	×	
2GG. Husky 815-Piece Mechanic's Tool Set		
Key Features: Alloy Steel Construction SAE and Metric Sizes	×	
Item Weight: 178 lbs.	X	

	YES YES	IANCE NO
OPTIONS (Cont'd)		
2GG. Husky 815-Piece Mechanic's Tool Set (Cont'd) Tool Set		
Husky Mechanic Tool Set (815 pieces) Part # H815MTS Includes:		
• 433 sockets		
• 230 accessories		
<ul> <li>145 various wrenches (standard combination, stubby, ratcheting,</li> </ul>		
stubby ratcheting, flex head ratcheting, reversible ratcheting and specialty)		
• 7 ratchets		
• 72-tooth quick release ratchet	X	
"No Questions/No Receipts" Lifetime warranty	×	
Impact Sockets		
Dowalt – DWMT 19242 1/2" Drive metric deep impact socket set (26 pieces)	$\boxtimes$	
Dewalt - DWMT 19239 1/2" Drive SAE Deep impact socket set (19 pieces)	×	
Limited Lifetime Warranty	$\boxtimes$	
Impact Wrench		
<ul> <li>Milwaukee M18 Fuel 18 Volt Litium Ion Brushless, Cordless ½" impact</li> </ul>		
wrench with friction ring kit		
• Two (2) 5.0 Ah batteries		
5 Year Warranty/Tool		
3 Year Warranty/Battery		
2HH. Truck Steel Air/Hydraulic Service Jack		
Material: Steel		
• Lifting Capacity: 22 Tons		
• Lifting Height Min: 8 1/2"		
• Lifting Height Max: 17"		
• Power Raise: 4 5/8"		
• Chassis Length: 22"		
Operation Type: Air  Type: Air		
• Retracted Length; 8 ½"		
Handle Length" 47 3/8"  Standards ANGL AGME and MALE 2000		
Standards: ANSI, ASME and PALD 2009     The invited Standards		
1-year Limited Warranty	N	

	YES	IANCE NO
OPTIONS (Cont'd)	•	
2II. 1700 Peak Amp 12 Volt Jump Starter		
• 1700 Peak Amps		
<ul> <li>425 Cranking Amps</li> </ul>		
PROFORMER Battery Technology		
<ul> <li>46 inch heavy-duty #2 AWG cables</li> </ul>		
<ul> <li>Voltmeter providing charge status of onboard battery</li> </ul>		
<ul> <li>DC outlet to power: 12 volt Item Weight: 18 lbs.</li> </ul>		
• Product Dimensions: 16.3" x 14.1" x 5.1"		
Voltage: 12 volts		
1-year Limited Warranty	$\boxtimes$	
2JJ. Booster Jump Set		
Grey with 25° Cables	☒	
1-year warranty: Free of defects in material and workmanship	$\boxtimes$	
2KK. Road Department Paint Color Scheme Road Department Paint Colors – Dupont 4357A – School Bus Yellow from the bottom of the windows down. Academy Blue #4250 from the bottom of the windows up to and including cab roof and back, on hood from bottom of windshield to a point on the hood to make a "V" and match the Road Department fleet. (Note: Not all Vehicles will be painted this way)	$\boxtimes$	
2LL. Vehicle Special Order Paint Colors Not On the Standard Color Chart (i.e. Gem Green)	X	
2MM. EnPak A30GBW All-In-One with gasoline driven power capabilities, 12V DC		
Integrated into the battery, chassis power monitors battery and automatically charges as needed		
Auto-Speed Technology adjusts engine speed to match compressed air, battery charge, and weld demands	×	
Auto Start/Stop turns the engine on and off based on demand, reducing fuel Consumption	$\boxtimes$	

	COMPL	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
2MM, EnPak A30GBW (Cont'd)		
CAN Bus Connectivity  Allows connection to telematics system to monitor engine date, machine loads and usage, also allows tracking of service intervals, schedule maintenance and		
improve diagnostics	Ø	
23hp Kohler Gas Engine 2,400 rpm idle speed	$\boxtimes$	
2,400rpm – 3,600 rpm weld speed		
Single phase, continuous power generator with 6,500	$\boxtimes$	
Watts; Peak power 8,000 Watts		
Idle sound rating of 66 dB and high speed sound rating of 73 dB	Z	
Dimensions: 28" H X 20" W X 47" D; 15.2ft2 in length	×	
Remote Panels Weld/battery output panel Main Control panel 120/240V outlet panel	Ø	
30 CFM Air Compressor Rotary-screw air compressor	Z	
Generator 6,500 Watt Electric Generator able to power 120V and 240V AC tools and lights	$\boxtimes$	
Battery Charge/Crank Assist Maximum of 100 amps of DC power for 12/24V battery charging	Ø	
Maximum of 300 amps for crank assist	X	
Welding 210 amp inverter based welder with multi-process ability		
Accessories	_	
25' Battery Charge/Jump Start Cables with plug Air dryer kit	X X	
Pressure switch kit	$\boxtimes$	
Air Compressor Oil Heater	Ø	

	COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
2MM. EnPak A30GBW (Cont'd)		
Accessories (Cont'd)		
Cable with Electrode holder	$\boxtimes$	
Cable with work clamp	$\boxtimes$	
2/0 Weld Cable Extension 50°	⊠ <b>ä</b>	
Hose Reel with 50° of 1/2" L.D. Air Line	$\boxtimes$	
<ul> <li>2NN. Inverter</li> <li>AIMS Pure Sine 4000 Watt Inverter, placement to be decided at time of order</li> <li>Peak Power 12,000 Watt surge rating</li> </ul>		
• 12 Volt	$\boxtimes$	
Installed with two (2) auxiliary batteries	×	
Additional GFI outlet with weather proof protector located at end users placement	$\boxtimes$	
<ul> <li>Isolation Solenoid</li> <li>When truck is running it is charging auxiliary batteries and when truck is off it is only running off auxiliary batteries</li> </ul>	×	
200. Go-Lights, Model 3024		
Go Light Stryker Work Lights (Up to two (2) per vehicle)	$\boxtimes$	
Permanently mounted on retractable poles between front of body and back of cab		
6000 maximum lumens	Ø	
5 amp draw		
9-32 VDC input	$\boxtimes$	
2PP. 9' Readily Detachable Western Snow Plow System		
Blade Assembly  Moldboard — 12 gauge (0.104") steel sheet formed to a 17.3" radius  with a 1.76" diameter top curl	$\boxtimes$	
Ribs – Eight (8), 0.25" thick, variable profile, electrically welded to sheet, torsion tube and 0.25" thick, high strength steel base channel	Ø	
Forsion Tube – 2" diameter, full width, electrically welded to all eight ribs		

	COMPL XES	<u>IANCE</u> NO
OPTIONS (Cont'd) 2PP. 9' Readily Detachable Western Snow Plow System (Cont'd)		<u> </u>
Blade Assembly (Cont'd) Cutting Edge – Reversible 0.5" x 6" high carbon steel C1080 attached with ten (10) 0.63" Grade 5 carriage bolts	Ø	
Disc Shoes – Two (2), full rotation, height adjustable, Austempered Ductile Iron shoes with integral 1" diameter shaft secured to blade with lynch pins.	X	
Shoe brackets shall be welded to vertical ribs	X	
Blade Trip - 50 degree full blade trip	×	
Trip Springs – Four (4), 2.38" OD x 0.39" diameter, C1060, hard drawn, stress relieved wire, preloaded, with 0.63" x 4" eyebolts	Ø	
Shock Absorbers – Two (2), 5" stroke, shielded shock absorbers to retard extension velocity and dampen blade trip return	⊠	
Blade Trip Pivot – Three (3) 0.75" diameter steel pins	×	
Blade Guides – Two (2) highly visible, vinyl coated, spring wound, with replaceable flags		<u> </u>
Plow Angling – 30° right and left	Ø	
A-Frame Electrically welded, reinforced, $3" \times 3" \times 0.19"$ wall structural steel side tubes with 0.50" thick, formed nose plate and integral attachments for angling rams		
to receive 1" diameter pins	$\boxtimes$	
Lift Chains Two (2), 0.25" Grade 43 high test steel with 2,600 lb. working load limit, attached with 0.38" U-bolts	⊠ <b>i</b>	
Quadrant  Electrically welded, reinforced, 5" OD x 0,25" wall structural steel tube with 0.50" thick nose plates and integral attachments for angling rams to		
receive 1" diameter pins	X	
A-Frame to Quadrant Angle Pivot 1" diameter Grade 5 bolt	$\boxtimes$	

		JANCE NO
OPTIONS (Cont'd)	YES	NO
2PP. 9' Readily Detachable Western Snow Plow System (Cont'd) Lift Frame		
Shall have provision for attachment of out front hydraulics and light kit	Ø	
Lift Arm $-0.25$ " $\times$ 2" formed bar welded with a 7 gauge steel cover	$\boxtimes$	
Two Plow Stands:		
Self-storing     Adjustable	157	<del></del> 1
Adjustable		
Integrated into the plow attachment mechanism.	$\boxtimes$	
Connecting hook and lever with integral 0.50" lock pin	×	
Two piece lift frame with tubular construction	$\boxtimes$	
Lower lift frame to include drive in plow alignment horns	×	
Mount		
Custom designed, electrically welded, structural steel mounting readily adaptable to truck frame. Attached to truck with Grade 5 fasteners	$\boxtimes$	□.
Vehicle, with mount attached, shall meet Federal Motor Vehicle Safety Standards by compliance or by vehicle manufacturing approval	Ø	
Removable receiver brackets for additional ground clearance	$\boxtimes$	
Paint		
Plow blade shall be made of shot blasted steel and cleaned with phosphate solutions and have baked-on red polyester powder coating	$\boxtimes$	
Hydraulies		
Electric solenoid activated and detachable with lift	Z	
Front mounted hydraulic unit consisting of a fixed displacement gear pump,	_	¥
with 1750 PSI system relief, direct tang driven by a 4 ½" 12 volt DC motor	Ø	
Pump with filter screen shall be immersed in a steel deep drawn reservoir	$\boxtimes$	
Main valve manifold shall contain three (3) side mounted and covered solenoid cartridge valves	X	
Cushion relief valves set at 4,000 PSI and a quill adjustment screw to adjust blade drop speed	⊠	

	COMPLIAN	
OPTIONS (Cont'd)	<u>YES</u>	NO
2PP. 9' Readily Detachable Western Snow Plow System (Cont'd) Hydraulies		
One (1) 1 ½" x 8" lift ram and two (2) 1 1/2" x 12" angling rams each rod with seal, a wiper ring and a packing nut	A A	
Hydraulic hoses shall be ¼" x 3/8" steel braided SAE 100R1		
Hydraulic unit shall be controlled by a soft touch, hand held in-cab control.		
Control shall be equipped with an on/off and mode buttons and indicator lights.	$\boxtimes$	
Control can be dash mounted	$\boxtimes$	
Control shall provide a single button movement angle right or left (hydraulically locked)	$\boxtimes$	
In-cab control shall be connected to valve manifold and to the motor through an auxiliary 12-volt multiplexed harness. Power and control harness to have quick disconnects and covers at the grill	<b>×</b>	
Control shall allow plow to be in float when lowered	×	
Unit shall be a "low side" drive system, which provides positive potential continuously with a switched ground to control the solenoids		
Unit shall possess programmable security lockout feature Unit shall possess programmable hydraulic soft stop feature Unit shall possess programmable one touch float feature		□
Hydraulic fluid shall be MIL5606 equivalent standard transmission fluid (ATF) or aircraft hydraulic oil for low-temperature operation	×	
Cycle times: Lift, 2.0 seconds; Angle, 1.5 seconds	$\boxtimes$	
Hydraulic unit shall stay with plow when plow is disconnected from truck	$\boxtimes$	
<b>Lights</b> Nighthawk LED Headlamps	Ø	
Headlights Comprised entirely of light emitting diodes using solid optic elements for low beam and high beam lights	×	ā
A reflected LED light for the side lighting using EdgeView Technology	×	
ORL/Park lights using white lights behind a frosted filter, turn signal utilizing unber lights behind the same frosted filter	×	·

	COMPLIANCE	
Compression (2011) and an	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd) 2PP. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Plow Removal		
Blade assembly, A-Frame, Quadrant, Lift Frame with hydraulic unit all to		
be removed in one step from truck as one complete unit	$\boxtimes$	
Accessories with Plow		
Snow deflector	$\boxtimes$	
Curb guard right and left	$\boxtimes$	
Cab command Hand Held Control or Joystick	×	
2QQ. Poly Electric Spreader		
Dimensions  • Outside Hopper 103" L		
<ul> <li>Outside Hopper 103" L</li> <li>Outside Hopper 63" W</li> </ul>		
Ourside Hopper of w     Overall Spreader 117" L		
Overall Spreader 51" H		
• Capacity 2.5 yd3	(C7)	
Empty Weight 734 lbs	×	Ц
Poly Hopper Construction	<i>r</i> 5	
Shall be constructed of rotationally molded 1/4" thick double	L Xda	
walled polyethylene shell	XX	
	v U	
46° sloped sides with six (6) molded side support ribs	$\boxtimes$	
Molded rear "feet" for ease of removal, cleaning and storage	囟	:=
Shall include standard 2-piece hinged, double-walled, overlapping domed hard		
plastic covers that double as spill guards	Ø	
Conveyor Drive Bed		
Shall be 100% constructed of 10 gauge 201 stainless steel with a 16 ¼" wide		
pintle chain conveyor system	$\boxtimes$	
Dual Motor Drive		
One motor shall be a sealed 1/2 HP-12VDC capacity with an 11-tooth		
frive sprocket powering a #40 roller chain to gearbox which allows for	<b>=</b>	<del></del>
ndependent pintle chain speed control.	<b>\B</b>	
A separate 1/3 HP motor, dedicated to power a belt driven spinner, shall	,	_
illow for independent spinner speed control	$\Sigma$	L_l

UTILITY BODY, AS SPECIFIED, OR EQUAL (CONT.D)	<u>COMPLI</u> <u>YES</u>	ANCE NO
OPTIONS (Cont'd) 2QQ. Poly Electric Spreader (Cont'd) Gear Box		
Gearbox shall be 20:1 reduction and driven by #40 heavy-duty drive chain with a 55-tooth drive sprocket	Ø	
Chute Assembly Dual wall poly chute assembly shall be a two position adjustable design to accommodate dump body applications	⊠	
Assembly shall include a 1/3 HP motor dedicated to power a belt driven spinner	⊠ ·	
Chute/Spinner Assembly is designed for easy, no tools, removal in one piece for quick detach and storage		
Spinner disk shall be polyurethane, 15.5" in diameter, with four (4) flutes	$\boxtimes$	
Width of spread shall be approximately 2' to 40'	$\boxtimes$	
Shall include a wide fixed stainless deflector to protect truck bumper and under parts from the material being spread	$\boxtimes$	
An alternate license plate location shall be molded into the poly chute housing		
Feed Gate Shall have a stainless steel lever/handle, spring loaded, with positive detent calibration, for accurate adjustment	×	
Cab Control and Wiring System Shall be fused to protect wiring, and have a blast feature for spot spreading	②	
Include self-diagnostic troubleshooting flash codes via LED lights located on control panel as well as audible indicators	$\boxtimes$	
Control shall have dual controls to independently control the conveyor and spinner Speeds	$\boxtimes$	
Harnesses Shall have multiplexed electrical system with no high current power cables routed into vehicle cab	⊠	
Shall have two-piece harness with molded style connectors and covers routed to disconnect at the rear of the truck	$\boxtimes$	
CHMSL (Center High Mounted Stop Light) is provided as standard	$\boxtimes$	
An accessory wire for optional work light shall also be included as standard	$\boxtimes$	

		COMPL.	
ОРТИ	ONS (Cont'd)	<u>YES</u>	<u>NO</u>
2QQ.	Poly Electric Spreader (Cont'd)		
	ard Features nelude heavy-duty top screen constructed from ¼" diameter rod	区	
Tent st	yle top screens shall be angled at 15°	$\boxtimes$	
Норре	r body shall have four (4) molded-in-poly tie-down loops		
	Pipe Vise on Removable Plate with Receiver Type Hitch ise mounted on rear step bumper	×	
Wilton	6 ½" Swivel Pipe Vise	$\boxtimes$	
Wilton	Pipe Jaws	Ø	
	iagnostic Tools / Test Equipment Successful bidder shall be required to supply between one (1) and three (3) complete sets of OEM testing/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full rai of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable)		
2.	All laptop computers will be of the newest available technology and have suffice storage and memory to operate all required software	ient ⊠	
3.	Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid	<b>\</b>	
4.	All software installations and activations will be completed by the successful bidder at no cost to the County	⊠	
5.	All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment	Ø	□
6.	All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment	Ø	. □
7.	Training shall be provided on all items in this section at a specified County location	×	

COMPLIAN	<u>ICE</u>
YES	NO

OPTIONS (	(Cont'	d)
-----------	--------	----

### 2TT. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps
- #12 AWG BLACK wire connected to chassis ground
- #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps

Wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. Wiring harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminated 12VDC sources shall be protected from making contact with grounded metal surfaces

### [\_\_\_\_

X

X

### 2UU. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- #12 AWG BLACK wire connected to chassis ground.
- #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle.

The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces

### 2VV. Technical Support

Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting

X	
---	--

The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification

$\boxtimes$	

Technical support may be requested in the following areas

- Engine (cooling, fuel, ignition, lubrication systems) -1 day at each location.
- Transmission 1 day at each location
- Electrical 1 day at each location
- Brakes 1 day at each location
- Hydraulic system (dump body, spreader, snow plow) -1 day at each location
- Upfitter (dump body, sweeper, etc.) -1 day at each location

### ITEM #2 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH 9 FOOT

UTILITY BODY, AS SPECIFIED, OR EQUAL (CONT'D)	<u>COMPLIAN</u> Y <u>ES</u>	VCE NO
OPTIONS (Cont'd)	<u>* 247.</u>	<u> </u>
2VV. Technical Support (Cont'd) Technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks)	⊠	
Shorter training days shall be allowed only with consent of Vehicle Services	Ø	<u>יי</u> ין
Total training hours shall be provided and no additional compensation will be considered	X	
Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder	×	
For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled	×	
Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper education	×	
Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:  • Toms River, 152 Chestnut Street, Toms River, N.J. 08753  (Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)		
<ul> <li>Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050</li> </ul>	図	
Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting Department	$\boxtimes$	
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only	X	
Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service		

## ITEM #3 – CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL

	<u>COMPL</u> <u>YES</u>	<u>IANCE</u> <u>NO</u>
CHASSIS SPECIFICATIONS	_=""	_
Current Model Year, or Newer, Ford F550 Regular Cab Dual Rear Wheels	<u> </u>	
Four Wheel Drive		
60" Cab to Axle (CA)	$\boxtimes$	
7.31. V8 gasoline engine	$\boxtimes$	
40 gallon fuel tank	$\boxtimes$	
TorqShift transmission with PTO option	$\boxtimes$	
19,000 lb. GVWR	$\boxtimes$	
Cab shall be military grade aluminum alloy for longevity to the County		
in lieu of carbon steel	$\boxtimes$	
Frame shall be fully boxed under cab and "C" channel behind cab for easy		
mounting of body	$\boxtimes$	
Oil life monitor, engine hour and engine idle hour meters	$\boxtimes$	
Air Conditioning	×	
Airbags, frontal driver & passenger, side impact and side air curtains	$\boxtimes$	
TowCommand integrated trailer brake controller, manual telescoping		
trailer tow mirrors	$\boxtimes$	<u> </u>
7 wire trailer wiring harness (no plug)	$\boxtimes$	
AM/FM radio; SYNC Enhanced voice recognition communication and		
entertainment, 911 Assist, AppLink 4-2" LCD Center Screen, One (1) Smart	5-7	_
charging USB Port SYNC	⊠	
Power windows, locks, mirrors, and heated mirrors	<b>X</b>	
Center High Mount Stop Lamp	⊠	
240 amp HD alternator, 12V 750 CCA battery		
Tilt and telescoping steering wheel		
4.88 ratio limited slip axle	Ø	
4 wheel power ABS brakes, front and rear disc, power steering, front		_
and rear stabilizer bars	⊠ <del>-</del>	
Quad-beam jewel-effect halogen headlamps, five (5) roof marker lights		
LT225/70R19.5G BSW Traction tires – six (6)		
One (1) full sized spare tire mounted to wheel and one (1) jack	$\boxtimes$	
Chrome front bumper, front tow hooks	$\boxtimes$	
Chrome hub covers, front bumper grill	$\boxtimes$	
Power Sliding Rear glass with defrost – sc/cc only	. 🗵	
Remote Start	$\boxtimes$	
Halogen Fog Lamps	$\boxtimes$	
40/20/40 split vinyl bench seat with center arm rest	$\boxtimes$	
Auxiliary power point, six (6) upfitter switches located overhead center		
Tachometer, speedometer, oil pressure, transmission temp, engine temp,		
and fuel gauge		
Interval windshield wipers		
Driver & passenger grab handles	$\boxtimes$	

	COMPLIANCE	
	YES	<u>NO</u>
CHASSIS SPECIFICATIONS (Cont'd)		_
Standard XL Rear view camera and prep kit		
3-year/36,000 mile bumper-to-bumper warranty on OE components	$\boxtimes$	
5-year/60,000 mile powertrain warranty	<b>⊠</b>	
Shift on the fly	<b>⊠</b>	
Cab steps, molded black (running boards)	$\boxtimes$	
Undercoating – entire truck chassis, underside of cab and underside of added body (dump, utility, platform) shall be coated with Tectyl 2423 Haps Free Black, or Z Guard Product, a low VOC, High Solids,		
Emulsion Corrosion preventing coating	$\boxtimes$	
Snow plow prep package	$\boxtimes$	
Single color to be selected from standard color chart at time of order	×	
ENCLOSED SERVICE BODY SPECIFICATIONS Body Shell		
Shall be constructed of 14 gauge two-sided A40 Galvanneal steel	$\boxtimes$	
Compartment tops and backs and the compartment end panels shall be a one-piece seamless design	×	
All doors, door openings, drip rails, and other exposed steel edges shall be hemmed for strength, safety, and resistance to corrosion.	⊠	
Floor Shall be constructed of a minimum of 12 gauge treadplate with a 1 3/8" return flange on each side	×	
Side compartment back panel should overlap and interlock with the floor flange, providing support for the weight of the side compartment.	⊠	
Understructure Cross sills shall be constructed from 11 gauge steel with 50,000 PSI minimum yield strength.	Ø	
Compartment Doors Side compartment doors shall be constructed of 20 gauge two-sided A40 Galvanneal Steel	⊠	
Shall be double paneled with internal reinforcements for durability	⊠	
Hinges Corrosion resistant, all stainless steel, continuous hinges shall be installed to provide full length support for the doors and pry-proof security with a built-in	_	
weather shield	$\boxtimes$	

	COMPLI	
ENCLOSED SERVICE BODY SPECIFICATIONS (Cont'd) Hinges (Cont'd)	YES	<u>NQ</u>
Hinges for the side compartment doors shall be spot welded to the door frames	Ø	
Hinges for both the rear doors and the conduit chute doors shall be attached with non-corrosive aluminum rivets with stainless steel mandrels.  Hinges must be supported with a six year warranty	X X	
Rotary Latches  Corrosion resistant rotary latches shall be secured to the door panels by four  (4) threaded studs attached to the back of the latches	×	
Shall have zinc die cast handles with a brushed chrome finish that provides ample hand clearance surrounded by an injection molded glass and mineral infused UV resistant nylon housing	⊠	
Shall also have an internal injection molded glass and mineral infused UV resistant nylon cover for protection from the contents of the compartments		
Shall be slam-latchable	$\boxtimes$	
Latching cams shall be elongated to allow the latches to move vertically relative to the lock strikes to prevent torsional damage	×	
Microcellular urethane foam gaskets shall be installed between the latch flange and the outer door skin to prevent moisture from entering the compartment behind the latch		
Lock cylinders shall be flush mounted for additional security	X	
Door Strikers Adjustable strikers shall be affixed to the side compartment door frames with screws (welded-on door strikers are NOT ACCEPTABLE)	⊠	
Door Seals Automotive "bulb type" neoprene door seals shall be installed by the manufacturer of the body on all door frames	$\boxtimes$	
Door Retainers  Double spring over center door retainers shall be installed on all vertical doors	<b>Z</b>	
Door retainers must hold doors in positive open or closed position (other types of retainers, like cables or chains are NOT ACCEPTABLE for vertical doors)		
Horizontal doors shall be secured in an open position parallel to the ground by heavy duty chain retainers	Ø	

ENCLOSED OTHER THE BENTILLE BOOK, AS STEEL BENTILLE	COMPLIA	
	<u>YES</u>	NO
ENCLOSED SERVICE BODY SPECIFICATIONS (Cont'd)  Door Retainers (Cont'd)		
Chain retainers must be easily removable so that the door can be opened to a full 180° to be able to access the compartment in tight areas.	×	
Shelving Shall be constructed of 18 gauge bright spangled galvanized steel		
Shall have hemmed dividers on 4" centers	X	
Shelves must have a minimum capacity rating of 250 lbs	X	
Interior Light Guards Light guards shall be installed by the body manufacturer to provide protection for recessed stop/tail/turn and backup lights	×	
Wiring harness must also be protected		
Master Lock System  Each lower side pack on the body shall include a sliding bar master lock that secures all of the doors along that side of the body with an exterior padlock	⊠	
Each master lock bar shall be spring-loaded to hold the sliding bar in the open position so the side doors are only obstructed when the master lock is being held into place by a padlock	⊠	
Interior Dome Lights The cargo area of the body shall be illuminated by two (2) overhead dome lights switched at the rear of the body thus eliminating the need to climb into the load area to operate the lights	⊠	
Roof Construction Shall be constructed of 16 gauge A40 Galvanneal steel	$\boxtimes$	
Shall be tapered and crowned across the top for additional strength		
Shall be reinforced by cross braces and shall feature two (2) lockable rear conduit chute doors (one (1) on each side)	×	
Conduit chute doors shall have corrosion resistant zinc plated rotary latches	☒	
Latches shall be slammable and shall be keyed the same as the rest of the exterior doors	$\boxtimes$	
Shall have adjustable door strikers attached to the door frames with screws	团	

ENCLOSED SERVICE BODY SPECIFICATIONS (Cont'd)	YES YES	NO NO
Roof Construction (Cont'd) Roof shall have two (2) access doors each side with chrome T-latches.		
Rear Cargo Doors Shall be a double panel construction with a 20 gauge	×	
A40 Galvanneal steel outer panel and a 14 gauge Galvanneal steel inner liner	X	
Shall have a nitrogen gas door retainer to assist in both the opening and closing of the door	⊠	
Shall be designed so that all door rods and latching hardware is concealed between the outer door panel and interior door liner	⊠'	
Shall be available with or without glass.	$\boxtimes$	
If glass is selected, specifications consist of a minimum of 7" x 24" fixed tempered glass window installed in each door and protected by an 18 gauge bright spangled galvanized steel punched window guard	凶	
Exterior Prime Paint Shall be completely immersed in electrodeposition gray epoxy prime paint featuring a zinc phosphate precoat and seal for additional corrosion protection	Ø	
Prime paint shall be oven cured to provide a hard durable finish		
Final finish color shall match color of cab, base coat clear coat	$\boxtimes$	
Interior Paint Interior paint shall be a mid-gloss, mar resistant, light gray finish	$\boxtimes$	
Undercoating The body shall be completely undercoated by the body manufacturer using a water based acrylic	×	
Warranty The following items shall be covered by a ten (10) year limited warranty:	$\boxtimes$	
No Rust-Through Guarantee	$\boxtimes$	
Continuous Door Hinges – Guaranteed not to fail to operate or come off body	Ø	
Latches and Lock Cylinders – Guaranteed against failure	$\boxtimes$	

### ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH ENCLOSED LITTLITY SERVICE RODY AS SPECIFIED, OR EQUAL (CONTYD)

ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)	, <u>COMPLIAN</u>	CF
·	YES	NO
ENCLOSED SERVICE BODY SPECIFICATIONS (Cont'd)		
Warranty (Cont'd) Shelves – Guaranteed not to fail in bending under a maximum 250 lb. rated load.	X	
Lighting Lighting shall meet all FMVSS standards	Ø	
Wiring harness shall be encased in a plastic loom and all wires shall be colored for ease of troubleshooting	X	
Wire harness must have connectors that are compatible with the specified chassis without splicing	$\boxtimes$	
Stop/tail/turn and backup lights shall be surface mount with built in strobe	②	
The stop/tail/turn/reverse shall be surface mount with built in strobes	$\boxtimes$	
All marker, clearance, and R.I.D. lighting shall be LED type lighting (Incandescent lights in any of these locations are <b>NOT ACCEPTABLE</b> )	×	
Dimensions Knapheide Model KC108L2094J  Length 107.25" without bumper  Width 94"  Compartment Depth 20"  Overall Height 68"  Clear Door Width 49.5"  Clear Door Height 40"  Interior Clear Height 51.1"  Body Weight 2,093 lbs.		
Streetside Compartment Configuration  • First Vertical: 35.25" x 40"  • Horizontal: 44.75" x 18.5"  • Rear Vertical: 27.25" x 40"	×	
<ul> <li>Curbside Compartment Configuration</li> <li>First Vertical: 35.25" x 40"</li> <li>Horizontal: 72" x 18.5"</li> <li>Rear Vertical: 27.25" x 21.5"</li> </ul>	Ø	
Accessory Lighting Compartment lighting must be LED; each compartment must have one vertical and one horizontal light fit to size		

	COMPL!	IANCE
ENCLOSED SERVICE BODY SPECIFICATIONS (Cont'd) Accessory Lighting (Cont'd) Whelen Amber LED Lights	<u>YES</u>	<u>NO</u>
: Body upfitter must provide installation of lights so they work in conjunction with the equipment on the truck:		
<ul> <li>Atomic Amber LED Lights</li> <li>Four (4) Micron Series Super LED in grille</li> <li>Whelen Micron 3 ½", two (2) in rear, one (1) each side with stop tail turn lights</li> <li>Four (4) 700 Series Super LED light heads at rear, one (1) each side of body mounted higher on body, and two (2) mounted in front of body higher than cab</li> </ul>	×	
<ul> <li>Whelen Traffic Advisor TIR3 Super LED:</li> <li>Mounted above rear doors lower than the roof line</li> <li>Eight (8) module 1 ¾" x 2 3/16" x 30 1/16"</li> <li>Controller for multi-pattern configuration</li> </ul>	×	
Accessories Sleeve Adapter IIC3Z-19II282-A	×	
Pipe Vise and Bracket:  • Wilton 6 ½" Swivel Pipe Vise  • Wilton Pipe Jaws  • Bracket Mounted  • To fit in Class V hitch	$\boxtimes$	
<ul> <li>Recessed Galva Grip Bumper:</li> <li>Class V Receiver hitch</li> <li>Pollak 7 pole RV style harness twist and lock plug (Harness Part # 11-998, or eq 7-Way Plug Part # 11916P, or equal)</li> <li>Back up alarm Preco 102 Db</li> <li>3-ball receiver tube 1 7/8", 2", 2 5/16" locking hitch pin</li> </ul>	jual;	
• 6 ton receiver mount Pintle & 2" ball combination hitch	$\boxtimes$	
DOT safety kit, first aid kit, and 10 lb. fire extinguisher w/bracket and safety triangles	図	
Conspicuity enhancement:  • 2" red and white diamond grade reflective striping on face of bumper  • 6" red and yellow inverted V on rear of body compartment face	$\boxtimes$	□
OPTIONS  3A. Upgrade chassis to Super Cab chassis, retaining 60" Cab to Axle	⊠	

 $\boxtimes$ 

• Body Weight 2,232 lbs.

OPTIONS (Cont'd)  3B. Upgrade chassis to Crew Cab chassis, retaining 60" Cab to Axle  3C. Upgrade to Regular Cab chassis with 84" Cab to Axle  3D. Upgrade to Super Cab chassis with 84" Cab to Axle  3E. Upgrade to Crew Cab chassis with 84" Cab to Axle  3F. Medium Height Enclosed Body Upgrade Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J:  Dimensions:  • Length 107.25" without bumper  • Width 94"  • Compartment Depth 20"  • Overall Height 78"  • Clear Door Width 49.5"  • Clear Door Height 50"  • Interior Clear Height 61.1"	ODEL YEAR, OR NEWER, FORD F550 REGULAR	CAB WITH	•
OPTIONS (Cont'd)  3B. Upgrade chassis to Crew Cab chassis, retaining 60" Cab to Axle  3C. Upgrade to Regular Cab chassis with 84" Cab to Axle  3D. Upgrade to Super Cab chassis with 84" Cab to Axle  3E. Upgrade to Crew Cab chassis with 84" Cab to Axle  3E. Upgrade to Crew Cab chassis with 84" Cab to Axle  3F. Medium Height Enclosed Body Upgrade  Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J:  Dimensions:  1	ERVICE BODY, AS SPECIFIED, OR EQUAL (CON)	<u>COMPI</u>	LIANCE NO
3C. Upgrade to Regular Cab chassis with 84" Cab to Axle  3D. Upgrade to Super Cab chassis with 84" Cab to Axle  3E. Upgrade to Crew Cab chassis with 84" Cab to Axle  3F. Medium Height Enclosed Body Upgrade Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J: Dimensions:  ■ Length 107.25" without bumper  ■ Width 94"  ■ Compartment Depth 20"  ■ Overall Height 78"  ■ Clear Door Width 49.5"  ■ Clear Door Width 49.5"  ■ Clear Door Height 50"  ■ Interior Clear Height 61.1"  ■ Body Weight 2,112 lbs.   3G. High Height Enclosed Body Upgrade Upgrade specified enclosed body to high height, Knapheide model KC108H2094J: Dimensions:  ■ Length 107.25" without bumper  ■ Width 94"			
3D. Upgrade to Super Cab chassis with 84" Cab to Axle  3E. Upgrade to Crew Cab chassis with 84" Cab to Axle  3F. Medium Height Enclosed Body Upgrade Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J:  Dimensions:  • Length 107.25" without bumper • Width 94" • Compartment Depth 20" • Overall Height 78" • Clear Door Width 49.5" • Clear Door Height 50" • Interior Clear Height 61.1" • Body Weight 2,112 lbs.  3G. High Height Enclosed Body Upgrade Upgrade specified enclosed body to high height, Knapheide model KC108H2094J:  Dimensions: • Length 107.25" without bumper • Width 94"	ew Cab chassis, retaining 60" Cab to Axle	×	
3E. Upgrade to Crew Cab chassis with 84" Cab to Axle  3F. Medium Height Enclosed Body Upgrade Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J: Dimensions:  • Length 107.25" without bumper  • Width 94"  • Compartment Depth 20"  • Overall Height 78"  • Clear Door Width 49.5"  • Clear Door Height 50"  • Interior Clear Height 61.1"  • Body Weight 2,112 lbs.  3G. High Height Enclosed Body Upgrade Upgrade specified enclosed body to high height, Knapheide model KC108H2094J: Dimensions:  • Length 107.25" without bumper  • Width 94"	ab chassis with 84" Cab to Axle	$\boxtimes$	
3F. Medium Height Enclosed Body Upgrade Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J: Dimensions:  • Length 107.25" without bumper • Width 94" • Compartment Depth 20" • Overall Height 78" • Clear Door Width 49.5" • Clear Door Height 50" • Interior Clear Height 61.1" • Body Weight 2,112 lbs.  3G. High Height Enclosed Body Upgrade Upgrade specified enclosed body to high height, Knapheide model KC108H2094J: Dimensions: • Length 107.25" without bumper • Width 94"	chassis with 84" Cab to Axle	$\boxtimes$	
Upgrade specified enclosed body to medium height, Knapheide model KC108M2094J:  Dimensions:  • Length 107.25" without bumper  • Width 94"  • Compartment Depth 20"  • Overall Height 78"  • Clear Door Width 49.5"  • Clear Door Height 50"  • Interior Clear Height 61.1"  • Body Weight 2,112 lbs.    3G. <u>High Height Enclosed Body Upgrade</u> Upgrade specified enclosed body to high height, Knapheide model KC108H2094J:  Dimensions:  • Length 107.25" without bumper  • Width 94"	chassis with 84" Cab to Axle	$\boxtimes$	
<ul> <li>Compartment Beptit 20</li> <li>Overall Height 90"</li> <li>Clear Door Width 49.5"</li> <li>Clear Door Height 62"</li> <li>Interior Clear Height 73.1"</li> </ul>	body to medium height, Knapheide  nout bumper  20"  9.5" 0" t 61.1" lbs.  Body Upgrade body to high height, Knapheide  nout bumper  20"  9.5" 9.5"		

	COMPL	IANCE
	YES	<u>NO</u>
OPTIONS (Cont'd)		
3H. 11 Foot Low Height Enclosed Body Upgrade For Use With 84" CA Chassis		
Upgrade specified enclosed body to 11 foot Knapheide model KC132L2094J		
for 84" CA chassis application	X	
Dimensions:		
Length 133.25" without bumper		
• Width 94"		
Compartment Depth 20"		
Overall Height 68"		
Clear Door Width 49.5"		
Clear Door Height 40"		
Interior Clear Height 51.1"		
Body Weight 2,506 lbs.	$\boxtimes$	
Strontride Commontment Continues to		
Streetside Compartment Configuration  • First Vertical: 34.25" x 40"		
C ATT II A AND ADD		
• Horizontal: 52.75" x 18.5"	Na.	
• Rear Vertical: 25.25" x 40"		اسا
Curbside Compartment Configuration		
• First Vertical: 34.25" x 40"		
• Second Vertical: 21" x 40"		
• Horizontal: 52.75" x 18.5"		
• Rear Vertical: 25.25" x 40"	$\boxtimes$	П
Trode y princes 20.20 A 70		
3L. 11 Foot Medium Height Enclosed Body Upgrade For Use With 84" CA Chassis		
Upgrade specified enclosed body to 11 foot Knapheide model KC132M2094J for		
84" CA chassis application	$\boxtimes$	
Dimensions:		
Length 133.25" without bumper		
• Width 94"		
Compartment Depth 20"		
Overall Height 78"		
• Clear Door Width 49.5"		
Clear Door Height 50"		
• Interior Clear Height 61.1"		
• Body Weight 2,532 lbs.	$\boxtimes$	
Streetside Compartment Configuration		
• First Vertical: 34.25" x 40"		
• Second Vertical: 21" x 40"		
• Horizontal: 52.75" x 18.5"	$\boxtimes$	<b>[</b> —]
= = = = - = - = = = = = = = = = = = = =		

	<u>COMPL</u> <u>YES</u>	IANCE NO
OPTIONS (Cont'd)		
31. 11 Foot Medium Height Enclosed Body Upgrade For Use With 84" CA Chas	sis (Cont'd)	
<ul> <li>Curbside Compartment Configuration</li> <li>Rear Vertical: 25.25" x 40" First Vertical: 34.25" x 40"</li> </ul>		
<ul> <li>Real Vertical: 25.25 x 40 First Vertical: 34.25 x 40</li> <li>Second Vertical: 21" x 40"</li> </ul>		
<ul> <li>Horizontal: 52.75" x 18.5"</li> </ul>		
• Rear Vertical: 25.25" x 40"	Ø	
	***	_
3J. 11 Foot High Height Enclosed Body Upgrade for Use with 84" CA Chassis Upgrade specified enclosed body to 11 foot Knapheide model KC132H2094J for		
84" CA chassis application	⊠	П
		_
Dimensions:		
<ul> <li>Length 133.25" without bumper</li> <li>Width 94"</li> </ul>		
Compartment Depth 20"		
Overall Height 90"		
• Clear Door Width 49.5"		
Clear Door Height 62"		
• Interior Clear Height 73.1"		
Body Weight 2,652 lbs.	$\boxtimes$	Ĺ
Streetside Compartment Configuration		
• First Vertical: 34,25" x 40"		
• Second Vertical: 21" x 40"		
• Horizontal: 52.75" x 18.5"		
• Rear Vertical: 25.25" x 40"	$\boxtimes$	
Curbside Compartment Configuration		
First Vertical: 34.25" x 40"		
• Second Vertical: 21" x 40"		
• Horizontal: 52.75" x 18.5"		
• Rear Vertical: 25.25" x 40"	rezi	
• Real Veriloat, 25.25 x 40		<b></b> I
3K. Aluminum Body Upgrade from Steel All accessories shall be the same at the steel body specifications		
Body Shell	•	
Constructed of .09" H5052 Aluminum.	$\boxtimes$	
Body shell shall be supported by structural 6061 T6 Aluminum extrusions	$\boxtimes$	

 $\boxtimes$ 

ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CA ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)		
	<u>COMPLIAN</u>	
OPTIONS (Cont'd) 3K. Aluminum Body Upgrade from Steel (Cont'd)	YES	<u>NO</u>
Floor Constructed of interlocking, extruded 6061 T6 Aluminum planks with locking aluminum end rails and aluminum side rails with a 1 3/8" return flange on each side	×	
Side compartment back panel should overlap and interlock with the floor flange to support the weight of the side compartment	rt 🛮	
Understructure Support structure constructed from 11-gauge steel long sills, and a 10-gauge steel cross sills with 50,000 psi minimum yield strength	Ø	
Doors  Box structure, double paneled with a minimum of .08" aluminum outer panel, corners formed continuously	×	
Inner door panel shall be minimum of .06"	Z	
Hinges Corrosion resistant aluminum with stainless steel rod. Continuous hinges shall be installed to provide full length support for the doors and pro-proof security	⊠	
Hinges are to be applied with structural adhesive and rivets to the door frames; must be supported with a 10-year warranty.		
Rotary Latches Corrosion resistant rotary latches shall be secured to the door panels by four (4) fasteners attached to the back of the latches.	×	
Latches must have zinc die east handles with a brushed chrome finish that provides ample hand clearance surrounded by an injection molded glass and mineral infusion UV resistant nylon housing.		<u> </u>
Latches shall also have internal injection molded glass and mineral infused UV resistant nylon cover for protection from the contents of the compartments.	Ø	$\Box$
Shall be slam-latchable	⊠	

Latching cams are to be elongated to allow the latches to move vertically relative to

the lock strikes to prevent torsional damage

	<u>COMPLIA</u> <u>YES</u>	NCE NO
OPTIONS (Cont'd) 3K. Aluminum Body Upgrade from Steel (Cont'd)		
Rotary Latches (Cont'd)		
Microcellular urethane foam gaskets are to be installed between the latch flange		
and the outer door skin to prevent moisture from entering the compartment		
behind the latch.	X	
Lock cylinders are to be flush mounted	$\boxtimes$	
Door Strikers		
Shall be affixed to the side compartment doorframes with screws; welded on are NOT ACCEPTABLE	$\boxtimes$	
Door Seals Automotive "bulb type" neoprene door seals shall be installed on all doorframes	$\boxtimes$	
	•	•
<b>Door Retainers</b> Nitrogen gas strut door retainers are to be installed on all vertical doors. Door retainers		
need to hold doors in positive open or closed position. ANY other type of		
retainer is NOT ACCEPTABLE	$\boxtimes$	
Horizontal doors shall be secured in an open position parallel to the ground by		
heavy duty chain retainers. Chain retainers must be easily removable so the door	$\boxtimes$	<del>-</del> 7
can be opened to at least 150° to be able to access the compartment in tight areas.	(C.)	
Shelving	$\boxtimes$	; <del>-</del> 7
Shall be constructed o .06" aluminum.	·A	$\Box$
All shelves shall have molded, infinitely adjustable sliding dividers.	$\boxtimes$	
Shelves need to have minimum capacity of 250 lbs.	$\boxtimes$	
Master Lock System		
Each lower side pack on the body shall include a sliding bar master lock that secures		
all of the doors along that side of the body with an exterior padlock (County provided).	$\boxtimes$	
Each master lock bar shall be spring loaded to hold the sliding bar in the open position		
so the side doors are only obstructed when the master lock is being held into place with	$\boxtimes$	П
key coded locks to match ignition key	<u></u>	J
Interior Light Guard Shall be installed by the body manufacturer to provide protection for light mounting		
hardware, light connection points, and wiring harness.	$\boxtimes$	

### ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH

				10.4		
			and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	AS SPECIFIED.	<b>ያሚያው ከተለሮኒ በሽል ከ</b>	A PROPERTY OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE OF A STATE
መለመስተምሳሽ ምክልያቸውን		TT 167 (2) 171	**************************************			41 I I I I I I I I I I I I I I I I I I I
IIIVE E E INNE			MENTEL DE PROGESTA	AND DEFENDED BY	CARLA LINEAU CALL	4 % . N.P.   1 B.   1 P.
まつして ちょうしょうしょうしょかん	,					

	COMPLIAN YES	<u>CE</u> <u>NO</u>
OPTIONS (Cont'd) 3K. Aluminum Body Upgrade from Steel (Cont'd)		
Interior Light Dome		
Cargo area of the body shall be illuminated by an overheard dome light, switched at the rear of the body	<b>X</b>	
Roof Construction Roof shall be constructed of .09" H5052 aluminum. Shall be tapered and crowned across the top	X	
Roof shall be reinforced by cross braces and shall feature two (2) lockable rear conduit chute doors – one (1) on each side	×	
Conduit chute doors shall have corrosion resistant rotary latches and shall be slam-latchable and keyed to match all other exterior doors.	Ø	
Door shall have adjustable door strikers attached to the doorframes with screws.	×	
Rear Cargo Doors Shall be constructed of .09" H5052 Aluminum for outer panels and inner liner.	×	
Each door shall have nitrogen gas door retainer to assist in both the opening and closing of the door		
Each door shall be designed so that all door rods and latching is concealed.	$\boxtimes$	
Rear cargo doors are constructed with or without glass to be selected at time of order	×	
IF Glass is selected: Minimum 9" X 30" fixed tempered glass window installed in each door and protected by an aluminum window guard.	X	
Bulkhead Shall be of ABS material.	×	
Body shall have sliding door to access the cargo area from the cab.	⊠	
Bulkhead door shall have slam-latch handle on both sides of the door which can be locked from the cab side.	⊠	
Bulkhead door is to open and close on stainless steel ball bearing slides. Door hinges are <b>NOT ACCEPTABLE</b> .		

	<u>COMPLIAN</u> <u>YES</u>	NO
OPTIONS (Cont'd)		
3K. Aluminum Body Upgrade from Steel (Cont'd)		
Exterior Prime Paint		
Epoxy prime paint with a minimum of 1.2 mm coat. Prim paint shall be oven cured to provide a hard finish	×	
Interior Paint	F-4	c=1
Interior Paint is to be mid-gloss, mar resistant, buff finish	⊠	
Warranty The following shall be covered by a minimum 10-year limited warranty:  No failure due to corrosion Continuous door hinges; guaranteed not to fail to operate or come off product		
<ul> <li>Latches and Lock Cylinders - unconditional guarantee against failure</li> <li>Shelves - guaranteed not to fail in bending under a maximum of 250 lb. load.</li> </ul>	×	
Lighting Shall meet all FMVSS standards.	Ø	
Wiring harness shall be encases in a mesh loom and all wires are to colored for ease of troubleshooting.	M	
Wire harness shall have connectors that are compatible with OEM chassis without splicing	×	
Rear lighting system to feature surface mount, stop/tail/turn/backup lights with LED strobe having eight (8) selectable patterns and built in reflectivity for safety.	⊠	
Lighting system shall feature all LED type lighting, incandescent or other lighting is NOT ACCEPTABLE	×	
LED Compartment Lighting Each compartment shall have one (1) full length vertical and horizontal light to illuminate full compartment	<b>&gt;</b> ⊠	

X

### ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH

### ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)

**COMPLIANCE YES** NO

### OPTIONS (Cont'd)

### 3K. Aluminum Body Upgrade from Steel (Cont'd)

### Dimensions

Knapheide AKC110L2094

Length: 109"Width: 94"

• Compartment Depth: 20"

• Overall Height: 68"

Clear Door Width: 50"

Clear Door Height: 44"

Interior Clear Height: 50"

Body Weight: 969 lbs.

### Compartment Configuration

First Vertical 36" X 40"

Horizontal 45" x 18 ½"

• Rear Vertical: 28" X 40"

### Shelving Configuration

- Two (2) Shelves First Vertical Each Side
- One (1) Shelf Horizontal Curbside
- Two (2) Shelves Rear Vertical Each Side

### 3L. Medium Height Enclosed Body Ungrade

Knapheide AKC110M2094

### Dimensions:

- Length 109"
- Width 94"
- Compartment Depth 20"
- Overall Height 78<sup>ee</sup>
- Clear Door Width 50"
- Clear Door Height 54"
- Interior Clear Height 60"
- Body Weight 1006 lbs.

 $\Box$ 

 $\times$ 

## ITEM #3 – CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)

YES NO

### OPTIONS (Cont'd)

### 3M. High Height Enclosed Body Upgrade

Knapheide AKC110H2094

### Dimensions

- Length 109"
- Width 94"
- Compartment Depth 20"
- Overall Height 90"
- Clear Door Width 50"
- Clear Door Height 66"
- Interior Clear Height 72"
- Body Weight 1050 lbs.

### 3N. 11' Medium Height Enclosed Body Upgrade for Use with 84" CA

Knapheide AKC132M2094

### Dimensions

- Length 133"
- Width − 94"
- Compartment Depth 20"
- Overall Height 78"
- Clear Door Width 50"
- Clear Door Height 54"
- Interior Clear Height 60"
- Body Weight 1180 lbs.

### Compartment Configuration for 133" Bodies

- First Vertical: 36" X 40"
- Second Vertical: 24" X 40"
- Horizontal: 45" X 18 ½"
- Rear Vertical: 28" X 40"

### **Shelving Configuration**

- Two (2) Shelves First Vertical Each Side
- Two (2) Shelves Second Vertical Each Side
- One (1) Shelf Horizontal Curbside
- Two (2) Shelves Rear Vertical Each Side

	YES YES	NO
OPTIONS (Cont'd)		
30. 11' High Height Enclosed Body Upgrade for Use with 84" CA		
Knapheide AKC132H2094  Dimensions		
<ul> <li>Length – 133"</li> <li>Width – 94"</li> </ul>		
• Compartment Depth – 20"		
Overall Height - 90"  Ola Day Wilds - 50"		
• Clear Door Width - 50"		
• Clear Door Height – 66"		
• Interior Clear Height – 72"		
• Body Weight – 1227 lbs.		
3P. Side Access Doors in Roof		
Two (2) per side hinged at top with gas springs		
(Note: If 60" Front Vertical is a chosen option, only one (1) door on that side)	$\boxtimes$	
3Q. Bottle Retainer Compartment		
• 60" H X 35 ¼" W X 20" D		
<ul> <li>Two (2) hooks for cords</li> </ul>		
Bottle Holder		
<ul> <li>Victor Journeyman 450 Heavy Duty Outfit 540/300 SR Regulators – Torch Set</li> </ul>		
3M. BASF DTE Liner AXALTA		
Coating cargo area up to first shelf bumper	$\boxtimes$	
3R. BASF DTE Liner AXALTA		
Coating cargo area up to first shelf, and rear bumper	$\boxtimes$	
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		
3S. Whelen 900 Series Super LED Scene Lights		
Whelen 900 Series Gradient Opti-Scenelight:		
<ul> <li>LED White Light only – mounted on side of enclosed body for work light area</li> </ul>		
<ul> <li>3N. Whelen 900 Series Super LED Scene Lights (Cont'd)</li> </ul>		
Has sixteen (16) White Super LED lights		
<ul> <li>Clear optic hard coated polycarbonate lens and utilizes a metal reflector</li> </ul>		
with integrated TIR hybrid optics for maximum output	⊠	
Chrome plated flange for Opti-Scenelight	$\boxtimes$	
Enclosed body shall use 1 to 3 lights per side (user Department shall determine		
amount at time of order) (Up to six (6) lights per vehicle)	$\boxtimes$	

## ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH ENCLOSED UTILITY SERVICE BODY. AS SPECIFIED. OR EOUAL (CONT'D)

ENCLOSED UTILITY SERVICE BODY, AS STROTTED, OREGONE	COMPLI	
	<u>YES</u>	NO
OPTIONS (Cont'd) 3T. Inverter		
AIMS Pure Sine 4000 Watt Inverter, placement to be decided at time of order		
<ul> <li>Peak Power 12,000 Watt surge rating</li> </ul>		_
• 12 Volt	☒	
Installed with two (2) auxiliary batteries	×	
Additional GFI outlet with weather proof protector located at end users placement		
Isolation Solenoid		
<ul> <li>When truck is running it is charging auxiliary batteries and when truck is</li> </ul>		_
off it is only running off auxiliary batteries	Ø	
3U. BASF Spray Liner on Floor and Sides of Cargo Area	Ø	
3V. BASF Spray Liner on Floor of Compartments	$\boxtimes$	
3W. Hide-A-Way Bumper Crane	$\boxtimes$	
Western Mule S-1350 Fold-A-Way Crane:		
• 1350 lbs. capacity		
Aluminum bumper cover and fold down rear grip strut  1.12 Februaries.	$\boxtimes$	
LED light package	₹#)	
3X. Whelen LED Liberty II Solo IX 48" Light Bar		
• Light Bar LED Liberty II Solo IX 48", all modules filled with amber LED		
<ul> <li>No light modules on rear of light bar (front only)</li> <li>Alley lights and takedowns are to be white</li> </ul>		
<ul> <li>Alley lights and takedowns are to be write</li> <li>Twelve (12) scan lock flash patterns</li> </ul>		
Controller		
Mounted on top of cab	X	
3Y. Light Color Option for Liberty II Solo IX 48" Light Bar		
Light Color Option:  • Red and blue modules in lieu of amber for Sheriff's Department		
<ul> <li>Determined Left/Right Side and Red/Blue at time of order with Amber</li> </ul>		
Arrow Stick at Rear	$\boxtimes$	
3Z, Emergency Lighting LED Body Lights		
Red Blue Split, 3 ½" Super LED clear lens with red and blue lights shall be installed.	$\square$	
<del></del>		

• Hose Reel: 50' of 1/2" I.D. air line

 $\boxtimes$ 

### ITEM #3 – CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH

ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT	''D)	
	COMPLIANCE	
	$\underline{\mathbf{YES}}$	<u>NO</u>
OPTIONS (Cont'd)		
3AA. Maxou Liftgate	e∸n	_
C2-54-1642-TP38 Liftgate 55" x 38" ±4	☒	
Aluminum Extruded 2-Piece Platform	$\boxtimes$	
1600 pound capacity	⊠	
For use with utility bodies with openings of 54-61"	⊠	
3BB. <u>Subfloor</u>		
6" High full length sub floor for enclosed body	$\boxtimes$	
3CC. Transverse Compartment		
First Vertical Full Transverse Compartment:		
Three (3) draw pull out both street and curbside	$\boxtimes$	
(Note: When ordered with C-Tech Drawer Unit, transverse is curbside only)		
3DD. C-Tech Drawer Unit		
Drawer Unit to be installed in Street side first vertical:		
Drawers shall be 250 lbs, rated		
• 28" x 17.5"		
• .08", 5052 aluminum alloy construction		
40" Compartment Height Configuration		
• One (1) 7" Deep Drawer		
Two (2) 5" Deep Drawers		
• Three (3) 3" Deep Drawers		
This eliminates full transverse compartment if selected; goes to only back of		
Compartment	$\boxtimes$	
3EE. Air Compressor, 70 CFM		
VMAC VR70 Underhood Rotary Screw Compressor		
• 70 CFM, 175 PSI		
3 gallon receiver tank		
Control panel Throttle control		
Filter/Regulator/Lubricator		
Relief/Shut-Off valves with all required fittings		
T		

### ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH

<u>u, u, uulituu, projer — vo</u>	CITIES IN THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STAT
THE PART OF STREET	UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)
RONGLONED	THULLY SERVICE BODY, AS SPECIFIED, OR EQUAL CONT. 19

D. W.L. V. D. L. L. V. L. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V. L. V	<u>COMPI</u> <u>YES</u>	IANCE NO
OPTIONS (Cont'd)		
3FF. Air Compressor, 150 CFM		
<ul> <li>VMAC VR150 Underhood Rotary Screw Compressor</li> <li>150 CFM, 175 PSI</li> </ul>		
3 gallon receiver tank		
Control panel Throttle control		
Filter/Regulator/Lubricator	•	
<ul> <li>Relief/Shut-Off valves with all required fittings</li> </ul>	1571	
• Hose Reel: 50° of ½" I.D. air line		<b>L</b> J
3GG. Go-Lights, Model 3024		
Go Light Stryker Work Lights (Up to four (4) per vehicle)	Ø	
Permanently mounted on stainless steel brackets, front and/or rear (user		
Department shall determine location)	$\boxtimes$	
6000 maximum lumens		
5 amp draw	$\boxtimes$	
9-32 VDC input	$\boxtimes$	
3HH. 9' Readily Detachable Western Snow Plow System		
Blade Assembly		
Moldboard – 12 gauge (0.104") steel sheet formed to a 17.3" radius		<b></b>
with a 1.76" diameter top curl	EM .	L}
Ribs - Eight (8), 0.25" thick, variable profile, electrically welded to sheet,		
torsion tube and 0.25" thick, high strength steel base channel	×	
Torsion Tube - 2" diameter, full width, electrically welded to all eight ribs.	⊠	
Cutting Edge - Reversible 0.5" x 6" high carbon steel C1080 attached with		
ten (10) 0.63" Grade 5 carriage bolts.		
Disc Shoes - Two (2), full rotation, height adjustable, Austempered Ductile		
Iron shoes with integral 1" diameter shaft secured to blade with lynch pins.		
Shoe brackets shall be welded to vertical ribs.	$\boxtimes$	
Blade Trip – 50 degree full blade trip	Ø	
-		
Trip Springs – Four (4), 2.38" OD x 0.39" diameter, C1060, hard drawn, stress relieved wire, preloaded, with 0.63" x 4" cycbolts.	×	

	<u>COMPL</u> <u>YES</u>	NO NO
OPTIONS (Cont'd) 3HH. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Blade Assembly (Cont'd) Shock Absorbers – Two (2), 5" stroke, shielded shock absorbers to retard extension velocity and dampen blade trip return.	$\boxtimes$	
Blade Trip Pivot - Three (3) 0.75" diameter steel pins.	×	
Blade Guides – Two (2) highly visible, vinyl coated, spring wound, with replaceable flags.	$\boxtimes$	
Plow Angling – 30 degrees right and left.	$\boxtimes$	
<b>A-Frame</b> Electrically welded, reinforced, 3" x 3" x 0.19" wall structural steel side tubes with 0.50" thick, formed nose plate and integral attachments for angling rams to receive 1" diameter pins.		
Lift Chains – Two (2), 0.25" Grade 43 high test steel with 2,600 lb. working load limit, attached with 0.38" U-bolts.	Ø	
Quadrant Electrically welded, reinforced, 5" OD x 0.25" wall structural steel tube with 0.50" thick nose plates and integral attachments for angling rams to receive 1" diameter pins.	×	
A-Frame to Quadrant Angle Pivot – 1" diameter Grade 5 bolt	⊠	
Lift Frame Lift frame to have provision for attachment of out front hydraulics and light kit.	$\boxtimes$	
Lift Arm $-0.25$ " x 2" formed bar welded with a 7 gauge steel cover.	$\boxtimes$	
Two Plow Stands – Self-storing and adjustable integrated into the plow attachment mechanism. Connecting hook and lever with integral 0.50" lock pin	$\boxtimes$	
Two piece lift frame with tubular construction	$\boxtimes$	
Lower lift frame to include drive in plow alignment horns	$\boxtimes$	
Mount Custom designed, electrically welded, structural steel mounting readily adaptable to truck frame	×	Ġ
Attached to truck with Grade 5 fasteners	$\boxtimes$	

### ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH

ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)

OPTIONS (Cont'd)	YES YES	NO NO
3HH. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Mount (Cont'd) Vehicle, with mount attached, shall meet Federal Motor Vehicle Safety	図	
Standards by compliance or by vehicle manufacturing approval.		
Removable receiver brackets for additional ground clearance.	$\boxtimes$	
Paint Plow blade shall be made of shot blasted steel and cleaned with phosphate solutions and have baked-on red polyester powder coating.	$\boxtimes$	
Hydraulics Electric solenoid activated and detachable with lift	図	
Front mounted hydraulic unit consisting of a fixed displacement gear pump, with 1750 PSI system relief, direct tang driven by a 4 ½" 12 volt DC motor	Ø	
Pump with filter screen shall be immersed in a steel deep drawn reservoir	$\boxtimes$	□:
Main valve manifold shall contain three (3) side mounted and covered solenoid cartridge valves	$\boxtimes$	
Cushion relief valves set at 4,000 PSI and a quill adjustment screw to adjust blade drop speed	Ø	
One (1) 1 1/2" x 8" lift ram and two (2) 1 1/2" x 12" double-acting angling rams each with a rod seal, a wiper ring and a packing nut.		
Hydraulic hoses shall be 1/2" steel braided SAE 100R1	$\boxtimes$	
Hydraulic unit shall be controlled by a soft touch, hand held in-cab control.	$\boxtimes$	
Control shall be equipped with an on/off and mode buttons and indicator lights	Ø	
Control can be dash mounted.	凶	□
Control shall provide a single button movement of angle right or left (hydraulically locked)	$\boxtimes$	
In-cab control shall be connected to valve manifold and to the motor through an auxiliary 12-volt multiplexed harness		
Power and control harness to have quick disconnects and covers at the grille	$\boxtimes$	
Control shall allow plow to be in float when lowered		$\Box$

	COMPL YES	<u>IANCE</u> <u>NO</u>
OPTI <u>ONS</u> (Cont'd)	1,100	<u> 110</u>
3HH. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Hydraulies (Cont'd) Unit shall be a "low side" drive system, which provides positive potential continuously with a switched ground to control the solenoids		
Unit shall possess programmable security lockout feature	$\boxtimes$	
Unit shall possess programmable hydraulic soft stop feature	$\boxtimes$	
Unit shall possess programmable one touch float feature	$\boxtimes$	
Hydraulic fluid shall be MIL5606 equivalent standard transmission fluid (ATF) or aircraft hydraulic oil for low-temperature operation.	. 🛮	
Cycle times: Lift, 2.0 seconds; Angle, 1.5 seconds	$\boxtimes$	
Unit shall stay with plow when plow is disconnected from truck		⊏
<b>Lights</b> Night Hawk LED Plow Lights		
Headlights Comprised entirely of light emitting diodes using solid optic elements for low beam and high beam lights	$\boxtimes$	
A reflected LED light for the side lighting using EdgeView Technology		
DRL/Park lights using white lights behind a frosted filter, turn signal utilizing amber lights behind the same frosted filter	⊠	
Plow Removal Blade assembly, A-Frame, Quadrant, Lift Frame with hydraulic unit all to be easily removed from truck as one complete unit	×	
Accessories with Plow Snow deflector	X	
Curb guard right and left	$\boxtimes$	
Cab command Hand Held Control or Joystick (to be chosen by user Department at time of order)	Ø	

100				COMPL YES	<u>IANCE</u> <u>NO</u>
	S (Cont'd)				
	Department Pain s Yellow from the			$\boxtimes$	
Academy cab roof a		the bottom of t	he windows up to and including	<u> </u>	
	rom bottom of wit road department f		oint on the hood to make a "V" and	$\boxtimes$	
	ase coat clear coat t all Vehicles will a		way)	$\boxtimes$	
<ul> <li>12</li> <li>Mo</li> <li>Ele</li> <li>Re</li> <li>Ge</li> <li>Ch</li> <li>Bt</li> <li>Dr</li> <li>Ro</li> </ul>	ch odel Year Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Grille Gri	ne d, 12V DC, 24 Contractor note Switch, 12 ametary g): Rotating rin echanical cone gth: 3.15"/9.0"	2° lead g gear		
		4		$\boxtimes$	
	mensions: configuration: 24.	.25" L x 7.15"	D x 10.52" H	$\boxtimes$	
Low-Profi	le configuration: 2	24.25" L x 7.15	5" D x 7.84" H	$\boxtimes$	
Mounting 10" x 4.5"	Bolt Pattern:			×	

ENGLIGHT GENERAL STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE STATE OF THE S		COMPLIANCE	
·	<u>YES</u>	<u>NO</u>	
OPTIONS (Cont'd)			
3.J.J. Winch (Cont'd)			
Winch Mount Grille Guard/ Head Lamp Guard Kit  Weight: 148 lbs.			
<ul> <li>Weight: 148 lbs.</li> <li>Dimensions: 89" x 37" x 38"</li> </ul>			
• 16,500 lb. straight line pull			
• 14 gauge 1.5" steel tube			
<ul> <li>Center Crossbars: 1.5" diameter tubing</li> </ul>			
Removable headlight area cross bars			
Double hood bar design			
Powder coated black	×		
Warranty:			
Material and Workmanship: Lifetime of winch	⊠		
Electric Components: 7 years			
Winch Mount Grille Guard: 3-year warranty	Ø.		
Fairlead: Roller	×		
Recommended battery: 650 CCA minimum for winching	图		
Battery Leads: 2 gauge, 72"	×		
3KK. Husky 815-Piece Mechanic's Tool Set			
<ul><li>Key Features:</li><li>Alloy Steel Construction</li></ul>			
SAE and Metric Sizes			
• Item Weight: 178 lbs.	$\boxtimes$		
Tool Set			
Husky Mechanic Tool Set (815 pieces) Part # H815MTS Includes:			
• 433 sockets			
• 230 accessories			
<ul> <li>145 various wrenches (standard combination, stubby, ratcheting, stubby ratcheting, flex head ratcheting, reversible ratcheting and specialty)</li> </ul>			
• 7 ratchets,		· Personal	
• 72-tooth quick release ratchet	X		
"No Questions/No Receipts" Lifetime warranty	Ø		
Impact Sockets	<del> </del>		
Dewalt - DWMT 19242 1/2" Drive metric deep impact socket set (26 pieces)	$\boxtimes$	Ш	

#### ITEM #3 - CURRENT MODEL YEAR, OR NEWER, FORD F550 REGULAR CAB WITH

ENCLOSED UTILITY SERVICE BODY, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	NO
3KK. Husky 815-Piece Mechanic's Tool Set (Cont'd)		
Impact Socket (Cont'd)  Dewalt – DWMT 19239 ½" Drive SAE Deep impact socket set (19 pieces)	$\boxtimes$	
Limited Lifetime Warranty		
Impact Wrench		
Milwaukee M18 Fuel 18 Volt Litium Ion Brushless, Cordless ½" impact wrench with friction ring kit	$\boxtimes$	
Two (2) 5.0 Ah batteries		
5 Year Warranty/Tool	×	
3 Year Warranty/Battery	$\boxtimes$	
3LL. <u>Truck Steel Air/Hydraulic Service Jack</u> Material: Steel	×	
Lifting Capacity: 22 Tons	$\boxtimes$	
Lifting Height Min: 8 1/2"	×	
Lifting Height Max: 17"	$\boxtimes$	
Power Raise: 4 5/8"	$\boxtimes$	
Chassis Length: 22"	$\boxtimes$	
Operation Type: Air	$\boxtimes$	
Retracted Length: 8 ½"	$\boxtimes$	
Handle Length" 47 3/8"	$\boxtimes$	
Standards: ANSI, ASME and PALD 2009	$\boxtimes$	
1-year Limited Warranty	$\boxtimes$	

101 Value of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contract of Contr	COMPL	
	<u>YES</u>	<u>NO</u>
<u>OPTIONS</u> (Cont'd) 3MM. 1700 Peak Amp 12 Volt Jump Starter		
1700 Peak Amps	$\boxtimes$	
425 Cranking Amps	$\boxtimes$	
PROFORMER Battery Technology	Ø	
46 inch heavy-duty #2 AWG cables	Ø	
Voltmeter providing charge status of onboard battery	$\boxtimes$	
DC outlet to power: 12 volt Item Weight: 18 lbs.	X	
Product Dimensions: 16.3" x 14.1" x 5.1"	$\boxtimes_i$	
Voltage: 12 volts	$\boxtimes$	
1-year Limited Warranty	X	
3NN. <u>Booster Jump Set</u> Grey with 25° Cables	X	d 177 -
1-year warranty: Free of defects in material and workmanship	$\boxtimes$	
300. Special Paint Colors Not On the Standard Color Chart	$\boxtimes$	
<ol> <li>Diagnostic Tools / Test Equipment</li> <li>Successful bidder shall be required to supply between one (1) and three (3) complete sets of OEM testing/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full rat of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes,</li> </ol>	ng <del>e</del>	
hydraulies, and all additional equipment (if applicable)	$\boxtimes$	
<ol> <li>All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software</li> </ol>	$\boxtimes$	
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid	$\boxtimes$	
4. All software installations and activations will be completed by the successful bidder at no cost to the County	$\boxtimes$	
<ul><li>5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment</li><li>6. All technical issues relating to test/diagnostic/programming equipment and</li></ul>	×	
special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment	×	
<ol> <li>Training shall be provided on all items in this section at a specified County location</li> </ol>	×	

COMP	LIANCE
YES	NO

#### OPTIONS (Cont'd)

#### 3QQ. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

• #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps

<ul> <li>#12 AWG BLACK wire connected to chassis ground</li> <li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps</li> </ul>		
Wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator Wiring harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminat 12VDC sources shall be protected from making contact with grounded metal surfaces	ed ⊠	
<ul> <li>3RR. Installation of County Supplied Two Way Radio and Accessories</li> <li>Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc.</li> <li>For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: <ul> <li>#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.</li> <li>#12 AWG BLACK wire connected to chassis ground.</li> <li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.</li> </ul> </li> </ul>		
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle.  The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be presented by the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property of the property		
shall be protected from making contact with grounded metal surfaces.	$\boxtimes$	
3SS. <u>Technical Support</u> Technical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting	×	
The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification	. 🖾	
<ul> <li>Technical support may be requested in the following areas</li> <li>Engine (cooling, fuel, ignition, lubrication systems) - 1 day at each location.</li> <li>Transmission - 1 day at each location</li> <li>Electrical - 1 day at each location</li> <li>Brakes - 1 day at each location</li> </ul>		
<ul> <li>Hydraulic system (dump body, spreader, snow plow) – 1 day at each location</li> <li>Upfitter (dump body, sweeper, etc.) – 1 day at each location</li> </ul>	×	

	<u>COMPLIAN</u> <u>YES</u>	ICE NO
OPTIONS (Cont'd) 388. Technical Support (Cont'd)		
Technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks)	$\boxtimes$	
Shorter training days shall be allowed only with consent of Vehicle Services	×	
Total training hours shall be provided and no additional compensation will be considered	Ø	
Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder	$\boxtimes$	
For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled	<b>X</b>	
Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper education		
Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:  • Toms River, 152 Chestnut Street, Toms River, N.J. 08753  (Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)		
<ul> <li>Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050</li> </ul>	$\boxtimes$	
Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting department		
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only	$\boxtimes$	
Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service	⅓	

	COMPLIANC	
CALL COLC CRECUENT AUTORIC	<u>YES</u>	<u>NO</u>
CHASSIS SPECIFICATIONS CURRENT MODEL YEAR, or newer Ford F550 Regular Cab		
	<b>⊠</b>	
Dual Rear Wheels, Four Wheel Drive		
60" Cab to Axle (CA)		
7.3L V8 gasoline engine		
40 gallon fuel tank	<b>⊠</b>	
TorqShift transmission with PTO option	⊠. ⊠.	
19,000 lb. GVWR	, ,	LJ
Cab shall be military grade aluminum alloy for longevity to the County in lieu	⊠	
of carbon steel  Frame to be fully boxed under cab and "C" channel behind cab for easy		ب
	×	
mounting of body  Oil life monitor, engine hour and engine idle hour meters	Ø	
Air Conditioning		
Airbags, frontal driver & passenger, side impact and side air curtains  TowCommand integrated trailer brake controller, manual telescoping		\ <u></u>
trailer tow mirrors		
7 wire trailer wiring harness (no plug)	Ø	
AM/FM radio; SYNC Enhanced voice recognition communication and		_
entertainment, 911 Assist, AppLink 4-2" LCD Center Screen, One (1)		
Smart charging USB Port SYNC	Ø	
Power windows, locks, mirrors, and heated mirrors	×	
Center High Mount Stop Lamp	×	
240 amp HD alternator, 12V 750 CCA battery	⋈	
Tilt and telescoping steering wheel	Ø	
4.88 ratio limited slip axle	⊠	
4 wheel power ABS brakes, front and rear disc, power steering,	_	
front and rear stabilizer bars	oxtimes	
Quad-beam jewel-effect halogen headlamps, 5 roof marker lights	×	
LT225/70R19.5G BSW Traction tires – six (6)	$\boxtimes$	
Onc (1) full sized spare tire mounted to wheel and one (1) jack	<b>⊠</b>	
Chrome front bumper, front tow hooks	×	
Chrome hub covers, front bumper grill	×	
Power Sliding Rear glass with defrost – sc/cc only	$\boxtimes$	
Remote Start	$\boxtimes$	
Halogen Fog Lamps	$\boxtimes$	
40/20/40 split vinyl bench seat with center arm rest	_   <b> </b>	
Auxiliary power point, six (6) upfitter switches located overhead center	<del></del>	·
Tachometer, speedometer, oil pressure, transmission temp, engine temp,		
and fuel gauge	$\boxtimes$	
Interval windshield wipers	$\boxtimes$	
Driver & passenger grab handles	$\boxtimes$	

	COMPLI	
CHASSIS SPECIFICATIONS (CONT'D)	<u>YES</u>	<u>NO</u>
Standard XL Rear view camera and prep kit	×	
3-year/36,000 mile bumper-to-bumper warranty on OE components		
5-year/60,000 mile powertrain warranty	×	
Shift on the fly	×	
Cab steps, molded black (running boards)	Z3  X	
Snow plow prep package	×	
Single color to be selected from standard color chart at time of order		_
Undercoating – entire truck chassis, underside of cab and underside	ت	<u></u>
of added body (dump, utility, platform) shall be coated with		
Tectyl 2423 Haps Free Black, or Z Guard Product, a low VOC,		
High Solids, Emulsion Corrosion preventing coating	$\boxtimes$	
PLATFORM SPECIFICATIONS	ra	_
Platform body shall be a heavy duty body to be used on a single axle chassis		
The hoist shall be an arm type hoist	$\boxtimes$	
The unit shall be a current design and production unit. Bidders shall submit current		
literature for body, hoist and snow plow proposed	X	
During the fabrication period of the unit, the County of Ocean reserves the right to make interval inspections, as it doems necessary. If a bidder is submitting an alternate to what is referenced in the specifications, the proposal shall be accompanied by descriptive literature, marked to indicate the exact items to be furnished, electrical and hydraulic diagrams, along with engineering drawing documentation of the same. These specifications are not intended to be restrictive, but are meant to describe the type of unit required for use by the County of Ocean. These specifications address the minimum performance requirements of the Vehicle Services Department; the County will consider alternate products provided that they meet these minimum requirements.	⊠	П
refulation.	EN	لببا
If a bidder is basing his proposal on equipment other than what is specified and wishes the equipment he proposes to be considered as an "Approved Equivalent," he shall submit, on a separate sheet in the exact format of the specifications contained herein, an item description, including the make, model and manufacturer's name of that which he proposes to substitute. For purposes of comparison, include only those items on each sheet as given in these specifications. Such bidder shall also include, but not as a substitute for the above, manufacturer's literature and specifications. If the bidder does not submit the description or deviations as indicated above, it will be understood that the bidder intends to supply the		
particular item as designated in the specifications and the County of Ocean will so demand. Substitutions will not be permitted after receipt of bid.	🛛	П

DI ATEMBA CDECTETCATIONS (Consta)	<u>COMPLI</u> <u>YES</u>	ANCE NO
PLATFORM SPECIFICATIONS (Cont'd) Body uptitter must provide installation of equipment bid	⊠	
The platform body shall be of current design and compatible with the specified chassis	$\boxtimes$	
General: Heavy Hauler JR PHHJT-93B Platform Body with Options The platform body shall be a heavy hauler junior style to be used on specified single rear axle chassis. The complete body and removable sides must be supplied by a single manufacturer and be a proven standard production model.	×	
Dimensions  111" Platform Length  95.9" Platform Width  40" High Permanently Installed Bulkhead with mesh window	$\boxtimes$	
Construction Platform body shall be constructed of ASTM A36 standard with a minimum 36,000 PSI yield for minimal deflection in critical areas	×	
Continuous weld seams to prevent entrapment of dirt and moisture with superior workmanship	Ø	
Bulkhead Permanently installed bulkhead	$\boxtimes$	
E-Track installed height of lower and center rails on stake sides	$\boxtimes$	
Shall include 1 E-Track 2" wide ratchet strap	$\boxtimes$	
Bulkhead shall be constructed from 11 gauge high strength steel	$\boxtimes$	
Bulkhead shall include rust-resistant punched window	$\boxtimes$	
Bulkhead shall be secured to platform with one-piece box section corner post and two (2) 3" structural intermediate posts	$\boxtimes$	
Platform Portion Shall have 3/16" treadplate steel floor; steel over wood overlay is NOT ACCEPTABLE	×	
Floor and understructure shall be undercoated for corrosion protection	$\boxtimes$	. 🗆
Side and end rails shall be constructed from 6" structural steel channel	⊠	
Sides and end rails shall face outward to accommodate binding straps and chains	$\boxtimes$	
Recessed heavy duty D-rings every 3 feet, on both sides of floor (street and curbside)	$\boxtimes$	

	COMPL YES	IANCE NO
PLATFORM SPECIFICATIONS (CONT'D)	<u> </u>	<u>.110</u>
Platform Substructure	<b>2</b>	
Long sills shall be constructed with 5" structural steel	الجكنا	<u></u> /
Cross sills shall be constructed with 5.44" structural steel on 16" centers	$\boxtimes$	
Lighting LED lighting shall most all EMMSS standards		_
LED lighting shall meet all FMVSS standards	الم ا	_
The wiring harness shall be encased in a plastic loom and all wires shall be colored for ease of troubleshooting		
The wire harness must have connectors that make it compatible to the specified chassis without splicing	×	
The stop/tail/turn lights shall be mounted below the platform in non-corrosive containers	×	
Accessories Sleeve Adapter HC3Z-19H282-A	×	
<ul> <li>Pintle Plate ¾" thick with:</li> <li>Class V Receiver Hitch</li> <li>Pollak 7 pole RV style harness twist and lock plug, with weather pack back, Part #'s 11-998 (harness) and 11-916P (7 way plug)</li> <li>Back up alarm 102 dB</li> <li>3-ball receiver tube 1 7/8", 2", 2 5/16" locking hitch pin</li> <li>6 ton receiver mount Pintle &amp; 2" ball combination hitch</li> </ul>		
(Note: Not available when hoist and liftgate ordered together)	×.	
Two (2) pull-out ladders mounted behind the cab	<b>\(\times\)</b>	
Grab handle mounted to work in conjunction with ladders	<b>X</b>	
Stone shields and plain black mud flaps Conspicuity enhancement – 2" red and white diamond grade reflective striping	⅓	
DOT safety kit, first aid kit, and 10 lb. fire extinguisher w/bracket and safety triangles	$\boxtimes$	
Atomic LED lights, amber, to be wired to one of the upfitter switches provided in the chassis	$\boxtimes$	ď
OPTIONS  4A. Ungrade chassis to Super Cab chassis, retaining 60" Cab to Axle	×	

#### ITEM #4 - CURRENT MODEL YEAR, OR NEWER FORD F550 REGULAR CAB WITH

PLATFORM BODY, AS SPECIFIED, OR EQUAL (CONT'D)		
	COMPLIANCE	
OPTIONS (Cont'd)	<u>YES</u>	NO
4B. Upgrade chassis to Crew Cab chassis, retaining 60" Cab to Axle	$\boxtimes$	
4C. Upgrade to Regular Cab chassis with 84" Cab to Axle	×	
4D. Upgrade to Super Cab chassis with 84" Cab to Axle	×	
4E. Upgrade to Crew Cab chassis with 84" Cab to Axle	$\boxtimes$	
4F. Upgrade to Regular Cab chassis with 108" Cab to Axle		
4G. <u>Upgrade to 12'3" Platform Body with Removable Stake for use with 84" CA</u> Upgrade specified platform body to Heavy Hauler PHHT-124B Platform Body with Removable Stake, for use with 84" CA chassis application. The complete body and removable sides must be supplied by a single manufacturer and be a proven standard production model.	Chassis ⊠	
Dimensions 147" Platform Length	×	
95,9" Platform Height	$\boxtimes$	
40" High Permanently Installed Bulkhead with mesh window	$\boxtimes$	
40" High Removable Stake Sides	$\boxtimes$	
40" High Rear Swing Gates		
4H. <u>Thieman TT Liftgate</u> Thieman Model TT 20ET or equal liftgate, to be used on non-dumping platforms		
Steel Platform: 86" x 30" + 5"	$\boxtimes$	
Ramp is 5" fixed	$\boxtimes$	
Capacity: 2,000 lbs.	$\boxtimes$	
Rustproofing on platform frame	×	
Operation: Power down, level ride	⊠	
Lift Mechanism: Direct dual cylinder lift (no chains or cables)	⊠	
Pivot Pins: Non-rotating stress proof materials with Nitrotec	×	
Controls: Molded toggle switch control	$\boxtimes$	

### ITEM #4 - CURRENT MODEL YEAR, OR NEWER FORD F550 REGULAR CAB WITH

PLATFORM BODY, AS SPECIFIED, OR EQUAL (CONT'D)	~~~	E A NEXTE
	<u>COMPL</u> <u>YES</u>	<u>JANCE</u> <u>NO</u>
OPTIONS (Cont'd) 4H. Thieman TT Liftgate (Cont'd) Bushings: Low maintenance replaceable bushings at all pivot points	$\boxtimes$	
Dusnings: Low marmenance repraceable businings at air prvot pound	_	
Platform Surface: Steel skid resistant safety plate	$\boxtimes$	
Lift Cylinders: Dual cylinders 2" bore x 8" stroke, adjustable shaft for platform height adjustment	$\boxtimes$	
Power Unit: Electric hydraulic, 12 volt DC motor, enclosed	$\boxtimes$	
Electrical: Shall meet all TMC electrical requirements; includes 150 amp circuit breaker	×	
Safety Latches: Dual automatic locking pins lock platform in stored position	Ø	
Bed Height Range: 30" loaded to 50" empty		
Installed Weight: 775 lbs.	Ø	
Accessories: In-Cab Shut Off Switch and Light Kit		
Extra fabrication for the hitch shall be included	$\boxtimes$	
Note: with this liftgate option you lose rear gates.	<b>X</b>	
4I. Thieman Stow-Away Standard Tailgate Liftgate Thieman Model M20ET8436 or equal, to be used with non-dumping platforms with at least 84" CA, 36" of rear overhang, and 12'3" body	X	
Steel Platform: 84" x 36" + 6"	X	
Capacity: 2,000 lbs.	$\boxtimes$	
Operation: Power Up and Power Down; Molded toggle switch controls	$\boxtimes$	
Lift Cylinder: 3" bore x 10" stroke, adjustable shaft for platform height	X	
Pivot Pins: Non-rotating stress proof material with Nitrotec	$\boxtimes$	
Bushings: Low maintenance replaceable bushings at all pivot points	$\boxtimes$	
Snubber: Kit reduces movement during travel	$\boxtimes$	□ .
Power Unit: Electric hydraulic, 12 volt DC motor with solenoid cover	×	

	COMPLIAN YES	NCE NO
OPTIONS (Cont'd) 4I. Thieman Stow-Away Standard Tailgate Liftgate (Cont'd) Travel Position: Platform stores under truck body at rear of vehicle	$\boxtimes$	
Accessories with Platform: Dock Bumpers, Receiver Hitch Bracket, Rear Impact Guard	$\boxtimes$	
4J. <u>Under Body Hoist for Dumping Capabilities</u> Rugby SR-5020 truck hoist, or equal, tested at full-rated capacity for an extended life cycle	×	
Class 50 Dump Hoist Approximate Weight: 710 lbs.	$\boxtimes$	
10' Subframe	$\boxtimes$	
Double acting hydraulic pump	$\boxtimes$	
Cylinder Specifications: 6" bore, 20" stroke, 2 1/2" diameter rod	×	
Mounting Height: 11.3"	×	
Capacity: 9.1-17 tons	$\boxtimes$	
Factory tested for durability and performance	$\boxtimes$	
Integrated Body Prop		
Mounting Distance: 90.25"		
Hydraulics: Direct mount PTO and Pump. PTO must be a Chelsea 210 with direct mount pump and 9 gallon reservoir providing up to 4 gallons per minute.		
Shall be operated by a rocker switch mounted in the dash	$\boxtimes$	
4K. <u>Dump-Through Liftgate</u> Must be selected with Hoist Option if Gate Required  Anthony Liftgates Model #AR-DT 1800 dump-through liftgate	⊠	
Durable roller chain drive	XX	
Marine duty potted toggle switch	$\boxtimes$	
Pressure compensated flow valve	$\boxtimes$	
Circuit protection	$\boxtimes$	
Level ride platform	$\boxtimes$	

### ITEM #4 - CURRENT MODEL YEAR, OR NEWER FORD F550 REGULAR CAB WITH

<u>PLATFORM BODY,</u>	AS SPECIFIED, OR	EQUAL (CONT'D)

	COMPLIA YES	NCE NO
OPTIONS (Cont'd)	A A A A	<u>,5.725</u>
4K. <u>Dump-Through Liftgate</u> (Cont'd) 3-step powder coat	$\boxtimes$	
2-year mechanical and 2-year electrical and hydraulic parts and labor warranty	Ճ	
90" platform width	×	
Cab cut off switch	図	
Replaces swing gates or barn doors	X	
4L. 40" Stake Sides (9'3" Body) 40" High Removable Stake Sides to fit base unit's 9'3" body	⊠	
Reinforced, E-Track to be installed on lower and center rails of stake sides	$\boxtimes$	
Three (3) sets of E-Track 2" ratchet straps provided with sides	$\boxtimes$	
40" High Rear Swing Gates Color: Black		
4M. <u>40" Stake Sides (12'3" Body)</u> Same specifications as option 4L, but for longer 12'3" body option	×	
4N. <u>Color Option for 40" Stake Sides</u> Option to paint 40" stake sides any color different from standard black		
NOTE: Bidder MUST submit ONE price. Same price to be used for both body lengths	$\boxtimes$	
40. <u>52" Stake Sides (9'3" Body)</u> 52" High Removable Stake Sides to fit base unit's 9'3" body	$\boxtimes$	
Reinforced, E-Track to be installed on lower and center rails of stake sides		
Three (3) sets of E-Track 2" ratchet straps provided with sides	$\boxtimes$	
52" High Rear Swing Gates Upgrade bulkhead to 52"	$\boxtimes$	
Color: Black	$\boxtimes$	
IP. <u>52" Stake Sides (12'3" Body)</u> Same specifications as option 40, but for longer 12'3" body option	$\boxtimes$	
4Q. Color Option for 52" Stake Sides Option to paint 52" stake sides any color different from standard black	×	□
NOTE: Bidder MUST submit ONE price. Same price to be used for both body lengths	$\boxtimes$	

TEATTORIN BODI, AS SEECITED, ON BOOSE (COMP.	COMPLIA	7.5.0
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
4R. 40" Grain Sides (9'3" Body) 40" High one-piece 14 gauge sides with stakes that adapt to specified body	$\boxtimes$	
40" High barn doors, double opening	Ø	
2 bars that fit across the body to stop the spreading of the sides	Ø	
Color: Black	×	
48. 40" Grain Sides (12'3" Body) Same specifications as option 4R, but for longer 12'3" body option	Ø	
4T. Color Option for 40" Grain Sides Option to paint 40" grain sides any color different from standard black	$\boxtimes$	
NOTE: Bidder MUST submit ONE price. Same price to be used for both body lengths	$\boxtimes$	
4U. 52" Grain Sides (9'3" Body) 52" High one-piece 14 gauge sides with stakes that adapt to specified body		
52" High barn doors, double opening	$\boxtimes$	
2 bars that fit across the body to stop the spreading of the sides	$\boxtimes$	
Upgrade bulkhead to 52"	$oxtimes_{\ell}$ ,	
Color: Black	XXX	
4V. <u>52" Grain Sides (12'3" Body)</u> Same specifications as option 4U, but for longer 12'3" body option	Ø	
4W. Color Option for 52" Grain Sides Option to paint 52" grain sides any color different from standard black		
NOTE: Bidder MUST submit ONE price. Same price to be used for both body lengths	$\boxtimes$	
4X. <u>Light Package 1</u> Whelen LED Lights (Colors to be indicated at time of order); or equal	$\boxtimes$	
Body upfitter must provide installation of lights so they work in conjunction with the equipment on truck:  • Four (4) Micron Series Super LED in grill  • Four (4) 4" ovals on body sides, two (2) each side angled out for oncoming traffic in tissue boxes	I⊠I	
<ul> <li>Two (2) Micron Series at rear of body</li> </ul>	$\boxtimes$	

	COMPL YES	<u>IANCE</u> <u>NO</u>
OPTIONS (Cont'd)  4Y. Light Package 2  Requires stake or grain sides and dump-through liftgate  Whelen LED Lights (Colors to be indicated at time of order), or equal  Body upfitter must provide installation of lights so they work in conjunction  with the equipment on truck:  Four (4) Micron Series Super LED in grille  Four (4) 4" ovals on body sides, two (2) each side angled out for oncoming traffic in tissue boxes  Four (4) rear of body - micron series to work in conjunction with liftgate		
4Z. Go Light Work Lights, Model 30004ST Two (2) Go Light Stryker Work Lights	$\boxtimes$	
Permanently mounted on bulkhead	$\boxtimes$	
6000 maximum lumens	⊠	
5 amp draw	⊠	
9-32 VDC input	⊠	
Mounted to telescopic poles		
4AA. <u>I-Pack Tool Box</u> Knapheide I-Pack Tool Box mounted between cab and body	⊠	
Painted to specified color at time of order, base coat and clear coat	Ø	
Stainless steel continuous hinges, NO EXCEPTION	⊠	
14 gauge Galvaneal shell, E-coat primer, and latches with ABS pans for superior corrosion resistance	×	
4BB. 30** Under Body Tool Box Weatherguard Tread Plate Aluminum 631-0-02	Ø	
30 1/8" x 18" x 18"	$\boxtimes$	
5.4 cubic feet	· <b>×</b>	
Door opening: 13 ½" high and 25 ¼" wide	$\boxtimes$	
Stainless steel D-handles	$\boxtimes$	
4CC. 48" Under Body Tool Box Weatherguard Defender Series 300501-9-01, or equal	$\boxtimes$	

#### ITEM #4 - CURRENT MODEL YEAR, OR NEWER FORD F550 REGULAR CAB WITH

PLATFORM BODY, AS SPECIFIED, OR EQUAL (CONT'D)		
	<u>COMPL</u> <u>YES</u>	<u>JANCE</u> <u>NO</u>
OPTIONS (Cont'd)		
4CC. 48" Under Body Tool Box (Cont'd) 48" x 19" x 19"	⊠	
TO A 12 O 12		
9.5 cubic feet	$\boxtimes$	
Lock System – Push Button		
Material: Aluminum	$\boxtimes$	
4DD. Air Compressor, 70 CFM		
VMAC VR70 Underhood Rotary Screw Compressor	$\boxtimes$	
70 CFM, 175 PSI		
3 gallon receiver tank	⊠	
Control panel	$\boxtimes$	
Throttle control		
Filter/Regulator/Lubricator	$\boxtimes$	
Relief/Shut-Off valves with all required fittings		
Hose Reel: 50° of ½° LD, airline mounted under body (unless specified otherwise at time of order)	×	
4EE. <u>Air Compressor</u> , 150 CFM VMAC VR150 Underhood Rotary Screw Compressor		
150 CFM, 175 PSI	$\boxtimes$	
3 gallon receiver tank	区	
Control panel	<b>\B</b>	
Throttle control	$\boxtimes$	
Filter/Regulator/Lubricator	$\boxtimes$	
Relief/Shut-Off valves with all required fittings	$\boxtimes$	
Hose Reel: 50° of ½" I.D. airline mounted under body (unless specified otherwise at time of order)	×	

	COMPLIAN YES	<u>CE</u> NO
OPTIONS (Cont'd) 4FF. Whelen LED 54" Light Bar Light Bar LED 54", all modules filled with amber LED OR Red and Blue Modules in lieu of amber lights for Sheriff's Department or OEM (to be indicated at time of order)		<u> </u>
Rear traffic advisor with flashing capabilities	⊠	
Alley lights and takedowns are to be white	$\boxtimes$	
Twelve (12) scan lock flash patterns	$\boxtimes$	
Controller	$\boxtimes$	
Brackets for mounting on safety back rack or bulkhead of platform	$\boxtimes$	
4GG. 9' Readily Detachable Western Snow Plow System  Blade Assembly  Moldboard—12 gauge (0.104") steel sheet formed to a 17.3" radius with a 1.76"  diameter top curl	⊠	⊐
Ribs Hight (8), 0.25" thick, variable profile, electrically welded to sheet, torsion tube and 0.25" thick, high strength steel base channel	Ø	
Torsion Tube - 2" diameter, full width, electrically welded to all eight ribs	$\boxtimes$	
Cutting Edge – Reversible 0.5" x 6" high carbon steel C1080 attached with ten (10) 0.63" Grade 5 carriage bolts	×	
Disc Shoes – Two (2), full rotation, height adjustable, Austempered Ductile Iron shoes with integral 1" diameter shaft secured to blade with lynch pins	⊠	
Shoe brackets shall be welded to vertical ribs Blade Trip – 50° full blade trip	⊠	
Trip Springs Four (4), 2,38" OD x 0.39" diameter, C1060, hard drawn, stress relieved wire, preloaded, with 0.63" x 4" eyebolts	$\boxtimes$	
Shock Absorbers – Two (2), 5" stroke, shielded shock absorbers to retard extension velocity and dampen blade trip return		
Blade Trip Pivot – Three (3) 0.75" diameter steel pins	$\boxtimes$	
Blade Guides – Two (2) highly visible, vinyl coated, spring wound, with replaceable flags	$\boxtimes$	
Plow Angling – 30° right and left	$\boxtimes$	
A-Frame Electrically welded, reinforced, 3" x 3" x 0.19" wall structural steel side tubes with 0.50" thick, formed nose plate and integral attachments for angling rams to receive 1" diameter pins	×	<u> </u>

	COMPL YES	IANCE NO
OPTIONS (Cont'd) 4GG. <u>9' Readily Detachable Western Snow Plow System</u> (Cont'd)	<del>- 12 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2</del>	
A-Frame (Cont'd) Lift Chains – Two (2), 0.25" Grade 43 high test steel with 2,600 lb. working load limit, attached with 0.38" U-bolts	⊠.	
Quadrant Electrically welded, reinforced, 5" OD x 0.25" wall structural steel tube with 0.50" thick nose plates and integral attachments for angling rams to receive 1" diameter pins	$\boxtimes$	
A-Frame to Quadrant Angle Pivot – 1" diameter Grade 5 bolt	$\boxtimes$	
<b>Lift Frame</b> Lift frame to have provision for attachment of out front hydraulics and light kit Lift Arm – 0.25" x 2" formed bar welded with a 7 gauge steel cover	×	
Two Plow Stands Self-storing and adjustable integrated into the plow attachment Mechanism		
Connecting hook and lever with integral with a 0.50" lock pin	X	
Lift Frame – Two piece lift frame with tubular construction	$\boxtimes$	
Lower lift frame to include drive in plow alignment horns	Z	
<b>Mount</b> Custom designed, electrically welded, structural steel mounting readily adaptable to truck frame	×	
Attached to truck with Grade 5 fasteners	×	
Vehicle, with mount attached, shall meet Federal Motor Vehicle Safety Standards by compliance or by vehicle manufacturing approval	×	
Removable receiver brackets for additional ground clearance	Ø	
Paint Plow blade shall be made of shot blasted steel and cleaned with phosphate solutions and have baked-on red polyester powder coating	×	Ö
A-Frame, Quadrant and Lift Frame – shall be made of shot blasted steel and cleaned with phosphate solution and have baked-on black powder coating	×	
Hydraulics Electric solenoid activated and detachable with lift	$\boxtimes$	

	<u>COMPLI</u> YES	LANCE NO
OPTIONS (Cont'd) 4GG. 9' Readily Detachable Western Snow Plow System (Cont'd)	<del></del> .	
Hydraulies (Cont'd)		
Front mounted hydraulic unit consisting of a fixed displacement gear pump with 1750 PSI system relief, direct tang driven by a 4 1/2" 12 volt DC motor	×	
Pump with filter screen shall be immersed in a steel deep drawn reservoir	$\boxtimes$	
Main valve manifold shall contain three (3) side mounted and covered solenoid cartridge valves	$\boxtimes$	⊏
Secondary valve shall contain two (2) driver side and one (1) curb side mounted and covered solenoid cartridge valves	Ø	
Cushion relief valves set at 4,000 PSI and a quill adjustment screw to adjust blade drop speed	×	
One (1) - 1 $\frac{1}{2}$ " x 8" lift ram and two (2) 1 1/2" x 12" angling rams each with a rod seal, a wiper ring and a gland nut	×	
Hydraulic hoses shall be ¼" steel braided SAE 100R1	×	
Hydraulic unit shall be controlled by a soft touch, hand held in-cab control	$\boxtimes$	
Control shall be equipped with an on/off and mode buttons and indicator lights	$\boxtimes$	
Control can be dash mounted	$\boxtimes$	
In-cab control shall be connected to valve manifold and to the motor through an auxiliary 12-volt multiplexed harness	×	
Power and control harness to have quick disconnects and covers at the grille	$\boxtimes$	
Control shall allow plow to be in float when lowered and also be able to angle left or right when in float	$\boxtimes$	
Unit shall be a "low side" drive system, which provides positive potential continuously with a switched ground to control the solenoids	ALX	
Unit shall possess programmable security lockout feature	×	
Unit shall possess programmable hydraulic soft stop feature	<b>X</b>	
Unit shall possess programmable one touch float feature		

OBTIONS (Co)	COMPL YES	<u>IANCE</u> <u>NO</u>
OPTIONS (Cont'd) 4GG. 9' Readily Detachable Western Snow Plow System (Cont'd)		
Hydraulies (Cont'd) Hydraulie fluid shall be MIL5606 equivalent standard transmission fluid (ATF) or aircraft hydraulie oil for low-temperature operation	$\boxtimes$	
Cycle times: Lift, 2.0 seconds; Angle, 5.0 seconds	$\boxtimes$	
Hydraulic unit shall stay with plow when plow is disconnected from truck	Ø	
Lights Night Hawk LED Plow Lights	⊠	
Headlights Comprised entircly of light emitting diodes using solid optic elements for low beam and high beam lights		⊐
A reflected LED light for the side lighting using	X	
EdgeView Technology	$\boxtimes$	
DRL/Park lights using white lights behind a frosted filter, turn signal utilizing amber lights behind the same frosted filter	Ø	☐
Plow Removal Blade assembly, A-Frame, Quadrant, Lift Frame with hydraulic unit all to be easily removed in one step from truck as one complete unit	×	
Accessories with Plow  • Snow deflector  • Curb guard right and left  • Cab command Hand Held Joystick	$\boxtimes$	
<ul> <li>4HH. Trailblazer 325 Air Pak</li> <li>Model 907549003, or equal</li> <li>Battery Charge/Crank Assist with 25' Battery charge/jump cable Part #300422</li> <li>Independent Weld and Generator</li> <li>Industrial Rotary Screw Air Compressor</li> <li>Air Cooler Separator</li> <li>RTI Filter</li> <li>Desiccant Air Dryer</li> <li>Protective Cover</li> </ul>		
Wireless Remote Hand Control	$\boxtimes$	
4H. Road Department Paint Color Scheme School Bus Vellow from the bottom of the windows down	I⊠I	П

#### ITEM #4 - CURRENT MODEL YEAR, OR NEWER FORD F550 REGULAR CAB WITH

PLATFORM BODY, AS SPECIFIED, OR EQUAL (CONT'D) **COMPLIANCE** YES NO. OPTIONS (Cont'd) 4II. Road Department Paint Color Scheme (Cont'd) Academy Blue #5240 from the bottom of the windows up to and including cab roof and back X On hood from bottom of windshield to a point on the hood to make a "V" and match the road department fleet X Shall be base coat clear coat (Note: Not all Vehicles will be painted this way) X 4JJ. Slide Bar with Straps 3' slide bar with three (3) 3" ratchet straps mounted under body ratchet bar included  $\Box$  $\mathbb{X}$ 4KK. Stainless Steel V-Box, Hydraulically Operated Hydraulics PTO must be a Chelsea 210 with direct mount pump and 14 gallon reservoir providing up to 9 gallons per at 1000 rpm, must be a modular manifold cartridge type valve with five (5) year warranty X Shall be operated by the chassis provided upfitter switches  $\boxtimes$ General: Self-Contained compact material spreader with a capacity of 3.0 cubic yards suitable for mounting on specified truck XDimensions: Outside Hopper Length 9 feet Outside Hopper Width 50 feet Overall Spreader Length 130 inches Overall Spreader Height 71 inches with long chute or 59 inches with short chute · Capacity 3.0 cubic yards Weight 645 lbs X Hopper Construction: Shall be wrap around and spot welded inside and out X Shall have 16 gauge sides and 16 gauge ends, with the slope closest to the sill at 45° and a bend half way up that adds an additional 13° for a total of 58° from horizontal at the top  $\mathbf{X}$ Four lift point on each corner for easy handling Three 16 gauge vertical supports on each side  $\boxtimes$ Full-length chain guards shall be 14 gauge steel and welded in place  $\mathbb{Z}$ Floor shall be 14 gauge steel. The shell is to be comprised of 201 Stainless Steel  $\mathcal{F}$ 

OPTIONS (Cont'd)	<u>COMPL</u> <u>YES</u>	IANCE NO
4KK. Stainless Steel V-Box, Hydraulically Operated Hydraulics (Cont'd) Conveyor:		
Shall be drag bar chain type	$\boxtimes$	
Overall shall be 100% constructed of 14 gauge 201 stainless steel with a 16 %" wide pintle chain conveyor system	Ø	
Steel pintle chain with 3/16" x 3/4" cross bars	図	
Chain strength is 11,000 lbs. per strand; 22,000 lbs. total	×	
Idler and drive sprockets shall be 6 tooth cast iron on 1 1/8" shafts	$\boxtimes$	
The sprockets and idler shaft are to be plated to inhibit corrosion. The chain shall have 3 $\frac{1}{2}$ " adjustment range	Ø	
Conveyor Drive/Engine: The dual hydraulic motors shall generate 8.75 HP when supplied with 10 gpm @ 1500 PSI	Ø	
It shall be 2.8 CIR "H" series Char Lynn or equivalent hydraulic gerotor type with ½" upt port, SAE 2B 2-bolt mounting flange and 1" diameter output shaft with .406 diameter cross hole	⊠	
The pressure rating shall be 2400 PSI max intermittent and 1800 PSI continuous	$\boxtimes$	
The flow rating shall be 14 GPM max intermittent and 12 GPM continuous	$\boxtimes$	
Drive shaft shall have heavy-duty, sealed, self-aligning ball bearing, equipped with grease fitting		
The idlor shaft shall have self-aligning 1 1/8" diameter, 2 bolt flange, ball bearings	Ø	
Conveyor gear case housing shall be east iron .	×	
Gear shall be aluminum bronze	×	
Worm gear shall be hardened steel and ground		
Ratio shall be 20:1 with one inch input shaft and 1 1/8" output shaft on apered roller bearings	×	
nput shaft of gear case to be drive by a chain belt from engine	Ø	

TESTFORM DODY; AS STRONGIED, ON EQUAL (COME D)	<u>COMPI</u>	<u>JANCE</u>
OPTIONS (Cont'd)	$\underline{\mathbf{YES}}$	<u>NO</u>
4KK, Stainless Steel V-Box, Hydraulically Operated Hydraulics (Cont'd)		
Chute Assembly: Spinner disk shall be polyurethane, 15.5 inches in diameter, and with four fins	×	$\Box$
The spinner disk is attached to a 1" diameter plated shaft driven by a pulley and belt from the gear case input shaft	$\boxtimes$	
Material is guided from the conveyor to the spinner disk through an enclosed 14 gauge chute housing	$\boxtimes$	
Two internal baffles and a stainless steel circular deflector housing enclosing a stainless steel adjustable circular deflector give complete control of spread direction	×	
Width of spread up to 40°	$\boxtimes$	
Circular deflector housing protects truck bumper and under parts	$\boxtimes$	
The chute shall be fastened with two pins on a hinged housing	Ø	
Feed Gate: Shall be lever operated, friction lock with sight gauge for accurate adjustment		
Standard Features: Stainless steel hardware throughout	$\boxtimes$	
Shall include heavy-duty top screen constructed from ¼" diameter rod, Inverted Vee, Hold down kit	$\boxtimes$	
Accessories: Spreader Light	×	þ
Rear Stainless steel light bar: stop/tail/turn/reverse with amber strobes 6" extension kit	Ø	
Chain and turnbuckle tie downs	$\boxtimes$	
EZ Spread Controller: The spreader controls shall be capable of operating a granular spreader with auger/conveyor, spinner and pre-wet (or anti-ice) output channels	·×	<del></del>
Each function can be operated individually or all simultaneously		Ц
In-cab controller must be an automotive grade product	$\boxtimes$	Ц
Amusement or gaming products will not be accepted	$\boxtimes$	

PLATFORM BODY, AS SPECIFIED, OR EQUAL (CONT'D)	COMPL YES	JANCE NO
OPTIONS (Cont'd) 4KK. Stainless Steel V-Box, Hydraulically Operated Hydraulics (Cont'd) EZ Spread Controller: (Cont'd)		<u> </u>
The liquid channel can operate an electric or hydraulic pre-wet system		
Controller shall also have an optional dash mount, stand-alone, or console mounting options	×	
The user shall have the ability to adjust the speed of each function and the amount of granular material or liquid with the soft touch key pad	$\boxtimes$	
The printed PVC soft touch membrane switch interface shall be tested to 5 million impressions for long life and durability	Ճ	
Touch pad to control granular feed rate or spinner speed	· <b>⊠</b>	
All set-up and programming shall be completed using the controller soft key pad with no programming keyboard		
Controller shall have the ability to connect the feed rate and spinner function for single stroke simultaneous start up	×	
Controller must offer a "Spot Blast" feature		
Spot Blast will activate the Blast with a single keystroke when the controller is paused	×	
Adjustable valve unseat mode must be a standard feature	Ø	
The spinner shall increase during Blast; must also be an adjustable option	×	
The spreader control shall be capable of operating each function in open loop Mode	Ø	
Spreader must be field configurable to operate either: Ground Speed Oriented or No Ground Speed (simple manual operation) with a single switch setting	$\boxtimes$	
Controller shall also offer a settable	$\boxtimes$	
Blast Feature that will function during Ground	$\boxtimes$	
Speed Triggered Operation	$\boxtimes$	
The controller must include integrated protection and diagnosis systems with safety features incorporated into the system	$\boxtimes$	

		<u>COMPI</u> <u>YES</u>	<u>IANÇE</u> <u>NO</u>
OPT	IONS (Cont'd)	- B J J.	<u> </u>
	Stainless Steel V-Box, Hydraulically Operated Hydraulics (Cont'd)		
	pread Controller: (Cont'd)		
	r Safe Wiring Design: For safety reasons, grounding or cutting any at any point between any valve coil and the controller must not cause		
	alve to actuate	$\boxtimes$	
ану у	arve to actuate		
One l	ead from each hydraulic valve coil must be wired to a common ground		
	System shall be capable of self-diagnosis using the pause indicator LED light	$\boxtimes$	
4 12			
	onnections inside the hydraulic valve/electronic control junction box must	<b>—</b> "	_
pe IP	58 rated	Ø	
All co	onnectors shall be rated as "6x" – dust proof	$\boxtimes$	
	F-7,22	<u></u>	
	onnectors shall be rated as "x8" - protected against the effects of		
_	ment submersion in water as well as showing no corrosion after 500 hours in a		<b>.</b>
35°C	salt spray	⊠	
Syste	m operating temperature range -20 to +40°C	X	
A11 aa	personing about he taked at with any and the descriptions for any because it		
	onnections shall be labeled with appropriate descriptions for each connection	(T)	$\Box$
to the	ividual solenoids of the hydraulic actuating cylinders	Ø	_
Contr	oller shall have a five (5) year warranty	$\boxtimes$	Ċ.
41.L.	Diagnostic Tools / Test Equipment		
1.	Successful bidder shall be required to supply between one (1) and three (3)		
	complete sets of OEM testing/diagnostic/programming equipment (i.e. laptop,		
	software, cabling, and adapters) and special tools required to perform the full ran	nge	
	of diagnostic and maintenance actions necessary to maintain vehicle operability.		
	This equipment will cover the vehicle chassis, engine, transmission, brakes,		
	hydraulics, and all additional equipment (if applicable)	. 🛛	
2.	All laptop computers will be of the newest available technology and have suffici		<b>_</b> _
-71	storage and memory to operate all required software	$\boxtimes$	L.
3.	. Out to the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second sec	(5)	امـــاء ا
4	being supplied at the time of bid  All software installations and activations will be completed by the successful	$\boxtimes$	L
٦,	bidder at no cost to the County	团	П
5.	· · · · · · · · · · · · · · · · · · ·	<b>∠</b> \$	Ш
	for a period of five (5) years from the acceptance of the equipment	$\boxtimes$	
6.		_	_
	special tools shall be resolved by the successful bidder at no cost to the County		
	for a period of five (5) years from the acceptance of the equipment	$\boxtimes$	
7.	Training shall be provided on all items in this section at a specified County		
	Location	$\boxtimes$	· <b></b>

<b>COMPI</b>	<u>LANCE</u>
YES	NO

 $\boxtimes$ 

#### OPTIONS (Cont'd)


#### 4MM. Two-Way Radio Power and Wiring Requirements for New Vehicles

Upfitter (dump body, sweeper, etc.) -1 day at each location

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

<ul> <li>#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps</li> <li>#12 AWG BLACK wire connected to chassis ground</li> <li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps</li> </ul>		
Wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator.  Wiring harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminate 12VDC sources shall be protected from making contact with grounded metal surfaces.	<b>∵i</b> ⊠	
4NN. Installation of County Supplied Two Way Radio and Accessories Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:	ie	
<ul> <li>#12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.</li> <li>#12 AWG BLACK wire connected to chassis ground.</li> <li>#16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.</li> </ul>		
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle.  The wiring harness shall be clearly labeled "TWO-WAY RADIO".  The 12VDC sources shall be protected from making contact with grounded metal surfaces.		
IOO. <u>Technical Support</u> Fechnical Support is to be provided by factory authorized technical representatives and shall be the original equipment Manufacturer's industry standard technical presentation in a classroom setting	×	,
The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to be equipment supplied under this specification	×	
<ul> <li>Echnical support may be requested in the following areas</li> <li>Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location.</li> <li>Transmission - 1 day at each location</li> <li>Electrical – 1 day at each location</li> <li>Brakes – 1 day at each location</li> <li>Hydraulic system (dump body, spreader, snow plow) – 1 day at each location</li> </ul>		

I DATE OF THE DESIGNATION OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY OF TH	COMPLIA	NCE
	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd) 400. <u>Technical Support</u> (Cont'd)		
Technical representative(s) shall be made available for a total of 180 training/support		
hours (anticipated to be scheduled in six (6) hour blocks)	$\boxtimes$	
Shorter training days shall be allowed only with consent of Vehicle Services	$\boxtimes$	
Total training hours shall be provided and no additional compensation will be considered	×	,
Actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder	×	
For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled	Ø	
Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper education	×	
Technical Support for Vehicle Services may be provided at the following fleet maintenance facility locations as scheduled by a Vehicle Services Department representative:  • Toms River, 152 Chestnut Street, Toms River, N.J. 08753		
(Two (2) sessions will be provided at this location: One beginning at 7 am and another beginning at 1:30 pm)	ᅜᆀ	
<ul> <li>Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050</li> </ul>	X	L
Successful bidder shall provide Technical Support sessions for other Departments which will be held at an Ocean County location specified by the requesting Department	×	
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only	$\boxtimes$	
Technical support will be requested, and scheduled, on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service	$\boxtimes$	



#### RESOLUTION

July 19, 2023

WHEREAS, on June 27, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of PUMPOUT BOAT for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Marine Boatbuilders Co. PO Box 7826 Warwick, RI 02887 (401) 935-1186 Name and Address of Bidder

JC Enterprises 6606 Rimridge Way Bakersfield, CA 93313 (661) 831-2452

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, MARINE BOATBUILDERS CO. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of PUMPOUT BOAT for the County of Ocean, for the contract period from date of award through July 18, 2024, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

#### MARINE BOATBUILDERS CO. for three (3) items, to wit:

ITEM NOS. 1, 1A and 1B.

For a Total Lump Sum Award (Item Nos. 1-1B) of \$270,870.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment and services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. Funds for the equipment and services shall be available within the following funding Source: Planning Board O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-138.
- 5. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Planning Board and Marine Boatbuilders Co., the successful bidder.

# Proposal document report Bid No. TBD Pumpout Boat

шей eni i	Description	Quantity	Upit of Measure	Unit Cost	Total	Year/Make/Model:	Warrantyz	Delivery, A.R.O.;
<del>y-</del> 4	Current Model Year, or Newer, Pumpout Boat and Options, As Specified, or Equal	rsi	્ત્	\$122,185.00	\$244,370,00	Marine Boeibuilders 47/gs/Pemp- Kleen Pumpout Boats	Syezr on Pull and tank see uploaded warranty.	We expect to have the boats delivered over the Fall/winter months and ready for prior to the 2024 boating season. All lead times are subject in availability.
OPTICINS			-					
1A	Current Model Year, 20 Newer, Venture VRI-3950, Tandem Axle Raller Trailer, As Specified, or Equal	N	<b>Z</b>	\$\$, Xente	\$12,500.00	New 3024yr toad Rite Mode! 55- 25T600102TG2 Raller Trailer	toad Rite Warrantee Syr on Structural all other components 2 years. This werranty is from Load Rice	Delivered with the Vessels.
: #	Removable Weather Endosure to Fit Over Specified Center Coprole, As Specified	N	: \$	\$4,500.00	\$9,700.00	New (4) piece 2024yr all around weather enclosure. Per bid specs. If you want the (3) piece without the back the price will be less.	No werranty on Canvas enclosure	Delivered with vessel.
TOTAL			_		\$270,870,00	, v	_	

#### MARINE BOATBUILDERS CO.

COMPLIANCE PAGES FOR PUMPOUT BOAT


ITEM #1 - CURRENT MODEL YEAR, OR NEWER, PUMPOUT BOAT AND OPTIONS, AS

SPECIFIED, OR EQUAL

	COMPLIANCE	
Dante	<u>YES</u>	<u>NO</u>
Boat: Fully Equipped Pumpout Boat 23-25 feet in length	<b>A</b>	
Constructed of ALL Composite, NO Wood	<u>-</u>	
Modified V Hull		
Minimum 8 ft. Beam		$\overline{\Box}$
	ىي	
Stainless Steel Deck Fittings – Minimum of seven (7) cleats: bow eyes, stem eyes, etc.	<b>12</b>	П
Engine: Installed Marine Outboard Engine shall be Yamaha,	ب	_
Honda, or Suzuki 250HP, 4-stroke, fly by wire, fully digital, or	/	
approved equal, with a fuel system, meeting current EPA standards	Ø	
Fuel Tank: Minimum Capacity shall be 50 Gallons	7	
Engine Protection Hoop	্ন	
Heavy Duty Water/Fuel Separator	Ī	
Center Console with Safety Glass Windshield, Fiberglass	[ <del>]</del>	
Top Canopy and Padded Forward Built-in Seat, with seat back with		
Grab-rails on Roof		
Rope Storage under Deck	N	
Automatic Bilge Pump		
<del>-</del>		
Stainless Steel Propeller Thomas Pointing and Staining of Hall Sides		
Bottom Painting and Striping of Hull Sides		
Wash-down pump system	व्यव्यव्यव्य	
Stern platform, both sides	1-3	
All-Round Fender System surrounding Hull, Bow to Stern		
Hydraulic Trim Tabs	Ŀ	Ц
Pump and Holding Tank:	and the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of the same of th	
Holding Tank: Minimum Capacity shall be 400 Gallons	<u> </u>	
Electric Diaphragm Pump with a Minimum Pumping Capacity		
of 30 Gallons per Minute, with Fittings and Hoses		
Electric Tank Gauge with Overflow Alarm		<b>⊿</b>
Minimum 50 ft. Suction Hose @ 1.5" Diameter and Hose Cover		
Waste Tank Indicator		
Electrical Gauges, Console, etc.:		
Integrated VHF Radio with DSC (Digital Service Calling) ICOM M510		
or Approved equal, with Shakespeare Mariner 4400 stainless steel	,	
antenna or approved equal	Ø,	
Garmin 943XSV Chart Plotter, or approved equal	ø,	
Hydraulic Steering with steering knob	đ	
Flush-mounted electronics, including:	,	
Electric Fuel Gauge	Image: second control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of	
Flush-Mounted Lighted Compass	Ø	
Navigation and Anchor Lights		
Built-in 12-volt Circuit Breaker Panel		

# MARINE BOATBUILDERS CO.

COMPLIANCE PAGES FOR PUMPOUT BOAT		ge 2 of 2
/ ITEM #1 - CURRENT MODEL YEAR, OR NEWER, PUMPOUT BOAT AND C	<u>Trions, v</u>	<u>3</u>
SPECIFIED, OR EQUAL (CONT'D)		
	COMPLIA	
	<u>YEŞ</u>	NO
Electrical Gauges, Console, etc.: (Cont'd)	[P	
Upgraded Heavy Duty Group 29 battery		$\equiv$
Dual Battery Switch and Wiring	<u>a</u> .	P
Dual Battery Condition Indicator		$\equiv$
12-volt power outlet		
Engine hour meter		_
Miscellaneous:	_/	П
US Coast Guard Safety Package including a minimum of four (4) life jackets	<u>نک</u> ا	
Bidder shall provide, with bid, documentation that the pumpout boat being		а
proposed has been designed to meet certified stability and tank standards		u
/ OPTIONS: 1A. Current Model Year Newer, Venture VRT-5950, Tandem Axle Roller Trailer	, As Specific	d, or Equal
V IA. Current Model Year Newer, Venture VK1-5220, Tudout Live		
Two (2) axle (tandem) roller style trailer, to fit boat bid in Item #1		
Hot-dipped galvanized steel frame, 3" x 5"		
Load capacity: 5.950 pounds	囡	
Tires and wheels: Four (4) 225/75D15 LRD 5H		
Forty four (44) tollers	<b></b>	
Brakes: Disc brakes shall be equipped as standard		
Total width: 102"	ත්	
Total within 102		
oball have got of families above wheels canable of supporting weight of		
Shall have metal fenders above wheels capable of supporting weight of	<i>A</i>	_
an adult and use as a step gain entry on to the boat white mounted		
an adult and use as a step gain entry on to the boat white mounted on trailer		
an adult and use as a step gain entry on to the boat white mounted on trailer  Width between fenders: 84"		
an adult and use as a step gain entry on to the boat white mounted on trailer  Width between fenders: 84"  Coupler size: 2" 8.000 pound ball mount style		• • •
an adult and use as a step gain entry on to the boat white mounted on trailer  Width between fenders: 84"		



July 19, 2023

WHEREAS, on June 27, 2023, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Continental Hardware, Inc. 400 Delancy Street Newark, NJ 07105 (973) 589-3929

Sid Tool Co., Inc. d/b/a MSC Industrial Supply Co. 515 Broadhollow, Suite 1000 Melville, NY 11747 (973) 580-1129

Plastic Express, Inc. 667 Lehigh Ave. Union, NJ 07036 (718) 499-1119 Name and Address of Bidder

US Electrical Services, Inc. D/B/A Franklin Griffith 5 Second Street Trenton, NJ 08611 (609) 695-6121

Eppy's Tool & Equipment Warehouse, Inc. 809 East 42<sup>nd</sup> St. Brooklyn, NY 11210 (718) 434-7878

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, namely that of, CONTINENTAL HARDWARE, INC.; US ELECTRICAL SERVICES, INC., D/B/A FRANKLIN GRIFFITH and SID TOOL CO., INC. D/B/A MSC INDUSTRIAL SUPPLY CO. be accepted. Recommendation is made to reject Item Nos. 64, 66, 68, 69, 75 and 76. Item Nos. 64, 66, 68, 69, 75 and 76 are rejected as non-responsive. They will not be rebid as they were previously awarded. In the event of tie bids pursuant to N.J.S.A. 40A:11-6.1(d), bids are awarded to the bidder(s) in closest distance to the Ocean County Administration Building, 101 Hooper Avenue, Toms River, NJ, using the address indicated on their bid documentation.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts for the furnishing and delivery of Hand Tools, Cases and Storage Containers No. II, for the contract period from date of award through May 16, 2024 or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

# A. CONTINENTAL TRADING & HARDWARE, INC. for twelve (12)

items, to wit:

ITEM NOS. 56, 57, 58, 59, 60, 61, 62, 63, 65, 72, 73 and 74.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. <u>US ELECTRICAL SERVICES, INC. D/B/A FRANKLIN GRIFFITH</u> for four (4) items, to wit:

ITEM NOS, 32, 33, 43 and 51.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. SID TOOL CO., INC. D/B/A MSC INDUSTRIAL SUPPLY CO. for three (3) items, to wit:

ITEM NOS. 67, 70 and 71.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment and materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Commissioners and subject to the Board of Commissioners customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-143.
- 4. **BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Central Supply Warehouse, Vehicle Services and the successful bidders.

Bid No. TBD PROPOSAL DOCUMENT REPORT

HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II

# HAND TOOLS CASES AND STORAGE CONTAINERS NO. II

Line (tern	Description	Quantity	Unit of Measure	Unit Cost	Total Cost	No छार्च	Comments:
SECTION III - POWER TOOLS	WER TOOLS						
32	Milwaukee 1/4" Drive, ratchet with battery 12V DS, 30 ft-lb fastening torque, Milwaukee part number 2456-21 NO SUBSTITUTIONS	υI	Ţ	\$163,00	603T8\$	j	NEW PART 2456-20
<b>23</b>	Mitwaukee, Cordless oscilating tool kit, 12V, Milwaukee part number Z426-22 NO SUBSTITUTICANS	5	7	\$250.00	\$1,250.00		NEW PART NUMBER 2526- 21XC
4-	Milwaukee Cordless Impact, 1/4" hex 18V DC, 2,000 in-lb Max. Torque. Milwaukee Part Number 2853-20. NO SUBSTITUTIONS	on !	rr₁ 3*	\$157.00	\$785,00		NEW PART 7850-20
\$	Milwaukee 1/2 in M8 FUEL hole Hawg cordless right angle drift kit, 18.0 V Voltage, bettery included. Milwaukee Part Number: 2702-22, NO SUBSTITUTIONS	un .	Ę,	\$340.00	\$1,700.00		NEW PART NUMBER 2807- 20. all kits have been discountinued oulf, bare tool available

# SECTION IV - DISCOUNT PERCENTAGE OFF CATALOG

4	59	5	<u>ح</u>		Line Item
60		58	57	56 T	ltem
Screwdrivers	Torque Tools	Wrenches	Drive Tools 1/4" 2-1/2"	Tool Storage	Description
76	34	3%	×	*	Unit of Measure
25%	25%	25%	25%	25%	Percentage
				—	No Bid

# CONTINENTAL HARDWARE, INC.

PROPOSAL DOCUMENT REPORT

BID NO. TBD HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II

	_		L							4		-	-	4	
75	74	73	72	71	70	69	89	67	66	33	72	න	62	61	Line Item
Diagnostics	Safety	Shop Cleaning (ie: parts, washers, pressure washers, Vacuums, Shop Fans)	Shop Equipment (ie: Lighting, Creepers, measuring, pick-up tools compressors, presses)	Cooling	Air Conditioning	Battery Service	Undercar	Welding	Testing & Electronics (i.e.: specialty meters, Analyzers, fuel and engine systems)	Power Tools	Set Building	General Hand Tools (ie: Files, Scrapers, spark plugs, threading extractors, pullers, diesel, other)	Punches/Chisels/Hammers	Pliers	Description
%	**	æ	* *	28	2.4	%	%	**************************************	. %	\$ <sup>0</sup>	%	88	88	- 3g	Unit of Measure
No Bíd	25%	25%	25%	No Bid	No Bid	No Hid	NoBid	No Bid	No Bid	25%	No Bid	25%	25%	25%	Percentage
<b>&gt;</b> <				×	*	><	×	×	×		×				No Bid

PROPOSAL DOCUMENT REPORT BID - HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II

# US ELECTRICAL SERVICES, INC. D/B/A FRANKLIN-GRIFFITH

Bid No. TBD

HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II

		_	~	SE SE	
51	43	   & 	32	SECTION (II - POWER TOOLS	Line Item
Milwaukee 1/2 in M8 FUEL hole Hawg cordless right angle drill kit, 18.0 V Voltage, battery included. Milwaukee Part Number: 2707-22. NO SUBSTILUTIONS	Milwaukee Cordless Impact, 1/4" hex 18V DC, 2,000 in-lb Max. Torque. Milwaukee Part Number 2853-20. NO SURSTITUTIONS	Milwaukee, Cordless oscilating tool kit, 12V, Milwaukee part number 2426-22 NO SUBSTITUTIONS	Milwaukee 1/4" Drive, ratchet with battery 12V DC, 30 ft-lb fastening torque, Milwaukee part number 2456-21 NO SUBSTITUTIONS	WER TOOKS	Description
un İ	(n	<sub>ហ</sub> ា	ડ		Quantity
무	ĒA	E%	£		Unit of Measure
\$565.00	\$144.00	\$21150	\$184.00		Unit Cost
\$2,825.00	\$720.60	\$1,055.00	\$920.00		Total Cost
	:				No Bid
					Comments:

# SECTION IV - DISCOUNT PERCENTAGE OFF CATALOG

				l			
62	61	60	59	85	57	56	Line item
Punches/Chisels/Hammers	Pliers	Screwdrivers	Torque Tools	Wrenches	Drive Tools 1/4" - 2-1/2"	Tool Storage	
ers							Description
%	%	%	86	%	. 38	%	Unit of Measure
15%	15%	15%	15%	15%	15%	15%	Percentage
							No Bid

SID TOOL CO., INC. D/B/A MSC INDUSTRIAL SUPPLY CO.

PROPOSAL DOCUMENT REPORT

Bid No. TBD

HAND TOOLS, CASES AND STORAGE CONTAINERS NO. II

4	4			<					,	· · · · · ·					
71	70	69	89	67	66	65	64	63	62	19	60	59	58	57	Line Item
Cooling	Air Conditioning	Battery Service	Undercar	Welding	Testing & Electronics (i.e.: specialty meters, Analyzors, fuel and engine systems)	Power Tools	Set Building	General Hand Tools (ie: Files, Scrapers, spark plugs, threading extractors, pullers, diesol, other)	Punches/Chisels/Hammers	Pliers	Screwdrivers	Torque Tools	Wrenches	Drive Tools 1/4" - 2-1/2"	Description
<i>3</i> 8	%	2%	%	%	92	3 <sup>9</sup>	%	%	*	* %	*	8	*	*	Unit of Measure
20%	20%	No Bid	Na Bid	15%	No Bid	18%	No Bid	25%	25%	25%	25%	18%	25%	18%	Percentage
		×	×		×		×								No Bid

July 19, 2023

WHEREAS, on October 19, 2022 the County of Ocean awarded SIGN BLANKS, SIGN MATERIALS AND SIGN STRIPPING, contract B2022-127, to Garden State Highway Products, Inc.; and

WHEREAS, on July 3, 2023, the Purchasing Department received a letter indicating that Garden State Highway Products, Inc. was acquired by National Highway Products, Inc.,

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the above contract with Garden State Highway Products, Inc. is hereby transferred to:

National Highway Products, Inc.


301 Riverside Drive

Millville, NJ 08332

(856) 692-7572

and all terms and conditions of the contract shall remain the same.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchase, Department of Finance, Vehicle Services Department, and National Highway Products, Inc.



July 19, 2023

WHEREAS, on December 7, 2022 the County of Ocean awarded COMPLETED

TRAFFIC SIGNS, contract B2022-147, to Garden State Highway Products, Inc.; and
WHEREAS, on July 3, 2023, the Purchasing Department received a letter indicating
that Garden State Highway Products, Inc., was acquired by National Highway Products, Inc.,

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the above contract with Garden State Highway Products, Inc. is hereby transferred to:

National Highway Products, Inc.

301 Riverside Drive

Millville, NJ 08332

(856) 692-7572

and all terms and conditions of the contract shall remain the same.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchase, Department of Finance, Vehicle Services Department, and National Highway Products, Inc.

July 19, 2023

WHEREAS, on December 21, 2022, the County of Ocean awarded CAR WASHING SERVICES NO. III, contract B2022-167, to Silver Bay Car Wash LLC; and

**WHEREAS**, on June 12, 2023, the Purchasing Department received a letter indicating that as of June 1, 2023, Silver Bay Car Wash LLC is under the new ownership of EAS Toms River LLC;

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the above contract with Silver Bay Car Wash LLC is hereby transferred to:

EAS Toms River LLC 1784 Hooper Avenue

Toms River, NJ 08753

(732) 255-8555

and all terms and conditions of the contract shall remain the same.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchase, Department of Finance, Vehicle Services Department, and EAS Toms River LLC.

July 19, 2023

WHEREAS, on April 5, 2023 the County of Ocean awarded STEEL CHANNEL POSTS AND TIMBER FOR SIGN POSTS, contract B2023-55, to Garden State Highway Products, Inc.; and

**WHEREAS**, on July 3, 2023, the Purchasing Department received a letter indicating that Garden State Highway Products, Inc., was acquired by National Highway Products, Inc.,

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the above contract with Garden State Highway Products, Inc. is hereby transferred to:

National Highway Products, Inc.

301 Riverside Drive

Millville, NJ 08332

(856) 692-7572

and all terms and conditions of the contract shall remain the same.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchase, Department of Finance, Vehicle Services Department, and National Highway Products, Inc.

July 19, 2023

WHEREAS, on May 17, 2023 the County of Ocean awarded SOLAR POWERED LED SIGNS AND SOLAR POWERED SPEED RADAR SIGNS, contract B2023-74, to Garden State Highway Products, Inc.; and

WHEREAS, on July 3, 2023, the Purchasing Department received a letter indicating that Garden State Highway Products, Inc., was acquired by National Highway Products, Inc.,

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the above contract with Garden State Highway Products, Inc. is hereby transferred to:

National Highway Products, Inc.


301 Riverside Drive

Millville, NJ 08332

(856) 692-7572

and all terms and conditions of the contract shall remain the same.

**BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchase, Department of Finance, Vehicle Services Department, and National Highway Products, Inc.



July 19, 2023

WHEREAS, on December 7, 2022, a resolution was adopted which awarded contract, B2022-146, for the furnishing and delivery of BEAM GUIDE RAIL AND TANGENT GUIDE RAIL ELEMENTS for the County of Ocean; and

WHEREAS, upon further review of the contract documents, the County - Purchasing Agent has recommended to this Board that an Amendment to the resolution is necessary due to a clerical error, to reflect the correct award information.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:


CHEMUNG SUPPLY CORP. for thirty five (35) items, to wit:

<u>ITEM NOS.</u> 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14a, 14b, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33 and 34.

For a Total Lump Sum Award of Section I (Items 1-34) of \$731,514.50.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 1. The Director and Clerk of this Board are hereby authorized and directed to amend the Resolution for the furnishing and delivery of BEAM GUIDE RAIL AND TANGENT GUIDE RAIL ELEMENTS for the County of Ocean.
- 2. All other provisions of the resolution and contract documents shall remain in full force and effect.
- 3. BE IT FURTHER RESOLVED that certified copies of this resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Engineer and Chemung Supply Corp. the successful bidder.



July 19, 2023

WHEREAS, on July 11, 2023, pursuant to legal advertisements therefor, sealed bids were received for the STORMWATER MANAGEMENT IMPROVEMENTS OCEAN COUNTY FIRE TRAINING FACILITY, OCEAN TOWNSHIP, State of New Jersey; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Mathis Construction Co., Inc. 1510 Route 539, Suite 1 Little Egg Harbor, NJ 08087 (609) 296-3728

Seacoast Construction, Inc. 15 Addington Ct. East Brunswick, NJ 08816 (732) 238-6963

Shore Top Construction Corp. 23 Yellow Brook Rd. Freehold, NJ 07728 (732) 835-2600 Name and Address of Bidder

Earle Asphalt Company PO Box 556 Farmingdale, NJ 07727 (732) 308-1113


S & G Paving, Inc. 224 C Forsgate Drive Jamesburg, NJ 08831 (732) 521-1936

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has referred all bids to the County Engineer for study and recommendation to the Board; and

WHEREAS, the County Engineer has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, MATHIS CONSTRUCTION CO., INC., be accepted for the Stormwater Management Improvements Ocean County Fire Training Facility, Ocean Township.

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with Mathis Construction Co., Inc., accepting their bid in the total amount of \$199,582.08, in accordance with plans and specifications prepared by the County Engineer. All work under this Contract shall be completed within **forty-five (45)** calendar days.
- 2. The Department of Finance has certified that funds are available in Account No. 016-010-6040 in the amount of \$199,582.08 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-147E.
- 4. BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to each of the following:
  - a. County Auditor;
  - b. County Department of Purchasing;
  - c. Department of Finance; and
- d. County Engineer who shall see that the successful bidder enters into a proper contract for the faithful performance of their bid and that said contract is duly filed with the Clerk of this Board; and who shall see that the successful bidder furnishes to the County of Ocean a properly executed surety company bond for the faithful performance of their contract.



July 19, 2023

WHEREAS, on July 11, 2023, pursuant to legal advertisements therefor, sealed bids were received for the RECONSTRUCTION AND RESURFACING OF PORTIONS OF CERTAIN COUNTY ROADS, CONTRACT 2021C, VARIOUS TOWNSHIPS, State of New Jersey; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Earle Asphalt Company PO Box 556 Farmingdale, NJ 07727 (732) 308-1113

C. J. Hesse, Inc.25 First AvenueAtlantic Highlands, NJ 07716(732) 291-8100

Name and Address of Bidder

Black Rock Enterprises, LLC 1316 Englishtown Road Old Bridge, NJ 08857 (732) 967-6400

Stavola Contracting Co., Inc. 175 Drift Road Tinton Falls, NJ 07724 (732) 542-2328


; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has referred all bids to the County Engineer for study and recommendation to the Board; and

WHEREAS, the County Engineer has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, EARLE ASPHALT COMPANY, be accepted for the Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2021C, Various Townships.

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with Earle Asphalt Company, accepting their bid in the total amount of \$3,060,513.13, in accordance with plans and specifications prepared by the County Engineer. All work under this Contract shall be completed within **One Hundred Thirty (1.30)** calendar days.
- 2. The Department of Finance has certified that funds are available in Account No. 210-185-0060 in the amount of \$7,125.00; Account No. 422-185-X204 the amount of \$33,993.41 and Account No. 424-185-X301 in the amount of \$3,019,394.72 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2023-146E.
- 4. **BE IT FURTHER RESOLVED** that certified copies of this Resolution shall be made available to each of the following:
  - a. County Auditor;
  - b. County Department of Purchasing;
  - c. Department of Finance; and
- d. County Engineer who shall see that the successful bidder enters into a proper contract for the faithful performance of their bid and that said contract is duly filed with the Clerk of this Board; and who shall see that the successful bidder furnishes to the County of Ocean a properly executed surety company bond for the faithful performance of their contract.

# No Associated Documents



July 19, 2023

WIIEREAS, Contract No. B2022-49CE was awarded on April 6, 2022 to Brennan Brothers Contracting, LLC for the project known as "DEMOLITION OF VARIOUS STRUCTURES" in the Good Luck Point Area of Berkeley Township; and

WHEREAS, it has been determined that revisions to the contract are necessary to account for the over-estimation of monies required for gas disconnect; and

*WHEREAS*, this proposed change order, Change Order No. 1 and Final, is consistent with regulations promulgated by the New Jersey Department of Community Affairs, Division of Legal Services, under authority of N.J.S.A. 52:27BB-32; and

WHEREAS, the contractor has agreed to accept these changes to the contract, for a decrease of the project costs in the amount of \$17,666.80; and

WHEREAS, the change to the contract amount will be distributed as follows:

 Account #	Decrease
225-155-0151	\$17,666.80

- Remington & Vernick Engineers is hereby authorized to issue Change Order No.
   and Final, a decrease in the amount of \$17,666.80, to Brennan Brothers Contracting, LLC for the over-estimation of monies required for gas utility disconnect in connection with the DEMOLITION OF VARIOUS STRUCTURES in Berkeley Township.
- The Director and Clerk of the Board are hereby authorized and directed to enter into an Amendatory Contract with Brennan Brothers Contracting, LLC. to cover Change Order No. 1 and to provide additional information and furnish such documents as may be required.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract.
- 4. A copy of this resolution together with a copy of the amendatory agreement for such services shall be placed on file and be kept available for public inspection in the office of the Clerk of the Board during normal business hours.
- 5. Certified copies of this resolution shall be made available to the County Department of Finance, the County Auditor, the County Department of Planning, and Brennan Brothers Contracting, LLC.

# No Associated Documents

July 19, 2023

WHEREAS, the Ocean County Prosecutor has identified a need for expert witness testimony in the matter of State V. Ashley Watkins; and

WHEREAS, the services required are specialized and qualitative in nature requiring specialized expertise, extensive training, educational background and proven reputation of the expert based upon the specific set of facts associated with this matter; and

WHEREAS, the specialized and qualitative nature of the services required cannot be described in written specifications; and

WHEREAS, a written proposal was received by the Ocean County Prosecutor's Office for expert reports and testimony in this matter from Robert J. Pandina in an amount not to exceed \$3,500.00; and

WHEREAS, the contract document will be the Purchase Order when issued by the Ocean County Department of Purchase, and shall be approved as to funds available by the Department of Finance; and

WHEREAS, this contract shall be awarded as an extraordinary unspecifiable service in accordance with N.J.S.A. 40A:11-5, as the services to be performed are specialized and qualitative in nature and require expertise, extensive training and a proven reputation in this field of endeavor.

# NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, AS FOLLOWS:

- 1. The County Purchasing Agent is hereby authorized and directed issue a Purchase Order to Dr. Robert J. Pandina, 50 Heron Road PO Box 28, Chippewa Bay, New York 13623 in an amount not to exceed \$3,500.00.
- 2. Sufficient funds shall be made available from Account No. 016-060-4024 and/or 216-060-0058
- 3. This agreement is awarded in accordance with the provisions of N.J.S.A. 40A:11-5 of the Local Public Contracts Law which recognizes that extraordinary unspecifiable services, such as those required in connection with this agreement, are authorized by laws.
- 4. A notice of this action shall be published once as required by law.
- 5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract.
- 6. A certified copy of this Resolution, together with a copy of the agreement executed by the parties, shall remain on file and be available for public inspection at the office of the Clerk of the Board of Commissioners.

7. A certified copy of this Resolution shall be made available to the County Comptroller, County Auditor, County Counsel, Ocean County Prosecutor, Director of Management and Budget, and Robert J. Pandina.

July 19, 2023

WHEREAS, the Ocean County Prosecutor has identified a need for expert witness testimony in the matter of State V. Sullivan, Correa and Jones; and

WHEREAS, the services required are specialized and qualitative in nature requiring specialized expertise, extensive training, educational background and proven reputation of the expert based upon the specific set of facts associated with this matter; and

WHEREAS, the specialized and qualitative nature of the services required cannot be described in written specifications; and

WHEREAS, a written proposal was received by the Ocean County Prosecutor's Office for expert reports and testimony in this matter from V-Comm, LLC. in an amount not to exceed \$1,650.00; and

WHEREAS, the contract document will be the Purchase Order when issued by the Ocean County Department of Purchase, and shall be approved as to funds available by the Department of Finance; and

WHEREAS, this contract shall be awarded as an extraordinary unspecifiable service in accordance with N.J.S.A. 40A:II-5, as the services to be performed are specialized and qualitative in nature and require expertise, extensive training and a proven reputation in this field of endeavor.

# NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, AS FOLLOWS:

- 1. The County Purchasing Agent is hereby authorized and directed to issue a Purchase Order to V-Comm, LLC., 5 Chestnut Street, Somers Point, NJ 08244 in an amount not to exceed \$1,650.00.
- 2. Sufficient funds shall be made available from Account No. 016-060-4024 and/or 216-060-0058.
- 3. This agreement is awarded in accordance with the provisions of N.J.S.A. 40A:11-5 of the Local Public Contracts Law which recognizes that extraordinary unspecifiable services, such as those required in connection with this agreement, are authorized by laws.
- 4. A notice of this action shall be published once as required by law.
- 5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract.
- 6. A certified copy of this Resolution, together with a copy of the agreement executed by the parties, shall remain on file and be available for public inspection at the office of the Clerk of the Board of Commissioners.

7. A certified copy of this Resolution shall be made available to the County Comptroller, County Auditor, County Counsel, Ocean County Prosecutor, Director of Management and Budget, and V-Comm, LLC.

July 19, 2023

WHEREAS, the Ocean County Prosecutor has identified a need for expert witness testimony in the matter of State V. Michael La Sane; and

WHEREAS, the services required are specialized and qualitative in nature requiring specialized expertise, extensive training, educational background and proven reputation of the expert based upon the specific set of facts associated with this matter; and

WHEREAS, the specialized and qualitative nature of the services required cannot be described in written specifications; and


WHEREAS, a written proposal was received by the Ocean County Prosecutor's Office for expert reports and testimony in this matter from Louis B. Schlesinger in an amount not to exceed \$15,000.00; and

WHEREAS, the contract document will be the Purchase Order when issued by the Ocean County Department of Purchase, and shall be approved as to funds available by the Department of Finance; and

WHEREAS, this contract shall be awarded as an extraordinary unspecifiable service in accordance with N.J.S.A. 40A:11-5, as the services to be performed are specialized and qualitative in nature and require expertise, extensive training and a proven reputation in this field of endeavor.

# NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, AS FOLLOWS:

- 1. The County Purchasing Agent is hereby authorized and directed issue a Purchase Order to Dr. Louis B. Schlesinger, 12 Tower Drive, Maplewood, New Jersey 07040 in an amount not to exceed \$15,000.00.
- 2. Sufficient funds shall be made available from Account No. 016-060-4024 and/or 216-060-0058
- 3. This agreement is awarded in accordance with the provisions of N.J.S.A. 40A:11-5 of the Local Public Contracts Law which recognizes that extraordinary unspecifiable services, such as those required in connection with this agreement, are authorized by laws.
- 4. A notice of this action shall be published once as required by law.
- 5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract.
- 6. A certified copy of this Resolution, together with a copy of the agreement executed by the parties, shall remain on file and be available for public inspection at the office of the Clerk of the Board of Commissioners.



# July 19, 2023

WHEREAS, the County of Ocean has acquired thousands of acres of property in the Forked River Mountain Wilderness Area in Lacey Township under the Ocean County Natural Lands Trust Fund Program; and

WHEREAS, there exists a need for forestry thinning for a fire break in this area as wildfire hazard mitigation is especially important in Ocean County, where an average of 350 wildfires burn annually; and

WHEREAS, the Pagodin Tree Care Service, LLC has submitted a proposal with the approved rates for tree thinning services in the lump sum fee of \$100,500.00; and

**WHEREAS,** this proposal is in compliance with the New Jersey state approved blanket PO #16-GNSV2-00013; and

**WHEREAS**, this contract is awarded in compliance with the provisions of N.J.S.A 19:44A-20.4 et seq., the New Jersey "Pay-to-Play" Law.

- It authorizes the expenditure for forestry thinning for wildlife mitigation on County Natural Lands Trust property to Pagodin Tree Care Service, LLC in an amount not to exceed \$100,500.00 from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.
- Certified copies of this Resolution shall be made available to County Administrator, County Planning Director, County Finance Director, County Auditor, County Counsel, and Pagodin Tree Care Service, LLC.

# July 19, 2023

WHEREAS, there exists a need for transmitters and receivers to link the fiber connections between the Ocean County Administration Building, the Ocean County 911 Dispatch Center, and the Ocean County Disaster Recovery Site; and

WHEREAS, the Ocean County Office of Information Technology has determined that the procurement of these transmitters and receivers is essential to the reliability and continued secure operations of the Ocean County data communication network; and

WHEREAS, the County has solicited a quote from the authorized vendor on the Hunterdon County Educational Services Commission Cooperative Purchasing Program, Technology Supplies & Equipment Contract No. HSESC-CAT-22-01; and

WHEREAS, upon review of the response, the County is desirous of entering into an agreement with ePlus Technology, Inc., to provide fiber transmitters and receivers, as set forth in their proposal dated June 28, 2023; and

WHEREAS, the funds shall be encumbered for said agreement under account number 016-085-6042 in the amount not to exceed \$81,639.20.

# NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. This agreement is awarded under the terms and conditions of the Hunterdon County Educational Services Commission Cooperative Purchasing Program, Technology Supplies & Equipment Contract No. HSESC-CAT-22-01.
- 2. The Director and Clerk of the Board are hereby authorized and directed to enter into any necessary subsequent documents with cPlus Technology, Inc., 155 S Limerick Road Royersford, PA 19468.
- 3. A notice of this action shall be published once as required by law.
- 4. The Contract number must be placed on all documents pertaining to this Agreement.
- 5. A certified copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Commissioners,

**BE IT FURTHER RESOLVED** that a certified copy of this resolution shall be made available to the Ocean County Comptroller, Office of Information Technology, and ePlus Technology, Inc.

July 19, 2023

WHEREAS, there exists a need for REMEDIATION AND RESTORATION SERVICES AT THE NORTHERN RECYCLING CENTER SUPERVISORS BUILDING #68G, 800 Towbin Avenue, Lakewood, New Jersey; and

WHEREAS, it has been determined that remediation and restoration services are required due to raccoon intrusion damage; and

WHEREAS, AllRisk, Inc. provided a quote #2023-6-21-3178, dated June 21, 2023 in the not to exceed amount of \$54,414.45; and

WHEREAS, this is awarded in compliance with the NJ State approved co-op #65 MCESCCPS/#ESCNJ 22/23-23; and

**WHEREAS**, funds for these remediation and repair services shall be encumbered from Account Number 016-010-6040 in the amount not to exceed \$54,414.45.

- This agreement is awarded under the terms and conditions of New Jersey State Co-op #65 MCESCCPS/#ESCNJ 22/23-23.
- The Director and Clerk of the Board are hereby authorized and directed to
  enter into any necessary subsequent documents with AllRisk, Inc., 801 East
  Clements Bridge Road, Runnemede, New Jersey 08078.
- 3. A notice of this action shall be published once as required by law.
- The contract number must be placed on all documents pertaining to this Agreement.
- A Certified Copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Commissioners.
- 6. A Certified Copy of this Resolution shall be made available to the Ocean County Comptroller, Ocean County Management & Budget, Ocean County Buildings & Grounds Department and AllRisk, Inc.

July 19, 2023

WHEREAS, there exists a need for FURNISH AND INSTALLATION OF FENCING AT SHERIFF'S IMPOUND YARD AT JACKSON GARAGE, 38 Don Conner Boulevard, Jackson Township, New Jersey; and

WHEREAS, it has been determined that specialized fence containment is required for security operations; and

WHEREAS, Consolidated Steel & Aluminum Fence Co., Inc., provided a quote dated June 26, 2023 in the not to exceed amount of \$49,550.00; and

WHEREAS, upon review of the quote submitted, the County is desirous of entering into an agreement with Consolidated Steel & Aluminum Fence Co., Inc. for said fencing.

WHEREAS, this is awarded in compliance with the New Jersey State approved contract #88680; and

**WHEREAS**, the funds shall be encumbered from Account Number 016-010-6040 in the amount not to exceed \$49,550.00.

- This agreement is awarded under the terms and conditions of New Jersey
  State approved contract #88680.
- 2. The Director and Clerk of the Board are hereby authorized and directed to enter into any necessary subsequent documents with Consolidated Steel & Aluminum Fence Co., Inc. 316 North 12<sup>th</sup> Street, P.O. Box 643, Kenilworth, New Jersey 07033.
- 3. A notice of this action shall be published once as required by law.
- 4. The contract number must be placed on all documents pertaining to this Agreement.

- 5. A Certified Copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Commissioners.
- 6. A Certified Copy of this Resolution shall be made available to the Ocean County Comptroller, Ocean County Management & Budget, Ocean County Buildings & Grounds Department and Consolidated Steel & Aluminum Fence Co., Inc.


# July 19, 2023

WHEREAS, the Ocean County Board of Commissioners has determined that a need exists for Construction Project Management and Inspection Services for the Replacement of Otis Bog Bridge (Structure No. 1506-009), Otis Bog Road over Giffords Mill Branch of Tuckerton Creek, Township of Little Egg Harbor, Ocean County; and

WHEREAS, the Board considers it necessary and desirable to engage a Construction Project Management and Inspection Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Commissioners on December 7, 2022 and referred to as contract number QP2022-155; and

WHEREAS, Urban Engineers, Inc. is qualified to provide the required Construction Project Management and Inspection Services in accordance with their proposal at a not to exceed cost of \$189,450.15; and

- t. The Board of Commissioners does hereby authorize the issuance of a purchase order in an amount not to exceed \$189,450.15 to Urban Engineers, Inc. for Construction Project Management and Inspection Services from Capital Budget Account Numbers 301-185-C808-6600, 415-185-C808-6600, and 419-185-X003-6600; and




July 19, 2023

WHEREAS, the Ocean County Board of Commissioners has determined that a need exists for Construction Project Management and Inspection Services for the Road Improvements to Massachusetts Avenue (C.R. 637) and Cox Cro Road (C.R. 622), Townships of Lakewood and Toms River, Ocean County; and

WHEREAS, the Board considers it necessary and desirable to engage a Construction Project Management and Inspection Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Commissioners on December 7, 2022 and referred to as contract number QP2022-155; and

WHEREAS, French & Parrello Associates, P.A. is qualified to provide the required Construction Project Management and Inspection Services in accordance with their proposal at a not to exceed cost of \$154,304.06; and

- The Board of Commissioners does hereby authorize the issuance of a purchase order in an amount not to exceed \$154,304.06 to French & Parrello Associates,
   P.A. for Construction Project Management and Inspection Services from Capital Budget Account Numbers 301-185-X106-6600 and 301-185-C906-6600; and
- Certified copies of this Resolution shall be forwarded to the Ocean County Engineering Department, Finance Department, Purchasing Department, and French & Parrello Associates, P.A.



July 19, 2023

WHEREAS, the Ocean County Board of Commissioners has determined that a need exists for Consultant Material Sampling, Inspection and Testing Services – Geo Technical Engineering Evaluation for the Rehabilitation of Hooper Avenue Culvert (Structure No. 1506-012), Brick Township, County of Ocean; and

WHEREAS, the Board considers it necessary and desirable to engage a Material Sampling, Inspection and Testing Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Commissioners on April 19, 2023 and referred to as contract number QP2023-68; and

WHEREAS, French & Parrello Associates, P.A. is qualified to provide the required Consultant Material Sampling, Inspection and Testing Services in accordance with their proposal at a not to exceed cost of \$14,655.00; and

- The Board of Commissioners does hereby authorize the issuance of a purchase order in an amount not to exceed \$14,655.00 to French & Parrello Associates,
   P.A. for Consultant Material Sampling, Inspection and Testing Services from Capital Budget Account Number 419-185-X003-6600; and
- 2. Certified copies of this Resolution shall be forwarded to the Ocean County Engineering Department, Department of Finance, Department of Purchasing, and French & Parrello Associates, P.A.

# July 19, 2023

WHEREAS, the Ocean County Board of Commissioners has determined that a need exists for Consultant Material Sampling, Inspection and Testing Services for the Improvements to Castlebuono Avenue, from Hooper Avenue To Salerno Drive, Toms River Township, County of Ocean; and

WHEREAS, the Board considers it necessary and desirable to engage a Material Sampling, Inspection and Testing Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Commissioners on April 19, 2023 and referred to as contract number QP2023-68; and

WHEREAS, ATANE Engineers, Architects & Land Surveyors, P.C. is qualified to provide the required Consultant Material Sampling, Inspection and Testing Services in accordance with their proposal at a not to exceed cost of \$19,123.00; and

- The Board of Commissioners does hereby authorize the issuance of a purchase order in an amount not to exceed \$19,123.00 to ATANE Engineers, Architects & Land Surveyors, P.C. for Consultant Material Sampling, Inspection and Testing Services from Capital Budget Account Number 301-185-X232-6600; and
- 2. Certified copies of this Resolution shall be forwarded to the Ocean County Engineering Department, Department of Finance, Department of Purchasing, and ATANE Engineers, Architects & Land Surveyors, P.C.

# <u>RESOLUTION</u>


July 19, 2023

WHEREAS, the Ocean County Board of Commissioners has determined that a need exists for Construction Project Management and Inspection Services for the Proposed Traffic Signals and Roadway Improvements at New Hampshire Avenue/Chestnut Street and State Route 70 Ramp E/Chestnut Street, Township of Lakewood, Ocean County; and

WHEREAS, the Board considers it necessary and desirable to engage a Construction Project Management and Inspection Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Commissioners on December 7, 2022 and referred to as contract number QP2022-155; and

WHEREAS, Van Cleef Engineering Associates, LLC is qualified to provide the required Construction Project Management and Inspection Services in accordance with their proposal at a not to exceed cost of \$225,136.16; and

- The Board of Commissioners does hereby authorize the issuance of a purchase order in an amount not to exceed \$225,136.16 to Van Cleef Engineering Associates, LLC for Construction Project Management and Inspection Services from Capital Budget Account Numbers 301-185-C914-6600 and 419-185-X002-6600; and
- Certified copies of this Resolution shall be forwarded to the Ocean County Engineering Department, Finance Department, Purchasing Department, and Van Cleef Engineering Associates, LLC.



#### RESOLUTION

#### July 19, 2023

WHEREAS, there exists a need for On-Call Environmental Engineering Professional Services, Where and as Directed by the Ocean County Engineer; and

**WHEREAS,** the Ocean County Engineer has publicly solicited a Request for Qualifications for such work in accordance with the requirements of N.J.S.A. 19:44A-20.4 et. seq.; and

WHEREAS, sixteen (16) firms responded with written qualifications, fee schedules and associated documentation; and

WHEREAS, the Consultant Selection Review Committee has reviewed the proposals submitted and has recommended fifteen (15) firms to be qualified to provide On-Call Environmental Engineering Professional Services, Where and as Directed by the Ocean County Engineer; and

WHEREAS, the responses received by the County of Ocean were reviewed by the Ocean County Engineering Department and the Ocean County Consultant Selection Review Committee in accordance with the criteria approved by the Ocean County Board of Commissioners and set forth in the Request for Qualifications; and

WHEREAS, the Ocean County Engineering Department and the Ocean County Consultant Selection Review Committee has recommended that the fifteen (15) firms listed are qualified and eligible to provide on-call environmental engineering professional services and be awarded contracts on a project specific basis for necessary services for the upcoming year:

- 1. **T&M Associates** 1144 Hooper Avenue, Suite 202 Toms River, New Jersey 08753
- Dewberry Engineers Inc.
   600 Parsippany Road, Suite 301
   Parsippany, New Jersey 07054
- Colliers Engineering & Design, Inc.
   331 Newman Springs Road, Suite 203
   Red Bank, New Jersey 07701
- 4. ACT Engineers, Inc.1 Washington Boulevard, Suite 3 Robbinsville, New Jersey 08691
- Princeton Hydro, LLC
   35 Clark Street, Suite 200
   Trenton, New Jersey 08611
- 6. CME Associates 3141 Bordentown Avenue. Parlin, New Jersey 08859

7. Johnson, Mirmiran & Thompson, Inc.

1200 Lenox Drive, Suite 101 Trenton, New Jersey 08648

8. Environmental Resolutions, Inc.

815 East Gate Drive, Suite 103 Mt. Laurel, New Jersey 08054

9. Suburban Consulting Engineers, Inc.

96 U.S. Highway 206, Suite 101 Flanders, New Jersey 07836

10. Paulus, Sokolowski and Sartor, LLC

3 Mountainview Road Warren, New Jersey 07059

11. Remington & Vernick Engineers

9 Allen Street Toms River, New Jersey 08753

12. DuBois & Associates, LLC

190 North Main Street Manahawkin, New Jersey 08050

13. Matrix New World Engineering, Land Surveying and

Landscape Architecture, PC

442 State Route 35, 2nd Floor Eatontown, New Jersey 07724

14. T.O. Najarian Associates, Inc.

1 Industrial Way West Building D, Suite H Eatontown, New Jersey 07724

15. Alaimo Group

200 High Street Mount Holly, New Jersey 08060

on an as needed basis, as more specifically set forth in a project specific proposal utilizing their stated fee schedule provided with their qualifications; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The firms set forth above are qualified and eligible to provide On-Call Environmental Engineering Professional Services, Where and as Directed by the Ocean County Engineer and be awarded contracts for necessary services for July 21, 2023 through July 20, 2024.
- 2. The services to be provided will be based upon project specific proposals.
- 3. Copies of this Resolution shall be maintained on file and available for public inspection in the Office of the Clerk of the Board of Commissioners during normal business hours.
- 4. A certified copy of this Resolution shall be forwarded to the following:
  - 1. T&M Associates
  - 2. Dewberry Engineers Inc.
  - 3. Colliers Engineering & Design, Inc.
  - 4. ACT Engineers, Inc.

- 5. Princeton Hydro, LLC
- 6. CME Associates
- 7. Johnson, Mirmiran & Thompson, Inc.
- 8. Environmental Resolutions, Inc.
- 9. Suburban Consulting Engineers, Inc.
- 10. Paulus, Sokolowski and Sartor, LLC
- 11. Remington & Vernick Engineers
- 12. DuBois & Associates, LLC
- 13. Matrix New World Engineering, Land Surveying and Landscape Architecture, PC
- 14, T.O. Najarian Associates, Inc.
- 15. Alaimo Group

#### RESOLUTION

#### July 19, 2023

WHEREAS, there exists a need for the appointment of an Assistant Ocean County Medical Examiner; and

WHEREAS, N.J.S.A. 52:17B-84 provides for the appointment of Assistant County Medical Examiners; and

WHEREAS, Steven R. DelMaestro, M.D. possesses the requisite licenses, certifications and all qualifications necessary to serve as Assistant Ocean County Medical Examiner; and

WHEREAS, the Ocean County Board Of Commissioners wishes to appoint Steven R. DelMaestro, M.D. as Assistant Ocean County Medical Examiner for a term of one (1) year, commencing August 1, 2023; and

WHEREAS, the funds are available for this purpose;

#### NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF COMMISSIONERS, COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. Steven R. DelMaestro, M.D. is hereby appointed as Assistant Ocean County Medical Examiner for a term of one (1) year commencing August 1, 2023, in accordance with the terms and conditions set forth in the Assistant Ocean County Medical Examiner Agreement attached hereto.
- 2. The Director and Clerk of the Board are hereby authorized and directed to enter into and execute said Agreement with Steven R. DelMaestro, M.D.
- 3. A certified copy of this Resolution, together with a copy of the Assistant Ocean County Medical Examiner Agreement executed by the parties, shall be placed on file in the office of the Clerk of the Board of Commissioners.
  - 4. Certified copies of this Resolution shall be made available to:

Ocean County Medical Examiner
Director, Ocean County Department of Employee Relations;
Ocean County Comptroller,
Ocean County Counsel, and
Steven R. DelMaestro, M.D.

#### RESOLUTION

July 19, 2023

BE IT RESOLVED by the BOARD OF COMMISSIONERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that the following individuals are hereby reappointed as members of the OCEAN COUNTY TRANSPORTATION ADVISORY BOARD for a term of three (3) years, term to expire July 22, 2026:

WILLIAM BRADEN CRAIG VERSHECK Toms River Little Egg Harbor

**BE IT FURTHER RESOLVED** that certified copies of this resolution shall be made available to the Ocean County Transportation Advisory Board and to the appointee.