

Ocean County Board of Chosen Freeholders

OFFICE OF THE OCEAN COUNTY FREEHOLDERS

Freeholder Director Joseph H. Vicari
Deputy Director Gary Quinn
Freeholder Virginia E. Haines
Freeholder John P. Kelly
Freeholder Gerry P. Little

101 Hooper Ave Toms River, New Jersey 08754-2191

> Tel: 732-929-2005 Fax: 732-505-1918

Board Meeting Agenda

Date: July 1, 2020 - 4:00 PM Location: Administration Building

Room 119

101 Hooper Avenue Toms River, NJ 08754

- A. CALL TO ORDER
- B. ROLL CALL
- C. STATEMENT Compliance with the Open Public Meetings Act
- D. THE PLEDGE OF ALLEGIANCE AND PRAYER
- E. ORDINANCE INTRODUCTION
 - 1. ORDINANCE #2020-27 An Ordinance appropriating the sum of \$300,000.00 from the Capital Improvement Fund for the cost of various Capital Replacements, Renovations and Upgrades at various branches of the County Library System, all in the County of Ocean, State of New Jersey.
- F. RESOLUTION PUBLIC HEARING
 - 1. Accepting the recommendation of the OC Natural Lands Trust Fund Advisory Committee to acquire property identified as Block 444, Lots 78, 80 & 151; Block 394, Lots 10-12, 45-47, 89, 94, 96, 97, 118 & 133 in the Township of Toms River totaling approximately 167.52 acres located around existing open space near Ocean County College and Cattus Island County Park, in an amount not to exceed \$1,880,000.00.

- 2. Accepting the recommendation of the OC Natural Lands Trust Fund Advisory Committee to acquire property identified as Block 141, Lot 1.03 in the Township of Ocean totaling approximately 0.2755 acres located on Lighthouse Drive, in an amount not to exceed \$7,000.00 plus up to \$40.00 for property tax adjustments.
- G. AUTHORIZING PAYMENT OF BILLS IN BILL COMMITTEE REPORT NO. 13.
- H. AUTHORIZING ENGINEERING PAYMENTS TO CONTRACTORS AS LISTED BELOW:
 - 1. EARLE ASPHALT COMPANY Construction of Traffic Signal Contract 2019A, Township of Lakewood Partial Estimate #3, \$219,328.02. (B2019-193E)
 - 2. MIDLANTIC CONSTRUCTION, LLC Replacement of Morris Boulevard Bridge (Structure No. 1530009), Morris Boulevard over Fox Island Creek, Stafford Township Change Order #1, E-\$124,512.10, R-\$0.00. (B2019-110E)

I. RESOLUTIONS

- 1. Authorizing the Personnel Resolution.
- 2. Opposing any devastating cuts to the NJ Senior Freeze and Homestead Rebate Programs by Governor Murphy.
- 3. Authorizing an amendment to the 2020 Budget for the program entitled Veterans Transportation FY19, in the amount of \$7,500.00.
- 4. Authorizing an amendment to the 2020 Budget for the program entitled Substance Abuse and Mental Health Services Administration FY20, in the amount of \$329,839.00.
- 5. Authorizing an amendment to the 2020 Budget for the program entitled Children's Inter-Agency Coordinating Council and Convener FY20, in the amount of \$39,418.00.
- 6. Authorizing an amendment to the 2020 Budget for the program entitled State Facilities Education Act FY20/21, in the amount of \$45,000.00.
- 7. Authorizing an amendment to the 2020 Budget for the program entitled Summer Youth Employment Program FY20, in the amount of \$105,600.00.
- 8. Authorizing an amendment to the 2020 Budget for the program entitled Traumatic Loss Coalition FY20, in the amount of \$14,255.00.
- 9. Authorizing an amendment to the 2020 Budget for the program entitled NJ JARC FY21, in the amount of \$300,000.00 and matching funds in the amount of \$300,000.00.
- 10. Authorizing an amendment to the 2020 Budget for the program entitled Schedule "C" Roads in the amount of \$149,000.00 for Barnegat Township, Bay Head Borough, Beach Haven Borough, Berkeley Township, Brick Township, Lacey Township, Lakewood Township, Lavallette Borough, Point Pleasant Beach Borough, Stafford Township and Toms River Township.

- 11. Authorizing an amendment to the 2020 Budget for the program entitled Workforce Learning Link FY20/21, in the amount of \$24,000.00.
- 12. Authorizing an amendment to the 2020 Budget for the program entitled Workforce Innovation and Opportunity Act (WIOA) FY20, in the amount of \$2,763,246.00.
- 13. Authorizing the acceptance of funding for the State Facilities Education Act FY20/21 Grant, in the amount of \$45,000.00.
- 14. Authorizing the acceptance of funding for the Summer Youth Employment Program Grant, in the amount of \$105,600.00.
- 15. Authorizing the acceptance of funding for the Substance Abuse and Mental Health Services Administration Grant, in the amount of \$329,839.00.
- 16. Authorizing the acceptance of funding for the Workforce Learning Link FY20/21 Grant, in the amount of \$24,000.00.
- 17. Authorizing the acceptance of funding for the Workforce Innovation and Opportunity Act (WIOA) FY20 Grant, in the amount of \$2,763,246.00.
- 18. Authorizing the execution of a Grant application for the Emergency Management Agency Assistance FY20.
- 19. Authorizing the execution of a Grant renewal for the Children's Inter-Agency Coordinating Council and Convener FY20, for the period of 7/1/2020 through 6/30/2021, in the amount of \$39,418.00.
- 20. Authorizing an amendment to the Grant Agreement with the State of New Jersey, Department of Military and Veterans Affairs for the Veterans Transportation Grant FY19, to extend the grant period for three (3) months to September 30, 2020 and to increase the total amount to \$37,500.00.
- 21. Authorizing an Intergovernmental Agreement with the Toms River Municipal Utilities Authority to provide Schedule "C" Vehicle Services Department services in an amount not to exceed \$5,000.00 and Engineering Department services in an amount not to exceed \$5,000.00, for the period of 1/1/2020 through 12/31/2020.
- 22. Authorizing an Intergovernmental Agreement with the OC Vocational-Technical School for Educational Services and Programs to Juveniles under the Department of Juvenile Services' Supervision, in an amount not to exceed \$643,462.00 for the period of 7/1/2020 through 6/30/2021.
- 23. Authorizing the execution of a Deferred Loan Agreement under the HOME Housing Rehabilitation Program, as recommended by the OC Planning Director. (C2020-87)
- 24. Authorizing the execution of a Deferred Loan Agreement under the CDBG Housing Rehabilitation Program, as recommended by the OC Planning Director. (C2020-88)
- 25. Authorizing a modification to a Deferred Loan Agreement under the HOME Housing Rehabilitation Program, as recommended by the OC Planning Director. (C2020-70)
- 26. Authorizing an amendment to the OC Water Quality Management Plan to include a portion of Block 295, Lot 1, Little Egg Harbor Township.
- 27. Authorizing a modification to the First-Time Homebuyer Program to include new participants, as recommended by the OC Planning Director. (CC2018-54)

- 28. Authorizing a Shared Services Agreement with the Borough of Seaside Park for the Reconstruction of Stormwater Facilities along 12th Avenue and Bayview Avenue in the Borough of Seaside Park.
- 29. Authorizing the Release of Bonds for Road Opening Permits.

J. MOTIONS

- 1. Authorizing the Clerk of the Board to accept and/or record legal instruments.
- 2. Approving the Board Meeting Minutes of 5/20/2020.
- 3. Approving the Board Meeting Minutes of 6/3/2020.
- 4. Approving the Master Payroll paid on 6/24/2020 for the payroll period of 5/28/2020 through 6/10/2020 and for the payroll period of 6/11/2020 through 6/24/2020, in the amount of \$5,790,736.70.
- 5. Authorizing the distribution of Requests for Proposals and/or Request for Qualifications as follows: 1.) Support Plan (Service & Maintenance) for Gas Chromatography and Mass Spectrometry.
- 6. Approving the plans and specifications and authorizing the County Engineer to advertise for the receipt of bids for the project entitled Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019D.

K. BID AWARDS

- 1. Awarding Contracts for the furnishing and delivery of PENAL INSTITUTIONAL SUPPLIES to Tabb Textiles Co., Inc; ACME Supply Co., LTD; Best Plumbing Specialties, Inc.; Charm-Tex, Inc.; Bob Barker Company, Inc.; JML Medical, Inc.; and Phoenix Trading, Inc. dba Amercare Products, Inc., the lowest qualified bidders. No bids were received on Item Nos. 25, 32, 33 and 41. Recommendation is made to reject Item No. 36 as unresponsive. All no bid and rejected bid items will be rebid. (B2020-71)
- 2. Awarding a Contract for the furnishing and delivery of GARBAGE AND TRASH REMOVAL to Waste Management of New Jersey, Inc., the lowest qualified bidder. (B2020-74)
- 3. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLES: NEW MINI BUSES to Robert H. Hoover & Sons, Inc., the lowest qualified bidder. (B2020-78)

- 4. Awarding Contracts for the furnishing and delivery of JANITORIAL SUPPLIES to Simplify Chemical Solutions, Inc.; South Jersey Paper; CooperFriedman Electric Supply Co., Inc. DBA Cooper Electric; Mivila Foods; Blue Star of NJ, Inc.; General Linen & Paper; Acuity Specialty Products, Inc. dba Zep Sales and Service; ConServ Flag Company; Salisbury Labs; Bio-Shine, Inc.; Y-Pers; Klean Com LLC; United Sales USA Corp.; Spruce Industries, Inc.; Joseph Gartland, Inc. dba Beautiful Rags; Office Basics; W.B. Mason Co., Inc. and A & M Industrial, Inc., the lowest qualified bidders. No bids were received on Item Nos. 11, 35, 77, 109, 113, 117, 118, 119, 120, 121, 122, 123, 140, 141, 145, 148, 170, 182, 183 and 186. Recommendation is made to reject Item Nos. 47, 48, 49, 81, 153, 154, 195, 200, 201, 202, 203, 204 and 207. Item Nos. 47, 48, 49, 81, 153, 154 and 204 are being rejected as nonresponsive. Item Nos. 195, 200, 201, 202, 203, and 207 are being rejected pursuant to N.J.S.A. 40A:11-13.2 (a) as the low bid for these items substantially exceeds the cost estimate. All no bid and rejected items will be rebid. (B2020-80)
- 5. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: NEW SUPER DUTY SWITCH-N-GO TRUCK to Winner Ford, the sole qualified bidder. (B2020-81)
- 6. Awarding a Contract for the furnishing and delivery of MOTOR VEHICLE: NEW WRECKER to Robert H. Hoover & Sons, Inc., the sole qualified bidder. (B2020-82)
- 7. Awarding a Contract for the furnishing and delivery of CAR WASHING SERVICES NO. III to New Era Carwash, LLC, the lowest qualified bidder. Recommendation is made to rebid Car Washing Services to obtain additional vendors. (B2020-85)
- 8. Awarding Contracts for the furnishing and delivery of IRRIGATION PARTS FOR VARIOUS DEPARTMENTS to Aquarius Supply, Inc. and SiteOne Landscape Supply, the lowest qualified bidders. No bids were received on Item Nos. 20a and 20b. All no bid items will not be rebid as they are no longer needed. (B2020-86)
- 9. Awarding Contracts for the furnishing and delivery of MOTOR VEHICLES: NEW VANS NO. II to Winner Ford and All American Ford, the lowest qualified bidders. (B2020-87)
- 10. Awarding a Contract for the PROPOSED NEW SECURITY OFFICE AT OCEAN COUNTY PARKING GARAGE, TOMS RIVER, NJ to R. Maxwell Construction Co., Inc., the lowest qualified bidder, for a Total Lump Sum Award (which includes an Allowance of \$5,000.00) of \$203,000.00. (B2020-98A)
- 11. Amending a Resolution adopted on 5/6/2020 awarding SNOW PLOW BLADES, GRADER BLADES AND BOLTS to Winter Equipment Company, Inc. to extend their contract pricing to "County Cooperative Contract Purchasing System Participants". (B2020-55)
- 12. Rescinding the Contract for the project entitled Reconstruction and Resurfacing of River Avenue, West End Avenue to Central Avenue, Borough of Island Heights from Seacoast Construction, Inc., due to a clerical error. Recommendation is made to award a Contract to Earle Asphalt Company, the lowest qualified bidder, in the amount of \$586,913.13. (B2020-83E)

L. CONTRACTS

1. Awarding a Professional Services Agreement to The YMCA of Greater Monmouth to provide Ocean County Traumatic Loss Coalition Services for Youth Programs, in an amount not to exceed \$14,254.52, for the period of 7/1/2020 through 6/30/2021. (QP2020-85)

- 2. Awarding a Professional Services Agreement to Rutgers University Behavioral Health Care Services to provide Ocean County Traumatic Loss Coalition Services for Youth Programs, in an amount not to exceed \$14,254.52, for the period of 7/1/2020 through 6/30/2021. (QP2020-86)
- 3. Accepting the Qualifications of Mivila Foods, Metropolitan Foods, Inc. dba Driscoll Foods, D'Ambrisi Wholesale Foods, J. Ambrogi Foods, M.V. Silveri & Sons, Inc., and Seashore Fruit & Produce as Perishable Food Providers for the Department of Juvenile Services, in an amount not to exceed \$45,000.00, for the period of 6/21/2020 through 6/20/2021, and authorizing a supplemental RFQ solicitation to obtain additional providers. (QP2020-89)
- 4. Qualifying seven (7) firms as eligible to provide Court Facility Architectural Design Services, on a project specific basis, as follows: AECOM Architects & Engineers (NJ) Inc.; Clarke Caton Hintz, PC; Design Resources Group Architects, AIA, Inc.; DMR Architects; Netta Architects, LLC; RSC Architects; and USA Architects, Planners & Interior Designers, LTD, for the period of 7/1/2020 through 6/30/2021. (OP2020-90)
- 5. Amending a Contract with Robert W. Allison, CPA, RMA, PSA to provide Auditing Services for the Southern Ocean County Landfill, an increase in the amount of \$5,500.00. (QP2020-4)
- 6. Awarding a Purchase Order to Johnston Communications (State Contract No. 83925) to provide mapping to triangulate calls through the Sheriff's Department 911 telephone switch, in an amount not to exceed \$222,970.03.
- 7. Awarding a Purchase Order to French & Parrello Associates, P.A. to provide Land Surveying Services for the OC Natural Lands Trust Fund Program, in an amount not to exceed \$5,200.00. (QP2020-57)
- 8. Awarding a Purchase Order to Schaeffer Nassar Scheidegg Consulting Engineers, LLC to provide Land Surveying Services for the OC Natural Lands Trust Fund Program, in an amount not to exceed \$1,550.00. (QP2020-57)
- 9. Awarding a Purchase Order to Mott MacDonald, LLC to provide Engineering Design Services for the Design of a New Garage and Ancillary Structures at the OC Chestnut Street Complex, Toms River, NJ, in an amount not to exceed \$16,900.00. (QP2019-123)
- 10. Authorizing a one (1) year Competitive Contract extension with Ocean County PIC, Inc. to provide One Stop Career Center Administrative Entity Services, in an amount not to exceed \$2,966,454.00, for the period of 7/1/2020 through 6/30/2021. (CC2019-99)
- 11. Authorizing a one (1) year Competitive Contract extension with Ocean County PIC, Inc. to provide One Stop Operation Management Services, in an amount not to exceed \$93,823.00, for the period of 7/1/2020 through 6/30/2021. (CC2019-100)
- 12. Awarding a Professional Services Contract for Professional Engineering Services for Local Preliminary Engineering Study, Garden State Parkway Interchange 83, Toms River Township to Greenman-Pedersen, Inc., in an amount not to exceed \$999,998.34. (PP2020-91)

M. APPOIINTMENTS AND REAPPOINTMENTS

1. Appointing Martin E. Flemming, III, Jackson as a new member of the OC Natural Lands Trust Fund Advisory Committee, for an initial term to expire 2/18/2023.

N. RECEIVED ITEMS

O. RESOLUTIONS FROM GOVERNING BODIES

- 1. Plumsted Township Resolution No. 2020-196 in support of the preservation of the Second Amendment.
- 2. Township of Ocean Resolution No. 2020-171 recognizing 6/15/2020 as World Elder Abuse Awareness Day.
- 3. OC Board of Health Resolution No. 191(20) proclaiming 6/27/2020 as "National HIV Testing Day" in Ocean County.
- 4. Berkeley Township Resolution No. 20-258-R renewing the Mayor and Council's request to reappoint Councilman John A. Bacchione to the OC Natural Lands Trust Fund Advisory Committee.
- 5. Berkeley Township Resolution No. 20-131-R requesting Councilman John A. Bacchione's reappointment to the Natural Lands Trust Fund Advisory Committee.
- 6. Borough of South Toms River Resolution No. 2020-143 advocating for a new Veterans Administration building in Ocean County.
- 7. Borough of Point Pleasant, Resolution 170-2020 urging Governor Murphy to reinstate the Homestead Benefit Program.
- 8. Borough of Point Pleasant, Resolution 171-2020 imploring legislators to make necessary revisions to the Senior Tax Freeze Program.
- 9. Township Council of the Township of Toms River, Resolution approving the acquisition of properties from the Township of Toms River, not needed for public use, by the County of Ocean, for the total price of \$1,880,000.00.

P. MINUTES AND MEETING NOTICES

- 1. OC Planning Board Meeting Minutes of 6/3/2020.
- 2. OC Board of Health Meeting Minutes of 5/13/2020.
- 3. OC Insurance Committee Meeting Minutes of 5/21/2020.

Q. REPORTS

1. OC Treasurer's Report, March 2020.

R. FREEHOLDER COMMENTS

S.	PUBLIC COMMENTS - "Comments from members of the audience are invited at this time
	with a limit of five (5) minutes per speaker."

T. ADJOURNMENT

ORDINANCE #2020-27

AN ORDINANCE APPROPRIATING THE SUM OF \$300,000 FROM THE CAPITAL IMPROVEMENT FUND FOR THE COST OF VARIOUS CAPITAL REPLACEMENTS, RENOVATIONS AND UPGRADES AT VARIOUS BRANCHES OF THE COUNTY LIBRARY SYSTEM, ALL IN THE COUNTY OF OCEAN, STATE OF NEW JERSEY.

WHEREAS, the Board of Chosen Freeholders of the County of Ocean recognizes the need for various capital replacements, renovations and upgrades at various branches of the County Library system, all in the County of Ocean, State of New Jersey; and

WHEREAS, it is in the best interest of the County that funds be available for this purpose.

NOW, THEREFORE, BE IT ORDAÍNED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY (NOT LESS THAN TWO THIRDS OF ALL MEMBERS THEREOF AFFIRMATIVELY CONCURRING), as follows:

SECTION 1: \$300,000 is hereby appropriated from the Capital Improvement Fund for the cost of various capital replacements, renovations and upgrades at various branches of the County Library system, all in the County of Ocean, including all else necessary therefor and incidental thereto, which sum shall also cover fees and contingencies.

SECTION 2: The capital budget of the County of Ocean is hereby amended to conform with the provisions of this ordinance to the extent of any inconsistency herewith. The resolution in the form promulgated by the Local Finance Board showing full detail of the amended capital budget and capital program as approved by the Director of Local Government Services is on file with the Clerk and is available there for public inspection.

SECTION 3: After passage upon first reading of this Ordinance, the Clerk of the Board of Chosen Freeholders is hereby directed to publish the full text of the Ordinance, together with the notice set forth below entitled: "NOTICE OF PENDING ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A: 2-19, at least seven days prior to the date set for public hearing and further consideration for final passage (which date shall be at least ten days after introduction and first reading). The Clerk of the Board of Chosen Freeholders is further directed to comply with all provisions of N.J.S.A. 40A: 2-17(b) regarding postings, publications, and the provision of copies of this Ordinance.

SECTION 4: After final adoption of this Ordinance by the Board of Chosen Freeholders, the Clerk of the Board of Chosen Freeholders is hereby directed to publish the full text of this Ordinance, as finally adopted, together with the notice set forth below entitled: "NOTICE OF ADOPTION OF ORDINANCE" (with appropriate completions, insertions and corrections), at least once in a newspaper qualified under N.J.S.A. 40A: 2-19.

SECTION 5: This Ordinance shall take effect twenty (20) days after the first publication thereo
after final passage.

NOTICE OF PENDING ORDINANCE

PUBLIC NOTICE is hereby given that the foregoing Ordinance was introduced and passed on first

reading at a regular meeting of the Board of Chosen Freeholders of the County of Ocean held July 1, 2020.

Further notice is given that the said Ordinance will be considered for final passage and adoption at a regular

meeting of said Board of Chosen Freeholders to be held at the Ocean County Administration Building, Hooper

Avenue and Washington Street, Toms River, New Jersey on July 15, 2020 at 4:00 p.m. The Ordinance

appropriates \$300,000 from the Capital Improvement Fund for the cost of various capital replacements,

renovations and upgrades at various branches of the County Library system, all located in the County of Ocean,

State of New Jersey. Copies of this bond ordinance will be made available from the Clerk of the Board of

Chosen Freeholders at the County Administration Building in Toms River, New Jersey during the week up to

and including the date of the public hearing or further consideration to the members of the general public of the

County who shall request such copies.

MARY ANN CILENTO, Clerk Board of Chosen Freeholders

JOHN C. SAHRADNIK County Counsel

RESOLUTION July 1, 2020

WHEREAS, the voters of Ocean County authorized the Ocean County Natural Lands Trust Fund to provide funds for the acquisition and preservation of natural lands, open spaces and farmland; and

WHEREAS, the Ocean County Natural Lands Trust Fund Advisory Committee was established by the Board of Chosen Freeholders to review nominations to the program and forward recommendations for acquisition to the Board of Chosen Freeholders; and

WHEREAS, the Natural Lands Trust Fund Advisory Committee has received a nomination for the property identified as Block 444, Lots 78, 80, & 151, Block 394, Lots 10 – 12, 45-47, 89, 94, 96, 97, 118, & 133 in the Township of Toms River totaling approximately 167.52 acres located near Ocean County College and Cattus Island County Park; and

WHEREAS, two professional appraisals were authorized to determine the fair market value; and

WHEREAS, the Natural Lands Trust Fund Advisory Committee has determined the property's attributes are consistent with the Ocean County Open Space Plan and Recreation Inventory; and

WHEREAS, the County of Ocean would acquire the property for a purchase price not to exceed \$1,880,000.00 of equivalent land value; and

WHEREAS, a public hearing on the proposed acquisition was conducted by the Board of Chosen Freeholders on July 1, 2020 as required by PL 1997, c24.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. It accepts the recommendation of the Ocean County Natural Lands Trust Fund Advisory Committee acquire property identified as Block 444, Lots 78, 80, & 151, Block 394, Lots 10 12, 45-47, 89, 94, 96, 97, 118, & 133 in the Township of Toms River totaling approximately 167.52 acres located around existing open space around Ocean County College and Cattus Island County Park.
- 2. It authorizes the expenditure for an acquisition price not to exceed \$1,880,000.00 from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.

BE IT FURTHER RESOLVED THAT

- 1. The proper officers of the Board are authorized and directed to sign all necessary documents in order to effectuate these purchases.
- 2. The purchase of the property is to be contingent upon the County's acquisition by purchase, deed or gift of the necessary rights-of-way along any County roads bordering the property as determined by the County Engineer.

RESOLUTION: July 1, 2020

- 3. The offices of Ocean County Counsel and County Administrative staff are hereby authorized to take all actions necessary to consummate this transaction and have the fully executed Deeds or Easements recorded in the County Clerk's Office.
- 4. Copies of this Resolution shall be made available to the County Administrator; County Planning Director; County Finance Director; County Auditor; County Counsel; County Natural Lands Trust Fund Advisory Committee; and the Township of Toms River.

RESOLUTION July 1, 2020

WHEREAS, the voters of Ocean County authorized the Ocean County Natural Lands Trust Fund to provide funds for the acquisition and preservation of natural lands, open spaces and farmland; and

WHEREAS, the Ocean County Natural Lands Trust Fund Advisory Committee was established by the Board of Chosen Freeholders to review nominations to the program and forward recommendations for acquisition to the Board of Chosen Freeholders; and

WHEREAS, the Natural Lands Trust Fund Advisory Committee has received a nomination for the property identified as Block 141, Lot 1.03 in the Township of Ocean totaling approximately 0.2755 acres located on Lighthouse Drive; and

WHEREAS, one professional appraisal was authorized to determine the fair market value; and

WHEREAS, the Natural Lands Trust Fund Advisory Committee has determined the property's attributes are consistent with the Ocean County Open Space Plan and Recreation Inventory; and

WHEREAS, the County of Ocean would acquire the property for a purchase price not to exceed \$7,000.00 of equivalent land value; and

WHEREAS, a public hearing on the proposed acquisition was conducted by the Board of Chosen Freeholders on July 1, 2020 as required by PL 1997, c24.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. It accepts the recommendation of the Ocean County Natural Lands Trust Fund Advisory Committee acquire property identified as Block 141, Lot 1.03 in the Township of Ocean totaling approximately 0.2755 acres located on Lighthouse Drive.
- 2. It authorizes the expenditure for an acquisition price not to exceed \$7,000.00 plus up to \$40.00 for property tax adjustments as necessary from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.

BE IT FURTHER RESOLVED THAT

- 1. The proper officers of the Board are authorized and directed to sign all necessary documents in order to effectuate these purchases.
- 2. The purchase of the property is to be contingent upon the County's acquisition by purchase, deed or gift of the necessary rights-of-way along any County roads bordering the property as determined by the County Engineer.

RESOLUTION: July 1, 2020

- 3. The offices of Ocean County Counsel and County Administrative staff are hereby authorized to take all actions necessary to consummate this transaction and have the fully executed Deeds or Easements recorded in the County Clerk's Office.
- 4. The Township of Ocean has supported acquisition of this property.
- 5. Copies of this Resolution shall be made available to the County Administrator; County Planning Director; County Finance Director; County Auditor; County Counsel; County Natural Lands Trust Fund Advisory Committee; the Township of the Township of Ocean; and the landowner.

BILL COMMITTEE REPORT COUNTY OF OCEAN SUMMARY OF VOUCHERS

SUMMARY OF BILLS

CERTIFICATE# 13

MASTER VOUCHER-CERTIFICATE FOR CERTIFICATION OF PAYMENT

I, THE UNDERSIGNED, DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION HAVE EXAMINED THE VOUCHERS SUBMITTED HERE WITHIN FOR THE PURPOSE OF RECOMMENDING TO THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS PAYMENT THEREOF ON 07/01/2020.

I, HEREBY CERTIFY THESE VOUCHERS, IN THE TOTAL AMOUNT OF \$24,862,450.79 WHICH ARE CONTAINED IN THE ATTACHED REPORT, TO BE VALID CLAIMS, AND I RECOMMEND APPROVAL AND PAYMENT THEREOF.

GARY QUINN DEPUTY DIRECTOR	APPROVED
GERRY P. LITTLE FREEHOLDER	JOSEPH H. VICARI FREEHOLDER DIRECTOR
JOHN P. KELLY FREEHOLDER	ORDERED PAID
VIRGINIA E. HAINES FREEHOLDER	MARY ANN CILENTO CLERK OF THE BOARD OF CHOSEN FREEHOLDERS

JULY 01, 2020

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN

FREEHOLDERS OF THE COUNTY OF OCEAN, THAT THE DIRECTOR IS

HEREBY AUTHORIZED AND INSTRUCTED TO EXECUTE MASTER

VOUCHER-CERTIFICATE #13 FOR CERTIFICATION OF SAID MASTER VOUCHER

CONSISTING OF 74 PAGES WITH VOUCHERS TOTALING IN THE AMOUNT

OF \$24,862,450.79 WHICH ARE DEEMED TO BE VALID CLAIMS AS

RECOMMENDED BY THE DIRECTOR OF THE DEPARTMENT OF ADMINISTRATION

BE IT FURTHER RESOLVED THAT THE COMPTROLLER OF THE COUNTY

OF OCEAN IS HEREBY AUTHORIZED AND DIRECTED TO PAY EACH AND EVERY

ONE OF THE AFORESAID BILLS ATTACHED TO THIS

MASTER VOUCHER-CERTIFICATE AND, UPON EXECUTION OF SAME BY SAID

DIRECTOR, IF AND WHEN FUNDS ARE AVAILABLE.

July 1, 2020

W H E R E A S, the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN entered into an agreement December 4, 2019 with the Contractor, Earle Asphalt Company for work and services in relation to the Construction of Traffic Signal Contract 2019A, Township of Lakewood, Ocean County, New Jersey; and

W H E R E A S, the contract for the said project was let in the name of the County of Ocean and the work was done pursuant to said contract carried out under the direction and supervision of the County Engineer; and

W H E R E A S, the County Engineer of the County of Ocean has duly certified to this Board that the work covered by said contract up to and including the extent shown on Partial Estimate No. 3 dated July 1, 2020 was finished in all respects in compliance with the plans and specifications, order and direction and other details, all in conformity with the said contract; and

W H E R E A S, the Partial Estimate No. 3 shows:

Total Cost of Construction: \$491,710.27

Less 2% of Total: \$9,834.21

Subtotal: \$481,876.06

Less Partial Estimate #1: \$164,663.85 Less Partial Estimate #2: \$ 97,884.19

Total Partial Payments Made to Date: \$262,548.04

AMOUNT NOW DUE CONTRACTOR: \$219,328.02

W H E R E A S, the said Contractor has filed a sworn claim with the Board in which it is declared that the amount due the Contractor as stated above is true, fair, just and correct.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

- 1. The furnished work under this contract, to the extent covered by this resolution, be and the same is hereby accepted by the Board of Chosen Freeholders of the County of Ocean.
- The Department of Finance is hereby authorized and directed to pay said Contractor the amount of Two hundred nineteen thousand three hundred twenty eight and 02/100 dollars (\$219,328.02) which is the amount herein before shown to be presently due to said Contractor, in accordance with the certification thereof by the County Engineer to this Board.

July 1, 2020

WHEREAS, Contract No. B2019-110E was entered into on July 17, 2019 with Midlantic Construction, LLC, Contractor, for work and services in relation to the Replacement of Morris Boulevard Bridge (Structure No. 1530009), Morris Boulevard Over Fox Island Creek, Stafford Township, Ocean County, New Jersey; and

WHEREAS, during the course of construction minor modifications to contract quantities have become necessary to improve conditions; and

WHEREAS, the County Engineer of the County of Ocean has duly filed with this Board a request for a Change Order stating the facts involved and certifying that the proposed Change Order is consistent with regulations for such Change Orders promulgated by the New Jersey Department of Community Affairs, Division of Local Government Services, under authority of N.J.S.A. 52:27BB-32; and

WHEREAS, the Contractor has agreed to accept these changes to the Contract pursuant to the provisions of Sections 104 and 109 of the Standard Specifications; and

WHEREAS, adequate funds are available in Account No. 415-185-C801-6800 in the amount of \$124,512.10.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, in the STATE OF NEW JERSEY, that:

1. The County Engineer is hereby authorized to issue Amendatory Contract and Change Order No. 1 to Midlantic Construction, LLC as follows: Extra Work Order in the amount of \$124,512.10, in connection with the project known as Replacement of Morris Boulevard Bridge (Structure No. 1530009), Morris Boulevard Over Fox Island Creek, Stafford Township, Ocean County, New Jersey.

- 2. The Director and Clerk of this Board are hereby authorized and directed to enter into an Amendatory Contract with Midlantic Construction, LLC to cover the Change Order No. 1.
- 3. A certified copy of this resolution shall be sent to the County Engineer, the County Treasurer, the County Auditor and Midlantic Construction, LLC.

July 1, 2020

WHEREAS, with more than 173,000 seniors living in Ocean County, the New Jersey Senior Freeze Program and the Homestead Benefit Program provide substantial help to our seniors, many of whom are living solely on monthly Social Security checks; and

WHEREAS, Governor Murphy's proposed funding delay for the Senior Freeze Program and the Homestead Benefit Program property tax relief programs will have a devastating effect on our seniors since those programs make it possible for many elderly residents and middle-class families to own a home in New Jersey; and

WHEREAS, the Murphy Administration already eliminated the Homestead Benefit credit from property tax bills that were due on May 1st, forcing homeowners to pay more and has now created an uncertain future for the valuable tax credit; and

WHEREAS, under Governor Murphy's plan, seniors who depend on the property tax reimbursement program, also known as the Senior Freeze Program, may not receive their July reimbursement check to help them stay in their homes; and

WHEREAS, this action could result in seniors facing difficult financial decisions including possibly losing their homes and becoming homeless; and

WHEREAS, rather than disrupt the lives of seniors by contributing to their financial instability and instilling a fear in them that they will lose their homes, it's time that these programs are permanently funded under the state budget; and

WHEREAS, when the monthly income is no more than \$1,400 from Social Security, taking away these programs or even deferring them will only increase the severe financial hardship already experienced by this vulnerable population; and

WHEREAS, the Senior Freeze Program is an extremely important benefit that older adults rely on to supplement their fixed income; and

WHEREAS, the Homestead Benefit Program also provides property tax relief to eligible homeowners, with most homeowners receiving the benefit in the form of a credit, as distributed to their municipality, which reduces their property taxes; and

WHEREAS, it goes without saying that New Jersey taxes are the highest in the country and as property taxes continue to escalate, it's imperative that we all advocate for our seniors so they can hold on to the programs that provide them some property tax relief.

NOW THEREFORE BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS, COUNTY OF OCEAN, STATE OF NEW JERSEY that we call upon our legislators and our mayors, to join together and loudly protest any changes to the Senior Freeze Program and the Homestead Benefit Program.

BE IT FURTHER RESOLVED that the State protect and fully fund these programs, under the State Budget, so our most frail and vulnerable residents do not have to worry about losing their homes.

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

SECTION 2

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

SECTION 2

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

SECTION 2

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

SECTION 2

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

SECTION 2

BE IT FURTHER RESOLVED that the sum of\$300,000.00 representing the amount required for the County's share of the aforementioned undertaking appears in the budget of the year 2020 Matching Funds for Future Grants.

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

SECTION 2

BE IT FURTHER RESOLVED, that a certified copy of this Resolution and one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services and copies of this Resolution shall be made available to the Department of Finance, County Auditor, and the Road Department.

County of Ocean 2020 Budget

Schedule "C" Roads 016-170-4632

Agreement Resolution Date	Local Governmental Unit	Amount	Year-to-Date
	Total 2020 Temporary Budget	0.00	0.00
	Added to 2020 Full (adopted) Budget:		
	Total Full (Adopted) 2020 Budget	0.00	0.00
	July 1, 2020 Budget Amendment:		
2/5/2020	Barnegat	13,000.00	
3/4/2020	Bay Head Borough	2,000.00	
2/5/2020	Beach Haven Borough	1,000.00	
2/5/2020	Berkeley Township	20,000.00	
2/5/2020	Brick Township	10,000.00	
3/4/2020	Toms River Township	25,000.00	
2/5/2020	Lacey Township	12,000.00	
3/18/2020	Lakewood Township	50,000.00	
3/4/2020	Lavallette Borough	2,000.00	
2/5/2020	Pt. Pleasant Beach Borough	4,000.00	
6/17/2020	Stafford Township	10,000.00	
	Total July 1, 2020 Budget Amendment	149,000.00	149,000.00

N. Tarrant, Comptroller

Pated: 06 116/2020

G/budget section/budget 2020/2020 Schedule "C"

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 1, 2020

WHEREAS, N.J.S.A. 40A:4-87 provides that the Director of the Division of Local Government Services may approve the insertion of any special item of revenue in the Budget of any County or Municipality when such item shall have been made available by law and the amount thereof was not determined at the time of the adoption of the Budget; and

WHEREAS, said Director may also approve the insertion of an item of appropriation for an equal amount.

SECTION 1

BE IT FURTHER RESOLVED, that one signed copy of the State of New Jersey Budget Amendment certification form shall be filed with the Director of Local Government Services, and copies of this Resolution shall be made available to the Department of Finance and the County Auditor.

July 1, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders has received notice from the New Jersey Juvenile Justice Commission of the approval from the State Department of Education for the distribution of State Facilities Education Act (SFEA) funds for the 2020-2021 school year for the Ocean County Juvenile Detention Center in the County Department of Juvenile Services, in the amount of \$45,000.00; and

WHEREAS, these funds shall be allocated for the purpose of providing education services for the Juvenile Detention Center for the period of July 1, 2020 through June 30, 2021.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and the Clerk of the Board are hereby authorized and directed to accept said funding.

BE IT FURTHER RESOLVED, that the Freeholder Director and the Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED, that certified copies of this resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, and County Department of Juvenile Services.

July 1, 2020

WHEREAS, the COUNTY OF OCEAN authorized the Department of Human Services to apply for a Department of Labor and Workforce Development grant entitled Summer Youth Employment Program (SYEP) on March 18, 2020; and

WHEREAS, THE STATE OF NEW JERSEY, Department of Labor and Workforce Development, Workforce Development and Economic Opportunity has selected said grant application for funding in a Notice of Award dated June 1, 2020; and

WHEREAS, the COUNTY OF OCEAN, Department of Human Services wishes to accept the grant for the SUMMER YOUTH EMPLOYMENT PROGRAM (SYEP); and

WHEREAS, the grant period is from May 1, 2020 through October 30, 2020; and

WHEREAS, the funds available are up to \$105,600; and

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to accept the Grant Funding from the STATE OF NEW JERSEY, Department of Labor and Workforce Development.

BE IT FURTHER RESOLVED, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, and County Department of Human Services.

July 1, 2020

WHEREAS, the COUNTY OF OCEAN accepted a US DEPARTMENT OF
HEALTH AND HUMAN SERVICES, Substance Abuse and Mental Health Services
Administration, Center for Mental Health Services grant entitled Law Enforcement and
Behavioral Health Partnerships for Early Diversion Programs on September 19, 2018; and

WHEREAS, the COUNTY OF OCEAN, authorized an application for continued funding for the VETERANS BEHAVIORAL HEALTH PARTNERSHIP INITIATIVE on February 5, 2020; and

WHEREAS, the US DEPARTMENT OF HEALTH AND HUMAN SERVICES, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services has made continued funding available in a Notice of Award dated June 5, 2020; and

WHEREAS, the COUNTY OF OCEAN, Office of the Prosecutor and Department of Human Services wishes to accept continued funding; and

WHEREAS, the budget period is from September 30, 2020 through September 29, 2021 with available renewal for the project period of September 30, 2018 through September 29, 2023; and

WHEREAS, the funds available for the third budget period of the project totals \$329,839.00; and

WHEREAS, funds available for subsequent years of the project are subject to the availability of funds and satisfactory progress of the project, more specifically detailed in the Notice of Award.

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to accept the Grant Funding from the US DEPARTMENT OF HEALTH AND HUMAN SERVICES, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services.

BE IT FURTHER RESOLVED, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, Office of the Prosecutor, and County Department of Human Services.

July 1, 2020

WHEREAS, THE STATE OF NEW JERSEY, Department of Labor and Workforce Development, Workforce Development and Economic Opportunity has funds available for the renewal of the WORKFORCE LEARNING LINK (WLL) grant; and

WHEREAS, the COUNTY OF OCEAN, Department of Human Services wishes to renew the WORKFORCE LEARNING LINK grant for the program year 2020/2021; and

WHEREAS, the amount of Workforce Learning Link Grant funds requested from the State totals \$24,000; and

WHEREAS, the grant period is from July 1, 2020 through June 30, 2021.

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to accept the Grant Funding from the STATE OF NEW JERSEY, Department of Labor and Workforce Development, Workforce Development and Economic Opportunity.

BE IT FURTHER RESOLVED, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, and County Department of Human Services.

July 1, 2020

WHEREAS, THE STATE OF NEW JERSEY, Department of Labor and Workforce Development, Workforce Development and Economic Opportunity has funds available for the renewal of the WORKFORCE INNOVATION AND OPPORTUNITY ACT (WIOA), grant; and

WHEREAS, the COUNTY OF OCEAN, Department of Human Services wishes to renew the WORKFORCE INNOVATION AND OPPORTUNITY ACT grant for the program year 2020/2021; and

WHEREAS, the amount of Workforce Innovation and Opportunity Act (WIOA) Grant funds requested from the State totals \$2,763,246.00; and

WHEREAS, the grant period is from July 1, 2020 through June 30, 2021.

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to accept the Grant Funding from the STATE OF NEW JERSEY, Department of Labor and Workforce Development, Workforce Development and Economic Opportunity.

BE IT FURTHER RESOLVED, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, and County Department of Human Services.

July 1, 2020

WHEREAS, the Sheriff's Department, Office of Emergency Management has received notice from the State of New Jersey, Department of Law and Public Safety, Office of the Attorney General of the availability of State funding for the grant entitled Fiscal Year 2020 Emergency Management Agency Assistance; and,

WHEREAS, the awarded amount shall require dollar for dollar in kind match of total cost awarded; and,

WHEREAS, the purpose of this program is to assist Counties with their Emergency Management Performance in accordance with the New Jersey Office of Emergency Management criteria outlined by the grant reporting guidelines.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and the Clerk of the Board are hereby authorized and directed to apply for this funding offered by the State of New Jersey, Department of Law and Public Safety for the above purpose.

BE IT FURTHER RESOLVED, that the Freeholder Director, the Clerk of the Board, the Comptroller and Sheriff are authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED, that certified copies of this Resolution shall be made available to the County Auditor, County Department of Finance, Sheriff's Department and the State of New Jersey, Department of Law and Public Safety.

July 1, 2020

WHEREAS, the STATE OF NEW JERSEY, Department of Children and Families, Division of Children's System of Care has funds available for the renewal of the Children's Inter-Agency Coordinating Council, Convener contract; and

WHEREAS, the County of Ocean, Department of Human Services wishes to accept the Children's Inter-Agency Coordinating Council, Convener contract renewal; and

WHEREAS, the amount of funding requested from the State for the Children's Inter-Agency Coordinating Council, Convener is \$39,418.00; and

WHEREAS, the contract term for the Children's Inter-Agency Coordinating Council, Convener is from July 1, 2020 through June 30, 2021.

NOW, THEREFORE, BE IT RESOLVED by the OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, STATE OF NEW JERSEY that the Freeholder Director and Clerk of the Board are hereby authorized and directed to renew the grant agreement with the STATE OF NEW JERSEY, Department of Children and Families, Division of Children's System of Care.

BE IT FURTHER RESOLVED, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED, that certified copies of this resolution shall be made available to the County Department of Finance, the County Auditor, the New Jersey State Department of Children and Families, Division of Children's System of Care, and the County Department of Human Services.

July 1, 2020

WHEREAS, the State of New Jersey, Department of Military and Veterans Affairs has funds available for the Veterans Transportation Grant to provide transportation to Veterans for medical purposes or appointments to the VA regional offices; and

WHEREAS, on April 17, 2019 the Ocean County Board of Chosen Freeholders executed the Veterans Transportation Grant through the State of New Jersey, Department of Military and Veterans Affairs for \$30,000.00; and

WHEREAS, the State of New Jersey, Department of Military and Veterans Affairs wishes to extend the Veterans Transportation Grant with the County of Ocean, Department of Transportation Services for three (3) months to September 30, 2020; and

WHEREAS, additional funds in the amount of \$7,500.00 are also available; and

WHEREAS, the Veterans Transportation Grant is now amended as follows:

Original	Original	Increased Amount	Revised
<u>Account</u>	<u>Amount</u>		<u>Amount</u>
017-815-T025	\$30,000.00	\$7,500.00	\$37,500.00

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, STATE OF NEW JERSEY that the Freeholder Director and the Clerk of the Board are hereby authorized and directed to amend the Grant Agreement with the State of New Jersey, Department of Military and Veterans Affairs.

BE IT FURTHER RESOLVED that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, County Department of Transportation Services, and the New Jersey State Department of Military and Veterans Affairs.

July 1, 2020

WHEREAS, the County of Ocean has created and established a program to assist municipalities and governmental agencies in the repair and maintenance of vehicles and engineering services in addition to providing certain materials and supplies in connection therewith; and

WHEREAS, the Toms River Municipal Utilities Authority has requested the County to provide certain vehicle maintenance services on their vehicles and engineering services at a cost not to exceed \$10,000.00 to be dispersed as follows:

Engineering Department Vehicle Services \$5,000.00 \$5,000.00

WHEREAS, the Toms River Municipal Utilities Authority wishes to enter into an Agreement with the County for the provision of these services;

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- The Freeholder Director and Clerk of the Board are hereby authorized and
 directed to enter into and execute an Intergovernmental Agreement with the
 Toms River Municipal Utilities Authority for the provision of certain Truck
 Wash Services and Engineering Services, as more specifically set forth in the
 Agreement.
- This Agreement shall remain in full force and effect from January 1, 2020 to December 31, 2020.
- Sufficient funds are available pending State Approval of subsequent budget modifications under an appropriation entitled, Schedule "C" – Engineering Account #016-185-4633 and Vehicle Services Account #016-175-4635.
- 4. Certified copies of this Resolution shall be made available to the Toms River Municipal utilities Authority, the Ocean County Vehicle Services Department, the Ocean County Engineering Department, the Ocean County Department of Finance and the Ocean County Auditor.

RESOLUTION OF THE Toms River Municipal Utilities Authority County of Ocean, State of New Jersey Authorizing the Execution of a Schedule C Agreement With the County of Ocean for 2020

WHEREAS, the Interlocal Services Act, N.J.S.A. 40:8a-1 et seq. authorizes the Toms River Municipal Utilities Authority to enter into a contract for the provisions of certain government services with the County of Ocean; and

WHEREAS, N.J.S.A. 40:8a requires such a contract to be authorized by resolution or ordinance; and

WHEREAS, it is the desire of the Board of Commissioners to authorize the execution of a contract with the County of Ocean for the provision of services, materials and equipment as set forth in Schedule "C" attached hereto.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COMMISSIONERS OF THE TOMS RIVER MUNICIPAL UTILITIES AUTHORITY, COUNTY OF OCEAN AND STATE OF NEW JERSEY, as follows:

- That Robert DiBiase, Executive Director of the Toms River Municipal Utilities
 Authority is hereby authorized to execute a Schedule "C" agreement with the County
 of Ocean in accordance with the provisions of the law to include \$5,000.00 for the
 Engineering Department and \$5,000.00 for Vehicle Services, for a total sum not to
 exceed \$10,000.00. A copy of the said agreement is on file in the office of the Assistant
 Secretary and made part hereof as Schedule "C".
- 2. That this agreement is for the period January 1, 2020 to December 31, 2020.
- That a copy of this Agreement referenced herein shall be kept on file and made available for public inspection in the Assistant Secretary office during normal business hours.
- 4. That a certified copy of this resolution shall be forwarded to the Clerk of the Ocean County Board of Chosen Freeholders, the Ocean County Road Department, the Ocean County Department of Finance, the Executive Director, the Chief Financial Officer and the Purchasing Agent.

CERTIFICATION

I, Georgia Benyola, Assistant Secretary of the Toms River Municipal Utilities Authority, County of Ocean and State of New Jersey, do certify the foregoing to be a true and correct copy of a resolution adopted by the Board of Commissioners of the Toms River Municipal Utilities Authority at a meeting of said Commissioners on March 24, 2020.

IN WITNESS WHEREOF, I have hereunto set my hand and seal of this Authority this 24th day of March, 2020.

Georgia Benyela, Assistant Secretary

July 1, 2020

WHEREAS, the Ocean County Department of Juvenile Services is required to provide certain educational services and programs to those juveniles under the Department's supervision; and

WHEREAS, the Board of Education of the Ocean County Vocational-Technical School has the ability to provide said services for the Department; and

WHEREAS, the County of Ocean wishes to enter into the Intergovernmental Agreement, pursuant to N.J.S.A. 40A:65-1 et seq.; and

WHEREAS, the Intergovernmental Agreement with the Board of Education of the Ocean County Vocational-Technical School is for the provision of said services for the 2020 – 2021 school year (July 1, 2020 through June 30, 2021); and

WHEREAS, the Board of Education of the Ocean County Vocational-Technical School has agreed to provide said services to the Ocean County Department of Juvenile Services at a cost not to exceed \$643,462.00; and

WHEREAS, the County has certified funds in the amount of \$598,462.00 from Account Number 016-210-5052, and \$45,000.00 from Account Number 017-819-V050 to fund this Agreement; and

WHEREAS, the parties acknowledge that the Agreement is conditioned upon and subject to the approval and the certification of funding in the amount of \$45,000.00 from the State Facilities Education Act and the New Jersey State Manual of Standards for Juvenile Detention Facilities (N.J.A.C. 13:92-9.3) for the funding of this contract.

NOW, THEREFORE, BE IT RESOLVED by the BOARD of CHOSEN FREEHOLDERS, COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter into and execute the Intergovernmental Agreement with the Board of Education of the Ocean County Vocational-Technical School for the provision of educational services and programs to juveniles under the Department of Juvenile Service's supervision, as more specifically set forth in said Agreement, a copy of which is on file in the Office of the Clerk of the Board.
- 2. The Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent and related documents.
- 3. Certified copies of this Resolution shall be made available to the County Department of Finance, County Auditor, Department of Juvenile Services, and the Ocean County Vocational-Technical School.



Board of Education

137 Bey Lea Road • Toms River, NJ 08753-2703 (732) 240 - 6414 Fax # (732) 505 - 8929

Board of Education

Frank J. Frazee, CPA
Business Administrator/Board Secretary
email: FFrazee@mail.ocvts.org

Nina Anuario	President
Stephen Scaturro	Vice President
Kevin W. Ahearn	
Ronald L. Rosetto	Member
Maureen C. Stankowitz	Member

Motion was made by Mrs. Stankowitz, seconded by Mr. Scaturro, approving the School Business Administrator to enter an Intergovernmental agreement with the Ocean County Juvenile Detention Center to provide educational services to students in the facility, as presented.

Approval of Ocean Co. JDC Intergovernmental Agreement SY 20-21

Upon roll call, the motion was unanimously carried.

I hereby certify the foregoing to be a true excerpt from the Minutes of the Regular Meeting of the Board of Education of the Vocational School in the County of Ocean held on June 18, 2020.

Frank J. Frazee,

School Business Administrator/

Board Secretary

RESOLUTION July 1, 2020

WHEREAS, the County of Ocean has previously submitted a Consolidated Plan and Annual Action Plan for funding; and

WHEREAS, said Plans have been approved for funding by the United States Department of Housing and Urban Development; and

WHEREAS, the County of Ocean created and established the Ocean County HOME Housing Rehabilitation Program for the purpose of providing financial assistance to low and moderate income households for the correction of health and safety violations and for rehabilitation of qualified improvements to their principal place of residence; and

WHEREAS, the Ocean County Department of Planning is charged with the responsibility of overseeing the program; and

WHEREAS, the program guidelines provide that applicants approved for funding by the Ocean County Department of Planning must execute a Deferred Loan Agreement with the Ocean County Board of Chosen Freeholder and

WHEREAS, the maximum amount of any deferred loan for moderate and substantial rehabilitation through the Ocean County HOME Housing Rehabilitation Program shall not exceed \$50,000.00 per dwelling unit; and

WHEREAS, funding has been allocated to the Ocean County HOME Housing Rehabilitation Program for deferred loans.

NOW, THEREFORE BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter into and execute a ten-year (10) Deferred Loan Agreement on behalf of the Board with the following individual(s) for the amount set forth below:

Recipient: Scott & Robin Zentz

Account/Amount: 905-155-9204 \$26,527.00 Total: \$26,527.00

In the event unforeseen conditions arise requiring additional work or reduction in work contemplated under the construction agreement which is incorporated in the approved deferred loan agreement and there is insufficient time to present the matter directly to the Board, the Ocean County Planning Department shall be authorized to approve said modifications to the deferred loan agreement(s) approved above. In such cases, the modification to the deferred loan(s) shall be reported promptly to the Board for approval at its next scheduled Board meeting.

2. The Board of Chosen Freeholders further accepts and approves the Construction Agreement executed between the individual/s set forth above and their selected contractor and said construction agreement is made apart of each Deferred Loan Agreement.

PAGE 2

- 3. The Board of Chosen Freeholders further authorizes the Director and Clerk of the Board to execute legal instruments as required consummating the intent of this resolution.
- 4. Certified copies of this Resolution shall be forwarded to the Ocean County Department of Planning and the Ocean County Treasurer.
- 5. BE IT FURTHER RESOLVED THAT the appropriate County official is hereby authorized to endorse and cancel the Mortgage Note on record upon receipt of verification that the Deferred Loan has been satisfied.
- 6. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being C2020-87.

RESOLUTION July 1, 2020

WHEREAS, the County of Ocean has previously submitted a Consolidated Plan and Annual Action Plan for funding; and

WHEREAS, said Plans have been approved for funding by the United States Department of Housing and Urban Development; and

WHEREAS, the County of Ocean created and established the Ocean County CDBG Housing Rehabilitation Program for the purpose of providing financial assistance to low and moderate income households for the correction of health and safety violations and for rehabilitation of qualified improvements to their principal place of residence; and

WHEREAS, the Ocean County Department of Planning is charged with the responsibility of overseeing the program; and

WHEREAS, the program guidelines provide that applicants approved for funding by the Ocean County Department of Planning must execute a Deferred Loan Agreement with the Ocean County Board of Chosen Freeholder; and

WHEREAS, the maximum amount of any deferred loan issued through the Ocean County CDBG Housing Rehabilitation Program shall not exceed \$20,000.00 per dwelling unit; and

WHEREAS, funding has been allocated to the Ocean County CDBG Housing Rehabilitation Program for deferred loans.

NOW, THEREFORE BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter into and execute a Deferred Loan Agreement on behalf of the Board with the following individual(s) for the amount set forth below:

Recipient: De Frisco, Russell & Edith

Account/Amount: 905-155-9194 \$18,265.00 Total: \$18,265.00

In the event unforeseen conditions arise requiring additional work or reduction in work contemplated under the construction agreement which is incorporated in the approved deferred loan agreement and there is insufficient time to present the matter directly to the Board, the Ocean County Planning Department shall be authorized to approve said modifications to the deferred loan agreement(s) approved above. In such cases, the modification to the deferred loan(s) shall be reported promptly to the Board for approval at its next scheduled Board meeting.

2. The Board of Chosen Freeholders further accepts and approves the Construction Agreement executed between the individual/s set forth above and their selected contractor and said construction agreement is made apart of each Deferred Loan Agreement.

PAGE 2

- 3. The Board of Chosen Freeholders further authorizes the Director and Clerk of the Board to execute legal instruments as required consummating the intent of this resolution.
- 4. Certified copies of this Resolution shall be forwarded to the Ocean County Department of Planning and the Ocean County Treasurer.
- 5. **BE IT FURTHER RESOLVED THAT** the appropriate County official is hereby authorized to endorse and cancel the Mortgage Note on record upon receipt of verification that the Deferred Loan has been satisfied.
- 6. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being 2000-88.

RESOLUTION July 1, 2020

WHEREAS, the County of Ocean has previously executed and entered into a Deferred Loan Agreement with Agnes Traschetti, whose principal address is 24 Buena Visa Drive, Berkeley Township, New Jersey 08757 and under the Ocean County HOME Housing Rehabilitation Program for the purpose of correcting health and safety violations and construction of qualified rehabilitation improvements; and

WHEREAS, the Ocean County Board of Chosen Freeholders previously executed the Deferred Loan Agreement, Mortgage and Mortgage Note on May 6, 2020; and

WHEREAS, the maximum amount of any deferred loan for moderate and substantial rehabilitation through the Ocean County HOME Housing Rehabilitation Program shall not exceed \$50,000.00 per dwelling unit; and

WHEREAS, the Director of the Ocean County Department of Planning together with Affordable Housing Administrators, the program administrator, has recommended that the above referenced Deferred Loan Agreement be modified to decrease the loan by \$3,050.00 to equal a total loan of \$21,400.00; and

WHEREAS, funding has been allocated to the Ocean County HOME Housing Rehabilitation Program for deferred loan modifications; and

WHEREAS, the Director of the Ocean County Planning Department and Affordable Housing Administrators, further recommend that the Mortgage and Mortgage Note be modified to reflect the loan decrease.

NOW, THEREFORE BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS, of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

1. The Freeholder Director and Clerk of the Board are authorized and directed to execute the Mortgage and Mortgage Note Modification Agreement and the Deferred Loan Agreement Modification attached hereto on behalf of the Ocean County Board of Chosen Freeholders for the amount set forth below:

Account/Amount: 905-155-9204 \$3,050,00 Total: \$3,050.00

- 2. Certified copies of this resolution shall be made available to the Ocean County Department of Planning and the Ocean County Treasurer.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said agreement, the number being <u>C2020-70</u>.

RESOLUTION July 1, 2020

- WHEREAS, the Ocean County Board of Chosen Freeholders is the Designated Planning Agency for water quality management in Ocean County; and
- WHEREAS, pursuant to federal and state statutes, the Board of Chosen Freeholders has prepared and adopted the Ocean County Water Quality Management Plan which includes a wastewater management element; and
- WHEREAS, the Ocean County Water Quality Management Plan is effectual for all of Ocean County as well as those parts of Monmouth County which are served by the Ocean County Utilities Authority (OCUA); and
- WHEREAS, the New Jersey Department of Environmental Protection (NJDEP) requires that proposed wastewater treatment and conveyance facilities, and wastewater service areas, as well as related subjects be in conformance with an approved wastewater management plan; and
- WHEREAS, the NJDEP has established the Wastewater Management Plan Amendment Procedure as the method of incorporating unplanned facilities into a water quality management plan; and
- WHEREAS, DuBois Environmental Consultants, LLC, on behalf of the applicant, Joseph Courter, has proposed an amendment to the Ocean County Water Quality Management Plan to include a portion of Block 295, Lot 1, of Little Egg Harbor Township, Ocean County, totaling approximately 3.24 acres which was previously excluded from the sewer service area; and
- WHEREAS, the New Jersey Department of Environmental Protection has reviewed and approved the proposed amendment; and
- WHEREAS, the proposed amendment has been noticed in the DEP Bulletin for the purpose of its incorporation into the Ocean County Water Quality Management Plan and no public comments were received.
- NOW, THEREFORE, BE IT RESOLVED, by the Board of Chosen Freeholders of the County of Ocean, State of New Jersey that:
- 1. The Ocean County Board of Chosen Freeholders hereby consents to the "Tucker's Cove" sewer service area amendment (Program Interest No. 435448, Activity No. AMD180001) prepared by DuBois Environmental Consultants, LLC, which was publicly noticed in the New Jersey Register on January 6, 2020 for the purpose of its incorporation into the Ocean County Water Quality Management Plan.
- 2. This consent shall be submitted to the New Jersey Department of Environmental Protection, Office of Water Resources Management Coordination in accordance with NJAC 7:15-3.4.
- **BE IT FURTHER RESOLVED**, that certified copies of this Resolution are forwarded to the Planning Director, the Director of the OCUA, and DuBois Environmental Consultants, LLC.

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS

NO. C C 2018 - 54

RESOLUTION

July 1, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders, by Resolution, dated February 21, 2018, authorized the Freeholder Director and the Clerk of the Board to execute the legal instruments associated with a First-Time Homebuyer Program; and

WHEREAS, a qualified applicant can use the existing First Time Homebuyer Program subsidy in the amount of \$10,000 for down payment and closing cost assistance for a total of \$10,000 in assistance; and

WHEREAS, qualified participants who successfully complete the workshops and individual counseling are recommended for an award in an amount not to exceed \$10,000 each; and

WHEREAS, the following participants have successfully completed the second phase of workshops and individual counseling and will proceed to secure a mortgage commitment:

Joseph Burgos and Sadie Sinanan Jerry Simpson and Nickeisha Simpson

NOW, THEREFORE, BE IT RESOLVED, by the Board of Chosen Freeholders of the County of Ocean, State of New Jersey as follows:

- 1. The Board of Chosen Freeholders hereby authorizes the modification to the Resolutions to include the new participant(s) listed above.
- 2. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract being number CC2018-54.
- 3. Copies of this Resolution shall be forwarded to the County Comptroller/CFO, County Auditor, Director of Management and Budget, County Planning Director, County Counsel and OCEAN, Inc.

July 1, 2020

BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Director and Clerk of the Board are hereby authorized and directed to execute an Shared Services Agreement between the County of Ocean and the Borough of Seaside Park for the reconstruction of Stormwater Facilities along 12th Avenue and Bayview Avenue in the Borough of Seaside Park.

BE IT FURTHER RESOLVED that certified copies of this Resolution be sent to the County Engineer, County Counsel and the Borough of Seaside Park.

July 1, 2020

WHEREAS, the County Engineer has approved the release of bonds for road opening permits, which bonds were posted according to Resolution, adopted by the Board on August 16, 1989.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the County Comptroller is hereby authorized and directed to release the following bonds, which bonds were posted the following road opening permits:

NAME	PERMIT NO.	<u>ISSUED</u>	AMOUNT	TYPE
James Mucci Bond #1837	CO-19-037	7/9/19	\$1,000.00	Cash
(Bond Payable to: Jeff Santo	oloci, 1117 Central A	Avenue, Ship	Bettom, NJ 080	08)
Mathis Construction Co., Inc. Bond #038605	EO-18-052	5/14/18	\$1,000.00	Cash
Robert McQuade Bond #5370	CO-19-024	5/22/219	\$1,000.00	Cash
Sea Pirate Campground Bond #2774	EO-18-032	5/21/18	\$1,000.00	Cash

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Department of Finance and the Ocean County Engineer.



COUNTY OF OCEAN DEPARTMENT OF FINANCE

JULIE N. TARRANT County Comptroller & CFO CATHY A. ERNST Assistant Comptroller

June 19, 2020

Board of Chosen Freeholders Ocean County Administration Building Toms River, New Jersey 08754

Dear Board Members:

Accompanying this letter, you will find a copy of the Master Payroll for the payment of all employees of the County of Ocean, setting forth the amounts to be paid on June 24, 2020. This is for the payroll period of May 28, 2020 through June 10, 2020, and for the payroll period of June 11, 2020 through June 24, 2020. These payments were made in accordance with the Resolution passed by your Board on June 21, 1972.

ery truly yours

Julie N. Tarrant Comptroller

JNT/dmd Pay 20-13 Pd, 06/24/2020

COUNTY OF OCEAN, NJ DEPARTMENT OF FINANCE MASTER PAYROLL CERTIFICATION

	06/19/20		
AMOUNT,	\$ 5,790,736.70		

PERIOD

FROM: May 28, 2020

TO:

June 10, 2020

FROM: June 11, 2020

TO:

June 24, 2020

AMOUNT	CHECK#	BANK#	FUND
5,025,561.17	wire	01	016
0.00	24-	24	630
5,694.88	26-2143	26	905
664,590.73	wire	67	209
90,489.43	68-3532	68	210
0.00	73-	73	207
0.00	N/A	83	201
4,400.49	97-1669	97	225

Julie N. Tarrant	being duly sworn according to law, upon her oath, depose and says that
the within County Pa	ayroll has been examined by her and has approved the amount of wages for each
person as submitted	by the various Department Heads.
	Julie N. Tarrant, Comptroller
Received by the Board	of Chosen Freeholders
	Clark of the Board

MOTION

July 1, 2020

Motion approving the distribution of Requests for Proposals and/or Requests for Qualifications for Professional Services and/or Extraordinary Unspecifiable Services and approving the selection criteria contained therein for the following projects in accordance with N.J.S.A. 19:44A-20.1.


Requests for Proposals/Qualifications:

Support Plan (Service & Maintenance) for Gas Chromatography and Mass Spectrometry

MOTION

July 1, 2020

On motion duly made, seconded and carried, the plans and specifications for the Reconstruction and Resurfacing of Portions of Certain County Roads, Contract 2019D were approved and the proper officers of the Board were authorized and directed to advertise.



RESOLUTION

July 1, 2020

WHEREAS, on May 5, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of PENAL INSTITUTIONAL SUPPLIES for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Tabb Textiles Co., Inc. 511 Pleasant Drive Opelika, AL 36801 (334) 745-6762

Best Plumbing Specialties, Inc. 3039 Ventrie Court Myersville, MD 21773 (800) 448-6710

Bob Barker Company, Inc. 7925 Purfoy Road Fuquay-Varina, NC 27526 (800) 334-9880

Phoenix Trading, Inc.
DBA Amercare Products, Inc.
17661 128th Place NE
Woodinville, WA 98072
(800) 556-6322

R23K, Inc. T/A American Uniform & Supply 6831 US 9 Howell, NJ 07731 (732) 886-2004 Name and Address of Bidder

ACME Supply Co., LTD 10 Cedar Swamp Road Suite 7 Glen Cove, NY 11542 (800) 567-8025

Charm-Tex, Inc. 1618 Coney Island Ave. Brooklyn, NY 11230 (718) 252-8100

JML Medical, Inc. 1 Havenwood Court, Unit 502 Excel Bus. Park 5 Lakewood, NJ 08701 (732) 901-1600

Chestnut Ridge Foam, Inc. 443 Warehouse Drive Latrobe, PA 15650 (724) 537-9000

W. B. Mason Co., Inc. 300 Prospect Plains Rd. Cranbury, NJ 08512 (888) 926-2766

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, TABB TEXTILES CO., INC.; ACME SUPPLY CO., LTD; BEST PLUMBING SPECIALTIES, INC; CHARM-TEX; BOB BARKER COMPANY, INC.; JML MEDICAL, INC. and PHOENIX TRADING, INC. DBA AMERCARE. No Bids were received for Item Nos. 25, 32, 33 and 41. Recommendation is made to reject Item No. 36 as unresponsive. All no bid and rejected bid Items will be rebid.

; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Penal Institutional Supplies for the County of Ocean, for the contract period from date of award through June 30, 2021, a period of one (1) year, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

A. TABB TEXTILES CO., INC. for three (3) items, to wit:

ITEMS NO. 1, 8 and 9.

B. ACME SUPPLY CO., LTD for two (2) items, to wit:

ITEMS NO. 3 and 4.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. <u>BEST PLUMBING SPECIALTIES</u>, INC. for two (2) items, to wit:

ITEMS NO. 34 and 35.

D. CHARM-TEX, INC. for eight (8) items, to wit:

<u>ITEMS NO.</u> 2, 5, 7, 13, 16, 18, 19 and 29.

This vendor has extended this contract to County Cooperative Contract System Participants.

E. BOB BARKER COMPANY, INC. for fifteen (15) items to wit:

ITEMS NO. 10, 12, 17, 22, 23, 24, 26, 27, 28, 30, 31, 37, 39, 40 and 42.

This vendor has extended this contract to County Cooperative Contract System Participants.

F. <u>JML MEDICAL</u>, INC. for one (1) item, to wit:

ITEM NO. 20.

This vendor has extended this contract to County Cooperative Contract System Participants.

G. PHOENIX TRADING, INC. DBA AMERICARE PRODUCTS, INC. for six (6) items, to wit:

ITEMS NO. 6, 11, 14, 15, 21 and 38.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the materials to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-71.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, County Corrections, Juvenile Services and the successful bidders.

Proposal for the furnishing and delivery of PENAL INSTITUTIONAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

() - YES

()-NO

PRICE SCHEDULE

, # Description		Est. Qty.	Unit of Meas.	Unit Price	Total Price
Bath Towel 20" x 40", 8 Minimum Qty. 10 dz., A	-	500	DOZ		\$ 3,885.00
Mfr. & Type <u>Tabb</u> Weight per Towel 8 o		-			
2 Bath Towel 24" x 48", 14 As Specified	oz., 100% cotton,	2	DOZ	\$ No Bid	\$
Mfr. & Type Weight per Towel		_			
3 Bath Towel, 30" x 56", 1	00% Cotton	605	DOZ	\$ 62.00	\$ 37,510.00
Mfr. & Type Tabb /a Weight per Towel 8	s specified				
4 Bath Towel, 36" x 68", 1 Heavy Weight, Hemmed		5	DOZ	\$ 98.00	\$ 490.00
Mfr. & Type / a b b / Weight per Towel	as specified	-			
5 5" Plastic Combs, 144/ca	se, As Specified	1	CASE	\$ No Bid	\$
Mfr. & Type		_			
6 5" Afro Pick Combs, Sol As Specified	d by the Dozen,	2	DOZ	\$ No Bid	\$
Mfr. & Type		_			
7 Inmate Mattress, DeptCo 30" x 76" x 3", Fire resis Vinyl Covered Mattress, headrest, As Specified, o	ant, Foam Core, MUST have a built in	206	E A	\$ No Bid	\$
Mfr. & Type		- .			

Item		Est.	Unit of	TV 11 TO 1	
√ 8 #	Description Sheet 54" x 90" Irregular,	Qty.	Meas.	Unit Price	Total Price
7 0	As Specified, or Equal	402	DOZ	\$ 21.40	\$ 8,602.50
	Mfr. & Type Tabb / as specified				
19	Blanket, 62" x 80", As Specified	412	EA	\$ 5.07	\$ 2,088.84
	Mfr. & Type Tabb / as specified Weight per Blanket 3 lb				
10	Blanket, Prestige, 66" by 90", As Specified, or Equal	12	EA	\$ No Bid	\$
	Mfr. & Type				
11	Disposable Razor, As Specified, or Equal Mfr. & Type	46,000	EA	\$ No Bid	\$
12	Individual Hygiene Kit, As Specified	52	BX	\$ No Bid	\$
	Mfr. & Type				
13	Individual Intake Package, As Specified	24	PKG	\$ No Bid	\$
	Mfr. & Type				
14	Personal Size Soap, 0.75 oz., 1000/Case, Individually Wrapped, As Specified	201	CASE	\$ No Bid	\$
	Mfr. & Type				
15	Bath Soap, 3 oz., Individually Wrapped, 144 Bars/Case, As Specified	3	CASE	\$ No Bid	\$
	Mfr. & Type				
16	Toothpaste, 2.75 oz., Clear Plastic Tube, As Specified	144	EA	\$ No Bid	\$
	Mfr. & Type				
17	3-in-1 Laundry Soap, As Specified	10	PKG	\$ No Bid	\$
	Mfr. & Type				
	Pack per Case	<u>-</u> -			

Proposal for the furnishing and delivery of PENAL INSTITUTIONAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(√) - YES () - NO

PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
1	Bath Towel 20" x 40", 8 oz., 100% cotton, Minimum Qty. 10 dz., As Specified, or Equal	500	DOZ	\$8.95	s 4475
	Mfr. & Type ACME # 53245 Weight per Towel 8 oz	_			
2	Bath Towel 24" x 48", 14 oz., 100% cotton, As Specified	2	DOZ	\$37	s 74
	Mfr. & Type ACME # 53430-BL Weight per Towel 14 oz	_			
$\sqrt{3}$	Bath Towel, 30" x 56", 100% Cotton	605	DOZ	\$ 49	\$ 29645
	Mfr. & Type ACME # 53723 Weight per Towel 802	-			
J 4	Bath Towel, 36" x 68", 100% Cotton, Heavy Weight, Hemmed	5	DOZ	\$ 65	\$325
	Mfr. & Type ACME # 34715 Weight per Towel Heavy Weight HEMMED				
5	5" Plastic Combs, 144/case, As Specified	1	CASE	\$	\$
	Mfr. & Type				
6	5" Afro Pick Combs, Sold by the Dozen, As Specified	2	DOZ	\$	\$
	Mfr. & Type	_			
7	Inmate Mattress, DeptCor P100-3076, 30" x 76" x 3", Fire resistant, Foam Core, Vinyl Covered Mattress. MUST have a built in headrest, As Specified, or Equal	206	EA	\$ 125_	\$ 25 750
	Mfr. & Type ACME # 95325 - 30-	GR			

BEST PLUMBING SPECIALTIES, INC.

Page 29 of 30

Item		Est.	Unit of	T	
27	Description Shower Shoes, X-Strap, As Specified	Qty.	Meas.	Unit Price	Total Price
21	Shower Shoes, A-Shap, As Specified	3,036	PR	\$	\$
	Mfr. & Type	_			
28	Standard Slip On Inmate Shoes, Oversized Sizes				
	14, 15 and 16, Sold by the Pair	6	PR	\$	\$
	Mfr. & Type	_			
29	Laundry Net with Tie Cord, 24" x 36", White, As				
	Specified	400	EA	\$	\$
	Mfr. & Type				
		_			
30	Slip Lock Laundry Net, 24" x 36", Green, As Specified, or Equal	400	EA	\$	\$
	•		LA	<u> </u>	<u> </u>
	Mfr. & Type	_			
31	Slip Lock Laundry Net 30" x 48", White,				
	As Specified, or Equal	68	EA	\$	\$
	Mfr. & Type				
		_			
32	Latex Exam Gloves, Powder Free,		-	•	
	100 Gloves/Box, As Specified	2,400	BX	\$	\$
	Mfr. & Type	-			
33	Non-Latex Exam Gloves, Powder Free,				
	100 Gloves/Box, As Specified	1,620	BX	-\$	\$
	MC 6 Towns	·			
	Mfr. & Type	_			
$\sqrt{34}$	Black Nitrile Gloves, Powder Free and Latex				
	Free, 100 gloves/box, 10 boxes/case,				90
	As Specified, or Equal	351	CASE	\$ 74.90	\$26,239.90
	Mfr. & Type Ammex Glove Plus Bla				
	Submit Product Specifications with bid				
J ₃₅	Sizes M, L, XL, XXL Uline Secure S20863X, Nitrile Glove, Black,				
	50 gloves/box, 10 boxes/case,			1.	co
10	As specified, or Equal	5	CASE	\$ 17.00	\$ 585.
	Mfr. & Type Ammex Glove Works Bl	acK			
	Submit Product Specifications with bid				
	Sizes M, L, XL, XXL				

Page 26 of 30

Proposal for the furnishing and delivery of PENAL INSTITUTIONAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(Y-YES

()-NO

PRICE SCHEDULE

4/B=40 BOD

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
1	Bath Towel 20" x 40", 8 oz., 100% cotton, Minimum Qty. 10 dz., As Specified, or Equal	500	DOZ	\$ 9.90	\$ 4950.00
	Mfr. & Type <u>り1202035.06</u> Weight per Towel				
$\sqrt{2}$	Bath Towe! 24" x 48", 14 oz., 100% cotton, As Specified	2	DOZ	\$ 36.90	\$ 73.80
	Mfr. & Type B (24488.08 Weight per Towel	_			
3	Bath Towel, 30" x 56", 100% Cotton	605	DOZ	8 NB	\$
	Mfr. & Type				
4	Bath Towel, 36" x 68", 100% Cotton, Heavy Weight, Hemmed	5	DOZ	s N/B	\$
	Mfr. & Type Weight per Towel				
V 5	5" Plastic Combs, 144/case, As Specified	1	CASE	\$ 3.18	\$ 3.18
	Mfr. & Type 4/6C5				
6	5" Afro Pick Combs, Sold by the Dozen, As Specified	2	DOZ	s 2(B	\$
	Mfr. & Type				
17	Inmate Mattress, DeptCor P100-3076, 30" x 76" x 3", Fire resistant, Foam Core, Vinyl Covered Mattress. MUST have a built in headrest, As Specified, or Equal	206	EA	s 104.90	\$ 21,609.40
	Mfr. & Type M7PL/5U307545				

Page 27 of 30

Item		Est.	Unit of		1 age 27 01 30
#	Description	Qty.	Meas.	Unit Price	Total Price
8	Sheet 54" x 90" Irregular, As Specified, or Equal	402	DOZ	\$ 24.90	08.800 018
	Mfr. & Type <u> くくくのいい</u>				
9	Blanket, 62" x 80", As Specified	412	EA	\$ 5,26	\$ 2167.12
	Mfr. & Type <u> </u>				
10	Blanket, Prestige, 66" by 90", As Specified, or Equal	12	EA	\$ 6.90	\$ 82.80
	Mfr. & Type BL/XLRYDER Weight per Blanket				
11	Disposable Razor, As Specified, or Equal Mfr. & Type	46,000	EA	\$ ०,०५९	\$ 2,254.00
12	Individual Hygiene Kit, As Specified	52	BX	\$ 96.90	\$5038.80
	Mfr. & Type CT				
√ 13	Individual Intake Package, As Specified	24	PKG	\$ 1.18	\$ 28.32
	Mfr. & Type <u>C</u> ∕				
14	Personal Size Soap, 0.75 oz., 1000/Case, Individually Wrapped, As Specified	201	CASE	\$ 29.90	\$ ५,००९ ,९०
	Mfr. & Type +/S1/2				,
15	Bath Soap, 3 oz., Individually Wrapped, 144 Bars/Case, As Specified	3	CASE	\$ 31.90	\$ 95.70
	Mfr. & Type <u> </u>				
J ₁₆	Toothpaste, 2.75 oz., Clear Plastic Tube, As Specified	144	EA	\$ 0.32	\$ 40.08
	Mfr. & Type H/CG-TP 2715				
17	3-in-1 Laundry Soap, As Specified	10	PKG	\$ NB	\$
	Mfr. & Type				
	Pack per Case				

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
# 18	Individually Wrapped Toothbrush Standard Length, No Metal Parts NO EXCEPTIONS	72		\$ 0.034	
	Mfr. & Type CT	-			
J 19	Toothpaste 0.85oz, Maximum Security, 144 per case, As Specified, or Equal	52	CASE	\$ 17,90	\$ 930.80
	Mfr. & Type H/CGTPO85 Pack per Case	-			
20	Thumb Toothbrush Individually sealed, 3" L, 72 toothbrushes/case, As Specified	50	CASE	\$ 4.45	\$ 222.50
	Mfr. & Type CT	_			
21	Hand and Body Lotion, 12 oz. All plastic Bottle, As Specified	120	EA	\$ 2/13	\$
	Mfr. & Type	_			
22	Hand Sanitizer Gel, As Specified	2,400	CASE	\$ P/B	\$
	Mfr. & Type	_			•
23	Hand Sanitizer, Deb Instant Foam, MUST NOT Contain Alcohol, As Specified or Equal	219	CASE	s P/B	\$
	Mfr. & Type	-			
24	Clear Top Shower Curtain 36" x 77" with Velcro strips, As Specified, or Equal	204	EA	\$ 7/6	\$
	Mfr. & Type	_			
25	Velcro Track Tabs for Track Shower Curtain System, CharmTex SXVLTAB, 3/4" Male Velcro Tab, As Specified or Equal	500	EA	s 26	\$
	Mfr. & Type	_			
26	Hookless Shower Curtain, 36" x 77", with Snap Closures, As Specified	84	EA	s 2/B	\$
	Mfr. & Type	_			

CHARM-TEX

Page 29 of 30 Unit of Item Est. Description Total Price Qty. Meas. Unit Price . 27 Shower Shoes, X-Strap, As Specified 3.036 PR \$ 21B \$ Mfr. & Type 28 Standard Slip On Inmate Shoes, Oversized Sizes 8 2/12 14, 15 and 16, Sold by the Pair PR Mfr. & Type J 29 Laundry Net with Tie Cord, 24" x 36", White, As Specified 400 \$ 2.54 \$ 1016.00 EA Mfr. & Type BAG-TC2436WT 30 Slip Lock Laundry Net, 24" x 36", Green, <u>s</u> 26 As Specified, or Equal 400 EΑ Mfr. & Type Slip Lock Laundry Net 30" x 48", White, 31 As Specified, or Equal 8 NB 68 EA Mfr. & Type_____ 32. Latex Exam Gloves, Powder Free, 100 Gloves/Box, As Specified \$ 7 13 2,400 BXMfr. & Type 33 Non-Latex Exam Gloves, Powder Free, BX & 7/P 100 Gloves/Box, As Specified 1,620 Mfr. & Type Black Nitrile Gloves, Powder Free and Latex 34 Free, 100 gloves/box, 10 boxes/case, CASE \$ 2/6 \$ -As Specified, or Equal 351 Mfr. & Type Submit Product Specifications with bid 35 Uline Secure S20863X, Nitrile Glove, Black, 50 gloves/box, 10 boxes/case, CASE \$ 2/6 \$ 5 As specified, or Equal Mfr. & Type Submit Product Specifications with bid

	DOD DARKER CC	MYTHINI	Unit		Page 27 01 30
Item		Est.	of		
#	Description	Qty.	Meas.	Unit Price	Total Price
8	Sheet 54" x 90" Irregular,				
	As Specified, or Equal	402	DOZ	s 25.08	\$ 10,082.16
	Mfr. & Type_BBC_ASH5490N				
9	Blanket, 62" x 80", As Specified	412	EA	\$ 7.03	<u>\$ 2,896.36</u>
,	Mfr. & Type BBC #WB6280 Weight per Blanket 3.5/b5/each blanket	nket			·
\checkmark_{10}	Blanket, Prestige, 66" by 90",	12	EA	\$ 5,64	s 67.68
	Pan ADCALLANCE	1 CM/	= Came	el de la companya de	
	Blanket, Prestige, 66" by 90", As Specified, or Equal Mfr. & Type BBC/APFB66 90 (Color Weight per Blanket Blanket Disposable Razor, As Specified, or Equal	NV=	Navy	•	
11	Disposable Razor, As Specified, or Equal	46,000	EA	\$ ().0538	\$ 2,474.80
	Mfr. & Type BBC #R600 * Sold in a case of 600*		13/1	(GP) ra	\$ 2,474.80 \$ 4,368.00 \$ of 200 kits
$\sqrt{12}$	Individual Hygiene Kit, As Specified	52	BX	\$ 84.00z	s 4,368,00
	Mfr & Type BBC 1#K+1	- Tk		Case	of 200 kits
13	# See page 22 for Hen#'s in Kill Individual Intake Package, As Specified	24	PKG	s 1.57,	\$ 37.68
	Mfr. & Type BBC/AKI+2			• •	<i>t</i>
	* Case Pack of 144 Kits *	the page	e 2a for	item#sinkit*	
14	Personal Size Soap, 0.75 oz., 1000/Case,				A
	Individually Wrapped, As Specified	201	CASE	\$ 47.00/	\$ 8,844.00
	Mfr. & Type BBC / 62/05-C 1.0 oz per bar / case of 500			Caseo	\$ 8,844.00 F500 bars
15	Bath Soap, 3 oz., Individually Wrapped,			1.2	10:41
	144 Bars/Case, As Specified	3	CASE	\$ 40.3a	s 120.96
	Mfr. & Type BBC/*62107-C	_		·	
16	Toothpaste, 2.75 oz., Clear Plastic Tube,			D 111	4.4.54
	As Specified (Kur)	144	EA	\$ 0.76/	\$ 66.24 ch tube
	Mfr. & Type Dawn Mist A SUBMS 275	-GTP4	005		
$ \sqrt{17} $	3-in-1 Laundry Soan As Specified	`10	DUC	\$ 47.80,	# 476 AX
` 1/	3-in-1 Laundry Soap, As Specified	10	PKG	» 11100/	\$ 1/0,00
	Mfr. & Type Aqua Chemlacs/#AC. Pack per Case 100 pacs/pods fer case	240		Case	of 100
	Pack per Case 100 pacs/pods Per Case				

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
18	Individually Wrapped Toothbrush Standard Length, No Metal Parts NO EXCEPTIONS Mfr. & Type BBC ABBQ8	72	EA	\$ 0.04/each	s 2.88
19	*Solain a Case of 144 * Toothpaste 0.85oz, Maximum Security, 144 per case, As Specified, or Equal Mfr. & Type Maximum Security /#MST 8	52 55	CASE	s 22.46	s 1,167.92
20	Pack per Case Thumb Toothbrush Individually sealed, 3" L, 72 toothbrushes/case, As Specified Mfr. & Type BBC #TH42	50	CASE	\$ 3.11	s <i> 55.5</i> 0
21	Hand and Body Lotion, 12 oz. All plastic Bottle, As Specified Brand Personal Mfr. & Type Care #LB 92 152 * 1802 bottles* * Solding care of Hand Sonition Col. As Specified	120	EA	\$ 2.99/	<u>\$ 358.80</u>
J ₂₂	Hand Sanitizer Gel, As Specified Mfr. & Type BBC/A646	2,400	CASE	\$ 52.80/ case	s 126,720.00
√ 23	Hand Sanitizer, Deb Instant Foam, MUST NOT Contain Alcohol, As Specified or Equal	219	CASE	\$ 49.44 Care	\$ 10,827.36
J ₂₄	Mfr. & Type Deh Instant Foam /5682 Sold in a case of 6 Clear Top Shower Curtain 36" x 77" with Velcro strips, As Specified, or Equal Mfr. & Type BBC SCNC3677	204			s 2,537.76
25	Velcro Track Tabs for Track Shower Curtain System, CharmTex SXVLTAB, 3/4" Male Velcro Tab, As Specified or Equal	500	EA	* No B	id
√ 26	Mfr. & Type Hookless Shower Curtain, 36" x 77", with Snap Closures, As Specified Mfr. & Type BBC #5C3677	84	EA	s 7.55	s 634.20

Item #	Description	Est.	Unit of Meas.	Unit Price	Total Price
√ 7 77	Description Shower Shoes, X-Strap, As Specified	Qty.	PR	\$ 0.91,	
	Mfr. & Type BBC/#51/4X-Size	3,036	rĸ	3 V. 11/cach fair	\$ 2,762.76
√ 28	Standard Slip On Inmate Shoes, Oversized Sizes 14, 15 and 16, Sold by the Pair MGr. & Type BBC / H RB888	6	PR	\$ 3.35/	\$ 20.10
29	X Sold by the Pair & Color: tan Laundry Net with Tie Cord, 24" x 36", White, As Specified	400	E A	\$ 2.70/ each	\$ 1,080.00
1 30	Mfr. & Type 38C At C 436 **Sold by the dozen ** Slip Lock Laundry Net, 24" x 36", Green, As Specified, or Equal	400	EA	\$ 2.70/each	
√ ₃₁	Mfr. & Type BBC #52436 **X sold by the dozent* Slip Lock Laundry Net 30" x 48", White, As Specified, or Equal Mfr. & Type BBC #52436 **M3048	68	EA	\$ 4.31/each	s 293.08
32	Latex Exam Gloves, Powder Free, 100 Gloves/Box, As Specified	2,400	вх	* NOB	id
33	Mfr. & Type	1,620	BX	· NO BI	i
34	Black Nitrile Gloves, Powder Free and Latex Free, 100 gloves/box, 10 boxes/case, As Specified, or Equal	351	CASE	s NO Bio	4
	Mfr. & Type	_			
35	Uline Secure S20863X, Nitrile Glove, Black, 50 gloves/box, 10 boxes/case, As specified, or Equal	5	CASE	s No Bi	d _s
	Mfr. & Type Submit Product Specifications with bid	_			

Bob Barker Company, Inc. 7925 Purfoy Rd. Fuquay Varina, NC 27526

T 4		10-4	Unit		_
Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price
36	Puncture Protective Neoprene Duty Glove, As Specified, or Equal	29	PR	, NO Bio	
	Mfr. & Type Submit Product Specifications with bid				
√37	Hair Clipper Cleaning/Disinfecting Spray, 12 - 8 oz. bottles/case, MUST BE non-aerosol, As Specified, or Equal	12	CASE	s 86.8 <u>8</u>	s 1,042.56
	Mfr. & Type Wahl /#3701	-			7
38	Individually Wrapped Tampons, 500 per case, As Specified, or Equal	51	CASE	<u>\$ 48.18</u>	\$2,457.18
las	Mfr. & Type HOSpeco/# TPX500	-			
√ 39	Individually Wrapped Sanitary Pads, 576 per case, As Specified, or Equal	51		\$ 29.33	\$ 1,495.83
	Mfr. & Type Bob Barker Private Issue/	# <i>5</i> N/	2-C		
\ 40	Shampoo, White Rain Citrus, 12 - 15 oz. bottles/case, As Specified, or Equal	8	CASE	s 17.16,	\$ 137.28
41	Mfr. & Type White Rain /#60003 **Sold in a case of 6 ** 1502. be Clear Compact Disc Player,	Hles		<u></u>	1
41	As Specified, or Equal	12	EA	s NOB	1d _s
,	Mfr. & Type	-			
$\sqrt{42}$	Earphones for Compact Disc Player, As Specified, or Equal	24	EA	\$ 1.60	\$ 38.40
	Mfr. & Type Sentry /# EPH	.			

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
18	Individually Wrapped Toothbrush Standard Length, No Metal Parts NO EXCEPTIONS	72		\$	\$
	Mfr. & Type	-			
19	Toothpaste 0.85oz, Maximum Security, 144 per case, As Specified, o Equal	52	CASE	\$ 1958 Per 144	\$ 1018 -
	Mfr. & Type New Word NC 85 Pack per Case 144/Bx 5Bx of 144 = Muster	_		Per 144	
J 20	Thumb Toothbrush Individually sealed, 3" L, 72 toothbrushes/case, As Specified		CASE	\$ 2 pu 72	\$ 144 00
	Mfr. & Type New World NWTB-SEC	-		•	
21	Hand and Body Lotion, 12 oz. All plastic Bottle, As Specified	120	EA	\$,33 pu 7.502	\$ 3960
	Mfr. & Type Ameridam 7.502 W/MOE	-		pu 7.502	
22	Hand Sanitizer Gel, As Specified As OF this moment we cannot often Mfr. & Type 100 cast fur month - Howeve Mfr. & Ty	2,400 n Wc	CASE Do HA	NE A Stendy	Supply, if you
23	Hand Sanitizer, Deb Instant Foam, MUST NOT Contain Alcohol, As Specified of Equal	ک کہ ر 219	CASE	s 54 88	\$ 658 56 * 658 -
	Mfr. & Type Dermare to 00/08 48-80	case		Per 12 862	
24	Clear Top Shower Curtain 36" x 77" with Velcro strips, As Specified, or Equal	204	EA	\$	\$
	Mfr. & Type	-			
25	Velcro Track Tabs for Track Shower Curtain System, CharmTex SXVLTAB, 3/4" Male Velcro Tab, As Specified or Equal	500	EA	\$	\$
	Mfr. & Type	-			
26	Hookless Shower Curtain, 36" x 77", with Snap Closures, As Specified	84	EA	\$	\$
	Mfr. & Type				

PHOENIX TRADING, INC. DBA AMERICARE PRODUCTS, INC. Page 26 of 30

Proposal for the furnishing and delivery of PENAL INSTITUTIONAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(√) - YES

()-NO

PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
1	Bath Towel 20" x 40", 8 oz., 100% cotton, Minimum Qty. 10 dz., As Specified, or Equal	500		\$	\$
	Mfr. & Type	- -			
2	Bath Towel 24" x 48", 14 oz., 100% cotton, As Specified	2	DOZ	\$	\$
	Mfr. & Type	_			
3	Bath Towel, 30" x 56", 100% Cotton	605	DOZ	\$	\$
	Mfr. & Type	_			
4	Bath Towel, 36" x 68", 100% Cotton, Heavy Weight, Hemmed	5	DOZ	\$	\$
	Mfr. & Type				
5	5" Plastic Combs, 144/case, As Specified	1	CASE	\$ 3.60	\$ 3.60
	Mfr. & Type AMErcare # C-5	_			
6	5" Afro Pick Combs, Sold by the Dozen, As Specified	2	DOZ	§ 1.20	\$ 2.40
	Mfr. & Type AMERICAN COMb #567				
7	Inmate Mattress, DeptCor P100-3076, 30" x 76" x 3", Fire resistant, Foam Core, Vinyl Covered Mattress. MUST have a built in headrest, As Specified, or Equal	206	EA	\$	\$
	Mfr. & Type				

PHOENIX TRADING, INC. DBA AMERICARE PRODUCTS, INC. Page $_{27~\mathrm{of}~30}$


Item		Est.	Unit of		1-50-01-01-01-01-01-01-01-01-01-01-01-01-01
#	Description	Qty.	Meas.	Unit Price	Total Price
8	Sheet 54" x 90" Irregular,				
	As Specified, or Equal	402	DOZ	_\$	_\$
	Mfr. & Type	_			
9	Blanket, 62" x 80", As Specified	412	EA	\$	\$
	Mfr. & Type				
	Weight per Blanket				
10	Blanket, Prestige, 66" by 90",				
10	As Specified, or Equal	12	EA	\$	\$
	•				
	Mfr. & Type	_			
r	weight bei bianket				
V 11	Disposable Razor, As Specified, or Equal	46,000	EA	\$ 0.048	\$ 2,208.00
	Mfr. & Type Americane #RAZ+500-CP				
12	Individual Hygiene Kit, As Specified	52	BX	\$ 94.60	\$ 4,919.20
	Mfr. & Type Americane # AMK-5-OCE	_			
13	Individual Intake Package, As Specified	24	PKG	\$ 1.90	\$ 45.60
	ACCOUNT AMARICA VA HAMAY LANCE	2.	2220		
	Mfr. & Type AMERCA YE # AMK-6-0CE	_			
1 4	Personal Size Soap, 0.75 oz., 1000/Case,				
	Individually Wrapped, As Specified	201	CASE	\$ 33,94	\$6,821.94
	Mfr. & Type Amerfresh #5-3/4	_			
115	Bath Soap, 3 oz., Individually Wrapped,				
•	144 Bars/Case, As Specified	3	CASE	\$ 31.87	\$95.61
	Mfr. & Type AWC/fresh 出る-3	_			
16	Toothpaste, 2.75 oz., Clear Plastic Tube,				
	As Specified	144	EA	OP. 0 8	s 57.60
	ALCO OF MINORGONIA HTDORAN CO				
	Mfr. & Type Amerfran #TP-300-G	_			
17	3-in-1 Laundry Soap, As Specified	10	PKG	\$	\$
	Mfr. & Type			_	
	Pack per Case				

PHOENIX TRADING, INC. DBA AMERICARE PRODUCTS, INC. $_{ m PMG^{\circ}28~of~30}$

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price
18	Individually Wrapped Toothbrush	Qty.	MICAS.	CIMCLICE	Total Title
	Standard Length, No Metal Parts NO EXCEPTIONS	72	EA	\$0.12	\$ 8.64
	Mfr. & Type Americane # 173-30	-			
19	Toothpaste 0.85oz, Maximum Security, 144 per case, As Specified, or Equal	52	CASE	\$ 18.82	s 978.64
	Mfr. & Type Amerfresh #TP-085 Pack per Case 144	- -			
20	Thumb Toothbrush Individually sealed, 3" L, 72 toothbrushes/case, As Specified	50	CASE	\$ 64.80	\$ 3,240.00
	Mfr. & Type Amercare # 18-SEC	- .			
J 21	Hand and Body Lotion, 12 oz. All plastic Bottle, As Specified	120	EA	\$ 1.79	\$ 214.80
	Mfr. & Type Amerryesn #LT-15	_			
22	Hand Sanitizer Gel, As Specified	2,400	CASE	\$	\$
	Mfr. & Type	-			
23	Hand Sanitizer, Deb Instant Foam, MUST NOT Contain Alcohol, As Specified or Equal	219	CASE	\$	\$
	Mfr. & Type	-			
24	Clear Top Shower Curtain 36" x 77" with Velcro strips, As Specified, or Equal	204	EA	\$	\$
	Mfr. & Type	_			
25	Velcro Track Tabs for Track Shower Curtain System, CharmTex SXVLTAB, 3/4" Male Velcro Tab, As Specified or Equal	500	EA	\$	\$
	Mfr. & Type	_			
26	Hookless Shower Curtain, 36" x 77", with Snap Closures, As Specified	84	EA	\$	\$
	Mfr. & Type	-			

PHOENIX TRADING, INC. DBA AMERICARE PRODUCTS, INC. 10 of 30

	Item		Est.	Unit of		.
	#	Description	Qty.	Meas.	Unit Price	Total Price
	36	Puncture Protective Neoprene Duty Glove, As Specified, or Equal	29	PR	\$	\$
		Mfr. & Type				
		Submit Product Specifications with bid				
	37	Hair Clipper Cleaning/Disinfecting Spray, 12 - 8 oz. bottles/case, MUST BE non-aerosol, As Specified, or Equal	12	CASE	\$	\$
		Mfr. & Type				
1	38	Individually Wrapped Tampons, 500 per case, As Specified, or Equal	51	CASE	s 43.30	\$ 2,208.30
		Mfr. & Type Premier care #AMT-500				
	39	Individually Wrapped Sanitary Pads, 576 per case, As Specified, or Equal 288/CS	51	CASE	\$ 16.12	\$1,628,12
		Mfr. & Type Amer fresh # AF-288	lore	`		
	40	Shampoo, White Rain Citrus, 12 - 15 oz. bottles/case, As Specified, or Equal	8	CASE	\$	\$
		Mfr. & Type				
	41	Clear Compact Disc Player, As Specified, or Equal	12	EA	\$	\$
		Mfr. & Type				
	42	Earphones for Compact Disc Player, As Specified, or Equal	24	EA	\$	\$
		Mfr. & Type				



RESOLUTION

July 1, 2020

WHEREAS, on May 19, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of GARBAGE AND TRASH REMOVAL for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Waste Management of New Jersey, Inc. 107 Silvia Street Ewing, NJ 08628 (800) 869-5566 Name and Address of Bidder

Meadowbrook Industries, LLC 800 East Grand Street Elizabeth, NJ 07201 (908) 436-1966

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, WASTE MANAGEMENT OF NEW JERSEY, INC. be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Garbage and Trash Removal for the County of Ocean, from date of award through June 30, 2023 a period of three (3) years. The County reserves the right to extend the term of the contract for two (2) additional one (1) year periods by mutual agreement between the County and the contractor with no increase in base price, as follows:

WASTE MANAGEMENT OF NEW JERSEY, INC. for seventeen (17) items, to wit:

ITEMS NO. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 and 17.

For a Total Lump Sum of \$918,820.56.

- 2. The acceptance made in Paragraph 1. is made with the understanding that the successful bidder will enter into a written contract for the faithful performance of their bid.
- 3. Payments for the services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 4. WHEREAS, funds for services shall be available within the following funding Sources: Buildings and Grounds, Parks Department, Road Department, Solid Waste Management Department O.E.
- 5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-74.
- 6. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Buildings and Grounds, Parks Department, Road Department, Solid Waste Management and Waste Management of New Jersey, Inc. the successful bidder.

Proposal for the furnishing and delivery of GARBAGE AND TRASH REMOVAL for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

()-YES ()-NO


PRICE SCHEDULE

¥4 #	D	Est. Qty.	Unit of	YT	7	la da I Dalla d
	Description ON CATEGORY A	(3 Yrs.)	Meas.	Unit Price	1	Total Price
	ON I - 3 YARD CONTAINER					
$\sqrt{1}$	1 day/every other week	460	EA	\$ 14.39	_\$	6,619.40
17	1 day/week	1,200	EA	\$ 14.39	\$	17,268.00
$\sqrt{3}$	2 days/week	900	EA	\$ 14.39	\$	12,952.59
SECTION	ON II - 4 YD. CONTAINER					
$\int 4$	1 day/week	1,000	EA	\$ 19.18	\$	19,180.00
SECTION	ON III - 6 YD. CONTAINER					
$\sqrt{5}$	1 day/week	960	EA	\$ 28.77	\$	27,619.20
J p	2 days/week	3,360	EA	\$ 28.77	\$	96,667.20
J_7	3 days/week	500	EA	\$ 28.77	\$	14,385.00
SECTION	ON IV - 8 YD. CONTAINER					
J ₈	2 days/week	2,150	EA	\$ 38.36	\$	82,474.00
J9	5 days/week	2,080	EA	\$ 38.56	\$	80,204.80
$\sqrt{10}$	6 days/week	1,500	EA	\$ 38.56	\$	57,840.00
SECTION	ON V - 10 YD. CONTAINER	,	٠	<u></u>		
$\int_{\mathcal{I}^1}$	1 day/week	130	EA	\$ 47.95	\$	6,233.50
J_{12}	2 day/week	88	EA	\$ 47.95	\$	4,219.60
SECTION	ON VI - RECYCLING TOTES - 98 GA	AL. (ROBO C	AN STYL	E)		
\int_{13}	1 day/week	650	EA	\$ 11.77	\$	7,650.50
SECTION	ON VII - RECYCLING - 4 YD. CONT	AINER				
14	3 days/week	468	EA	\$ 11.77		5,508.36

WASTE MANAGEMENT OF NEW JERSEY, INC.

		Est.			Page 41 of 41
_Item #	# Description	Qty. (3 Yrs.)	Unit of Meas.	Unit Price	Total Price
SECT	TION CATEGORY B				- -
SECT	ION I - ROLLOFFS- LEASED				
/15	20 yd. (Transportation Charge Only)	300	EA	\$ 225.00	\$67,500.00
16	30 yd. (Transportation Charge Only)	500	EA	\$ 3,2500	\$112,500,00
/17	Allowance for Disposal Fees				
	(including taxes)				\$300,000.00
	тот	AL LUMP SU	J M (Add	Item #'s 1 - 17):	\$918,832.U
	Solid Waste Management Plan. te Management of New Jersey, Inc. herein no (Contractor)	tified Ocean C	ounty of l	nis intent to	
	utilize the following disposal facility or fac	cilities: Ocea	n County	Landfill	
	Print Company Name: Waste Manager Signed: Onald Us Print Name and Title: Donald Weist, Are	est			

Date: 5/5/2020



RESOLUTION

July 1, 2020

WHEREAS, on May 19, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLES: NEW MINI BUSES for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Robert H. Hoover & Sons, Inc. 149 Gold Mine Rd. Flanders, NJ 07836 (973) 347-4210

Alliance Bus Group, Inc. 51 Kero Road Carlstadt, NJ 07072 (201) 507-8500 Name and Address of Bidder

Winner Ford 250 Berlin Road Cherry Hill, NJ 08034 (856) 214-0759

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, ROBERT H. HOOVER & SONS, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Mini Buses for the County of Ocean, for the contract period from date of award through June 30, 2021, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

ROBERT H. HOOVER & SONS, INC. for twelve (12) items, to wit: ITEMS NO. 1, 1a, 1b, 1c, 1d, 1e, 1f, 1g, 1h, 1i, 1j and 1k.

For a Total Lump Sum Award (Items 1-1k) of \$1,047,580.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. WHEREAS, funds for equipment shall be available within the following funding Sources: Transportation Department, Vehicle Services Department O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-78.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Transportation Department, Vehicle Services and Robert H. Hoover & Sons, Inc., the successful bidder.

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL

		COMPLL	ANCE
CHASSIS SPECIFICATION	ONS:	<u>YES</u>	<u>NO</u>
Model Year 2020, or newer Chassis options shall include	Ford E-450 with heavy-duty service package. e, shuttle bus package, preferred equipment group, ont vinyl floor, light convenience group and solar glass.	<u>/</u>	
GVWR: FRONT AXLE REAR AXLE REAR AXLE RATIO WHEELBASE	14,500 lb. minimum 5,000 lb. minimum 9,600 lb. minimum 4.56 158" minimum		
BATTERIES:			
Two (2), 12 volt, maintenance	ce free, 78 amp./750 CCA each shall be supplied		····
sliding tray and stainless stee frame mounted battery. Com must lock into place once rol batteries are easily accessible	ted stainless steel battery box with a stainless steel el slides for the battery on a ball bearing slide in lieu of apartment must be corrosion resistant, side hinged, the tray lled out of compartment in such a manner that both e from above. Compartment shall be weather-sealed. ed in the side battery compartment.	<u> </u>	
BRAKES:			
Front power disc			
Rear, disc, self-adjusting wit	th "hydro-boost"	<u>/</u>	
Cable actuated rear parking l	brake	V	
Anti-lock system		~	
ADA Interlock		<u> </u>	
COOLING SYSTEM:			
	rees F with permanent antifreeze. Nitrate or exceed engine manufacturer's specifications. le for heater cores.	V	
DRIVELINE GUARD:			
Driveshaft guard installed un	nder the vehicle.		

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLI	ANCE
DRIVER'S SEAT:	<u>YES</u>	<u>NO</u>
DRIVER S SEAT.		
Shall be a deluxe OEM high back bucket seat Captain's Chair (no exceptions) with Gray fabric upholstery. Adjustable forward and backward from a seated position, a minimum seat back adjustment of 15 degrees, a head restraint to accommodate 95 percent of the adult male population, and an adjustable lumbar support. The driver's seat to be secured with nuts, bolts and washers or flange headed nuts, and equipped with a 3 point lap and shoulder restraint system with emergency locking retractor for upper torso/pelvic restraint.	<u> </u>	
ENGINE:		
7.3 liter EFI V-8 gasoline engine		
Integral engine oil cooler		
EXHAUST:	,	
Emissions must meet current Federal standards		
Rust resistant muffler		
Exhaust to exit under the rear bumper of the bus, driver side only		
FUEL TANK:		
Minimum 55 gallons, DOT safety approved in compliance with fuel system integrity FMVSS 301, as applicable		<u></u> .
Must have heat shield for fuel tank		-11
INSTRUMENT AND GAUGES:		
Dual tone electric horns, (high & low)	\checkmark	
Voltmeter and Tachometer	<u>/</u>	******
Amp, oil and temperature gauges.	<u>/</u>	
Windshield wipers - intermittent two speed electric, with washer		
Trip odometer	/	
Chassis OEM supplied AM/FM Bluetooth Capable + USB Input radio, system shall have four (4) stereo speakers in the body and one (1) in the driver's door. The speakers shall be premium 5.25" round speakers.	<u>/</u>	

TEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES NO <u>INSTRUMENT AND GAUGES:</u> (CONT'D) · Vehicle will be equipped with a warning light system to activate when the coolant temperature rises above 210 degrees F and if oil pressure falls below 7 PSI **SHOCKS:** Heavy duty, gas-filled commercial type. (2 front, 2 rear) **SPRINGS:** Front: Heavy-duty coil type, front shock absorber and stabilizer bars; Rear: leaf type. Additionally, the rear spring suspension shall be enhanced by the installation of a Mor/Ryde RL suspension. **POWER STEERING:** Full power steering approved by chassis manufacturer with tilt wheel and cruise control. TIRES: Seven (7) each, LT 225/75R16E, radial, all season tires. Single front and dual rear, 16"x 6" steel wheel, with one full size mounted spare furnished and shipped loose. All wheels shall be painted white on both sides, including spare. Rear inner wheels shall be equipped with tire valve extensions Electronic Alignment shall be performed TRANSMISSION: Torqshift 6-speed automatic transmission with over-drive Integral transmission oil cooler. **CAPACITY:** Vehicle capacity: Twelve (12) seated plus two (2) forward facing wheelchair positions. A floor plan shall be submitted with the contractor's bid. The floor plan shall be to scale. The plan as a minimum shall include seat locations,

door locations, wheel housings, aisle, seat spacing, windows, stanchions,

and driver's position. All body dimensions must be listed. Additional floor plans are required for both alternate option revised floor plans 1a(16+2) and 1b(6+4).

ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

		ANCE
	<u>YES</u>	<u>NO</u>
<u>DIMENSIONS:</u>		
Total outside width of 96" minimum Total outside length of 283" maximum Exterior height 118" maximum Interior width 93" at floor and hip level minimum		
Interior height at center aisle 76"minimum Entrance step: 10.5" +/- 1" maximum from the ground Aisle width 14.5" minimum	7	
AIR CONDITIONING:		
Chassis dash front OEM air conditioning shall be installed. Rear passenger compartment air conditioning shall be ACC 67,000 BTU system with TM21 compressor, 25060A013A condenser and 23047B111A evaporator.	1	
The successful bidder will be required to perform a pull down or general air conditioning test procedure: the bus will be soaked to at least 100 degrees F at 45% humidity (minimum) in a controlled atmosphere. (Soaking means the bus must be kept at 100 degrees F and 45% humidity for at least one (1) hour prior to testing). The temperature will be taken at three (3) locations: front, mid and rear within the passenger compartment at three (3) different levels: 12" from the ceiling, 12" from the floor and 12" from the hip line.		
Air conditioning units shall be capable of dropping 15 degrees F within 30 minutes of the "soaked" situation while in high peak idle. All temperature and humidity readings shall be taken at five-minute or less intervals, with a recording thermometer. Computer printouts of readings at 10-minute intervals shall be provided to the County.		
All expenses for this test will be the responsibility of the successful bidder.		
CONSTRUCTION:		
Floor structure of body shall be mounted to chassis with chassis manufacturer recommended rubber mounting blocks to eliminate vibration and increase vehicle life.	$\sqrt{}$	
Body safety cage structure shall be mechanically fastened with advel corrosion resistant structural fasteners and rivets. Roof bows shall be one piece, floor-to-floor, hat section type and shall be made of 16 gauge galvanized steel and insulated with fiberglass. Two 10 gauge aluminum extrusions shall run the full length of the body and be fastened to the roof bow to space the bows.	\checkmark	

ROBERT H. HOOVER & SONS, INC.

Page 30 of 51

ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIAN YES	NO NO
CONSTRUCTION: (CONT'D)		
Window header shall be a 10 gauge aluminum extrusion running the full length of the body and be fastened to every roof bow.	<u>/</u>	
14 gauge aluminum stringers shall be installed along the ceiling extrusion and window headers between each roof bow.	<u> </u>	
Two, 18 gauge steel roll formed structural linear beams shall extend the full length of the bus to reinforce the edges of the roof on both sides and be fastened to each roof bow.	<u> </u>	
Butyl or soprema membrane shall be used as a barrier wherever dissimilar metals are in contact with each other in order to prevent galvanic reaction.	<u> </u>	
The front and rear structures shall be made of 18 gauge steel square tubing protected against corrosion, welded together before installation on the bus to prevent thermal constraint.	<u>/</u>	
Rear structure shall include a 17 gauge steel reinforcement all around emergency door.	<u> </u>	
Front and rear structures shall be mechanically affixed to sub-floor and roof bows.	<u>/</u>	
Interior shall be made of pre-painted 18 gauge aluminum with grey abs trim meeting FMVSS 302.	<u>/</u>	
Below window panels shall be made of 22 gauge aluminum panels hemmed on all sides to prevent injury.		
The interior side walls shall be carpeted below the window panels.		
Interior ceiling panels shall insert into longitudinal aluminum extrusions for perfect alignment and enhanced safety.	<u>/</u>	
The roof end caps, front and rear shall be fiberglass.		
Roof, side walls, front and rear cap, roof bows and stringers shall be filled with 1 ½" fiberglass non carcinogenic insulation material with an R value of 6 or more for superior temperature control and reduce road noise.	<u>/</u>	
Romeo RIM rear bumper shall be supplied and installed. Bumper must have steel anti-ride shield and meet NJMVC requirements for deviated/fixed route service.		
Chassis supplied front bright chrome grille and bumper with license plate holder attached.		

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLI	ANCE
	YES	NO
CONSTRUCTION: (CONT'D)		
Exterior skin (side and roof panels) shall be made with 18 gauge pre-primed 5052 aluminum alloy for superior corrosion protection and paint adhesion.	<u>/</u>	
Side panels shall extend from window sill to below center line of rear axle to reduce the risk of pedestrian under riding.	<u> </u>	 -
Roof panels are to be made two-piece, full body length, securely fastened to roof bows and incorporate a drip rail over windows running the full length of the body.		
Exterior wheel trim 1/8" thick shall be installed over the rear wheels, made of black high quality injection plastic for impact resistance and temperature flexibility.	<u>/</u>	
SAFETY FEATURES:		
Vehicle must be certified FMVS 216 (rollover crash worthiness) and FMVSS 222.		
An 8 inch buffer zone between rear of bumper and rear interior wall must be present to improve safety in case of collision.	<u>/</u>	
16 gauge galvanized steel side impact barrier shall be part of the wall structure on each side. It shall be riveted to sub-floor and extend to the seat cushion to enhance passenger protection in the event of a side impact.	<u>/</u>	
3/16" thick L-shaped steel shall reinforce the side impact barrier in such a way that it's integrated into the seat rail and runs the full length of the body.	$\underline{\checkmark}$	
Floor must be devoid of metal aisle trim or cove molding to prevent tripping hazard. Floor shall be sealed with thermoplastic sealant to prevent water infiltration.	$\sqrt{}$	
ELECTRICAL:		
Alternator shall be chassis OEM supplied single extra heavy-duty 240-amp	<u>/</u>	
Self-canceling directional switch, 4-way warning light flashers to work independently of brake lights.	<u>/</u>	
All lights shall be LED and meet federal FMVSS requirements, mounted with rubber grommets and stainless steel metal screws.	$\sqrt{}$	
One (1) red light above the emergency door and each emergency egress window		
Audio back up alarm	<u> </u>	
Driver dome light	V	

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIA	NCE
ELECTRICAL: (CONT'D)	YES	<u>NO</u>
Emergency door buzzer		
Four (4) interior dome lights located in the ceiling of passenger area, evenly spaced	~	
Two (2) red LED stop and tail lights, left and right rear, round recessed design	<u> </u>	
Two (2) amber LED turn signals, right and left rear, round recessed design		
Two (2) clear LED backup lights, left and right rear, mounted below stop and tail lights, round recessed design	<u>/</u>	
A recessed LED light shall be mounted outside lift area to comply with ADA requirements.	<u> </u>	
3" amber reflectors, front	<u> </u>	
Four (4) 3" diameter red reflectors shall be installed, two located on the rear corners and two on the lower rear face of the bus.	\checkmark	
An interior light to be installed over the entrance door and activated when the entrance door opens.	<u>/</u>	
Stepwell lights, activated when entrance door is opened	<u> </u>	
Three (3) front LED amber cluster lamps		
Three (3) rear LED red cluster lamps	<u> </u>	
Two (2) front LED amber clearance lamps	<u> </u>	
Two (2) rear LED red clearance lamps		
Side mounted LED directional lights		
Electrical switches amperage capacity must exceed the amperage draw		
Fuses and circuit breakers must exceed draw for OEM body and chassis		
Wires are to be function, color and number coded and loomed to prevent rubbing or chaffing. No wiring is to be located under the vehicle engine hood. An "as built" wiring diagram shall be provided along with trouble shooting and maintenance guides. All wiring and connections shall be of a non-corrosive material.	<u> </u>	

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

MATERIAL (CONT. D)	COMPLI	COMPLIANCE	
ELECTRICAL: (CONT'D)	<u>YES</u>	<u>NO</u>	
ELECTRICAL. (CONT D)			
To ease maintenance, wiring for rear accessories must pass through molded PVC service panels above side windows in passenger compartment.			
Automotive fuses must be used on all body connections. All electrical wires must be wrapped or loomed.			
Front directional lamps and headlights supplied by OEM chassis manufacturer			
An LED-type license plate light shall be supplied.			
A master disconnect switch shall be supplied.			
All wiring shall conform to SAE J128 and grommets shall be installed on all metal openings crossed by electric wiring.	_/		
There shall be an electrical compartment located above the driver, with a latched door, containing the body electrical control panel and a 150 amp continuous-duty relay which is activated by the ignition switch and provides electrical current to the body accessories.	<u> </u>		
Electrical compartment door shall have a hold open device to ease maintenance.	$\sqrt{}$		
Circuits protected by ATO type fuses in close proximity to batteries to protect body.	<u>/</u>		
The body electrical control panel shall consist of fuses and relays.	1		
Extra wiring shall be installed as a provision for driving help (tablets, etc.)	1	****	
The entrance door and a LED type step well light should only be operational when vehicle engine is either running or ignition is in accessory mode.	<u> </u>		
Switch panel shall be located to the right of driver, integrated onto OEM supplied engine cover console and must not impede driver visibility.	<u>/</u>		
Switch panel shall include back lit rocker type switches with integrated pilot light, controlled by OEM chassis dimmer switch.	/		
EMERGENCY DOOR:			
The emergency door shall have a clear opening of 33" x 53". A 2" RED decal reading "EMERGENCY DOOR" to be applied to the outside and "EMERGENCY EXIT" to be applied to the inside. An emergency door warning buzzer to be provided to indicate when door is unlatched. The door shall include an upper and lower glass panel, tinted. The door shall be padded with a 3" wide head pad. A RED door light shall be mounted over the door.	V		

Page 34 of 51

/ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIAN	<u>ICE</u>
EMERGENCY DOOR: (CONT'D)	<u>YES</u>	<u>NO</u>
EMERGENCI DOOK. (CONT D)	/	
The door hinges shall be stainless steel.		
Three-point slide bar latch system, with anti-hitch exterior handle		
New Jersey State approved vandal lock system, including starter interrupt, shall be provided.	_/	
Rear emergency door equipped with stainless steel piano hinges.	<u> </u>	
Rear emergency door must be equipped with a telescopic retainer with the dual purpose of locking the door open, and preventing from hitting the rear of the bus or any protruding lights upon opening.		
ENTRANCE DOOR:		
Service entrance door shall be electrical in operation . (driver operated)	$\underline{\hspace{0.1cm}}$	
The entrance door shall be double leaf, "big bus" style outward opening, with a two step entrance. It shall be at minimum, 77" high and 32" wide, door must open to its fullest width. There shall be one window in each leaf for greater visibility measuring at minimum 74 ½" x 13", with tempered AS-2 safety glass. The electric door mechanism shall be installed in the top portion of the door header. The control switches must not obstruct the view of the loading zone. When closed, the mechanism shall ensure a positive locking of the mechanism so as to avoid strain to the electric motor. A red release mechanism shall be located in the top portion of the door header. Sealed bearings shall be used for the door panels in order to eliminate periodic greasing. Articulations of the header mechanism shall be designed to eliminate periodic greasing.	n	
There shall be a red release mechanism to be able to manually operate door in case of electric door failure or emergency.	<u> </u>	
Two switches shall be installed for the operation of the entrance door. One rocker type switch on the driver console and one weatherproof key switch outside next to entrance.	$\sqrt{}$	
A padded entrance door header shall be installed.		
Entrance step shall be ten $(10.5 +/- 1)$ inches from the ground with seven (7.5) inch risers for safer and easier passenger entrance and egress.	/	

Page 35 of 51

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO

FLOOR STRUCTURE:

Longitudinal "C" shaped sub frames shall be mounted to the OEM chassis frame rails using a double action energy-absorbing soft mount system. The sub frame shall be made of 10 gauge G90 galvanized steel. Transversal "C" sections of floor shall be made of 14 gauge G90 galvanized steel linked with "L" shaped cross-members and fastened to the sub frame. All passenger seats shall be fastened to floor and/or reinforced side impact barriers. The sub-floor structure shall be made of 10 gauge galvanized steel ladder frame, which shall extend the full length of the floor.

Longitudinal "C" members shall be mounted to the OEM chassis frame rails using double action energy-absorbing soft mount system. Transversal "C" sections of floor shall be made of 0.060" 5052-H32 aluminum or 14 gauge A653 G90 linked with "L" cross members to the sub-floor structure. "Belly pan applied directly to plywood between the cross member shall be in no way acceptable. All passenger seats shall be fastened to 14 gauge G90 galvanized steel reinforcement channels and/or reinforced side impact barriers. An exterior grade 5/8"4 ply plywood floor is to be supplied over 14 gauge steel. When a lift door is installed, outriggers shall be welded or bolted to the actual OEM frame in order to prevent structural deformation of the OEM chassis. An anti-torsion bar shall be positioned and installed in such a manner as to prevent deformation of OEM chassis frame rails when operating the wheel chair lift.

SUB-FLOOR ASSEMBLY:		
Steel floor sheets shall be placed above the actual floor structure. Insulating tape shall be placed between the floor sheets and floor structure. Carbon steel rivets shall be used to attach the floor sheets to the floor structure, with a zinc coating if used in conjunct with an aluminum floor. All welds shall be coated with a self-etching primer. All overlated of floor sheets shall be sufficiently sealed in order to prevent the infiltration of vehicle emissions and exterior elements.		
FLOORING:		
Floor shall be 5/8" 4 ply plywood screwed on 14 gauge galvanized steel over substructure of 10 gauge galvanized steel.	· <u>/</u>	
Sound deadening rustproof insulator shall be applied between steel structure and plywood.	<u>/</u>	
Floor covering shall be 2.7MM non-slip Altro flooring, color "Chroma Cyber", including top of wheel housings. All seams must be welded.	/	
All exposed edges shall be sealed, making flooring completely water proof along all seams and edges, eliminating need for aisle trim.	1	
Floor shall be devoid of aisle trim to eliminate tripping hazard. No metal coving will be accepted.	_/_	
Black insulated rubber mat supplied by chassis manufacturer shall be installed in driver Area.		
Yellow line shall clearly define the limit between passenger and driver area.	\checkmark	

ROBERT H. HOOVER & SONS, INC.

Page 36 of 51

TEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

EMERGENCY WINDOWS:		
Two pushout windows per side shall be installed; four total. Pushout window latches must be durable and able to withstand the rigors of transit use. Bidders may be asked to submit samples of proposed pushout window handle designs for the County's approval prior to award. Each window shall have a red light over each emergency window. Windows must meet FMVSS#217.	<u>/</u>	
ENTRANCE HANDLES/STANCHIONS/GRAB RAILS:		
Yellow painted grab handles shall be placed at entrance area on the left side and on the right side parallel to the steps and a yellow handrail shall be mounted on the forward and rear leaf of the entrance doors. Hand holds in the entrance area are required to have a textured and knurled design or finish to assist against hand slippage. The right side (forward) step handrail shall be fastened to the body at approximately the middle of the front bulkhead and the lower fastening point shall be approximately at the upper step. The single piece piping shall be curved to minimize encroachment into the path of the passengers as they board or disembark but be located so as to provide easy hand-hold access.	<u>/</u>	
Two (2) steel grab rails running the length of the vehicle shall be installed in the ceiling attached to roof bows for increased strength and safety.	<u>/</u>	
Two (2) floor to ceiling stanchions with a cross guardrail shall be located behind the driver's seat and behind the step well. Both stanchions shall have a knurled finish. There shall be vinyl covered, color coordinated modesty panel attached to these assemblies.	/	
All stanchions and grab rails must meet NJMVC requirements for deviated/fixed route service.		
All piping, cutcheons and hangers, and hardware must be of transit grade quality, machine bended with smooth finished edges on the complete assemblies including fasteners.	<u>/</u>	
ENTRANCE STEPS:		
The entrance steps shall be the same Altro flooring "Chroma Cyber" 2.7MM thick, with yellow Altro Step Nosing. The ground to first step shall be at 10.5" +/- 1" maximum	_	

A standee line shall be inset between the stanchions at the front of the seating area using the same yellow Altro flooring used in the nosing.

Page 37 of 51

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES <u>NO</u> **GLASS:** Windshield: One piece tinted, OEM. Emergency Door: Rubber mounted glass in top and bottom halves of door. Door will have an upper window of 625 square inches of glass and a lower window of 360 square inches of glass. Entrance Door: Shall be double, outward opening "full view", "big bus" style. The door shall be electrically operated by driver. Glass area to have a minimum of 1,800 square inches of area, tinted and bonded to prevent water infiltration. WINDOWS: Side windows: The side passenger windows are to be t-slide thermal windows. T-slide area shall be $27 \frac{1}{4} \times 6 \frac{3}{8}$ and the lower glass area shall be $28 \frac{1}{4} \times 24 \frac{1}{4}$, pushout dimensions measure 26 x 33. T-slides shall be dark tint (26%), lower glass shall be thermal tempered AS-3 tinted safety glass. Windows are to have black frames. The emergency windows shall have an alarm that warns the driver if the release mechanism is activated and a window is opened. Four pushout windows shall be included, two per side. Rear Windows: Shall be located on the rear wall beside the emergency door on each side, measuring 450 inches square each window. More-view-Window: Shall be located in the transition panel forward of the entrance door. This one-piece window shall be installed in a molded fiberglass panel finished with flush fasteners so minimal seams are apparent. Observation Window: A full length and height observation window shall be installed in the front roof cap to add light to the interior and provide additional exterior vision for the passengers. All windows shall be weatherproof with neoprene gaskets and sealant. **HEATERS:** The front heater shall be maximum size offered by the chassis manufacturer, and controlled from driver's seat. Two (2) rear heaters shall be installed for at a minimum of 62,000 BTU, hot water recirculating type. One 42,000 BTU heater shall be mounted under the second seat

on the right side and a 26,000 BTU heater located on the left side rear wall.

Page 38 of 51

TEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES **HEATERS:** (CONT'D) Left side heater must not interfere with wheelchair securements. A separate switch shall be provided for each rear heater. Two shut-off valves shall be installed for rear auxiliary heaters, under body on left side of vehicle and immediately behind driver compartment. Defroster shall be sufficient capacity to be able to keep windshield clear of fog. ice and snow. A caged fan shall be provided in the driver area to supplement windshield defrosting. All heater motors and switches shall be two speeds. **MANUALS:** Wiring: A body manufacturer's "AS BUILT" wiring manual shall be supplied with each bus delivered. Operations: A body manufacturer's operations manual and parts book shall be supplied with each bus delivered. Components: Air conditioner, wheelchair lift, wheelchair tie down, and other component operation manuals shall be supplied at delivery. <u>Chassis:</u> One owner's manual and complete set of chassis service and parts manuals or same capability within OEM Diagnostic Software shall be supplied in CD or DVD format manual set. MIRRORS: Exterior Mirrors: Shall be Rosco. Rosco AccuStyle 8" x 15" (heated and remote) heads, each with two glasses, one flat 7" x 9 1/2" and one convex 7" x 4". One mirror mounted on driver's door left hand side with E-Z brackets and one on the right hand side truck fender. Mounting arms shall be black painted steel. The switches to activate remote coils in mirrors and heating function shall be located in driver's area. A timer cutting the heat function after 12 minutes shall be installed. Interior Mirrors: Shall consist of an OEM windshield mounted rearview mirror and a 6" x 16" minimum padded edge interior mirror.

Six (6) sets of keys, (ignition, door locks and vandal lock) to be supplied at delivery.

MISCELLANEOUS:

Page 39 of 51

ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D) **COMPLIANCE** YES NO MISCELLANEOUS: (CONT'D) Mud flaps, black rubber, (2) front and (2) rear, shall be supplied. Driver's side aluminum running board with black e-coating shall be installed under the driver door providing easy access to the driver compartment. (2) Rear tow hooks shall be supplied. Heavy-duty oil filter and heavy duty air cleaner. Chassis custom slim line engine cover that allows increased driver access shall Include a cup holder. An integrated driver control body-switch panel shall be supplied. Auxiliary heater and air conditioner connection package. Regularly used switches shall be located below seated driver's eye level in the console mounted on the custom slim line engine cover. All switches must be permanently labeled and back lighted. Exterior gravel shields installed on lower front of body on each side, made of thermosplastic olefin elastomer, 12" high and flanged 3.75" under body for additional protection from road debris. A water test shall be performed to certify that each window, rivets and body joints

are water tight. Certification to be supplied with each vehicle at time of delivery.

An acrylic document holder of 9" x 6" shall be installed on the front bulkhead.

Glove box of 700 cubic inch capacity to be located under the right portion of the chassis

Wheelchair securement storage bags mounted at rear of bus

Registration holder mounted above driver

Dashboard with 1/4 turn latching access door.

Static roof vent shall be installed.

Sun visor shall be installed, left side above driver.

Page 40 of 51

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

(50.112)	COMPLIAN	<u>CE</u>
DAINTING I ETTEDING AND CDANTIGG.	$\underline{\mathbf{YES}}$	<u>NO</u>
PAINTING, LETTERING AND GRAPHICS:		
Exterior of bus shall be painted with Oxford White Heat Cured Paint. The body shall be painted with acrylic urethane paint, using a hot sprayed on baked enamel process. The aluminum shall be pre-primed and the entire exterior hand sanded before painting. The vehicle shall then be final washed and primed. Two coats of acrylic urethane shall be applied and air dried. Gelcoat finishes are not considered and approved equal to this paint process and will not be accepted.	<u>/</u>	
Interior walls and ceiling shall be painted white with heat cured paint.		
The window panels and lower window sills completely surrounding the side windows, 2" above and below shall be black ("window blackout paint"). The galvanized steel shall be pre-primed and the exterior hand sanded before painting. The vehicle shall then be final washed and primed.		
High performance vinyl providing a guaranteed seven year life or equal shall be used.		
Lettering to be applied on sides, front and back per the County's direction at time of order.		
Lettering as required under the ADA shall be supplied.		
Emergency exits shall be lettered in accordance with State and Federal regulations. This requirement includes windows and doors.		
Exterior height of vehicle, including emergency hatch if applicable, shall be posted in clear view of the seated driver.		
A high quality premium vinyl shall be used to stripe and letter each bus. The buses shall be striped exactly like the present Ocean County graphic scheme Including contra-vision and double shading.		
The words "Gasoline Fuel Only" shall be installed on or above the fuel port door and above the fuel gauge.	<u>/</u>	
Emergency exits and ADA signage shall be lettered in accordance with State and Federal regulations. Two (2) ADA handicap decals shall be supplied. One shall be placed on the side lift door and one on the rear		

door of the bus.

Page 41 of 51

ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO

MOBILE RADIO PRE-WIRE:

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12 VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.

2. #12 AWG BLACK wife connected to chassis ground.		
3. #16 AWG YELLOW wire connected to 12 VDC Ignition Sense rated at 5 A	mp's.	
These wires shall be encased in plastic wire loom and routed from their source into the of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clabeled "TWO-WAY RADIO". The wires shall be unterminated. The 12 VDC sources be protected from making contact with grounded metal surfaces.	early	
SAFETY EQUIPMENT:		
5 lb Fire extinguisher, triangle road reflectors, body fluid/spill kit and a 24 unit first aid kit shall be provided. The fire extinguisher and triangles shall be mounted at floor level or lower, the first aid kit shall be mounted on the wall behind the driver.		
Three seat belt cutters for use in emergencies. Cutter shall be designed to prevent injuries during use and be secured in a safe location, one in the driver's area and one located in the lift area. Specific locations to be determined after bid award.	_	
SEATS:		
Seats will consist of 3 rows of 36" seats on the right side and 3 rows of 36" seats on the left side.	<u>/</u>	
Seats shall be Freedman Commercial, Feather Weight Mid-High Model double seats, Freedman USR, Aisle US arm rest and pillow top.	_	
Seat shall be covered entirely with Level 3.5 Vinyl. Inserts shall be Medallion Keops Az Trim - Trop Azul, seat bottoms shall have a pillow top cushion sewn in to each seat.	zul,	
All seats are to have under-seat retractable (USR) belts.		
All seats are to have padded grab handles mounted on the seat tops.	/	
Two (2) 12 inch seat belt extenders shall be supplied.		
All seats are to meet all applicable Federal specifications including FMVSS 210 standards. Each seat shall be mounted with a minimum of 3 bolts in the floor assembly and a minimum of 2 bolts in the seat rail.		
Bidders shall include a detailed (dimensions) floor plan with their bid submissions including all dimensions for seat spacing and wheelchair locations.		

Page 42 of 51

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS
MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

IIIIII DOS, AS STECTIES, OR EVERE (CONT. D)	COMPLIAN	CF
	YES	NO NO
STANCHIONS, GUARDRAILS AND MODESTY PANELS:	<u> </u>	<u></u>
There will be two (2) 75" stanchions, guardrails and modesty panels (The modesty panels are to be covered with gray vinyl). They are to be located behind the entrance step well and the driver. Modesty panels must be secured to a frame support and not the headliner. No speed nuts.	<u>/</u>	
Bus will be built with 75" headroom minimum.		
There shall be black pads on stanchion.		
Modesty panels shall be installed in front of each row going the full width of seats.		
There shall be a full height Plexiglas panel from top of modesty panel to ceiling and from sidewall to stanchion, behind driver.	<u>/</u>	
UNDERCOATING/RUST PREVENTION:		
The entire underside of the body, including but not limited to; floor, skirts, wheel housings, sub-floor structure, rear bumper mounting brackets and braces shall be coated with rust-proofing material that meets the requirements of Mil-C-62218-92 Rev A for salt spray resistance (5% salt and 1000h), abrasion resistance and fire resistance.	<u>/</u>	
Care must be taken to be certain no water drain holes designed into the body are clogged with the undercoating material.		,,
WARRANTY:		
New vehicle limited warranty should be at a minimum:		
Bumper to Bumper, chassis - Three (3) years/36,000 miles		
Corrosion - Five (5) years/unlimited miles	<u> </u>	
Body installation, assembly and structure - Five (5) years/100,000 miles	<u>/</u>	
Bidder to supply copies of warranties as supplied with bid including air conditioning, chassis, body, and lift components.	<u>/</u>	
A set of air filters, oil filters and belts ("AS BUILT") shall be delivered with each vehicle. If aftermarket belts are used; the same belt shall be supplied upon delivery.		

Page 43 of 51

ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO

WHEELCHAIR LIFT:

A fully automatic Braun NCL1000FIB3454HB-2 Century ADA wheelchair lift with hand held control pendant shall be located behind the rear axle on the curbside of the bus, meeting all ADA and FMVSS 403/404 requirements. Lift shall have a minimum useable platform width of 34" and length of 54". A manual switch shall be installed to prevent operation of the lift until the doors are open. The lift shall have a rated lifting capacity of 1,000 pounds minimum. The body manufacturer shall use a 2" galvanized square tube, 13 ga. steel, surrounding the wheel chair lift mounting area. A 3/16" thick steel plate shall be welded to the steel tube and floor structure to form a solid structure for supporting the lift. Galvanized metal is formed to create a pan and placed onto the flat steel plate. A vinyl backer is adhesively bonded to this platform for noise reduction and insulation. Aluminum trim is the mechanically fastened to the platform and surrounded for a clean finished look.

WHEELCHAIR LIFT WARRANTY:

Five (5) years, unlimited	miles		
100% parts and labor or i	manufacturer's warranty,	whichever is lon	ger

WHEELCHAIR LIFT DOOR:

The wheelchair lift doors shall be located on the curbside, behind the rear axle.

Door shall be 2 leaf-style doors and measure 43.5" x 68". Glass in each door shall be tinted. Door must open fully to an angle of 180 degrees. The lift door shall contour to the roof line of the bus for a smooth appearance. A roof dormer is not acceptable.

Two International accessible decals shall be applied on the exterior. A gas spring shall be installed on each door leaf to prevent the lift doors from hitting the outward opening entrance door or closing prematurely. There shall be a dash mounted pilot light indication when the lift door is open.

LED lights shall be mounted on the interior roof panels directly over the lift entrance and outside of the bus just below the lift door.

Wheelchair access door hinges shall be heavy-duty type and offer six (6) way adjustments, hinges shall be easily accessible for adjustment.

The required Altro Transfloor must be level over this area. There shall be a dash-mounted "Door Ajar" light that illuminates when the lift door is open (door ajar warning).

TIE DOWN AND RESTRAINT SYSTEM:

<u>Wheelchair Securements:</u> Two forward facing tie-down systems that have been crash tested at 30mpg/20g shall be provided in the front and mid section of the bus and at the rear wall of the vehicle next to the lift. The Q'Straint QRT Max model Q-8300-A1 systems or equal shall include "J" hook ends with adjustable and retractable lap/shoulder combo.

Page 44 of 51

ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO

TIE DOWN AND RESTRAINT SYSTEM: (CONT'D)

Flanged "L" track shall be installed	d horizontally across the width of the vehicle and
recessed flush with the floor. This	shall provide two securement locations in
compliance with ADA. The belts	shall attach to "L" track Floor Anchor fittings.
'L' tracks shall be 52 inches apart,	center to center, minimum. The location of entire
system shall be discussed with Con	unty, successful bidder, tie down system manufacturer
and installer at time of bus order.	•

A	12 inch and a 20 inch lap belt extension shall be included	aded, i	model :	# Q5-6340-	-12-INT
&	# Q5-6340-20-INT, one each per bus.				

Two	storage	pouches	shall b	e installed	securely	for	wheelchair	restraint	belts	mounted
on th	ie wall i	n the who	eelchai	r area.						

INTERLOCK:

Vehicle shall be equipped with a lift interlock system, meet ADA and FMVSS 403/404 regulations. Training shall be provided to cover all aspects of the interlock system. (See below <u>Service Training</u> section)

DELIVERY:

The vehicle shall be delivered complete within 180 days of the date the Purchase Order is issued. Up to three (3) representatives of Ocean County may conduct initial specification inspection and review at manufacturer's location prior to shipment. All units not delivered within said time frame shall be assessed a penalty of \$100.00 per day per unit post delivery date due. Penalty shall be deducted from the purchase price of the unit or units not delivered in a timely manner.

Vehicles shall be delivered with no less than ¾ of a tank of fuel.

LICENSE AND REGISTRATION:

Vehicle shall have Special Paratransit License Plates "OP" installed and vehicle registration to the County of Ocean at time of delivery. All necessary NJMVC safety inspections shall have been completed prior to delivery of bus to the County.

Page 45 of 51 MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS

MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)	COMPLI	ANCE
	YES	NO
SERVICE TRAINING:		
The successful bidder shall be available for training on or about the day of delivery in order to instruct County personnel on the proper operation and maintenance of the vehicle, in addition an authorized technician from lift manufacturing company shall supply one day training for maintenance and supervisory personnel.	<u>/</u>	
The successful bidder shall provide training for the Interlock System.		
SERVICE FACILITY:		
The bidder shall have a manufacturer approved service facility within <u>75 miles</u> distance of the County's garage and have mobile service and parts delivery program to be utilized for minor repairs or service during the warranty period.	<u> </u>	
If repair cannot be performed through mobile service bidder shall have available and provide pick-up service for off-site warranty covered repairs during the first year of warranty and provide such service within seven (7) working days of warranty repair notification.	<u>/</u>	
Bidder shall be able to handle all body, chassis and component warranty.		
The bidder is required to indicate below the closest authorized body and body component to our location. If a facility's name and address is different than the bidder's, a letter facility dated within three weeks of the bid opening and must accompany the bid indicating body manufacturer, all bus component manufacturers and the bidder to perform warrant The facility must be within 75 miles of the County Garage. HOOVER BUS CENTERS 1784 ROUTE 9 TOMS RIVER, NT OB755	from the oving it is autho	wner of that rized by the
Have you attached required authorization letters to your bid?YesNo	X _N/A	
MOBILE SERVICES:		
Bidders shall have a mobile training, repair and parts delivery program to be utilized for training, minor repairs or service during the warranty period. Proof of such a program shall be provided with the bid. (Photos of bidder's equipment, agreements with outside mobile agencies are accepted examples of proof to be provided.)	<u> </u>	
At the time and date of the bid opening, bidders are required to hold a current New Jerse license (N.J.S.A. 39:10-19). The State issued I.D. number shall be indicated in the blank	y issued deal below.	ler's
ID Number of MI Declare' License 22 1451 AS		

Page 46 of 51

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO

OPTIONS:

Revised Floor Plan: 16 Passengers Plus 2 Wheelchair Position Options

The 16+2 wheelchair option shall include the same seating options as the 12+2 specification; aisle side arm rests, under seat retractable seat belts pillow top cushions and top grab handles mounted on each seat top. Four (4) Freedman Feather Weight Mid-High double seats shall be installed on the each side of the bus. The seat spacing on the driver's side shall be a minimum of 32" and the distance from the stanchion to the first seat bottom shall be a minimum of 13". The seat spacing on the curb side shall be a minimum of 32" and the distance from the stanchion to the first seat bottom shall be a minimum of 13". This seat shall be covered with Level 3.5 Vinyl, Inserts - Medallion Keops Azul with Trim - Trop Azul, seat bottoms shall have a pillow top cushion in each seat. Wheelchair positions shall be positioned in the rear of the bus adjacent to the wheelchair lift. The "L" tracks shall be recessed in the floor with a minimum distance of 52" between the two tracks center to center.

A floor plan shall be submitted with the contractor's bid. The floor plan shall be to scale. The plan as a minimum shall include seat locations, door locations, wheel housings, aisle, seat spacing, windows, stanchions, and driver's position. All body dimensions must be listed. Bumper shall be standard Micro Bird steel Bumper made of 3/16" thick steel with a height of 9 ½ inches.

This floor plan shall include a rear positioned wheelchair lift.

Revised Floor Plan: 6 Passengers Plus 4 Wheelchair Position Options

The 6+4 wheelchair option shall include the same seating options as the 12+2 specification; aisle side arm rests, under seat retractable seat belts and top grab handles mounted on each seat top. Two Freedman Feather Weight Mid-High double seats shall be installed on the curb side and two Freedman Feather Weight Mid-High single seats shall be installed; one on each side of the bus near the wheel wells. Seat spacing on the curb side shall be 34" minimum. The distance from the stanchion at the entry door to the bottom of the first seat shall be a minimum of 16". This seat shall be upholstered with Level 3.5 Vinyl, Inserts – Medallion Keops Azul with Trim - Trop Azul, seat bottoms shall have a pillow top cushion in each seat. Wheelchair positions shall be positioned in the rear of the bus adjacent to the wheelchair lift. The "L" tracks shall be recessed in the floor with a minimum distance of 52" between the two tracks center to center.

A floor plan shall be submitted with the contractor's bid. The floor plan shall be to scale. The plan as a minimum shall include seat locations, door locations, wheel housings, aisle, seat spacing, windows, stanchions, and driver's position. All body dimensions must be listed.

This floor plan shall include a rear positioned wheelchair lift.

NOTE: ONE STEEL GRABRAIL ON CEILING DUE TO INTERFERENCE WITH CENTER WHEELCHAIR OCCUPANT RESTRAINT.

	ROBERT H. HOOVER & SONS, INC. M #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEEL	<u>CHAIR</u>	Page 47 of 5 POSITIONS
IVLEN	II-BUS, AS SPECIFIED, OR EQUAL (CONT'D)	COMP	LIANCE
ОРТ	CIONS: (CONT'D)	<u>YES</u>	NO
/	TONS. (CONT D)		
√1C.	3-Step Forward Facing Flip Seat Provide a price for a 3-step forward facing flip seat to be installed in the rear left side of the bus. This seat shall be upholstered with Level 3.5 Vinyl, Inserts – Med Keops Azul with Trim - Trop Azul, seat bottoms shall have a pillow top cushion is each seat. Seat shall have under seat retractable seat belts, top grab handles and an aisle side US flip up armrest. Provide a floor plan with your bid submittal. The 12+2 floor plan shall include one foldaway seat and the 16+2 floor plan shall include two foldaway seats in the rear.		
/ _{1D.}	Front and Side Lighted Destination Signs Front and side lighted destination signs with electric roller curtains and 25 colored destinations silk screened on each of the roller curtains.	<u> </u>	·
√ 1E.	Specialty Lo-Pro Roof Hatch Model # 9215-0200.	<u>/</u>	
√1F.	Stop Request Sign Front mounted with yellow chime pull cord, ADA approved. A system shut-off switch is to be installed in the driver's area. A touch tape chime shall be located at each wheelchair position.	<u>/</u>	
/1G.	Public Address System.	~	
/1H.	A Diamond Fare Box Model XV COMPLETE Manufacturer # XV000 with cabinet lock, vault lock, post lock, Diamond floor stand/lock, four sets of keys and eight mounting bolts shall be supplied and installed.		
√1I.	A 4" White Rubber Recessed Floor Sign Sign shall be a 4" recessed in the floor sign at the front aisle mounted on the front bulkhead that reads "Do not stand forward of the white line while the bus is in motion".		<u></u>
√ _{1J.}	Diagnostic Tools / Test Equipment		
	1. Successful bidder may be required to supply between one (1) to three (3) complete sets of test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine,		

transmission, brakes, hydraulics, and all additional equipment (if applicable).

2. All laptop computers will be of the newest available technology and have

sufficient storage and memory to operate all required software.

Page 48 of 51

<u> ITEM #1 – MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS</u> MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES <u>ÓPTIONS:</u> (CONT'D) Diagnostic Tools / Test Equipment (Cont'd) 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. **Technical Support** Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation in a classroom setting. The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification. Technical support may be requested in the following areas: 1. Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location. 2. Transmission – 1 day at each location 3. Electrical - 1 day at each location 4. Brakes – 1 day at each location 5. Wheelchair lift system – 1 day at each location 6. Hydraulic system (dump body, spreader, snow plow) – 1 day at each location 7. Upfitter (dump body, sweeper, etc.) -1 day at each location A technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder. For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel. Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled. Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for

proper coverage.

Page 49 of 51

ITEM #1 - MODEL YEAR 2020 OR NEWER, (12) AMBULATORY + (2) WHEELCHAIR POSITIONS
MINI-BUS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE
YES NO

<u>ØPTIONS:</u> (CONT'D)

1K. <u>Technical Support</u> (Cont'd)

Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative:

- a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm)
- b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050

Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location.

Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.

Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.

Proposal for the furnishing and delivery of MOTOR VEHICLES: NEW MINI for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(X)-YES

()-NO

PRICE SCHEDULE

		IKICE	SCHEDO!	<u> بالب</u>		
Item#	Description	Qty. Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price (Use Max Qty.)
$\sqrt{1}$	Model Year 2020 or Newer, (12) Ambulatory and (2) Wheelchair Positions Mini-Bus, As Specified, or Equal	1	10	EA	\$85,366.00	\$853,660.60
	Year, Mfr., Model: 2021, Mick	OBIRDI	GIRARDIA	1.65		
	Engine: 7.3L FORD V-8		12	,		
	Transmission: 6-SPEED AUTO	MATIC				
	Delivery, A.R.O.: /8日 DAYS					
	Warranty: AS SPECIFIED W 2	810				
	REMARKS:					
1	OPTIONS:					
√la	Revised Floor Plan: 16 Passengers					
	Plus 2 Wheelchair Position Options,					
	As Specified					
/	(circle(ADD) or DEDUCT)	1	10	EA	\$1807.00	\$18,070.00
✓lb	Revised Floor Plan: 6 Passengers				•	•
	Plus 4 Wheelchair Position Options,					
/	As Specified		10	T. 4	. O7 CAA	-0751M
/1.	(circle ADD or OEDUCT)	1	10	EA	\$-075,00	<u>s-8,750.00</u>
V IC	3-Step Forward Facing Flip Seat Installed in Rear Left Side of Bus,					•
1	As Specified	1	10	EA	\$1225 AD	\$ 12 258 BO
\int_{1d}	Front and Side Lighted Destination	1	10	LA	37,020,00	\$ 12,250.00
1	Signs, As Specified	1	10	EA	\$ 6.9/0.00	\$69,100.00
√le	Specialty Lo-Pro Roof Hatch	-				
1	Model #9215-0200, or Equal	1	10	EA	\$ 520.00	\$ 5,200.00
J_{1f}	Stop Request Sign, ADA Approved,					
	As Specified	1	10	EA	\$1.445.00	\$ /4,450.00 \$ 3,150.00
$\sqrt{\chi_{\rm g}}$	Public Address System	1	10	EA	\$ 315.00	\$ 3/50.00
$\sqrt{1h}$	Diamond Fare Box					
	Model XV COMPLETE,					
	Manufacturer # XV000,				مد ر ،	
	As Specified	1	10	EA	\$1,605.00	\$16,050.00
					-	


Page 51 of 51

Iţem #	Description	Qty. Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price (Use Max Qty.)
√ li	4" White Rubber Floor Recess with Sign, As Specified	1	10	EA	\$ 80.00	\$ 800.00
√lj	Diagnostic Tools/Test Equipment, As Specified	1	3	EA	\$ 3,200.60	\$ 9,600.00
$\sqrt{1k}$	Technical Support, As Specified	1	180	HR	\$ 300.00/HR	\$ 54,000.60
		TOTA	L LUMP	SUM (Add	Item #'s 1-1k):	\$1,047,580.00

VENDOR SHALL SUBMIT FLOOR PLANS WITH BID

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

VENDOR TO INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL



RESOLUTION

July 1, 2020

WHEREAS, on May 27, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of JANITORIAL SUPPLIES for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Simplify Chemical Solutions, Inc. 110 3rd Avenue Belmar, NJ 07719 (732) 740-2539

CooperFriedman Electric Supply Co., Inc. DBA Cooper Electric 1 Matrix Drive Monroe, NJ 08831 (908) 296-7441

Blue Star of NJ, Inc. 1553 Delsea Drive Deptford, NJ 08096 (856) 848-4236

Acuity Specialty Products, Inc. dba Zep Sales and Service 3330 Cumberland Boulevard, Suite 700 Atlanta, GA 30339 (877) 428-9937

Salisbury Labs 1614 Bay Ave. Bay Head, NJ 08742 (732) 604-3445

Y-Pers PO Box 955, 5622 Tulip St. Phila, PA 19124 (215) 289-6507

United Sales USA Corp. 185 30th Street Brooklyn, NY 11232 (718) 709-5900

Joseph Gartland, Inc. dba Beautiful Rags 80 W. Browning Rd. Bellmawr, NJ 08031 (856) 931-7100

Name and Address of Bidder

South Jersey Paper 2400 Industrial Way Vineland, NJ 08360 (800) 232-6927

Mivila Foods 226 Getty Avenue Paterson, NJ 07503 (973) 278-4148

General Linen & Paper 2104 Bridge Ave. Pt. Pleasant, NJ 08742 (732) 295-3600

ConServ Flag Company 1003 Illinois St. Sidney, NE 69162 (308) 254-4720

Bio-Shine, Inc. 190 Summerhill Road Spotswood, NJ 08884 (732) 251-9506

Klean Com LLC 3048 South Broad St. Hamilton, NJ 08610 (609) 298-8925

Spruce Industries, Inc. 759 E. Lincoln Ave. Rahway, NJ 07065 (732) 388-9091

Office Basics 22 Creek Circle Boothwyn, PA 19061 (610) 471-1000

Name and Address of Bidder

W.B. Mason Co., Inc. 300 Prospect Plains Road Cranbury, NJ 08512 (888) 926-2766

The Home Depot Pro 804 East Gate Dr. Ste. 100 Mt. Laurel, NJ 08054 (609) 412-2700

General Chemical & Supply, Inc. 858 N. Lenola Rd. Unit 1A Moorestown, NJ 08057 (856) 778-5550

Name and Address of Bidder

A & M Industrial, Inc. 37 W. Cherry St. Rahway, NJ 07065 (732) 574-1111

SiteOne Landscape Supply 1385 East 36th Street Cleveland, OH 44114 (216) 706-9250 ext. 2

Imperial Bag & Paper Co., LLC 255 Route 1 & 9 Jersey City, NJ 07306 (201) 437-7440

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely, SIMPLIFY CHEMICAL SOLUTIONS, INC.; SOUTH JERSEY PAPER; COOPERFRIEDMAN ELECTRIC SUPPLY CO., INC. DBA COOPER ELECTRIC; MIVILA FOODS; BLUE STAR OF NJ, INC.; GENERAL LINEN & PAPER; ACUITY SPECIALTY PRODUCTS, INC. DBA ZEP SALES AND SERVICE; CONSERV FLAG COMPANY; SALISBURY LABS; BIO-SHINE, INC.; Y-PERS; KLEAN COM LLC; UNITED SALES USA CORP.; SPRUCE INDUSTRIES; JOSEPH GARTLAND, INC.; DBA BEAUTIFUL RAGS; OFFICE BASICS; W. B. MASON CO., INC. and A&M INDUSTRIAL. No bids were received for items 11, 35, 77, 109, 113, 117, 118, 119, 120, 121, 122, 123, 140, 141, 145, 148, 170, 182, 183 and 186. Recommendation is made to reject items 47, 48, 49, 81, 153, 154, 195, 200, 201, 202, 203, 204 and 207. Items 47, 48, 49, 81, 153, 154 and 204 are being rejected as nonresponsive. Items Nos. 195, 200, 201, 202, 203, and 207 are being rejected pursuant to N.J.S.A. 40A:11-13.2 (a) as the low bid for these items substantially exceeds the cost estimate. All no bid and rejected items will be rebid.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts, accepting bids for the furnishing and delivery of Janitorial Supplies for the County of Ocean, for the contract period from date of award through July 1, 2021, OR until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15. As follows:

A. SIMPLIFY CHEMICAL SOLUTIONS, INC. for seven (7) items, to wit:

ITEMS NO. 91, 111, 115, 116, 175, 184 and 210.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. SOUTH JERSEY PAPER for twenty nine (29) items, to wit:

<u>ITEMS NO.</u> 4, 5, 6, 7, 9, 12, 13, 16, 17, 18, 19, 23, 33, 34, 36, 37, 39, 40, 42, 43, 44, 45, 61, 69, 70, 75, 106, 161 and 187.

This vendor has extended this contract to County Cooperative Contract System Participants.

C. COOPERFRIEDMAN ELECTRIC SUPPLY CO., INC. DBA COOPER

ELECTRIC for six (6) items to wit:

ITEMS NO. 3, 15, 31, 107, 135 and 173.

This vendor has extended this contract to County Cooperative Contract System Participants.

D. MIVILA FOODS for thirty two (32) item, to wit:

ITEMS NO. 8, 10, 20, 21, 22, 25, 29, 50, 51, 64, 71, 76, 87, 88, 89, 93, 98, 105, 108, 137,

152, 155, 176, 179, 180, 181, 185, 188, 190, 194, 209 and 211.

E. BLUE STAR OF NJ INC. for two (2) items, to wit:

ITEMS NO. 96 and 97.

F. GENERAL LINEN & PAPER for eight (8) items, to wit:

ITEMS NO. 1, 41, 67, 68, 82, 85, 143 and 151.

G. ACUITY SPECIALTY PRODUCTS, INC. DBA ZEP SALES AND

SERVICE for eight (8) items, to wit:

ITEMS NO. 150, 156, 157, 160, 177, 191, 192 and 193. .

H. CONSERV FLAG COMPANY for four (4) items, to wit:

ITEMS NO. 124, 125, 126 and 129.

I. SALISBURY LABS for two (2) items, to wit:

ITEMS NO. 78 and 79.

J. <u>BIO SHINE</u>, <u>INC</u>. for one (1) item, to wit:

ITEM NO. 90.

This vendor has extended this contract to County Cooperative Contract System Participants.

K. Y-PERS for five (5) items, to wit:

ITEMS NO. 54, 165, 166, 167 and 168.

L. KLEAN COM LLC for five (5) items, to wit:

ITEMS NO. 2, 17, 62, 92 and 159.

This vendor has extended this contract to County Cooperative Contract System Participants.

M. <u>UNITED SALES USA CORP</u> for three (3) items, to wit:

ITEMS NO. 58, 94 and 146.

This vendor has extended this contract to County Cooperative Contract System Participants.

N. SPRUCE INDUSTRIES for eight (8) items, to wit:

ITEMS NO. 53, 59, 136, 138, 147, 149, 172 and 189.

This vendor has extended this contract to County Cooperative Contract System Participants.

O. <u>JOSEPH GARTLAND</u>, INC. <u>DBA BEAUTIFUL RAGS</u> for four (4) items, to wit:

ITEMS NO. 55, 56, 57 and 169.

P. OFFICE BASICS for fourteen (14) items, to wit:

ITEMS NO. 26, 27, 28, 30, 60, 74, 80, 84, 95, 101, 139, 142, 144 and 162.

Q. W.B. MASON CO., INC. for twenty five (25) items, to wit:

<u>ITEMS NO.</u> 32, 63, 65a, 65b, 66, 72, 73, 83, 86, 99, 100, 102, 103, 104, 110, 127, 128, 130, 131, 132, 163, 164, 171, 174 and 178.

This vendor has extended this contract to County Cooperative Contract System Participants.

R. A&M INDUSTRIAL for nineteen (19) items, to wit:

<u>ITEMS NO.</u> 14, 24, 38, 46, 52, 112, 114, 133, 134, 158, 196, 197, 198, 199, 205, 206, 208, 212 and 213.

- 2. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-80.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, County Bridge Department, County Superintendent of Buildings and Grounds, Corrections, Juvenile Services, County Department of Parks and Recreation, Roads, Security, Sheriff's CIU, Sheriff's Office, Solid Waste Management, Vehicle Services and the successful bidders.

SIMPLIFY CHEMICAL SOLUTIONS, INC.

Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.	
	ON I - CLEANING AND MOPPIN		·		totattike	DI AHG/HOUCH	1 AUN	AAAO	
	TED SUPPLIES - Restroom Cleane	-							
87	Zep Powerhouse Heavy Duty Aerosol Cleaner, Product #0282,	10	O L D E	A	٥	no bìd			
88	12 - 24 oz. Cans/Case Zep Zepynamic A Disinfectant Spray #0110,	10	CASE		<u>\$</u>				
	12 - 20 oz. Cans/Case	25	CASE	\$	\$	no bid			
89	Zepvue R.T.U. Glass Cleaner Spray Bottle #1010,								-
	12 - 32 Oz. Bottles/Case	10	CASE	\$	\$	no bid			
90	Envirox "H2 ORANGE-2" Hydrogen Peroxide Cleaner, #117 Concentrate, Sanitizer Virucide, Green Seal Certified, Shall Include Gal. Dispenser,							•	lutions Inc.
/	4 - 1 Gal. Cont./Case, or Equal	14	CASE	\$	\$	no bid			<u>S</u>
1 91	Peroxy HDOX, Earth Laboratories, Hydrogen Peroxide Cleaner, Sanitizer Virucide, Fungicide, 4-1 Gal. Cont./Case, EPA REGISTERED, MUST FIT EXISTING SYSTEM	•						,	Simplify Chemical Solutions Inc.
	#10072900 WITH ALL PARTS.	12	CASE	§ 136.00	s 1,632.00	Earth Labs	4/1gal	7 days	
92	Hydrogen Peroxide Cleaner, Ready-Made, 12-32 Oz. Btl./Case Envirox, "H2 ORANGE-2 ONE" #117 or Equal MUST BE HYDROGEN PEROXIDE, EPA APPROVED & GREEN SEAL				· ·	Peroxy HDOX	., 1001	. duy3	•
	CERTIFIED	14	CASE	\$	\$	no bid			-

SIMPLIFY CHEMICAL SOLUTIONS, INC. Unit

Item		Est.	of					Delivery	
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.	
SECT	ION II - VACUUMS AND RELATI	ED SUF	PPLIES (C	Cont'd)					
J 111	Upright Vacuum Cleaner, 14.75" W Cleaning Path, 3.8 Qt. bag Capacity, 3 Stage Filtration with HEPA and Exhaust Filters, Includes On-Board Tools, Tornado CK 14/1 PRO, or Equal	10	EA	≰ 229.00	§ 2,290.00	Tornado CK14/1	EA	7-10 days	
112	HEPA Filter, Part # 90144,	10	LA	<u> </u>	<u> </u>				
	MUST FIT Tornado CK 14/1 Pro	20	EA	\$ 19.59	\$ 391.80	Tornado 90144	EA	7-10 days	
113	Brush Belt, Part # 66894, MUST FIT Tornado CK 14/1 Pro	20	EA	\$	\$.:
114	Vacuum Belt, Part # 33561, MUST FIT Tornado CK 14/1 Pro, 1 Dozen Belts/Pkg	5	P K G	§ 67.80	§ 339.00	Tornado 33561	12/pkg	7-10 days	iolutions Inc
J 115	Clean Breeze Bags, Part # 90141, MUST FIT Tornado CK 14/1 Pro, 10 Bags/Set	20	SET	\$ 14.87	\$ 212.20	Tornado 90141	10/pkg	7-10 days	Simolify Chemical Solutions Inc.
√ 116	Paper Filter Bags, Part # 90147, MUST FIT Tornado CK 14/1 Pro, 10 Bags/Pkg, 25 Pkgs/Case	15	CASE	§ 57.23	\$ 858.45	Tornado 90147		7-10 days	Simalif
117	HEPA Filter, MUST FIT Koblenz U800 Upright Vacuum Cleaner	20	EA	\$	\$	no bid		<u></u>	
118	Vacuum Cleaner Belt, MUST FIT Koblenz U800 Upright Vacuum Cleaner, 2 Belts/Pack	20	PACK	· · ·	\$	no bíd			
119	Vacuum Cleaner Bags, MUST FIT Koblenz U800 Upright Vacuum Cleaner,								
	3 Bags/Pack	20	PACK	\$	\$	no bid			

SIMPLIFY CHEMICAL SOLUTIONS, INC. Unit

	Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.	
		ION V - OFFICE CLEANERS (Con			Omerine	100011100	REAL MARKET (AUTHORITE	I WOLL	· ALCON	
	169	Wiping Rags, New (NOT Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	BX	\$	\$	no bid			
	170	Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE								
		WITH BID	2	BX	\$	\$	no bid			
	171	Zep Ultra Disposable Wipes #895601, 450 Wipes/Case	10	CASE	\$	\$	no bìd			
	172	GoJo Hand Cleaning Towels, 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case	102	CASE	\$	\$	no bid			ons Inc.
	173	Scotch-Brite #4004CC or Mr. Clean Erasing Pad, 2.8" x 4 ½" x 1 ½", 12 Pads/Case				ф	ua kid			Simplify Chemical Solutions Inc.
	174	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box,		CASE		<u> </u>	no bid	· · · · · · · · · · · · · · · · · · ·		nolify Cher
7	175	10 Boxes/Case WOW! Stainless Steel Cleaner, EZ Finishes Inc., #110022, Biodegradable, Organic,	19	CASE	<u>\$</u>	\$	no bid			Sin
		Individual Towelettes, 50 Towelettes/Case	31	CASE	\$ 39.80	\$ 1,233.80	WOW! 110022	6x30	7-10days	
	176	CLR Stainless Steel Cleaner, 6 - 12 Oz. Cans/Case	10	CASE	\$	\$	no bid			
	177	Penetrating Oil & Rustproofer, 12 - 12 Oz. Aerosol Cans/Case	12	CASE	\$	\$	no bid			
	178	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case	20	CASE	\$	\$	no bìđ			
						· · · · · · · · · · · · · · · · · · ·				

SIMPLIFY CHEMICAL SOLUTIONS, INC. Unit

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.	
SECT	ION V - OFFICE CLEANERS (Co	nt'd)	·						
179	Rug Spot Remover, with Sprayer, 12 Qt./Case	1	CASE	\$	\$	no bid			_
180	Endust Professional, No Wax Formula, Unscented, 6 - 15 Oz. Cans/Case	2 -	CASE	\$	\$	no bid			
181	Clorox Spray Bottles All-Purpose Cleaner Liquid, Disinfectant, Unscented, or Equal,								
	12-32 Oz. Bottles/Case	5	CASE	\$		no bid			,
	ION VI - MISCELLANEOUS		•						
182	1 Gallon Plastic Jug with Handle, Screw on Cap	12	EA	\$	\$	no bid	-		is Inc.
183	5 Gallon Plastic Jug with Handle, Screw On Cap	20	EA	\$	\$	no bid			Solutions Inc
1 184	Peroxy HDOX Multi Purpose, Germicidal, Verucidal and Fungicidal Cleaner and Deodorizer, 1 - 4 Gal. Containers/Case	10	CASE	§ 136.00	ę 1,360.00	Earth Laboratories Peroxy HDOX	4x1gal	7-10 days	implify Chemical S
185	Cups, Dixie #45, (MUST BE PAPER, NO PLASTIC), 3 Oz., 2,400 Cups/Case, or Equal	6	CASE	ŧD	\$	no bid		·	ίŻ
186	Cup Dispenser for 3 oz. Dixie Cups, Bright Chrome	2	EA	- Ψ	\$	no bid			
187	Cups, Hot, NON-STYROFOAM, 8 oz., 1,000 Cups/Sleeve;	4	LA	·P	4	10 010			
188	20 Sleeves/Case Zep 40 Non-Streaking Cleaner	7	CASE	\$	<u>\$</u>	no bid			
189	#0144, 12 - 24 Oz. Cans/Case Zep TNT Concentrate Truck Wash	5	CASE	\$	<u> </u>	no bid			
1	#0376, 5 Gallon Pail	5	PAJL	\$	\$	no bid	· · · · · · · · · · · · · · · · · · ·		

			Unit	•					
Item		Est.	of					Delivery	
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.	
SECT	ION VI - MISCELLANEOUS - GI	oves (C	ont'd)					· · · · · · · · · · · · · · · · · · ·	
208	Nitrile Gloves, Latex Free, Powder					·			
	Free, Color: Black, Size: XL,								
	The Safety Director Elite, #31008,								
	100 Gloves/Box	2 .	BX	\$	\$	no bid			
Insect	Repellants & Traps								
209	Aerosol Bug Spray, Institutional			·		~		!	Ω.
	Grade, 12 - 12 Oz. Cans/Case	5	CASE	\$	\$	no bid	•	-	ions
J 210	Ant Killing System, Unscented,	•	01102		<u> </u>				l Solu
	Combat or Equal, 6 Baits/Box	12	ВХ	§ 6.10	§ 73.2	Combat Ant Killing System	6/bx	3-7days	Simolify Chemical Solutions Inc.
211	Deepwoods Cutter Bug Spray,								Ċ ≟£
	Aerosol Can, or Equal,							į	Simb
	2 - 6 Oz. Cans/Case,	31	CASE	\$	\$	no bid			
212	Permethrin Tick Repellent Aerosol		~						
	Can, 12 - 6 Oz. Cans/Case, MUST								
	CONTAIN AT LEAST 0.5%								
	PERMETHRIN	20	CASE	\$	\$	no bid			
213	Wasp and Hornet Spray, Ortho					•			
	or Equal, 12 - 17 Oz. Cans/Case	73	CASE	\$	\$	no bid			
								_	

Proposal for the furnishing and delivery of JANITORIAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. () - YES () - NO

PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	TION I - CLEANING AND MOPP	ING EQ	QUIPME	NT AND REL	ATED SUPPLIES			
l	Dust Brush, Counter Brush, Black Horse Hair Bristles, 13 1/4" length	6	ĘА	\$5.7a	\$ 34.32	Carliste 3625803	EACH	_7
2	Hand Scrub Brush, 9", Tampico, Pointed, MUST BE WOODEN	12	EΑ	\$	\$			
3 ✓ ₄	Hand Scrub Brush, Plastic with White Synthetic Bristles, 1 ½" trim length, SSS #14036, or Equal Deck Scrub Brush with 60" L.	12	EΑ	\$ 1.19	\$14.28	ACS BIAS	12/cs.	10
,	Wooden Screw-in Handle, Hoge #34 or Equal	12	EΑ	s 4.23	\$ 50.76	ACS B711 D Combo	EACH	_7
√5 √6	Deck Scrub Brush, Hoge #34 (NO HANDLE), or Equal	60		_			EALH	_7
V 6	Push Broom, 18" Multi-Surface with Plastic Block and two threaded handle holes, gray polypropylene bristles, Size 62" L x 18.5" H, Rubbermaid #X400, or Equal	17	EA	s 10.76	\$182.92	Rmb 2040055	EALH	10

SOUTH JEKSEY ALCK AUDUCTS 2400 INDUSTRIAL WAY VINELAND, WEW HRSEY 08360

SOUTH JERSEY PAPER

Unit Item Est. of Delivery # Description Qty. Meas. Unit Price Total Price Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Brooms and Brushes (Cont'd) 24" Push Broom with 5' Wooden/Stainless Steel screw in handle, for multi-floor use, EA \$ 13.42 \$ 93.94 RMD 2040045 4/CS Libman, or Equal Push Broom, 24" (NO HANDLE), for multi-floor use, Libman or Equal 24 Street Broom, Natural Fiber, 6 4" Trim with Wooden Handle \$324.10 RMDF6982200 4/cs. 10 and Tapered End 35 10 Corn Broom, #6 with Handle, 52544.48 RMDF66383 12/cs 10 19 Heavy Duty Broom with 54" L, Steel Handle, 11 2 Polypropylene Bristles **V** 12 Rubbermaid Brute Angled Broom with a minimum 48" Steel Handle, \$ 56.04 RMDF6138906 6/cs. DOZ \$ 56.04 Polypropylene Bristles 1 $\sqrt{13}$ Lobby Broom, Tough Polypropylene with Flagged Bristles, 35" H, Rubbermaid \$ 23.04 RMO F6637400 6/cs. 8 Lobby Pro 6374, or Equal 14 Floor Sweeper (Non-Electric), Scotch-Brite Quick #M-007-CCW, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5" \$49.76 \$796.16 EMDFG421288 4/cs. 10 WIDE CLEANING PATH 16 15 Angled Security Broom Head, 10.5" Sweep Area with

CASE \$ 38.16

Polypropylene Bristles, 12 Broom Heads/Case, Rubbermaid #6397,

or Equal

52747.52 RMD639700 12/cs. 10

SOUTH JERSEY PAPER

· Item	•	Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O
SECT	ION I - CLEANING AND MOPPIN	G EQU	ДРМЕ Р	T AND RELATE	D SUPPLIES - I	Brooms and Brushes (Co.	nt'd)	
√16	Security Broom Handle, Fiberglass with Nylon Thread, 15/16" x 60", Norshell or Equal (MUST FIT					•		
$\sqrt{17}$	ON ITEM #15 BROOM HEAD) 12" Dust Pan, Rubbermaid #2005	84	EΑ	\$ 7.99	\$ 671.16	Carliste 40205	EACH	
	or Equal, 12 Dust Pans/Case	30	CASE	\$ 16.68	\$ 500.40	RMDF62005	12 cs.	_7
Mops	and Handles							
\checkmark 18	Yacht Mop, 16 oz., Rayon with							
/	Attached Wooden Handle	5	DOZ	\$37.48	\$187.40	ACS DMI 016	12/105	<u></u>
√ 19·	Mop Head, 16 oz., Rayon	!	DOZ	\$ 35,34	\$ 35,34	ACS MEILL	12/15	10
20	Mop Head, 24 oz., Rayon	15	DOZ	\$ 51.86	\$ 777.90	ACS M8124	12/cs.	10
21	Mop Head, 32 oz., Rayon	1	DOZ	\$ 67.80	\$ 67.80	ACS ME132	12/05-	10
22	Mop Handle, Smooth Finish Wood, Clamp Style to screw down on mop head,			_			•	
$\sqrt{23}$	NO PLASTIC PARTS Security Mop Handle, 60" Hollow Fiberglass with Alligator Gripper Head,	25	ĒΑ	<u>\$ 8.47</u>	\$211.75	<u>ACS M8905</u>	EACH	7
	Rubbermaid # H146, or Equal	48	EA	\$ 7.86	\$ 377 28°	2MDF6H14600	FALH	7
24	Swiffer Sweeper Starter Kit, 10" Mop Head, Easy Grip Cloth Grippers, Swivel Head,	40	Let	<u> </u>	<u> </u>	<u> </u>		
25	Wet and Dry, 3 Kits/Carton Swiffer #82856 Refill Cloths for 10 inch Mop Head, Open Window Fresh Scent, 28 Cloths/Box,	6	CTN	\$	\$			
	6 Boxes/Carton	16	CTN	\$	_\$			

Unit OUTH JERSEY PAPER

· Item	Description	Est. Oty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION I - CLEANING AND MOPPI							71,1101
26	Swiffer Wet Jet, Starter Kit #92811KT, As Specified	10	KIT	\$	\$			
27	Swiffer Refill Cloths for Wet Jet, Part Number #08443,							
28	24 cloths/box Swiffer Wet Jet Fluid Refill, Part Number #3700023680,	40	BX	_\$	\$			
	Lavender Mix, or Equal	20	BTL		_ \$			
29	Swiffer Duster Starter Kit, 6" Handle, 6 Dusters/Kit, 6 Kits/Carton	37	CTN	\$	\$			
30	Swiffer Duster Refill, Dust Lock Fiber, Light Blue, 40 Dusters/Carton	30	CTN	\$	\$			
Floor	Products and Related Supplies			·				
31	Floor Squeegee, 18" Heavy Duty Channel Type with 60" L, Wooden Handle	8	EΑ	\$	\$			
32	Security Mop Bucket, with Wringer, Funnel Type, 35 Quart Capacity, NO METAL PARTS.						· · · · · ·	
/ ₃₃	Bob Barker #335-39YW or Equal Bucket, 10 Qt. Heavy Duty,	52	EA	\$	\$			<u></u>
•	Rubbermaid or Equal	20	ĒΑ	s 4.26	\$ 85.20	Rmo F62963	EACH	7

UNIOUTH JERSEY PAPER

	Item		Est.	of					Delivery
_	#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
		ION I - CLEANING AND MOPPIN	IG EQU	HPMENT	T AND RELATI	ED SUPPLIES -F	loor Products and Relat	ed Supplies (C	Cont'd)
V	34	15 Qt. Pail/10 Oz. Mop Strainer							
		Combination, 17" L x 10 ½" W x 12" H,							
		Rubbermaid #RC6194STL,							
	•	or Impact Brand, MUST NOT					_	. 1	N
		HAVE METAL ON STRAINER	30	EA	\$ 15.74	\$ 472.80	RMDF6419400	Wics.	10_
	35	Strainer for RC6194ST2					STL		
		Rubbermaid, Gray,				_			
,		NO METAL ON STRAINER	30	EA	\$	\$			
1	36	Wavebreak, 26 Qt. Mopping							
		Systems, #7480-18 Rubbermaid, Press Combo, or Equal	10	EA	.40m	· UET MA	LMDF674800	ESON U	10
J	37	Floor Strip & Wax Bucket with	10	E.A.	2 (8/00	3 10200	EART O 7-18 DO	DACH	
7	<i>31</i>	Wringer, Rubbermaid Model							
		#RM7677, or Equal	3	EΑ	s 70.33	\$ 210.99	RMDF675788	EACH	7
	38	"Wet Floor" Sign, 37" Maxi-Warn,							
		Continental #120, ALL						1	
1		PLASTIC, NO METAL PARTS	42	EA	\$ 14.48	\$ LOBILL	PMDF6627677	5/4	<u> 10 </u>
7	39	Wet/Dry Spill Pan, Rubbermaid						tit.	. 0
. /		Lobby Pro 9M0000, or Equal	6	EA	\$ 13.24	<u>\$ 79.44</u>	2m0 = 69m 0100	415	10
¥	40	Cleaning Wand, Rubbermaid Lobby Pro 9M0100BLA, or Equal							
		MUST BE COMPATIBLE							
		WITH ITEM #39	12	EΑ	s 12.2U	s 158.88	RMOF69M 6100	4/05.	10
	41	Upright Dust Pan with Cover,	- ~	Ε	<u> </u>				
		Black, Rubbermaid Lobby			4		N		~
1		Pro #2532, or Equal	6	ĒΑ	\$ 10.42	\$ 65.53	2md F6253700) 6 CS	
4	42	Stripping Pads, 17", Black, 3M,			- 0	. 050	11 4	٠. اسـ	-
		or Equal, 5 Pads/Box	Ĭ	ВX	\$ 8.58	\$ 8.58	Acs	5/65	

UNITED THE JERSEY PAPER

Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION I - CLEANING AND MOPPIN			•				
43	Stripping Pads, 19", Black, 3M, or Equal, 5 Pads/Box	21			s 217.14	Acs	5/cs	7
44	White Super Polish Pad 4100, 17", 3M, #50-048011-08481-2, or							
45	Equal, 5 Pads/Pack White Super Polish Pad 4100, 20",	1	PACK	\$ 8.58	\$ 8.58	ACS	5/15	_7
	3M, #5-00-48011-08484-3, or Equal, 5 Pads/Pack	21	PACK	s 10.98	\$ 230.58	ACS	5/05.	_7
46	Compressed Air Sprayer, Plastic, 2 Gallon Capacity	6	EA	\$	\$			
47	*3M Twist and Fill 9 H Extraction Cleaner, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case	20	CASE	\$	\$			
48	*3M Twist and Fill 10 H Pretreatment Cleaner, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case	20		\$				
49	*3M Twist and Fill 6 H Speed Stripper, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case	20			\$			
50	HydroxiPro Power Safe Heavy Duty Cleaner and Degreaser, Ready to Use,	20	CASE		_ 			
. .	6-32 Oz. Trigger Bottles/Case	35	CASE	\$	\$			
51	Ultra Green Carpet Spotter, Ready to Use, Simplify Chemicals, or Equal 12 Quarts/Case,	25	CASE	\$	s			
52	Floor Absorbent, Oil Dry or Equal, 40 lb. Bag	147	BAG	s	\$			

UNITOUTH JERSEY PAPER

!tem #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
53	ION I - CLEANING AND MOPPIN Simplify Chemical Sealer Finish,	NG EQU	JIPMEN	I AND RELAIF	ED SUPPLIES -F	Toor Products and Relat	ed Supplies (C	Cont'd)
JJ	or Equal, 5 Gallon Container	32	CONT	s	\$			
54	Universal Absorbent Pads for Oil and Water, 15" X 19", Absorbs	2-	00					
	31.4 Gallons, 100 Pads/Pack	2	PACK	\$	\$			
55	Universal Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack	60	PACK	\$	\$			
56	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 31.4 Gallons, 15" X 19", 100 Pads/Pack	60			s /	·		
57	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack							
58	Floor Finish, ZEP Ovation,	60	PACK	\$	\$			
50	or Equal, 5 Gallon Pail	107	PAIL	s 71.48	\$7469.70	mpc Ultima	Pail	7
59	Acrylic Seal, Butchers Iron Stone #4006520, or Equal, 5 Gallon Pail	25				mpc On Step		7_
Restro	oom Cleaners and Supplies					•		
60 61	Mop, Toilet Bowl, SSS or Equal Mop, Toilet Bowl, Deluxe Style	50	EA	s .69	\$ 34.50	Tolco 280100	EACH	_7
	with Acid Resistant Yarn and Fuller Head	225	EA	s .69	\$ 17.75	Tolco 280100	EHZH	7
62	Toilet Bowl Plunger without Metal Clips	42	EA	s 11.98		Carlisle 36439	BACH	
63	Toilet Bowl Mop Holder	6	EA	\$ 2.42	\$ 14.52	RMD FG 63/10	EACH	_7

 $_{\rm Unit}$ SOUTH JERSEY PAPER

ltem	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPH	NG EQI	JIPMEN'	T AND RELATE	D SUPPLIES - F	Restroom Cleaners and	Supplies (Cont'	d)
64	Cellulose Sponge, 6" x 4.25" x 1.625", 3M #C31, or Equal, 24 Sponges/Case	6	CASE	s 28.53	s 171.18	ACS. 663	24/4	10
65a	Spray Bottle, Plastic with Trigger Style Hand Sprayer, 12-32 oz. Bottles/Case	19				Tolco Combo	12-162.	7
65b	Hand Sprayer, Trigger Style, MUST FIT Bottles in Item 65a.	224	EA	\$.65		Tolco 110502	•	7
66	Metal Sanitary Napkin Floor Disposal Receptacle with Double Entry Swing Top, White, Hospeco Model #2201, or Equal, NO WALL MODELS	10	EA	6	\$			<u> </u>
67	Urinal Screen, Vinyl with Deodorant Block Holder, 12 Screens/Box	25		۶.مال	<u> </u>	FresLIDSAW	13-140×	7
68	Wave Urinal Deodorizer, Fragrances: Cucumber Melon, Cotton Blossom and Spiced Apple, 10 Urinal Screens/Box, 12 Boxes/Case	2				STPWAUE		7
69	Toilet Seat Covers, Half Fold White Paper, 20% Post Consumer Materials, 100% Recovered Paper Fiber, Green Seal Certified, Bay West, 16" W x 3 ¼" D x 11 ½" H, 250 Covers/Pack, 20 Packs/Case, MUST FIT IN DISPENSER	-					ว อไ <i>จ</i> รบ	2
	in Item #70	2	CASE	\$ 22.94	\$45.88	TSUZ 20250	CASE	1

$_{\rm Unit} {\it SOUTH JERSEY PAPER}$

. Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	TON I - CLEANING AND MOPPIN	G EQU	JIPMENT	AND RELAT	ED SUPPLIES - R	testroom Cleaners and	Supplies (Cont'd)
√ 70 _.	Toilet Seat Cover Dispenser, White Plastic, 5BQ-58334, or Equal, MUST BE compatible with Toilet Seat Covers in Item #69	58	EA	s 6.97	s 404.76	25132000	EALH	7
71	Baby Changing Towels/Liners, 13" x 18" to fit R-5801 Changing Station, Heavy Weight, Vertical, 500 Liners/Case	20	CASE	•		HOS 67015		14
72	Brawny Industrial Light Duty 2-Ply Paper Wipers, #29221, 8" x 12 ½", 31.4 lb. Case,					1705 6 7010	<u> </u>	
73	2,960 Wipes/Case Clorox® Fresh Scent Disinfecting Wipes, 35 Sheets/Container,	10	CASE	\$	\$			
74	12 Containers/Case Clorox® Disinfecting Wipes, CLO-15949C, 75 Wipes/Canister,	272	CASE	\$	\$			
J 75	or Equal, 6 Canisters/Pack Clorox® Outdoor Bleach,	207	PACK		\$			
	3 - 121 oz. Containers/Case	8	CASE	\$ 16.44	\$ 131.52	Clarx 30964	3/12/02/05	14
76	Clorox® Bleach, or Austin Brand, 6-1 Gallon Containers/Case	327			_	1 Autin	•	7
77	Air Freshener, Odor Hound, Gel Odor Eliminator, or Equal, 12-8 Oz. Bottles/Case	2	1	\$	\$	-	_ 	
78	Tongo Odor Control Spray, Odor Neutralizer, with Spray Trigger, Salisbury Labs, or Equal,							
	32 Oz. Bottle	6	BTL	\$	\$			

UNDUTH JERSEY PAPER

· Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT	ION I - CLEANING AND MOPPIN	₹G EQU	JIPMENT	AND RELATE	D SUPPLIES -	Restroom Cleaners and	Supplies (Cont	'd
102	Streak-Free Glass & Surface							
	Wipes, Approx. Size 7" x 10",							
	Windex or Equal,							
	28 Wipes/Package, 6 Packs/Case	10	CASE	\$	\$			
103	Wipes, Baby Nice 'N' Clean Solo,							
	Alcohol Free, Aloe, Unscented,							
	12 - 80 Count Boxes/Case	1	CASE	\$	\$			
104	All Purpose Cleaner, Simple							
	Green, MUST BE All Natural, or							
	Equal, 6 - 1 Gal. Cont./Case	5	CASE	\$	\$			
105	Glass & CRT Cleaner,							
	Husky 1220, or Equal,							
,	12 - 19 Oz. Cans/Case	14	CASE	\$	\$			
√ 106	Chewing Gum Remover,							
	Husky 1250 Simoniz or Chase,							
	or Equal, 12 - 7 Oz. Cans/Case	1	CASE	\$ 22 24	\$ 2274	Claire CS741	12/165.	フ
107	WD40 with Smartstraw, #1078-12,	-		+ 0 0 . 0 .		Charles		
	or Equal, 12 - 11 Oz. Cans/Case	11	CASE	8	s			
108	ZEP DEO-3TM, Product Number		3.102					
100	#1779, Deodorant Concentrate,					•		
	or Equal, 5 Gallon Container	25	CONT	r -		•		
100	• •	23	CONT	<u> </u>	_\$	···		
109	OZYME 2 Forster and Co., Part							
	Number #8170717, or Equal,			_				
	4-1 Gal. Jugs/Case	12	CASE	\$	\$			
SECT	ION II - VACUUMS AND RELATI	ED SUF	PLIES	-				
110	Lightweight, Bagless Vacuum,							
	On-Board Tools, Hoover							
	Commercial Task Vac							
	#HVRCH53010, or Equal	1	EA	\$	\$			

Page 41 of 47

 $_{\mathrm{Unit}}$ SOUTH JERSEY PAPER

ltem		Est	of					Delivery	
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.	
SECTION V - OFFICE CLEANERS									
√ 161	Lambswool Duster with Plastic Handle, 25 L 38"L	15	EA	s 3.52	\$ 52.80	312FH	EACH	7	
162 163	Lambswool Duster with Plastic Handle, 35" L, Extends to 48" L Microfiber Glass Cloth, 16" X 16", Color: Blue, 300 gsm,	10	EA	s 6.94	\$ 69.40	Tolco arolaz	EACH	7	
	12 Cloths/Case, MUST SUBMIT SAMPLE WITH BID	3	CASE	\$	\$				
164	Microfiber Red Dusting Cloth, 16" X 16", 300 gsm, 1 2 Cloths/Case, MUST SUBMIT SAMPLE WITH BID	3	CASE	\$	\$	-			
165	Wiping Rags, New (NOT Reclaimed), 100% Terry Cloth, 25 lb. Box, 170 Rags/Box, MUST SUBMIT								
166	SAMPLE WITH BID Wiping Rags, Reclaimed, 100% Terry Cloth, 25 lb. Box,	45	вх	\$	\$				
167	170 Rags/Box, MUST SUBMIT SAMPLE WITH BID Wiping Rags, New (NOT	100	вх	\$	\$				
	Reclaimed), 100% Jersey Knit Cotton, White, 1 - 25tb. Box, MUST SUBMIT SAMPLE WITH BID	15	ВХ	\$	\$				
168	Wiping Rags, Reclaimed, 100% Jersey Knit Cotton, White, 1 - 25lb. Box, MUST SUBMIT SAMPLE WITH BID	35	вх	\$	\$				

 $_{\mathrm{Unit}}$ SOUTH JERSEY PAPER

			Unn						
ltem		Est.	of					Delivery	
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.	
SECTION V - OFFICE CLEANERS (Cent'd)									
· · ·									
179	Rug Spot Remover, with Sprayer,		CARR	·	\$				
100	12 Qt./Case	ı	CASE		_\$				
180	Endust Professional, No Wax								
	Formula, Unscented,								
	6 - 15 Oz. Cans/Case	2	CASE	_\$	\$			·	
181	Clorox Spray Bottles All-Purpose								
	Cleaner Liquid, Disinfectant,								
	Unscented, or Equal,								
	12-32 Oz. Bottles/Case	5	CASE	\$	\$				
SECT	ION VI - MISCELLANEOUS								
182	1 Gallon Plastic Jug with Handle,								
	Screw on Cap	12	EΑ	\$	\$				
183	5 Gallon Plastic Jug with Handle,	1 44	Di k		<u> </u>				
103	Screw On Cap	20	EΑ	\$	\$				
184	Peroxy HDOX Multi Purpose,	20	DA.						
107	Germicidal, Verucidal and								
	Fungicidal Cleaner								
	and Deodorizer,								
	1 - 4 Gal. Containers/Case	10	CASE	3	\$				
185	Cups, Dixie #45, (MUST BE	10	CABL	<u> </u>					
103	PAPER, NO PLASTIC),								
	3 Oz., 2,400 Cups/Case, or Equal		a		· ·				
	• • • • •	6	CASE	3	\$				
186	Cup Dispenser for 3 oz. Dixie								
1	Cups, Bright Chrome	2	EΑ	\$	\$				
1 187	Cups, Hot, NON-STYROFOAM,								
	8 oz., 1,000 Cups/Sleeve,			***		λ		_	
	20 Sleeves/Case	. 7	CASE	\$ 21.44	\$ 50.08	Dart 858	1000 / 55		
188	Zep 40 Non-Streaking Cleaner								
	#0144, 12 - 24 Oz. Cans/Case	5	CASE	8	\$				
189	Zep TNT Concentrate Truck Wash	J	0.100						
107	#0376, 5 Gallon Pail	5	PAIL	\$	\$				
	"0570, 5 Guilon Fun	ر	CMIL	Φ					

Page 22 of 47

Proposal for the furnishing and delivery of JANITORIAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. (✓) - YES () - NO

PRICE SCHEDULE

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SEC	TION I - CLEANING AND MOPP	ING E	QUIPME	ENT AND RELA	ATED SUPPLIES	- Brooms and Brushes		<u> </u>
1	Dust Brush, Counter Brush, Black Horse Hair Bristles, 13 ¼" length	6	EA	_\$	\$			146
2	Hand Scrub Brush, 9", Tampico, Pointed, MUST BE WOODEN	12	EA	\$	\$			1
√ 3	Hand Scrub Brush, Plastic with White Synthetic Bristles, 1 ½" trim length, SSS #14036, or Equal	12	EΆ	s 1.06	\$ 12,70	Represented Representation	_	1-2445
4	Deck Scrub Brush with 60" L Wooden Screw-in Handle, Hoge #34 or Equal	12	EA	\$ 5.30	s 63 60	Referenced a F	66361	conc 1-zut
5	Deck Scrub Brush, Hoge #34 (NO HANDLE), or Equal	60	EA	\$2,50	s 168	RUS FEG91536COYEL		1-245
6	Push Broom, 18" Multi-Surface with Plastic Block and two threaded handle holes, gray polypropylene bristles, Size 62" L x 18.5" H,				• 156.49	RUD 304 0055		1-26 de
	Rubbermaid #X400, or Equal	17	EA	\$ 10.73	\$ 120.40	STOP COSS		

Page 23 of 47

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model# Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPH	NG EQ	UIPME!	NT AND RELAT	ED SUPPLIES - 1	Brooms and Brushes (Cont'd)	
7	24" Push Broom with 5' Wooden/Stainless Steel screw in handle, for multi-floor use, Libman, or Equal	7	EA	\$13.70	\$ 95,50	२८४८८. १८५	1-200
8	Push Broom, 24" (NO HANDLE), for multi-floor use, Libman	•	- .		•		2/6
9	or Equal Street Broom, Natural Fiber, 6 ¼" Trim with Wooden Handle and Tapered End	24 35		• 10.8a	• 948.76	FOGB DECISEN	<u> </u>
10 11	Corn Broom, #6 with Handle, Heavy Duty Broom with 54" L, Steel Handle,	19		\$134.04		FULL SERVICELLIE	1-2.15
	Polypropylene Bristles	2	EA	\$	\$		1-1G.
12	Rubbermaid Brute Angled Broom with a minimum 48" Steel Handle, Polypropylene Bristles	1	DOZ	\$ 53.60	\$ 49.66°	FG6969681H	1- Jak
13	Lobby Broom, Tough Polypropylene with Flagged Bristles, 35" H, Rubbermaid Lobby Pro 6374, or Equal	8	EA	\$ 399	<u>\$</u> 93,54	RCD FG6374C0BCH	1-2415
14	Floor Sweeper (Non-Electric), Scotch-Brite Quick #M-007- CCW, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5" WIDE CLEANING PATH	16	EA	\$	_\$		1. /6
1 15	Angled Security Broom Head, 10.5" Sweep Area with Polypropylene Bristles, 12 Broom Heads/Case, Rubbermaid #6397, or Equal	72	CASE	\$ 34.34	\$ 2835.26	FELSIFICE MY	1-245

Page 25 of 47 Unit Delivery Est. of Item **Total Price** Brand/Model# A.R.O. Description Otv. Meas. Unit Price Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Mops and Handles (Cont'd) 26 Swiffer Wet Jet, Starter Kit 0. 15 #92811KT, As Specified KIT 10 27 Swiffer Refill Cloths for Wet Jet. Part Number #08443. 24 cloths/box 40 BX Swiffer Wet Jet Fluid Refill, Part 28 Number #3700023680, Lavender Mix, or Equal BTL \$ 20 Swiffer Duster Starter Kit, 29 6" Handle, 6 Dusters/Kit, 6 Kits/Carton **CTN** 37 Swiffer Duster Refill, Dust Lock 30 Fiber, Light Blue, CTN 40 Dusters/Carton 30 \$ Floor Products and Related Supplies J 31 Floor Squeegee, 18" Heavy Duty Channel Type with 60" L, 157 1-2615 Wooden Handle 8 Security Mop Bucket, with 32 Wringer, Funnel Type, 35 Quart Capacity, 56.35 \$ 78.76.76 FG 75968848 C NO METAL PARTS, -20CES Bob Barker #335-39YW or Equal 52. Bucket, 10 Qt. Heavy Duty, 33 F63963CCGKMY Rubbermaid or Equal \$ 35,00 20

Page 34 of 47

Item		Est.	Unit of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT	ION I - CLEANING AND MOPPIN			F AND RELAT	ED SUPPLIES - F	Restroom Cleaners and	Supplies (Con	
102	Streak-Free Glass & Surface							
	Wipes, Approx. Size 7" x 10",							•
	Windex or Equal,							1
	28 Wipes/Package, 6 Packs/Case	10	CASE					1-16
103	Wipes, Baby Nice 'N' Clean Solo,							7
	Alcohol Free, Aloe, Unscented,							1
	12 - 80 Count Boxes/Case	1	CASE	\$				
104	All Purpose Cleaner, Simple							
	Green, MUST BE All Natural, or							
	Equal, 6 - 1 Gal. Cont/Case	5	CASE					
105	Glass & CRT Cleaner,							
	Husky 1220, or Equal,				_			1
106	12 - 19 Oz. Cans/Case	14	CASE		<u> </u>			
106	Chewing Gum Remover,							**************************************
	Husky 1250 Simoniz or Chase,							$\sim 30\%$
1	or Equal, 12 - 7 Oz. Cans/Case	1	CASE					
√ 107	WD40 with Smartstraw, #1078-12,		0.400	m 1.101	× 7 39 cm	UL 1040		634.22
100	or Equal, 12 - 11 Oz. Cans/Case	11	CASE	\$ (77,50	\$ 6 79.56	490057		Slack
108	ZEP DEO-3TM, Product Number							
	#1779, Deodorant Concentrate,							. 16
	or Equal, 5 Gallon Container	25	CONT	\$				No. 1/62
109	OZYME 2 Forster and Co., Part							4
	Number #8170717, or Equal,							
	4-1 Gal. Jugs/Case	12	CASE	\$	_\$			
SECT	ION II - VACUUMS AND RELATE	ED SUP	PLIES					
110	Lightweight, Bagless Vacuum,							ŧ :
-	On-Board Tools, Hoover							1
	Commercial Task Vac							~ 17
	#HVRCH53010, or Equal	i	EA	\$				
								7

Page 37 of 47 Unit **Item** Est. of **Delivery** Description Otv. Meas. Unit Price **Total Price** Brand/Model# Pack A.R.O. SECTION III - MATS, TRASH CONTAINERS AND RELATED SUPPLIES (Cont'd) Fa-36314 128 Trash Can with Lid. Rubbermaid 1-2015 "Brute" #2632, 32 Gallon \$ 535,44 F6 3633 24 129 Trash Can with Lid, Rubbermaid \$41.09 \$ SALSO 1-2415 "Brute" #2655, 55 Gallon 20 130 Waste Basket, 28 Ot., Tan or Dark Brown or Blue Recycling, \$ 3.98 \$ 205.64 F6 3459003816 \$ 63.95 \$ 35.20 FG 4559003816 Rubbermaid #2956, or Equal 10 53 131 Waste Basket, 41 Qt., Tan or Dark Brown or Blue Recycling, 1-2,55 Rubbermaid, or Equal 6 132 Trash Can Lid for 20 Gal. Rubbermaid Round Trash \$ 5,24 \$ 62.46 FG361960 11 Containers, Gray 10 Outside Receptacle, Smoker's 133 Outpost, Barco Products #OP-0610P, Color: Pewter, 40"H x 12"W. Weight: 14 lbs. 2 EA 134 Outside Receptacle, Smoker's Cease Fire, Barco Products #26804D, Color: Black, Plastic, 16 1/2" día. x 38 1/2" H, EA Weight: 15 lbs. 20 $\sqrt{135}$ Ash/Trash Container with Weather Shield, Brown, 31lbs., Uni-Koat Powder Coated Finish, Dimensions: 10" Sq. x 24" H, Heavy Duty Steel Construction, Class A Fire Rating, Rubbermaid 20 EA \$ 108.27 \$ 2165-40 R41WU; or Equal

Page 42 of 47 Unit of Delivery Item Est. Oty. Meas. Unit Price Total Price Brand/Model# Pack A.R.O. Description SECTION V - OFFICE CLEANERS (Cont'd) Wiping Rags, New (NOT 169 Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID 2 BX 170 Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID 2 BX Zep Ultra Disposable Wipes 171 #895601, 450 Wipes/Case CASE \$ 10 GoJo Hand Cleaning Towels, 172 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case CASE \$ 102 $\sqrt{173}$ Scotch-Brite #4004CC or Mr. Clean Erasing Pad, CASE \$ 16.59 \$ 101.34 300 40040C. 2.8" x 4 1/2" x 1 1/4", 12 Pads/Case 174 Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Case CASE \$ 19 WOW! Stainless Steel Cleaner, EZ 175 Finishes Inc., #110022, Biodegradable, Organic, Individual Towelettes, CASE \$ 50 Towelettes/Case **3**1 CLR Stainless Steel Cleaner, 176 6 - 12 Oz. Cans/Case CASE \$ 10 177 Penetrating Oil & Rustproofer, CASE \$ 12 - 12 Oz. Aerosol Cans/Case 178 Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case CASE \$ 20

Unit

Item #	Description	Est. Oty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION I - CLEANING AND MOPPIN	<u>*</u>						A.R.O.
7	24" Push Broom with 5' Wooden/Stainless Steel screw in	G EQ	OH WE	I AND RELAT	ED SULLES -	Di ooms and Di usites (C.	out uj	
	handle, for multi-floor use, Libman, or Equal	7	EA	\$	\$			
√8	Push Broom, 24" (NO HANDLE), for multi-floor use, Libman					Broom Push		
9	or Equal Street Broom, Natural Fiber, 6 ¼" Trim with Wooden Handle	24	EA	\$ 9,75	\$ 234,00	24" WHOOD HANDLE #PPRZY	<u>leach</u>	
1	and Tapered End	35	EA	\$	\$			
\checkmark_{10}	Corn Broom, #6 with Handle, Heavy Duty	19	DOZ	5.85 st seach	\$ 1333,80	CORN #701875	leach	
11	Broom with 54" L, Steel Handle, Polypropylene Bristles	2	EA	\$	\$			
12	Rubbermaid Brute Angled Broom with a minimum 48" Steel Handle, Polypropylene Bristles	1	DOZ	\$	\$			
13	Lobby Broom, Tough Polypropylene with Flagged Bristles, 35" H, Rubbermaid Lobby Pro 6374, or Equal	8	EA	s 6,95	\$55.60	Lobby Brown made with Plastiz Bristles # BRM-60L	Leach	
14	Floor Sweeper (Non-Electric), Scotch-Brite Quick #M-007- CCW, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5"							
15	WIDE CLEANING PATH Angled Security Broom Head, 10.5" Sweep Area with Polypropylene Bristles, 12 Broom	16	EA	\$	\$			
	Heads/Case, Rubbermaid #6397, or Equal	7 2	CASE	\$	<u>\$</u>			

Unit of Item Est. Delivery Description # Qty. Meas. Unit Price Total Price Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Brooms and Brushes (Cont'd) Security Broom Handle, Fiberglass 16 with Nylon Thread, 15/16" x 60", Norshell or Equal (MUST FIT ON ITEM #15 BROOM HEAD) EA 84 16,35 or 12" Dust Pan, Rubbermaid #2005 17 WINCO or Equal, 12 Dust Pans/Case **CASE** 30 Mops and Handles Yacht Mop, 16 oz., Rayon with 18 Attached Wooden Handle 5 DOZ 19 Mop Head, 16 oz., Rayon 1 DOZ \$ $\sqrt{20}$ WINCO POLY COTTON (MOP-244) Mop Head, 24 oz., Rayon DOZ \$687.75 15 12 COUNT YARN MOPHEAD CLOCKPEND) $\sqrt{21}$ Mop Head, 32 oz., Rayon WINCO POLY COTTON # MOP 32N DOZ 1 HARLU MOPHEAND (LOOPEND) 12 COUNT $\sqrt{22}$ Mop Handle, Smooth Finish Mop Stiele Wood, Clamp Style to screw down Clamp/Jan on mop head, 54" Lacquered Wood \$173.75 NO PLASTIC PARTS 25 23 Security Mop Handle, 60" Hollow Fiberglass with Alligator Gripper Head, Rubbermaid # H146, or Equal 48 EA Swiffer Sweeper Starter Kit, 24 10" Mop Head, Easy Grip Cloth Grippers, Swivel Head, Wet and Dry, 3 Kits/Carton \$419.10 6KAS $\sqrt{25}$ Swiffer #82856 Refill Cloths for 10 inch Mop Head, Open Window Fresh Scent, 28 Cloths/Box, 6 Boxes/Carton \$ 796.00 16

Unit of Delivery Item Est. Description Otv. Meas. Unit Price **Total Price** Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Mops and Handles (Cont'd) 26 Swiffer Wet Jet. Starter Kit Wet Let Storker Kit #92811KT, As Specified \$ 49,85 \$498,50 10 akits 27 Swiffer Refill Cloths for Wet Jet. Part Number #08443, \$ 2394,00 \$59,85 4/2401 24 cloths/box 40 28 Swiffer Wet Jet Fluid Refill. Part Number #3700023680. Jet Solution Lawander Mix. or Equal \$ 29,85 \$597,00 4Ha,202 20 $\sqrt{29}$ Swiffer Duster Starter Kit. 5 Dusters/Kit 6" Handle, 6 Dusters/Kit, 6 Kits /Cartons \$26,00 \$962,00 6 Kits/Carton 37 Swiffer Duster Refill, Dust Lock 30 Fiber, Light Blue, 4/1007 \$33.90 \$1017,00 30 40 Dusters/Carton Sold Separately Floor Products and Related Supplies 8,95 71.60 Handle Floor Squeegee, 18" Heavy Duty 55" Wooden Handle 31 Handle 1 pach #FSC-60H Channel Type with 60" L, 24" Straight Squeegee Wooden Handle 8 each EA 32 Security Mop Bucket, with Wringer, Funnel Type, 35 Quart Capacity, NO METAL PARTS, Bob Barker #335-39YW or Equal 52 EA Bucket, 10 Ot. Heavy Duty, WINCO 33 \$ 10.85 \$ 217.00 Gray # UPP-106 Rubbermaid or Equal 20

Unit of **Delivery** Item Est. **Unit Price** A.R.O. Meas. **Total Price** Brand/Model# Description Otv. Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES -Floor Products and Related Supplies (Cont'd) Stripping Pads, 19", Black, 3M, or 43 Equal, 5 Pads/Box 21 BXWhite Super Polish Pad 4100, 17", 44 3m 3M. #50-048011-08481-2, or (#410017IN) PACK <u>\$39,8</u>5 5 cont Equal, 5 Pads/Pack White Super Polish Pad 4100, 20", 45 3m 3M. #5-00-48011-08484-3. 2011 (4100 20 IN) PACK \$ 49.85 \$1046.85 or Equal, 5 Pads/Pack 21 Compressed Air Sprayer, Plastic, 46 2 Gallon Capacity EA \$ 6 *3M Twist and Fill 9 H Extraction 47 Cleaner, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case CASE \$ 20 *3M Twist and Fill 10 H 48 Pretreatment Cleaner, NO SUBSTITUTIONS. 6-2 Liter Bottles/Case CASE \$ 20 *3M Twist and Fill 6 H Speed 49 Stripper, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case 20 CASE \$ **√** 50 HydroxiPro Power Safe Heavy Blitz Hydrogen Duty Cleaner and Degreaser, Peroxide-Ready to Use. Clasmon 6-32 Oz. Trigger Bottles/Case CASE \$ 31,45 \$ 1100,75 12/3202 35 #G1403012 V 51 Ultra Green Carpet Spotter, Ready Magic Compet RTU to Use, Simplify Chemicals, or \$*3*9,50 Equal 12 Quarts/Case, 12/3202 25 Floor Absorbent, Oil Dry or Equal, 52 40 lb. Bag 147 BAG

Unit of Item Est. Delivery # Description Oty. Meas. Unit Price **Total Price** Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) 164 Cellulose Sponge, Yellow Cellulose 6" x 4.25" x 1.625", 3M #C31, or Equal, 24 Sponges/Case \$125,40 CASE \$ 2090) 24/6 X3,25 Spray Bottle, Plastic with Trigger 65a WINCO Plastic Spray Bottle Style Hand Sprayer, 12-32 oz. Bottles/Case CASE \$ 7.95 \$151,05 19 65b Hand Sprayer, Trigger Style, MUST FIT Bottles in Item 65a. 224 EΑ Metal Sanitary Napkin Floor 66 Disposal Receptacle with Double Entry Swing Top, White, Hospeco Model #2201, or Equal, NO WALL MODELS 10 Urinal Screen, Vinyl with Packer's Label 67 Urmal Block Wiscreen Deodorant Block Holder, 12 Screens/Box 25 68 Wave Urinal Deodorizer, Fragrances: Cucumber Melon, Cotton Blossom and Spiced Apple, 10 Urinal Screens/Box. 12 Boxes/Case CASE \$ 2 Toilet Seat Covers, Half Fold 69 White Paper, 20% Post Consumer Materials, 100% Recovered Paper Fiber, Green Seal Certified, Bay West, 16" W x 3 1/4" D x 11 1/2" H, 250 Covers/Pack, 20 Packs/Case, MUST FIT IN DISPENSER in Item #70 2 CASE \$

Unit Est. of **Delivery** Item Meas. Unit Price **Total Price** Brand/Model# Pack A.R.O. Description Otv. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) Toilet Seat Cover Dispenser, 70 White Plastic, 5BQ-58334, or Equal, MUST BE compatible with \$ 12.85 Toilet Seat Covers in Item #69 \$ 745,30 58 $\sqrt{71}$ Baby Changing Towels/Liners, 13 XO34" 13" x 18" to fit R-5801 Changing Station, Heavy Weight, Vertical, 500ct CASE \$45,50 500 Liners/Case \$ 90,00 20 **Brawny Industrial Light Duty** 72 Brown4 2-Ply Paper Wipers, #29221, 8" x 12 ½", 31.4 lb. Case, 20/148ct CASE \$ 29,75 \$897,50 10 2,960 Wipes/Case Clorox® Fresh Scent Disinfecting 73 Clorox Wipes, 35 Sheets/Container, Lemon Scent \$45.00 \$ 12240,0C 12/352+ 12 Containers/Case 272 井CO1594 Clorox® Disinfecting Wipes, 74 Clorox CLO-15949C, 75 Wipes/Canister, PACK \$ 45.00 \$9315,00 6/75ct or Equal, 6 Canisters/Pack 207 Clorox® Outdoor Bleach. 75 3 - 121 oz. Containers/Case 8 CASE \$ \$ Crystal $\sqrt{76}$ Clorox® Bleach, or Austin Brand, Brand 6-1 Gallon Containers/Case \$ 4218,30 s 1290 327 Air Freshener, Odor Hound, Gel 77 Odor Eliminator, or Equal, 12-8 Oz. Bottles/Case CASE \$ 2 Tongo Odor Control Spray, Odor 78 Eliminator Neutralizer, with Spray Trigger, Odor Neutralizer Salisbury Labs, or Equal, 出2107012 \$8.90 6 32 Oz. Bottle

Unit of Est. **Delivery** Item **Total Price** Brand/Model# # Description Oty. Meas. Unit Price A.R.O. Pack SECTION I - CLEANING AND MOPPING EOUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) **J** 87 Zep Powerhouse Heavy Duty Base Board Stripper Aerosol Cleaner, Product #0282, CASE \$49,85 \$49850 12 - 24 oz. Cans/Case 10 12/1902 **V88** Zep Zepynamic A Disinfectant Simoniz Aproso Jensectout prous Spray #0110. CASE \$ 49,85 12 - 20 oz. Cans/Case **1** 89 Zepvue R.T.U. Glass Cleaner Brite RTU Coloss Cleaner Spray Bottle #1010. CASE \$ 26,85 12 - 32 Oz. Bottles/Case #130400012 Envirox "H2 ORANGE-2" 90 Hydrogen Peroxide Cleaner. #117 Concentrate, Sanitizer Virucide, Green Seal Certified. Shall Include Gal. Dispenser, 4 - 1 Gal. Cont./Case, or Equal CASE 14 91 Peroxy HDOX, Earth Laboratories, Hydrogen Peroxide Cleaner, Sanitizer Virucide, Fungicide, 4-1 Gal, Cont./Case, EPA REGISTERED, MUST FIT **EXISTING SYSTEM** #10072900 WITH ALL PARTS. 12 CASE Hydrogen Peroxide Cleaner, 92 Ready-Made, 12-32 Oz. Btl./Case Envirox, "H2 ORANGE-2 ONE" #117 or Equal MUST BE HYDROGEN PEROXIDE, EPA APPROVED & GREEN SEAL CERTIFIED CASE \$ 14

Unit **Delivery** of Est. Item A.R.O. Description Otv. Meas. **Unit Price Total Price** Brand/Model# Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) James Austin \$ 23.85 √ 93 12/101 Ammonia, 18 - 1 Qt. Bottles/Case Simoniz Aerosol SprayPAK, Aerosol Spray Glass 94 Glassecleaner #52321012 CASE <u>\$35,85</u> \$609,45 12/1902 Cleaner, 12 - 21 Oz. Cans/Case 17 95 Cleaning Powder with Bleach, ajax Öxygen Bleach Babo or Equal. CASE \$ 32,95 24 - 21 Oz. Cans/Case Blue Star Active Aero Enzyme, 96 Active Stain and Odor Eliminator. or Equal, 24-15 Oz. Bottles/Case 20 CASE \$ 97 Simply Fresh Gel Odor Neutralizer/Counteractant, Blue Star or Equal, 24 - 1 Ouart Containers/Case CASE \$ 20 V 98 Fast Action Active Bacteria with Drainace Oder Instant Odor Control, Enzyme Control Enzyme Producing, Blue Star or Equal, CASE \$ 119.85 \$1438,20 24 - 1 Qt. Btl/Case #2P426012 12 Brite Ammoniated Windex Glass Cleaner with 99 Ammonia-D, #DVO-90940 CT, Glass Claener or Equal, 2 - 1 Gal. Cont./Case CASE \$2.95 #B0412004 13 Windex Glass Cleaner with 100 Brite Ammoniated Ammonia-D. Lavender Scented, Colass Cleanar Trigger Bottle, #DVO-90940 CT, \$25.85 12/3202 CASE \$ 25,85 #B0412012 or Equal, 12 -32 Oz. Bottles/Case Green Sere RTU Window Cleaner, Earth Friendly 101 Eco Friendly Products #PL9301 or Equal, \$ 18,95 12 - 32 Oz. Bottles/Case 27

Unit of Item Est. Delivery # Otv. Meas. Unit Price Description Total Price Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd Streak-Free Glass & Surface 102 Wipes, Approx. Size 7" x 10", Windex or Equal, 28 Wipes/Package, 6 Packs/Case CASE \$ 10 Wipes, Baby Nice 'N' Clean Solo, 103 Alcohol Free, Aloe, Unscented, 12 - 80 Count Boxes/Case 1 CASE \$ All Purpose Cleaner, Simple Green Scene AR232 104 All Purpose Cleaner Green, MUST BE All Natural, or CASE \$ 55,75 \$27875 4/1 Gallen Equal, 6 - I Gal. Cont./Case 5 #61387004 105 Glass & CRT Cleaner. Simoniz Aerosol Husky 1220, or Equal, Glass Clasmon \$507,50 CASE \$36,25 #83321012 12 - 19 Oz. Cans/Case 14 Chewing Gum Remover, 106 Smoniz Aerosol Husky 1250 Simoniz or Chase, Com Remover \$ 39.85 CASE \$39.85 or Equal, 12 - 7 Oz. Cans/Case 57,342012 Simoniz Acrosol Formulasy Lubricant WD40 with Smartstraw, #1078-12, 107 CASE \$ 95.85 \$1054.35 or Equal, 12 - 11 Oz. Cans/Case #53386012 11 **J** 108 ZEP DEO-3TM, Product Number KEM, Fresh Dendrant Concentrate #1779, Deodorant Concentrate, or Equal, 5 Gallon Container CONT \$64,85 \$1621,25 #CS0610005 5 Gallon 109 OZYME 2 Forster and Co., Part Number #8170717, or Equal, 4-1 Gal, Jugs/Case 12 CASE \$ SECTION II - VACUUMS AND RELATED SUPPLIES

Lightweight, Bagless Vacuum, 110 On-Board Tools, Hoover Commercial Task Vac #HVRCH53010, or Equal

\$298,75 \$298,75 Hoover

Leach

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION IV - HAND SOAPS AND SAN	ITIZEI	RS			· · · · · · · · · · · · · · · · · · ·		
136	Liquid Antiseptic Hand Lotion Soap, Pink, Contains 0.3% Chloroxylenol (PCMX), Gojo #1847-04, or Equal, 4 - 1 Gal. Containers/Case	30	CASE	s 39.85	\$ 1195,50	Total Pinks Hand Soap Antisep #K1930004	hz 4/19al	
1 137	Cascade Complete 75 oz. Fresh Scent Dishwasher Gel with Dawn, NO SUBSTITUTIONS	5		s 47.85	•,,	Costale Fresh Scent Gel W/Dawl)	6/7502	
138	Derma Gel Instant Waterless Hand Sanitizing Gel with Moisturizing Aloe, Vitamin E & Dimethicone, 24 - 4 oz. Bottles/Case	72	CASE	\$	\$			
139	Dawn Manual Pot and Pan Detergent, 8 - 38 Oz. Bottles/Case	2	CASE	s 47.85	s 95,70	Emerald Blue Port I an Defergent #EP807BOOT	4/100	
140	Sani-Hands Packet Wipes, #D43800, 100 Packets/Box	68	BX	\$	\$		7	
141	Germicidal Disposable Wipes, Non-Alcohol, PDI Sani-Cloth AF3 Translucent Teal Top, 3 Minute Kill, or Equal, 12 packs/box	106	вх	\$	\$			
142	Liquid Antimicrobial Hand Soap, Dial, MUST BE TRICLOSAN FREE, 4 - 1 Gal. Containers/Case	36	CASE	\$29.85	\$1074,60	Pearl White Antimic robal Hand #Pas 73004	4/1961	
143	Deb Aero Rose Free Model #57530, 6 - 1 Liter Cartridges/Case, Vendor Shall Provide Additional Dispensers as Required at No Charge to the County,							
	NO SUBSTITUTIONS	358	CASE					

Unit Est. of Item **Delivery Unit Price** # Meas. Description Otv. **Total Price** Brand/Model# Pack A.R.O. SECTION IV - HAND SOAPS AND SANITIZERS (Cont'd) Touch Free Dispenser to Hold 144 Purell 1 - 1200 ml Bottle of Purell TFX \$7638.05 #2720-12 Model #2720-01 139 Purell Touch Free Dispenser 145 Stand, Model # H2398, As Specified, or Equal 9 EA \$ Instant Hand Sanitizer, Shall Kill 146 Durell 99.9% of Germs, Purell or Equal, \$ 5544.90 #9652-12 12 - 8 Oz. Bottles/Case \$ 54.90 101 147 Purell Instant Hand Sanitizer Foam, or Equal, 2 - 40.5 Fl. Oz. Bottles/Case CASE \$ 79 Purell Gel Cartridge Refill, 148 1000ml, Model #S14836, **MUST FIT Purell Push Button** Dispenser Model H228, 4 Refills/Case CASE \$ All Natural Waterless Hand Cleaner, GoJo, 149 Waterlass Hand Cleaver CASE \$95.85 \$1150.20 or Equal, 6 - 4.75 Oz. Cans/Case #235883 Charmy Blast Pimize Zep Cherry Bomb Heavy-Duty 150 Pumice Hand Cleaner #0951. Waterless Hand Cleaner \$862,65 4 - 1 Gal. Containers/Case CASE \$95.85 4/4 Liters Zep Grip Heavy Duty Hand 151 Cleaner #091224, 4 - 1 Gal. Containers/Case CASE \$ $\sqrt{152}$ Borax Powder Hand Cleaner, KemSuds Klene 20 Mule Team or Equal. Pender Hand Cleaner 10 -5 lb. Containers/Case 3

Unit of Delivery Item Est. Brand/Model# # Description Oty. Meas. Unit Price Total Price Pack A.R.O. SECTION IV - HAND SOAPS AND SANITIZERS (Cont'd) 153 Heavy Duty Hand Cleaner, Heritage with PC 2 Dual Turbo Scrubbers, Low Solvent with Lanolin Moisturizer, Vendor MUST Supply 1 Gallon Bottle with Pump with Each Case Ordered, As Specified or Equal, 4 - 128 oz. Bottles/Case CASE \$ 15 Deb Gritty Foam Cartridge, 154 P/N GPF3LNA, 2 - 3.25 Liter Cartridges/Case 6 CASE \$ Att Boking Soda of 155 Arm & Hammer Pure Baking Soda, 12 - 2 lb. Boxes/Case CASE \$20,95 3 Zep Reach #092520, or Equal, 156 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case CASE \$ 157 Zep Reach #092520, 4 - 1 Gal Containers WITHOUT Dispenser/Case, or Equal 1 CASE \$ Zep Double Play #095018, 158 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case, 5 CASE \$ or Equal Zep Acclaim # 099924 Mild 159 Antimicrobial Hand Cleaner, Biodegradable Surfactants, Read White NO DISPENSER 4 - 1 Gal. Containers WITH Antimicrobial 1 - D4000 Dispenser/Case, \$ 89,85 or Equal 5 Zep D4000 Soap Dispenser, 160 #600101 for 1 Gal. Containers

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS (Cor	ıt'd)					<u> </u>	
169	Wiping Rags, New (NOT Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	BX	\$	\$	•		
170	Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	BX	\$	\$			
171	Zep Ultra Disposable Wipes #895601, 450 Wipes/Case	10		\$	\$			
172	GoJo Hand Cleaning Towels, 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case	102	CASE	\$	\$			
173	Scotch-Brite #4004CC or Mr. Clean Erasing Pad, 2.8" x 4 ½" x 1 ¼", 12 Pads/Case	6	CASE	\$ 39,85	\$239.10	Mr. Clean Mag. Z. Eraser	6/6d	
174	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Case					ACS	0/ /-	
175	WOW! Stainless Steel Cleaner, EZ Finishes Inc., #110022, Biodegradable, Organic, Individual Towelettes,	19	CASE	\$15,85	_\$301:15		<u>6/10S</u>	
√ 176	50 Towelettes/Case CLR Stainless Steel Cleaner,	31		\$	\$	Swell Aenosol Stambss steel Cleoner		
177	6 - 12 Oz. Cans/Case Penetrating Oil & Rustproofer,	10	CASE	\$ 45,85	\$ 458,50	#\$3336006	6/15,502	
	12 - 12 Oz. Aerosol Cans/Case	12	CASE	\$99,75	\$1197,00	Penetrant + Rust proofing #83385012	12/11.7502	
178	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case	20	CASE	\$45.85	\$917,00	Hedge	914,30r	

Unit Est. of Delivery Item **Unit Price Total Price** # Otv. Meas. Brand/Model# A.R.O. Description Pack SECTION V - OFFICE CLEANERS (Cont'd) Magic Corpet RTU Carpet **1**179 Rug Spot Remover, with Sprayer, \$24,75 12/3202 CASE \$ 24.75 1 12 Qt./Case #M2265012 **√**180 Endust Professional, No Wax Simoniz Aerosal Furniture Polish Formula, Unscented, 12/1902 CASE \$39,85 6 - 15 Oz. Cans/Case 2 #53337012 √181 Clorox Spray Bottles All-Purpose Clorox Cleaner Liquid, Disinfectant, Cleanup Spray Unscented, or Equal. \$ 229,25 9/3202 12-32 Oz. Bottles/Case **SECTION VI - MISCELLANEOUS** 1 Gallon Plastic Jug with Handle, 182 Screw on Cap EA 12 5 Gallon Plastic Jug with Handle, 183 Screw On Cap 20 EA 184 Peroxy HDOX Multi Purpose, Germicidal, Verucidal and Fungicidal Cleaner and Deodorizer. 1 - 4 Gal, Containers/Case 10 CASE $\sqrt{185}$ Cups, Dixie #45, (MUST BE Packer's Label PAPER, NO PLASTIC). 3 Oz., 2,400 Cups/Case, or Equal \$ 352,50 #4HPCWHITE Cup Dispenser for 3 oz. Dixie 186 Cups, Bright Chrome 2 EA Packer's Labo 187 Cups, Hot, NON-STYROFOAM, 8 oz., 1,000 Cups/Sleeve, \$ 250,95 1000/802 20 Sleeves/Case 7 Simoniz Aerosol Glass Clarger **188** Zep 40 Non-Streaking Cleaner #0144, 12 - 24 Oz. Cans/Case \$198,75 12/1902 #523&101& Zep TNT Concentrate Truck Wash Big hig Truck Wash 189 #0376, 5 Gallon Pail 5

Unit of Est. **Delivery** Item **Total Price** # Description Otv. Meas. Unit Price Brand/Model# A.R.O. **Pack** SECTION VI - MISCELLANEOUS (Cont'd) **J** 190 Simoniz Silizone Zep Par Silicone Spray #0191, Aprosol Lube-12 - 24 Oz. Cans/Case CASE \$59.85 \$179,55 3 12/2007_ 191 Zep 45 Penetrating Lubricant CASE <u>\$109.85</u> #0174, 12 - 24 Oz. Cans/Case \$1428.05 13 192 Zep Aero Lube Heavy Duty Formula 54 Lubricant #0189. Aerosol Pentrating 12 - 20 Oz. Cans/Case CASE \$109.85 \$ 549.25 5 Zep Groovy Anti-Seize Spray 193 #0221, 12 - 15 Oz, Cans/Case **CASE 194** Zep Stainless Steel Polish #0143, 12 - 16 oz. Cans/Case, or Equal 195 Zep Big Orange-E Degreaser #0485, 55 Gallon Drum 7 DRUM \$ Gloves Work Gloves, Westchester 196 #WCMHV0500 H-Visz Select, Split Leather Palm, Bright Orange Canvas Back with Reflective Tape Stripes, 2.5" Safety Cuff, or Equal, 1 Dozen Pair/Case CASE \$ 6 Work Gloves, Grainger #D1425, 197 Condor Tersey Glaces or Equal, Brown Cotton. Brown Lightweight Uncooled Glove Cooling Material 1st Grade Durable, G-10, \$ 35,10 1 Dozen Pair/Box BX 1 PA1R 6 Work Gloves, Split Leather Palm, 198 4.5" Elasticized Gauntlet Cuff, Sizes: S, M, L, XL, 1 Dozen Pair/Package, 6 Packages/Case CASE \$ ____

- .		.	Unit					
Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION VI - MISCELLANEOUS - GI				1012111100	Di dildi 1/10deli/	1 ack	A.K.O.
208	Nitrile Gloves, Latex Free, Powder Free, Color: Black, Size: XL, The Safety Director Elite, #31008, 100 Gloves/Box	2	BX	\$	\$			
Insect	Repellants & Traps					0 -		
1 209	Aerosol Bug Spray, Institutional Grade, 12 - 12 Oz. Cans/Case	5	CASE	\$54.85	\$274.25	5)mon72 bug Spray4 #53373012	12/1602	
210	Ant Killing System, Unscented, Combat or Equal, 6 Baits/Box	12	ВХ	\$6,95	\$83,40	Combackill Ant Bait	6d	
1 211	Deepwoods Cutter Bug Spray, Aerosol Can, or Equal, 2 - 6 Oz. Cans/Case,	31	CASE	\$69.85		OFF Doep Wood Aerosol	12/64	
212	Permethrin Tick Repellent Aerosol Can, 12 - 6 Oz. Cans/Case, MUST CONTAIN AT LEAST 0.5%	20		•				
213	PERMETHRIN Wasp and Hornet Spray, Ortho or Equal, 12 - 17 Oz. Cans/Case	20 73	CASE	\$49.85	\$ 3629.05	Simoniz Beelmasp/HornetSpray	12/1202	
				<u> </u>	<u> </u>	#\S\5\0\10\0\	1-4140C	

BLUE STAR OF NJ INC.

Unit

			ОШ			
Item		Est.	of			
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#
SECT	ION I - CLEANING AND MOPPE	NG EQU	JIPMENT	T AND RELAT	ED SUPPLIES - R	estroom Cleaners a
		_				
93	Ammonia, 18 - 1 Qt. Bottles/Case	8	CASE	\$	\$	
94	SprayPAK, Aerosol Spray Glass Cleaner, 12 - 21 Oz. Cans/Case	17	CASE	\$	\$	
95	Cleaning Powder with Bleach, Babo or Equal,					
	24 - 21 Oz. Cans/Case	19	CASE	\$	\$	
√96	Blue Star Active Aero Enzyme, Active Stain and Odor Eliminator, or Equal, 24-15 Oz. Bottles/Case	20	CASE	\$ 306.00		Blue Star 2096-24
√ 97	Simply Fresh Gel Odor Neutralizer/Counteractant, Blue Star or Equal, 24 - 1 Quart Containers/Case	20	CASE	\$ 269.95	\$ 5399.00	Blue Star-1195
98	Fast Action Active Bacteria with Instant Odor Control, Enzyme Producing, Blue Star or Equal,	20	CASE	\$ 269.95		
	24 - 1 Qt. Btl/Case	12	CASE	\$ 286.00	\$ 3432.00	Blue Star-1003-2
99	Windex Glass Cleaner with Ammonia-D, #DVO-90940 CT, or Equal, 2 - 1 Gal. Cont./Case	13	CASE	\$	\$	
100	Windex Glass Cleaner with Ammonia-D, Lavender Scented, Trigger Bottle, #DVO-90940 CT,					
101	or Equal, 12 -32 Oz. Bottles/Case Window Cleaner, Earth Friendly Products #PL9301 or Equal,	1	CASE	\$	\$	
	12 - 32 Oz. Bottles/Case	27	CASE	<u>\$</u>	\$	

GENERAL LINEN & PAPER

Proposal for the furnishing and delivery of JANITORIAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM"

PRICE SCHEDULE

_	Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
		TON I - CLEANING AND MOPP	ING E	QUIPME	NT AND RI	ELATED SUPPLIES	5 – Brooms and Brushes		
1		Dust Brush, Counter Brush, Black Horse Hair Bristles, 13 1/4" length Hand Scrub Brush, 9", Tampico,	6	EA	\$ 3.7	5 \$ 22.50	Janus 4005	12	_16 days
	2	Pointed, MUST BE WOODEN	12	EA	\$	\$			
	3	Hand Scrub Brush, Plastic with White Synthetic Bristles, 1 ½" trim length, SSS #14036, or Equal	12	EA	\$	<u> </u>			
	4	Deck Scrub Brush with 60" L Wooden Screw-in Handle, Hoge #34 or Equal	12	EA	\$	\$		-m	
	5	Deck Scrub Brush, Hoge #34 (NO HANDLE), or Equal	60	EA	\$	\$			
	6	Push Broom, 18" Multi-Surface with Plastic Block and two threaded handle holes, gray polypropylene bristles, Size 62" L x 18.5" H,	10		5.8	5 . Qq u(James 4018		10 Dow
		Rubbermaid #X400, or Equal	17	EA	_\$,	<u> </u>	000,===	6	1000

GENERAL LINEN & PAPER Unit

Item #	Description	Est. Qty.	of Meas,	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O,
	TON I - CLEANING AND MOPPIN							
34	15 Qt. Pail/10 Oz. Mop Strainer Combination, 17" L x 10 ½" W x 12" H, Rubbermaid #RC6194STL, or Impact Brand, MUST NOT HAVE METAL ON STRAINER	30	EA	\$	\$			
35	Strainer for RC6194ST2 Rubbermaid, Gray, NO METAL ON STRAINER	30	EA	\$	\$			
36	Wavebreak, 26 Qt. Mopping Systems, #7480-18 Rubbermaid, Press Combo, or Equal	10	EA	\$	\$			
37	Floor Strip & Wax Bucket with Wringer, Rubbermaid Model #RM7677, or Equal	3	EA	\$	\$			
38	"Wet Floor" Sign, 37" Maxi-Warn, Continental #120, ALL PLASTIC, NO METAL PARTS	42	"EA	\$	\$			
39	Wet/Dry Spill Pan, Rubbermaid Lobby Pro 9M0000, or Equal	6	EA	\$	\$			
40	Cleaning Wand, Rubbermaid Lobby Pro 9M0100BLA, or Equal MUST BE COMPATIBLE							
J ₄₁	WITH ITEM #39 Upright Dust Pan with Cover, Black, Rubbermaid Lobby	12	EA	\$	\$			
42	Pro #2532, or Equal Stripping Pads, 17", Black, 3M,	6	EA	\$ 10.50	\$ 63.00	Thumler	<u> </u>	Iday
	or Equal, 5 Pads/Box	1	BX		_\$			

GENERAL LINEN & PAPER Unit

Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPIN	VG EQI	UIPMENT	Γ AND RELAT	ED SUPPLIES - R	estroom Cleaners and	Supplies (Cont'	d)
64	Cellulose Sponge, 6" x 4.25" x 1.625", 3M #C31, or Equal, 24 Sponges/Case	6	CASE	\$	\$			
65a	Spray Bottle, Plastic with Trigger Style Hand Sprayer, 12-32 oz. Bottles/Case	19	CASE	\$	\$			
65b	Hand Sprayer, Trigger Style, MUST FIT Bottles in Item 65a.	224	EA	\$	\$			
66	Metal Sanitary Napkin Floor Disposal Receptacle with Double Entry Swing Top, White, Hospeco Model #2201, or Equal, NO WALL MODELS	10	EA	\$	\$			
J 67	Urinal Screen, Vinyl with Deodorant Block Holder, 12 Screens/Box	25	вх	\$ (0.99	374.75	Janea	12/Box	10 days
1 68	Wave Urinal Deodorizer, Fragrances: Cucumber Melon, Cotton Blossom and Spiced Apple, 10 Urinal Screens/Box, 12 Boxes/Case	2	CASE	\$ 18.95	\$ 37.90		10 /Box	7 days
69	Toilet Seat Covers, Half Fold White Paper, 20% Post Consumer Materials, 100% Recovered Paper Fiber, Green Seal Certified, Bay West, 16" W x 3 ¼" D x 11 ½" H, 250 Covers/Pack, 20 Packs/Case, MUST FIT IN DISPENSER in Item #70	2						
	m nem #/0	2	CASE	\$				

GENERAL LINEN & PAPER

Unit

of **Delivery** Est. Item **Total Price** Description Otv. Meas. Unit Price Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) Tongo Mold Control Spray, 79 32 Oz. Bottle with Spray Trigger, Salisbury Labs, or Equal 6 EA Lysol® Disinfectant Aerosol 80 Spray, Kills 99.99% of Germs, 12 - 19 oz Cans/Case, CASE \$ Model # 454270, or Equal 246 Lysol Disinfectant Max Cover 81 Mist Aerosol Spray, Kills 99% of Viruses and Bacteria, or Equal, 6 - 15 oz. Cans/Case CASE \$ 10 √ 82 Pine Disinfectant, Concentrated, \$ 253.50 Pine Clean 4 g Allow CASE \$ 16.90 4-1 Gallon Containers/Case 15 Multi-Surface Wipes, Pledge, 83 Murphy's, Endust or Windex, 25 Wipes/Package \$ 65 PKG 84 Bowl Cleaner, 23% Hydrogen Chloride, Husky 303, 12-32 oz. Bottles/Case, or Equal 27 CASE \$ \$ 185 Clorox® Urine Remover for Stains and Odors #44600313252. Trigger Spray Bottle, \$ 478.80 Clotox VRINE 9 - 32 Oz. Bottles/Case, or Equal Lemonex Urinal 86 Disinfectant/Cleaner/Deodorizer, Lemon Citrus Fragrance, Enviro Leman 4 gal Zep #067528 or Equal, CASE \$ 39.40 \$ 39.90 4-1 Gallon Containers/Case

GENERAL LINEN & PAPER Unit

Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION IV - HAND SOAPS AND SAN	ITIZEF	RS					
136	Liquid Antiseptic Hand Lotion Soap, Pink, Contains 0.3% Chloroxylenol (PCMX), Gojo #1847-04, or Equal, 4 - 1 Gal. Containers/Case	30	CASE	\$	\$			
137	Cascade Complete 75 oz. Fresh Scent Dishwasher Gel with Dawn, NO SUBSTITUTIONS	5		\$	\$			
138	Derma Gel Instant Waterless Hand Sanitizing Gel with Moisturizing Aloe, Vitamin E & Dimethicone, 24 - 4 oz. Bottles/Case	72	CASE		\$			
139	Dawn Manual Pot and Pan Detergent, 8 - 38 Oz. Bottles/Case	2		\$	\$			
140	Sani-Hands Packet Wipes, #D43800, 100 Packets/Box	68	BX	\$	\$			
141	Germicidal Disposable Wipes, Non-Alcohol, PDI Sani-Cloth AF3 Translucent Teal Top, 3 Minute Kill, or Equal, 12 packs/box	106	вх	\$	\$			
142	Liquid Antimicrobial Hand Soap, Dial, MUST BE TRICLOSAN FREE, 4 - 1 Gal. Containers/Case	36	CASE	\$	<u> </u>			
√143	Deb Aero Rose Free Model #57530, 6 - 1 Liter Cartridges/Case, Vendor Shall Provide Additional Dispensers as Required at		5. 102	*	**			
	No Charge to the County, NO SUBSTITUTIONS	358	CASE	\$ 59.50	<u>\$21301.00</u>	Del 57530	6/lites	2WKS

GENERAL LINEN & PAPER Unit

Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT.	ION IV - HAND SOAPS AND SAN	ITIZE	RS (Cont'	d)				
144	Touch Free Dispenser to Hold 1 - 1200 ml Bottle of Purell TFX Model #2720-01	139	E A	\$	\$			
145	Purell Touch Free Dispenser Stand, Model # H2398,							
	As Specified, or Equal	9	EA	\$	\$			
146	Instant Hand Sanitizer, Shall Kill 99.9% of Germs, Purell or Equal, 12 - 8 Oz. Bottles/Case	101	CASE	\$	<i>a</i>			
147	Purell Instant Hand Sanitizer Foam, or Equal, 2 - 40.5 Fl. Oz. Bottles/Case	79	CASE		\$			
148	Purell Gel Cartridge Refill, 1000ml, Model #S14836, MUST FIT Purell Push Button Dispenser Model H228,	,,,	CAGL	Ψ			**************************************	
	4 Refills/Case	4	CASE	\$	<u>\$ · </u>			
149	Waterless Hand Cleaner, GoJo,							
	or Equal, 6 - 4.75 Oz. Cans/Case	12	CASE	\$	\$			
150	Zep Cherry Bomb Heavy-Duty Pumice Hand Cleaner #0951, 4 - 1 Gal. Containers/Case	9	CASE	s 72.90	\$ 656.10	Charge Broke	Jaal	ZWK
1 151	Zep Grip Heavy Duty Hand Cleaner #091224,	,	CABE		Value C 10 T	Charry Bont	yol	"
152	4 - 1 Gal. Containers/Case Borax Powder Hand Cleaner,	2	CASE	\$ 62.50	<u>\$ 125.00</u>	GRITTY WALNES	4 gal	
	20 Mule Team or Equal, 10 -5 lb. Containers/Case	3	CASE	\$	\$			

ACUITY SPECIALTY PRODUCTS, INC. DBA ZEP SALES AND SERVICE

Page 39 of 47

			Unit					
Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT	ION IV - HAND SOAPS AND SAN	VITIZEI	RS (Cont'	(d)				
144	Touch Free Dispenser to Hold 1 - 1200 ml Bottle of Purell TFX Model #2720-01	139	EA	\$ NO BID	\$			
145	Purell Touch Free Dispenser Stand, Model # H2398,							
	As Specified, or Equal	9	EA	\$ NO BID	\$			
146	Instant Hand Sanitizer, Shall Kill 99.9% of Germs, Purell or Equal, 12 - 8 Oz. Bottles/Case	101	CASE	§ NO BID	\$			
147	Purell Instant Hand Sanitizer Foam, or Equal,							
	2 - 40.5 Fl. Oz. Bottles/Case	79	CASE	\$ NO BID				
148	Purell Gel Cartridge Refill, 1000ml, Model #S14836,							
	MUST FIT Purell Push Button Dispenser Model H228,							
	4 Refills/Case	4	CASE	\$ NO BID	\$			
149	Waterless Hand Cleaner, GoJo,							
	or Equal, 6 - 4.75 Oz. Cans/Case	12	CASE	\$ но вір	\$			
√ 150	Zep Cherry Bomb Heavy-Duty Pumice Hand Cleaner #0951,				<u> </u>	AL . D		
	4 - 1 Gal, Containers/Case	9	CASE	s 69.50	§ 625.50	Cherry Bomb Part No: 95124	4-1 gal CS	3-5 Business Days
151	Zep Grip Heavy Duty Hand Cleaner #091224,					ZEP GRIP HC		***
	4 - 1 Gal. Containers/Case	2	CASE	\$ 81.37	\$ 162.74	Part No: 308524	4-1 gal CS	3-5 Business Days
152	Borax Powder Hand Cleaner, 20 Mule Team or Equal,							
	10 -5 lb. Containers/Case	3	CASE	\$ NO BID				

	Hoairi	in of coincin froducts, inc. DDA 201 SACES AND SERVICE							
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.	
SECT	ION IV - HAND SOAPS AND SAN	ITIZEI	RS (Cont'	d)					
153	Heavy Duty Hand Cleaner, Heritage with PC 2 Dual Turbo Scrubbers, Low Solvent with Lanolin Moisturizer, Vendor MUST Supply 1 Gallon Bottle with Pump with Each Case Ordered, As Specified or Equal, 4 - 128 oz. Bottles/Case	. 15	CASE	\$ NO BID	\$				
154	Deb Gritty Foam Cartridge, P/N GPF3LNA, 2 - 3.25 Liter Cartridges/Case	6			\$		<u></u>		
155	Arm & Hammer Pure Baking Soda, 12 - 2 lb. Boxes/Case	3	CASE	\$ NO BID	\$				
√156	Zep Reach #092520, or Equal, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case	1	CASE	\$ 129.00	\$ 129.00	Zep Reach Part No: 92524	4-1 gal CS	3-5 Business Days	
√157	Zep Reach #092520, 4 - 1 Gal Containers WITHOUT Dispenser/Case, or Equal	1	CASE	\$ 69.00	\$ 69.00	Zep Reach Part No: 92524	4-1 gal CS	3-5 Business Days	
158	Zep Double Play #095018, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case, or Equal	5	CASE	\$ NO BID	\$	Product Discontinued			
159	Zep Acclaim # 099924 Mild Antimicrobial Hand Cleaner, Biodegradable Surfactants, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case, or Equal	5	CASE	§ 129.99	§ 649.95	ZEP ACCLAIM AB HAND SOAP ANTI-BAC Part No: 314924	4-1 gal CS	3-5 Business Days	
√160	Zep D4000 Soap Dispenser, #600101 for 1 Gal. Containers	4	EA	\$ 60.00	\$ 240.00	D-4000 PLUS DISPENSER Part No: 600101	Each	3-5 Business Days	

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT. 169	ION V - OFFICE CLEANERS (Cor Wiping Rags, New (NOT	1t'a)			į			
	Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	BX	\$ NO BID	\$			
170	Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE			NO DID				
	WITH BID	2	BX	\$ NO BID	\$			
171	Zep Ultra Disposable Wipes #895601, 450 Wipes/Case	10	CASE	§ 67.50	\$ 675.00	ULTRA WIPES BLUE LG Part No: 895601	450 CT/CS	7-10 Business Days
172	GoJo Hand Cleaning Towels, 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case	102	CASE	\$ 89.99	§ 9,178.98	ZEP CHERRY BOMB WIPES Part No: 346601	4 tubs/CS	7 10 Pusiness Dava
173	Scotch-Brite #4004CC or Mr. Clean Erasing Pad, 2.8" x 4 ½" x 1 ¼", 12 Pads/Case					1 411140. 040001	130 vyipes Tub	7-10 Business Days
174	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box,	6	CASE	\$ NO BID	\$		<u></u>	
	10 Boxes/Case	19	CASE	\$ NO BID	\$			
175	WOW! Stainless Steel Cleaner, EZ Finishes Inc., #110022, Biodegradable, Organic, Individual Towelettes,				•			
	50 Towelettes/Case	31	CASE	\$ NO BID	\$	·		
176	CLR Stainless Steel Cleaner, 6 - 12 Oz. Cans/Case	10	CASE	\$ NO BID	\$			
\ 177	Penetrating Oil & Rustproofer, 12 - 12 Oz. Aerosol Cans/Case	12	CASE	\$ 47.88	\$ 574.56	ZEP AUTO PENETR LUBE Part No: 1047933	CS/12	7-10 Business Days
178	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case	20	CASE	\$ 59.88	\$ 1197.60	ZEP SHEEN Part No: 21601	CS/12	7-10 Business Days

								ruge it of it
Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION VI – MISCELLANEOUS (Co	nt'd)		-			- "	
190	Zep Par Silicone Spray #0191, 12 - 24 Oz. Cans/Case	3	CASE	\$ 83.22	§ 249.06	Zep Par NC Part No: 10701	CS/12	5-10 Business Days
√ 191	Zep 45 Penetrating Lubricant #0174, 12 - 24 Oz. Cans/Case	13	CASE	\$ 79.88	\$ 1,038.44	ZEP 45 DUAL FORCE Part No: 374301	CS/12	5-10 Business Days
√ 192	Zep Aero Lube Heavy Duty Lubricant #0189, 12 - 20 Oz. Cans/Case	5	CASE	\$ 59.99	s 299.95	ZEP WHT LITHIUM GRS Part No: 331701	CS/12	5 40 Business Davis
√ 193	Zep Groovy Anti-Seize Spray #0221, 12 - 15 Oz. Cans/Case	6	CASE	\$ 185.00	\$ 1,110.00	ZEP GROOVY V AER Part No: 22101	DZ	5-10 Business Days 6-10 Business Days
194	Zep Stainless Steel Polish #0143, 12 - 16 oz. Cans/Case, or Equal	1	CASE	§ 85.00	\$ 85.00	ZEP STAINLESS STEEL Part No. 14301	DZ	5-10 Business Days
195	Zep Big Orange-E Degreaser #0485, 55 Gallon Drum	7	DRUM	\$ 1799.00	\$12,593.00	ZEP BIG ORANGE-E Part No: 48585	55 gal/Dr	5-10 Business Days
Glove								
196	Work Gloves, Westchester #WCMHV0500 H-Visz Select, Split Leather Palm, Bright Orange Canvas Back with Reflective Tape Stripes, 2.5" Safety Cuff, or Equal, 1 Dozen Pair/Case	6	CASE	\$ NO BID	\$			
197	Work Gloves, Grainger #D1425, or Equal, Brown Cotton, 1st Grade Durable, G-10,							
198	1 Dozen Pair/Box Work Gloves, Split Leather Palm, 4.5" Elasticized Gauntlet Cuff, Sizes: S, M, L, XL, 1 Dozen Pair/Package,	6	BX	\$ NO BID	\$			
	6 Packages/Case	1	CASE	\$ NO BID	. \$			

CONSERV FLAG COMPANY

								Page 36 of 47
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION II - VACUUMS AND RELATI							
120	Hepa Filter, Panasonic HEPA Filter MC-V191H, or Equal, MUST FIT Panasonic Vacuum Cleaner MC-GG283, SUBMIT SAMPLE IF BIDDING ALTERNATE	20	EA	\$	\$			
121	Panasonic Vacuum Cleaner Belt, MUST FIT Models #MC-V22500 and #MC-GG283, 2 Belts/Pack, or Equal, SUBMIT SAMPLE IF BIDDING ALTERNATE	20	PACK	\$	\$			
122	Vacuum Cleaner Bags, MUST FIT Panasonic Model #MC-GG283 Uprights, U-3 Bag or Equal, 3 Bags/Pack	100	PACK		\$			
123	Back-Pack Vacuum Bags, Goodway BPV-50, 6 Bags/Pack, or Equal	20	PACK	<u> </u>	\$			
SECT	ION III - MATS, TRASH CONTAL	NERS.	AND REI	LATED SUPPLI	ES			
√ 124 √ 125	Entrance Mat, 3' X 2', Brown Tweed with Vinyl Backing, Scoles System	48	EA	s 13.89	s 666.72	Guardian Salve	(10	10 DAYS
√ 125 √ ₁₂₆	Entrance Mat, 3' X 5', Brown Tweed with Vinyl Backing, Scoles System Entrance Mat, 3' X 6', Brown	12	EA	s 33-89	s 406-68	Guardian Salver Buardian Silver Series Guardian	10	10 DAYS
/127	Tweed with Vinyl Backing, Scoles System Conversion Dolly #2640 for	12	EA	\$ 40.89	\$ 490-68	SLuer Series	10	10 DAYS
	"Rubbermaid Brute" Container ONLY	2	EA	\$	\$	-, - ,-		

CONSERV FLAG COMPANY

Page 37 of 47

T		17 -4	Unit					Thelianama
Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION III - MATS, TRASH CONTAI							
128	Trash Can with Lid, Rubbermaid "Brute" #2632, 32 Gallon	24	EA	s 48.89	\$ /173.36	1626326164	10	10 DAYS
1 29	Trash Can with Lid, Rubbermaid "Brute" #2655, 55 Gallon	20	EA	\$17-89	\$ 357.80	303P	10	10 Days
130	Waste Basket, 28 Qt., Tan or Dark Brown or Blue Recycling, Rubbermaid #2956, or Equal	53	E A	s 7.29	s 386-37	Lavey 475WC28	12	10 DAYS
131	Waste Basket, 41 Qt., Tan or Dark Brown or Blue Recycling, Rubbermaid, or Equal Trash Can Lid for 20 Gai.	6	EA	s //-89	s 71.34	Laver 475WEUL Rubbernaid	6	10 Days
	Rubbermaid Round Trash Containers, Gray	10	EA	\$10.89	\$ 108.90	F6261910	10_	10 Days
133	Outside Receptacle, Smoker's Outpost, Barco Products #OP-0610P, Color: Pewter, 40"H x 12"W, Weight: 14 lbs.	2	EA	\$	\$			•
134	Outside Receptacle, Smoker's Cease Fire, Barco Products #26804D, Color: Black, Plastic, 16 ½" dia. x 38 ½" H,							
135	Weight: 15 lbs. Ash/Trash Container with Weather Shield, Brown, 31lbs., Uni-Koat Powder Coated Finish, Dimensions: 10" Sq. x 24" H, Heavy Duty Steel Construction, Class A Fire Rating, Rubbermaid	20	EA	\$				
	R41WU, or Equal	20	EA		_ \$		<u> </u>	

Unit

Item #	Description	Est. Qty.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION I - CLEANING AND MOPPIN							
70	Toilet Seat Cover Dispenser, White Plastic, 5BQ-58334, or Equal, MUST BE compatible with Toilet Seat Covers in Item #69	58	EA	\$	\$		•	·
71	Baby Changing Towels/Liners, 13" x 18" to fit R-5801 Changing Station, Heavy Weight, Vertical,							
72	500 Liners/Case	20	CASE	\$	\$			*
72	Brawny Industrial Light Duty 2-Ply Paper Wipers, #29221, 8" x 12 ½", 31.4 lb. Case,							
,	2,960 Wipes/Case	10	CASE	\$	\$			·
73	Clorox® Fresh Scent Disinfecting Wipes, 35 Sheets/Container, 12 Containers/Case	272	CASE	¢	\$.			
74	Clorox® Disinfecting Wipes, CLO-15949C, 75 Wipes/Canister,	212	CASE	<u> </u>	ф ,			
•	or Equal, 6 Canisters/Pack	207	PACK				***	
75	Clorox® Outdoor Bleach, 3 - 121 oz. Containers/Case	8	CASE	\$	\$			
76	Clorox® Bleach, or Austin Brand, 6-1 Gallon Containers/Case	327	CASE	\$				
77	Air Freshener, Odor Hound, Gel Odor Eliminator, or Equal, 12-8 Oz. Bottles/Case	2	CASE	\$			·	,
√ 78	Tongo Odor Control Spray, Odor Neutralizer, with Spray Trigger, Salisbury Labs, or Equal,							1 .
	32 Oz. Bottle	6	BTL	\$6.99	\$41.94	JONGO	EACh	lwk.

Unit of Item Est. Delivery # Description Unit Price **Total Price** Brand/Model# A.R.O. Meas. Pack Otv. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) **1**79 Tongo Mold Control Spray, 32 Oz. Bottle with Spray Trigger, \$6.99 \$41.94 Towas Sach Salisbury Labs, or Equal 6 80 Lysol® Disinfectant Aerosol Spray, Kills 99.99% of Germs, 12 - 19 oz Cans/Case. CASE \$ Model # 454270, or Equal 246 Lysol Disinfectant Max Cover 81 Mist Aerosol Spray, Kills 99% of Viruses and Bacteria, or Equal, 6 - 15 oz. Cans/Case CASE \$ 10 82 Pine Disinfectant, Concentrated, CASE \$ \$ 4-1 Gallon Containers/Case 15 83 Multi-Surface Wipes, Pledge. Murphy's, Endust or Windex, 25 Wipes/Package 65 PKG \$ 84 Bowl Cleaner, 23% Hydrogen Chloride, Husky 303. 12-32 oz. Bottles/Case, or Equal 27 CASE \$ \$ Clorox® Urine Remover for Stains 85 and Odors #44600313252, Trigger Spray Bottle, 9 - 32 Oz. Bottles/Case, or Equal CASE \$ 12 Lemonex Urinal 86 Disinfectant/Cleaner/Deodorizer, Lemon Citrus Fragrance, Zep #067528 or Equal, 4-1 Gallon Containers/Case CASE

Unit **Delivery** Est. of Item **Total Price** Brand/Model# Unit Price Pack A.R.O. # Description Oty. Meas. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) Zep Powerhouse Heavy Duty 87 Aerosol Cleaner, Product #0282, 12 - 24 oz. Cans/Case CASE \$ 10 Zep Zepynamic A Disinfectant 88 Spray #0110, 12 - 20 oz. Cans/Case CASE \$ 25 89 Zepvue R.T.U. Glass Cleaner Spray Bottle #1010, 12 - 32 Oz. Bottles/Case CASE \$ 10 Envirox "H2 ORANGE-2" Hydrogen Peroxide Cleaner, #117 Concentrate, Sanitizer Virucide, Green Seal Certified, ENVIROX 117 Shall Include Gal. Dispenser, 4x1GAL 10-14 DAY CASE \$147.03 \$2058.42 BS 116002 4 - 1 Gal. Cont./Case, or Equal 14 Peroxy HDOX, Earth 91 Laboratories, Hydrogen Peroxide Cleaner, Sanitizer Virucide, Fungicide, 4-1 Gal. Cont./Case, EPA REGISTERED, MUST FIT EXISTING SYSTEM #10072900 WITH ALL PARTS. CASE \$ \$_____ 12 Hydrogen Peroxide Cleaner, 92 Ready-Made, 12-32 Oz. Btl./Case Envirox, "H2 ORANGE-2 ONE" #117 or Equal MUST BE HYDROGEN PEROXIDE, EPA APPROVED & GREEN SEAL **CERTIFIED** CASE \$ \$ 14

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	TON I - CLEANING AND MOPPIN	G EQ	UIPMEN'	Γ AND RELAT	ED SUPPLIES -I	Floor Products and Rela	ted Supplies (C	Cont'd)
53	Simplify Chemical Sealer Finish, or Equal ,5 Gallon Container	32	CONT	\$	\$			
√ 54	Universal Absorbent Pads for Oil and Water, 15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack	2	PACK	\$33	s 66	Y-pers Aloogoms	100/00CK	3-5 Oa75
55	Universal Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack	60		s 99		•	ı	•
56	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 31.4 Gallons, 15" X 19", 100 Pads/Pack	60		s 4 ₂		Y-pers Albowsal		
57	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack	60			·	Y-pers Aloquisms	1	ſ
58	Floor Finish, ZEP Ovation, or Equal, 5 Gallon Pail	107		\$	\$	7 pois 7/1000/3/1/2	toopack	
59	Acrylic Seal, Butchers Iron Stone #4006520, or Equal, 5 Gallon Pail	25	PAIL	\$	\$			
Restro	oom Cleaners and Supplies							
60 61	Mop, Toilet Bowl, SSS or Equal Mop, Toilet Bowl, Deluxe Style	50	EA		\$			
62	with Acid Resistant Yarn and Fuller Head Toilet Bowl Plunger	225	EA	\$	\$			
02	without Metal Clips	42	EA	\$	\$			
63	Toilet Bowl Mop Holder	6	EA	<u>\$</u>	\$			•

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS							
161	Lambswool Duster with Plastic Handle, 26" L	15	EA	\$	\$			
162 163	Lambswool Duster with Plastic Handle, 35" L, Extends to 48" L Microfiber Glass Cloth, 16" X 16",	10	EA	\$	\$			
103	Color: Blue, 300 gsm, 12 Cloths/Case, MUST SUBMIT SAMPLE WITH BID	3	CASE	\$	\$			
164	Microfiber Red Dusting Cloth, 16" X 16", 300 gsm, 1 2 Cloths/Case, MUST SUBMIT	_						
J 165	Wiping Rags, New (NOT Reclaimed), 100% Terry Cloth, 25 lb. Box,	3	CASE	\$	<u>\$</u>			
J 166	170 Rags/Box , MUST SUBMIT SAMPLE WITH BID Wiping Rags, Reclaimed,	45	вх	\$ 35,99	\$1,619.55	Y-pers 0131	<u> 36#</u>	5-7 Days
√ 167	100% Terry Cloth, 25 lb. Box, 170 Rags/Box, MUST SUBMIT SAMPLE WITH BID Wiping Rags, New (NOT Reclaimed), 100% Jersey Knit	100	вх	\$ 23. 50	\$\lambda, 350	Y-pers 0113	<u></u> 2S#	5-7 Days
√ 168	Cotton, White, 1 - 25lb. Box, MUST SUBMIT SAMPLE WITH BID Wiping Rags, Reclaimed, 100% Jersey Knit Cotton, White,	15	BX	<u>\$ 38, 49</u>	\$ 577,3 5	Y- pers N203	<u>λ</u> s#	5-70ays
	1 - 25lb. Box, MUST SUBMIT SAMPLE WITH BID	35	вх	\$ 27,49	\$ 962, 15	1-pers 6130	<u>25#</u>	S-7 Days

KLEAN COM LLC

Proposal for the furnishing and delivery of JANITORIAL SUPPLIES for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(**√)** - YES () - NO

PRICE SCHEDULE

			Unit					
Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	<u>A.R.O.</u>
SECT	TION I - CLEANING AND MOPP	ING E	QUIPME	NT AND REI	ATED SUPPLIES			
1	Dust Brush, Counter Brush, Black			–		Northel #57410053		•
,	Horse Hair Bristles, 13 1/4" length	6	EA	\$ 6.15	<u>\$ 36.90</u>	Horsehair 8" N53	leach	<u>Net 15</u>
$\sqrt{2}$	Hand Scrub Brush, 9", Tampico,					Norshel # 17410034		
_	Pointed, MUST BE WOODEN	12	EA	\$ 3.63	\$43.56	Wooden handle 8" N34	<u>leach</u>	Net 15
3	Hand Scrub Brush, Plastic with							
	White Synthetic Bristles, 1 ½" trim length, SSS #14036, or Equal	10	T7 A	n at h	മചിശ	n Î n	nila	مراره
4	Deck Scrub Brush with 60" L	12	EA	s NIA	\$ NIA	NIA	NIA	NA
4	Wooden Screw-in Handle,							
	Hoge #34 or Equal	12	ĒΑ	SNA	s NIA	NIA	$N \mid A$	NIA
5	Deck Scrub Brush, Hoge #34	12	.4-72 \$	Ψ N/FI	ΨΙν()	- iv rt		- 14 1 1 <u>1.</u>
•	(NO HANDLE), or Equal	60	EΑ	s NIA	s N/A	NIA	N/A	N/A
`6	Push Broom, 18" Multi-Surface with Plastic Block and two							
	threaded handle holes,							
	gray polypropylene bristles,				•			
	Size 62" L x 18.5" H,		- .		ماء ،	a ta	-11	ما ا
	Rubbermaid #X400, or Equal	17	EA	\$ N A	\$ N A	NIA	NIA	NIA

Unit Est. of **Delivery** Item A.R.O. Description Meas. **Unit Price Total Price** Brand/Model# # Otv. Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Brooms and Brushes (Cont'd) Security Broom Handle, Fiberglass 16 with Nylon Thread, 15/16" x 60", Norshell or Equal (MUST FIT \$ NA NA s NA NIA EA ON ITEM #15 BROOM HEAD) 84 $\sqrt{17}$ 12" Dust Pan, Rubbermaid #2005 Norshel #10150712 or Equal, 12 Dust Pans/Case \$ 3.24 \$ 272.16 leach Net 15 30 12" Black CN712 Mops and Handles 18 Yacht Mop, 16 oz., Rayon with Attached Wooden Handle NA NIA \$ NA N/A DOZ \$ NIA 5 Mop Head, 16 oz., Rayon 19 \$ N A NIA \$ NIA NIA NIA DOZ 1 Mop Head, 24 oz., Rayon 20 SNIA \$ NIA 15 N)A NIA DOZ Mop Head, 32 oz., Rayon 21 \$ NIA DOZ \$NA NIA NIA NIA 1 22 Mop Handle, Smooth Finish Wood, Clamp Style to screw down on mop head, \$ N/A \$ NA NA NA NO PLASTIC PARTS EA NIA 25 23 Security Mop Handle, 60" Hollow Fiberglass with Alligator Gripper Head, NIA NA SNA \$ N/A NIA Rubbermaid # H146, or Equal 48 EA Swiffer Sweeper Starter Kit, 24 10" Mop Head, Easy Grip Cloth Grippers, Swivel Head, WIA Wet and Dry, 3 Kits/Carton \$ NIA NA WLA NIA CTN \$ 6 25 Swiffer #82856 Refill Cloths for 10 inch Mop Head, Open Window Fresh Scent, 28 Cloths/Box, NLA NIA NIA \$ NIA NIA 6 Boxes/Carton 16 CTN

Unit Item Est. of **Delivery Unit Price** A.R.O. Otv. **Total Price** Brand/Model# # Description Meas. Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES -Floor Products and Related Supplies (Cont'd) 53 Simplify Chemical Sealer Finish, NIA N/A or Equal ,5 Gallon Container CONT \$ NA NIA 32 \$ Universal Absorbent Pads for Oil 54 and Water, 15" X 19", Absorbs NIA N/A PACK \$ NA NIA 31.4 Gallons, 100 Pads/Pack NIA \$ 2 Universal Absorbent Pads for Oil 55 and Water, 15" X 150", Fine Fiber NA Roll, 2 Rolls/Pack PACK \$ NA NIA NIA NA 60 \$ Oil Absorbent Only Pads, Oil Use 56 ONLY, Absorbs 31.4 Gallons, 15" X 19", 100 Pads/Pack PACK \$ N/A NA NIA NIA N/A \$ 60 57 Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack PACK \$ NA \$ N/A NIA N/A NA 60 58 Floor Finish, ZEP Ovation, or Equal, 5 Gallon Pail \$ 13,635.01 107 \$ 127.43 Zep#190135 5 gallon pail Net 15 59 Acrylic Seal, Butchers Iron Stone #4006520, or Equal, 5 Gallon Pail \$ N/A Alv 25 NIA **PAIL** \$ NIA NIA **Restroom Cleaners and Supplies** Norshel # 14910530 Map Bowl \$ 70.00 \$ 1.40 60 Mop, Toilet Bowl, SSS or Equal 50 EA leach Net 15 Acrylic N530 61 Mop, Toilet Bowl, Deluxe Style Norshel # 394 10082 with Acid Resistant Yarn Brush Boul Plastic and Fuller Head 225 \$ 2.08 \$ 465.00 24 case Net 15 EA Bristle Handle NB2 162 Norshel # 27165151
plunger Hydro Blast
withoutle N91021340501 Toilet Bowl Plunger \$3.72 42 \$ 156 24 Net 15 without Metal Clips EA each SNA \$ NIA NIA Toilet Bowl Mop Holder EA NIA NIA 6 63

V	FA	λŀ.	CO	м	11	\boldsymbol{c}
A.	レレベ	17.		M	LL	ا.

	na dia kacamatan di Kabupatèn Baratan di Kabupatèn Baratan di Kabupatèn Baratan di Kabupatèn Baratan di Kabupa Kabupatèn Baratan di Kabupatèn Baratan di Kabupatèn Baratan di Kabupatèn Baratan di Kabupatèn Baratan di Kabup			KLEAN COM	1 LLC	age 3.	Pa	ge 32 of 47
₩.			Unit	÷.		r 6.	:	;:
Item #	Description	Est. Oty.	of Meas.	Unit Price	Total Price	De. Brand/Model#	Pack	Delivery A.R.O.
	ION I - CLEANING AND MOPPIN					DI WAREN TO THE TOTAL TOTAL TO THE TOTAL TOTAL TOTAL TO THE TOTAL TOTAL TOTAL TO THE TOTAL TOTA	2 40/4	11111101
	TED SUPPLIES - Restroom Cleane	_						
87	Zep Powerhouse Heavy Duty			`				
	Aerosol Cleaner, Product #0282,							
	12 - 24 oz. Cans/Case	10	CASE	\$88.71	\$ 887.10	Zep:km#28201	12 can case	Net 15
88	Zep Zepynamic A Disinfectant							
	Spray #0110,							
	12 - 20 oz. Cans/Case	25	CASE	\$ 108.36	\$ 2,709,00	2cp iten # 351501	12 con case	Net 15
89	Zepvue R.T.U. Glass Cleaner				•			
	Spray Bottle #1010,				_			
	12 - 32 Oz. Bottles/Case	10	CASE	\$46.56	\$465.60	Zepitem # 101024	(4) I gallon case	Net 15
90	Envirox "H2 ORANGE-2"					•	•	
	Hydrogen Peroxide Cleaner,							
	#117 Concentrate, Sanitizer							
	Virucide, Green Seal Certified,							
	Shall Include Gal. Dispenser,		G L GTD	# 105	* A 500	ر. بسروطور رو چس	tions il	
0.1	4 - 1 Gal. Cont./Case, or Equal	14	CASE	\$ 185,00	\$ 2,590,00	Envirox #117-04B	(4) Igallon case	Net 15
91	Peroxy HDOX, Earth							
	Laboratories, Hydrogen Peroxide							
	Cleaner, Sanitizer Virucide,							
	Fungicide, 4-1 Gal. Cont./Case, EPA REGISTERED, MUST FIT							
	EXISTING SYSTEM							
	#10072900 WITH ALL PARTS.	10	C 4 OTD	مالم	ملیہ	mal	مان	1
loo		12	CASE	\$NIA	\$ N A	<u>NIA</u>	NIA	NIA
1 92	Hydrogen Peroxide Cleaner,							
	Ready-Made, 12-32 Oz. Btl./Case Envirox, "H2 ORANGE-2 ONE"							
	#117 or Equal MUST BE							
	HYDROGEN PEROXIDE, EPA							
	APPROVED & GREEN SEAL							
	CERTIFIED CERTIFIED	14	CASE	e/\ 12	\$855.82	E-1. #130-190	(19) Lad Books	سين بليداه
	V	14	CASE	<u>\$61.13</u>	2000-09	Envirox #120-12Q	(12) 19t case	Net 15

KLEAN COM LLC

Unit

Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O
SECT	ION IV - HAND SOAPS AND SAN	VITIZER	S (Cont'	d)				
153	Heavy Duty Hand Cleaner, Heritage with PC 2 Dual Turbo Scrubbers, Low Solvent with Lanolin Moisturizer, Vendor							
	MUST Supply 1 Gallon Bottle with Pump with Each Case Ordered, As Specified or Equal, 4 - 128 oz. Bottles/Case	15	CASE	s NA	s N/A	N/A-	NIA	NA
154	Deb Gritty Foam Cartridge, P/N GPF3LNA, 2 - 3.25 Liter Cartridges/Case	6	CASE	\$ N\A	s N/A	n/n-	Nla	wla
155	Arm & Hammer Pure Baking Soda, 12 - 2 lb. Boxes/Case	3	CASE	s NIA	s NA	NA	N/A	NIA
156	Zep Reach #092520, or Equal, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case	1		۲ما، <i>چ</i> ۱۶	\$ 152.67	2ep # 92524 Zep Dise # 600101 D-400	411 gallon case	Net15
157	Zep Reach #092520, 4 - 1 Gal Containers WITHOUT Dispenser/Case, or Equal	1	CASE	\$ 86.37	\$ 86.37	, , ,		01-1-5
158	Zep Double Play #095018, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case,				,	•	(4) Igallon case	
l ₁₅₉	or Equal Zep Acclaim # 099924 Mild Antimicrobial Hand Cleaner, Biodegradable Surfactants,	5	CASE	\$ N A	\$ NIA	NIA	<u> N/A</u> .	N/A
	4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case,					Zep# 314924	(4) Igallon	
160	or Equal Zep D4000 Soap Dispenser,	5	CASE	\$ 160-16	\$ 800.80	Dig#600101 D-4000	(1) Dispeach	Net 15
	#600101 for I Gal, Containers	4	EA	\$ 66.30	\$ 265.30	200 # 600101	leach	Net 15

Unit

of Delivery Item Est. # Description Otv. Meas. Unit Price **Total Price** Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES -Floor Products and Related Supplies (Cont'd) 53 Simplify Chemical Sealer Finish, or Equal ,5 Gallon Container CONT \$ _____ 32 Universal Absorbent Pads for Oil 54 and Water, 15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack 2 PACK \$ _____\$ Universal Absorbent Pads for Oil 55 and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack PACK \$ _____ 60 Oil Absorbent Only Pads. Oil Use 56 ONLY, Absorbs 31.4 Gallons, 15" X 19", 100 Pads/Pack PACK \$ ______ 60 Oil Absorbent Only Pads, Oil Use 57 ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack 60 PACK \$ $\sqrt{58}$ Floor Finish, ZEP Ovation, PAIL \$45.95 \$4,916.55 American \$1000 5 Sol or Equal, 5 Gallon Pail 107 59 Acrylic Seal, Butchers Iron Stone #4006520, or Equal, 5 Gallon Pail PAIL \$ 25 **Restroom Cleaners and Supplies** 60 Mop, Toilet Bowl, SSS or Equal 50 EA Mop, Toilet Bowl, Deluxe Style 61 with Acid Resistant Yarn and Fuller Head 225 EA 62 **Toilet Bowl Plunger** without Metal Clips 42 EA 63 Toilet Bowl Mop Holder 6 EA

Ite:		Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SEC	CTION I - CLEANING AND MOPPI		ЛРМЕN'					
93	Ammonia, 18 - 1 Qt. Bottles/Case	8	CASE	\$	\$			
J 94	SprayPAK, Aerosol Spray Glass Cleaner, 12 - 21 Oz. Cans/Case	17	CASE	\$ 25	s 374	spraypak	19/12 02	35 B/s
95	Cleaning Powder with Bleach, Babo or Equal,							
	24 - 21 Oz. Cans/Case	19	CASE	\$	\$			
96	Blue Star Active Aero Enzyme, Active Stain and Odor Eliminator, or Equal, 24 -15 Oz. Bottles/Case	20	CASE	¢	C			
97	Simply Fresh Gel Odor Neutralizer/Counteractant, Blue Star or Equal,				<u>.</u>			-
98	24 - 1 Quart Containers/Case Fast Action Active Bacteria with Instant Odor Control, Enzyme Producing, Blue Star or Equal,	20	CASE	\$	<u>\$</u>			
	24 - 1 Qt. Btl/Case	12	CASE		\$		<u> </u>	
99	Windex Glass Cleaner with Ammonia-D, #DVO-90940 CT, or Equal, 2 - 1 Gal. Cont./Case	13	CASE	\$	\$			
100	Windex Glass Cleaner with Ammonia-D, Lavender Scented, Trigger Bottle, #DVO-90940 CT,							
101	or Equal, 12 -32 Oz. Bottles/Case Window Cleaner, Earth Friendly	1	CASE	\$	\$			
	Products #PL9301 or Equal, 12 - 32 Oz. Bottles/Case	27	CASE	\$	\$			

Unit of **Delivery** Item Est. **Total Price** Brand/Model# A.R.O. Unit Price # **Description** Oty. Meas. Pack SECTION IV - HAND SOAPS AND SANITIZERS (Cont'd) Touch Free Dispenser to Hold 144 1 - 1200 ml Bottle of Purell TFX 139 \$ Model #2720-01 EA 145 Purell Touch Free Dispenser Stand, Model # H2398, As Specified, or Equal 9 EA \$ **1**146 Instant Hand Sanitizer, Shall Kill 99.9% of Germs, Purell or Equal, 802 18/cs 3-50g \$ 3,43400 Buk 800 CASE <u>\$ 34</u> 12 - 8 Oz. Bottles/Case 101 Purell Instant Hand Sanitizer 147 Foam, or Equal, 2 - 40.5 Fl. Oz. Bottles/Case 79 CASE \$ Purell Gel Cartridge Refill, 148 1000ml, Model #S14836, MUST FIT Purell Push Button Dispenser Model H228, CASE \$ 4 Refills/Case 4 Waterless Hand Cleaner, GoJo, 149 or Equal, 6 - 4.75 Oz. Cans/Case CASE \$ 12 Zep Cherry Bomb Heavy-Duty 150 Pumice Hand Cleaner #0951, 4 - 1 Gal. Containers/Case CASE \$ 9 151 Zep Grip Heavy Duty Hand Cleaner #091224, 4 - 1 Gal. Containers/Case CASE \$ Borax Powder Hand Cleaner, 152 20 Mule Team or Equal, 10 -5 lb. Containers/Case CASE \$ 3

Unit **Delivery** Est. of Item # Description Otv. Meas. **Unit Price Total Price** Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES -Floor Products and Related Supplies (Cont'd) $\sqrt{53}$ Simplify Chemical Sealer Finish, CONT \$ 37.80 \$1209,60 or Equal ,5 Gallon Container Universal Absorbent Pads for Oil 54 and Water, 15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack PACK \$ 2 55 Universal Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack PACK \$ 60 Oil Absorbent Only Pads, Oil Use 56 ONLY, Absorbs 31.4 Gallons, 15" X 19", 100 Pads/Pack 60 PACK \$ Oil Absorbent Only Pads, Oil Use 57 ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack 60 PACK \$ 58 Floor Finish, ZEP Ovation, \$5013.65 (Mi Fied or Equal, 5 Gallon Pail 107 **1**59 Acrylic Seal, Butchers Iron Stone s 945,00 #4006520, or Equal, 5 Gallon Pail 25 **Restroom Cleaners and Supplies** 60 Mop, Toilet Bowl, SSS or Equal 50 EA \$ 61 Mop, Toilet Bowl, Deluxe Style with Acid Resistant Yarn and Fuller Head \$ 225 EA Toilet Bowl Plunger 62 without Metal Clips 42 EA 63 Toilet Bowl Mop Holder EA

Unit

Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT	ION IV - HAND SOAPS AND SAN	ITIZEF	SS 25					
1 36	Liquid Antiseptic Hand Lotion							
	Soap, Pink, Contains 0.3%							
	Chloroxylenol (PCMX),							
	Gojo #1847-04, or Equal,			12 60		Le se	The same	
	4 - 1 Gal. Containers/Case	30	CASE	\$13,99	\$	UniFies	-H/001	5
137	Cascade Complete 75 oz. Fresh							
	Scent Dishwasher Gel with Dawn,							
	NO SUBSTITUTIONS	5	CONT		<u> </u>			
$\sqrt{138}$	Derma Gel Instant Waterless Hand							
	Sanitizing Gel with Moisturizing				•			
	Aloe, Vitamin E & Dimethicone,			\$ 44.46		60-10	#0411.1	3 <u> </u>
100	24-4 oz. Bottos/Case Scilles	72	CASE	\$ 77170	\$	60,00	49674-10	<u> </u>
139	Dawn Manual Pot and Pan	2	CAGE	ው	\$			
140	Detergent, 8 - 38 Oz. Bottles/Case	2	CASE	\$	<u> </u>		 -	
140	Sani-Hands Packet Wipes, #D43800, 100 Packets/Box			•	47			
	, and the second	68	BX					
141	Germicidal Disposable Wipes,							
	Non-Alcohol, PDI Sani-Cloth AF3							
	Translucent Teal Top, 3 Minute Kill, or Equal, 12 packs/box	106	BX	\$				
1.40	• • •	100	DA	<u> </u>	.,5		······································	·
142	Liquid Antimicrobial Hand Soap, Dial, MUST BE TRICLOSAN							
	FREE, 4 - 1 Gal. Containers/Case	36	CACE	· 19.<	· 707. 2/2	Unifico	那個的	
143	Deb Aero Rose Free	20	CASE	11/1/1	30000		1000	
143	Model #57530,							
	6 - 1 Liter Cartridges/Case,						_	
	Vendor Shall Provide Additional					_		
	Dispensers as Required at							
	No Charge to the County,							
	NO SUBSTITUTIONS	358	CASE	\$	\$ /			

				4 ,			, · · · · · · · · · · · · · · · · · · ·	50 57 01 17
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION IV - HAND SOAPS AND SAP	VITIZEI	RS (Cont	'd)				
144	Touch Free Dispenser to Hold 1 - 1200 ml Bottle of Purell TFX Model #2720-01	139	EA	s 20.99	\$2917.61	6000	#2720	5
145	Purell Touch Free Dispenser Stand, Model # H2398,	•						
	As Specified, or Equal	9	EA	\$	\$			
146	Instant Hand Sanitizer, Shall Kill 99.9% of Germs, Purell or Equal, 12 - 8 Oz. Bottles/Case	101	CASE	s 48.2B	s 48.76.28	6070	+9652-1	25
J 147	Purell Instant Hand Sanitizer Foam, or Equal, 2 - 40.5 Fl. Oz. Bottles/Case	79			\$4945,40	•	#5392-0	n 5
148	Purell Gel Cartridge Refill, 1000ml, Model #S14836, MUST FIT Purell Push Button Dispenser Model H228,							
	4 Refills/Case	4	CASE	\$	\$			
J 149	Waterless Hand Cleaner, GoJo, or Equal, 6 - 4.75 Oz. Cans/Case	12	CASE	s 87.53	\$ 1050.36	6050	# 1115-0	6 S
150	Zep Cherry Bomb Heavy-Duty Pumice Hand Cleaner #0951,							<u> </u>
	4 - 1 Gal. Containers/Case	9	CASE		\$			
151	Zep Grip Heavy Duty Hand Cleaner #091224,							·
152	4 - 1 Gal. Containers/Case Borax Powder Hand Cleaner,	2	CASE		\$		<u> </u>	
	20 Mule Team or Equal, 10 -5 lb. Containers/Case	3	CASE	\$	\$		<u> </u>	

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS (Co	ıt'd)						
169	Wiping Rags, New (NOT Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	вх	\$	\$			
170	Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	BX	\$	\$			
171	Zep Ultra Disposable Wipes	_	13.1	<u> </u>				
1	#895601, 450 Wipes/Case	10	CASE	\$	\$ · /			
$ \int_{172} $	GoJo Hand Cleaning Towels, 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case	102		<i>x</i> .	\$ 9100.44	60,00	-46298-	of 5
173	Scotch-Brite #4004CC or Mr. Clean Erasing Pad, 2.8" x 4 ½" x 1 ¼", 12 Pads/Case	6	CASE	\$	\$			
174	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Case	19	CASE	\$	\$			
175	WOW! Stainless Steel Cleaner, EZ Finishes Inc., #110022, Biodegradable, Organic, Individual Towelettes,					· · ·		
	50 Towelettes/Case	31	CASE	\$			/	
176	CLR Stainless Steel Cleaner, 6 - 12 Oz. Cans/Case	10	CASE	\$	\$			
177	Penetrating Oil & Rustproofer,	10	CASE	Φ	Ψ		<u> </u>	
1,,	12 - 12 Oz. Aerosol Cans/Case	12	CASE	\$	\$			
178	Pledge Furniture Polish, or Equal, 12 - 32 Oz. Containers/Case	20	CASE	\$	\$			

			•	D) MOUCH TIME	NOT POLICE		,	rage 43 01 47
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS (Co	nt'd)						
179	Rug Spot Remover, with Sprayer, 12 Qt./Case	1	CASE	\$	\$			
180	Endust Professional, No Wax Formula, Unscented,	2	a . cr	•	•			
181	6 - 15 Oz. Cans/Case Clorox Spray Bottles All-Purpose Cleaner Liquid, Disinfectant,	2	CASE	\$	\$			
	Unscented, or Equal, 12-32 Oz. Bottles/Case	5	CASE	\$	\$			
SECT	ION VI - MISCELLANEOUS							
182	1 Gallon Plastic Jug with Handle, Screw on Cap	12	EA	\$	\$			
183	5 Gallon Plastic Jug with Handle, Screw On Cap	20	EA	\$	\$			
184	Peroxy HDOX Multi Purpose, Germicidal, Verucidal and Fungicidal Cleaner and Deodorizer, 1 - 4 Gal. Containers/Case	10		\$	\$			
185	Cups, Dixie #45, (MUST BE PAPER, NO PLASTIC), 3 Oz., 2,400 Cups/Case, or Equal	6	CASE	\$	s /	/		
186	Cup Dispenser for 3 oz. Dixie Cups, Bright Chrome	2	EA	\$	\$			
187	Cups, Hot, NON-STYROFOAM, 8 oz., 1,000 Cups/Sleeve, 20 Sleeves/Case	7	CASE	\$	•			
188	Zep 40 Non-Streaking Cleaner #0144, 12 - 24 Oz. Cans/Case	5	CASE	\$	\$			
√189	Zep TNT Concentrate Truck Wash #0376, 5 Gallon Pail	5	PAIL	\$ 28.21	\$	BANNER	AU307	05 5

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPI	G EQI	UIPMENT	T AND RELAT	ED SUPPLIES -F	loor Products and Relate	d Supplies (C	Cont'd)
53	Simplify Chemical Sealer Finish, or Equal ,5 Gallon Container	32	CONT	\$	_\$			
54	Universal Absorbent Pads for Oil and Water, 15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack	2	ይ ልሮዥ	حكاملات	6070r	Faciliane# GPF100H	_	5
√ 55	Universal Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack							5
√ 56	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 31.4 Gallons,	60				Godland University		
√ 57	15" X 19", 100 Pads/Pack	60	PACK	\$36.10	\$2,11do.00	Gordland Oil Alband	7	_5
₹3/	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack	60	PACK	s24.105	0.PCP 18	Gordford 0.101/2		5
58	Floor Finish, ZEP Ovation, or Equal, 5 Gallon Pail	107		\$	\$			
59	Acrylic Seal, Butchers Iron Stone #4006520, or Equal, 5 Gallon Pail	25	PAIL	\$	\$			
Restro	oom Cleaners and Supplies			,				
60 61	Mop, Toilet Bowl, SSS or Equal Mop, Toilet Bowl, Deluxe Style	50	EA		\$		A Mild A Barriage and	
CD	with Acid Resistant Yarn and Fuller Head	225	EA	\$	\$		·	
62	Toilet Bowl Plunger without Metal Clips	42	EA	\$	\$			
63	Toilet Bowl Mop Holder	6	EA			-		

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS (Co	nt'd)	. <u></u>					
√ 169	Wiping Rags, New (NOT Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	BX	\$58.75	\$}\?\.50	Garland#919	asni	5_
170	Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2			\$			
171	Zep Ultra Disposable Wipes	2	BA		<u> </u>			
1,1	#895601, 450 Wipes/Case	10	CASE	\$	\$			
172	GoJo Hand Cleaning Towels, 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case							
173	Scotch-Brite #4004CC or	102	CASE		\$			
113	Mr. Clean Erasing Pad, 2.8" x 4 ½" x 1 ¼", 12 Pads/Case	6	CASE	\$	\$			
174	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Case	19	CASE	¢	\$			
175	WOW! Stainless Steel Cleaner, EZ Finishes Inc., #110022, Biodegradable, Organic, Individual Towelettes,	19	CASE	\$	Φ			
176	50 Towelettes/Case CLR Stainless Steel Cleaner,	31	CASE					· ·
170	6 - 12 Oz. Cans/Case	10	CASE	\$	\$			
177	Penetrating Oil & Rustproofer,	10	CACE	œ.	ф.			-
178	12 - 12 Oz. Aerosol Cans/Case Pledge Furniture Polish, or Equal,	12	CASE		_\$			<u> </u>
	12 - 32 Oz. Containers/Case	20	CASE	\$	\$			

Item	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPI	NG EQU	JIPMEN	T AND RELATE	D SUPPLIES - N	Mops and Handles (Cont	'd)	
1 26	Swiffer Wet Jet, Starter Kit #92811KT, As Specified	10	KIT	\$ 26.80	\$ 286,00	PGC 92811		3 DAYS
√27 √28	Swiffer Refill Cloths for Wet Jet, Part Number #08443, 24 cloths/box Swiffer Wet Jet Fluid Refill, Part	40	BX	\$ 1(.10	\$444.00	PGC 08443	.	3 DAYS
	Number #3700023680, Lavender Mix, or Equal	20	BTL	\$4.80	\$ 96.00	16077809		3 DAYS
29 √30	Swiffer Duster Starter Kit, 6" Handle, 6 Dusters/Kit, 6 Kits/Carton Swiffer Duster Refill, Dust Lock	37	CTN	\$27.60	\$(011.20	PGC 11804CT		3 DAYS
,,,	Fiber, Light Blue, 40 Dusters/Carton	30	CTN	\$ 28.00	\$840.00	16C 2459CT		3 dxus
Floor	Products and Related Supplies	·						
31	Floor Squeegee, 18" Heavy Duty Channel Type with 60" L, Wooden Handle	8	EA	\$	\$			
32	Security Mop Bucket, with Wringer, Funnel Type, 35 Quart Capacity, NO METAL PARTS,			. •				
22	Bob Barker #335-39YW or Equal	52	EA	\$			_ '	<u> </u>
33	Bucket, 10 Qt. Heavy Duty, Rubbermaid or Equal	20	EA	_\$	_\$	<u>; </u>		<u></u>

Hnit Delivery Est. Δf Item Brand/Model# Description Otv. Meas. **Unit Price Total Price** Pack A.R.O. # SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES -Floor Products and Related Supplies (Cont'd) Simplify Chemical Sealer Finish, 53 or Equal ,5 Gallon Container 32 CONT \$ Universal Absorbent Pads for Oil 54 and Water, 15" X 19", Absorbs 31.4 Gallons, 100 Pads/Pack PACK \$ Universal Absorbent Pads for Oil 55 and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack PACK \$ 60 Oil Absorbent Only Pads, Oil Use 56 ONLY, Absorbs 31.4 Gallons. 15" X 19", 100 Pads/Pack 60 PACK \$ Oil Absorbent Only Pads, Oil Use 57 ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack 60 PACK \$ Floor Finish, ZEP Ovation, 58 or Equal, 5 Gallon Pail 107 PAIL \$ Acrylic Seal, Butchers Iron Stone 59 #4006520, or Equal, 5 Gallon Pail 25 PAIL \$ \$ **Restroom Cleaners and Supplies** 30,00 Tul 201 3 DAY) 160 50 Mop, Toilet Bowl, SSS or Equal Mop, Toilet Bowl, Deluxe Style 61 with Acid Resistant Yarn and Fuller Head 225 EA \$ 62 Toilet Bowl Plunger without Metal Clips 42 EA EA Toilet Bowl Mop Holder 6 63

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPIN	IG EQU	JIPMEN'	T AND RELAT	ED SUPPLIES - R	lestroom Cleaners and S	Supplies (Cont	'd)
70	Toilet Seat Cover Dispenser, White Plastic, 5BQ-58334, or Equal, MUST BE compatible with Toilet Seat Covers in Item #69	58	EA	\$	\$			
71	Baby Changing Towels/Liners, 13" x 18" to fit R-5801 Changing Station, Heavy Weight, Vertical, 500 Liners/Case	20	CASE	\$	•			
72	Brawny Industrial Light Duty 2-Ply Paper Wipers, #29221, 8" x 12 ½", 31.4 lb. Case,				Ψ			
73	2,960 Wipes/Case Clorox® Fresh Scent Disinfecting Wipes, 35 Sheets/Container, 12 Containers/Case	10 272	CASE	<u>\$</u> \$	<u>\$</u>			
J74	Clorox® Disinfecting Wipes, CLO-15949C, 75 Wipes/Canister, or Equal, 6 Canisters/Pack	207	PACK	\$ 24.00	\$4968.00	20075 FLERWIPES	6-75	SUNTERT TO AVAILANILE
75	Clorox® Outdoor Bleach, 3 - 121 oz. Containers/Case	8	CASE	\$ 19.00	\$\$52.00	CL030791	3 (ct	3 DAY
76	Clorox® Bleach, or Austin Brand, 6-1 Gallon Containers/Case	327	CASE	\$ 14,40	\$4708.80	K1/686350929	6-1 GAZ	3 DAYS
77	Air Freshener, Odor Hound, Gel Odor Eliminator, or Equal, 12-8 Oz. Bottles/Case	2	CASE		\$			
78	Tongo Odor Control Spray, Odor Neutralizer, with Spray Trigger, Salisbury Labs, or Equal,	_						
	32 Oz. Bottle	6	BTL	<u>\$</u>	\$	<u></u>		

Unit Delivery Est. αf Item A.R.O. **Unit Price Total Price** Brand/Model# Description Otv. Meas. Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) 79 Tongo Mold Control Spray. 32 Oz. Bottle with Spray Trigger, Salisbury Labs, or Equal 6 EA 180 Lysol® Disinfectant Aerosol Spray, Kills 99,99% of Germs, CASE \$ 48.00 \$ 1/808.00 AACLX100220 12-20 62 SUSTRICT TO AVAILABILITY 12 - 19 oz Cans/Case. Model # 454270, or Equal Lysol Disinfectant Max Cover 81 Mist Aerosol Spray, Kills 99% of Viruses and Bacteria, or Equal, 6 - 15 oz. Cans/Case CASE \$. 10 Pine Disinfectant, Concentrated. \$ \$60.00 NCLOZITES 4-1 GAL 82 4-1 Gallon Containers/Case 15 Multi-Surface Wipes, Pledge, 83 Murphy's, Endust or Windex, 25 Wipes/Package 65 PKG J 84 Bowl Cleaner, 23% Hydrogen \$583.00 NCL 1750 11-5202 3 DAY CASE \$ 21.60 Chloride, Husky 303, 12-32 oz. Bottles/Case, or Equal Clorox® Urine Remover for Stains 85 and Odors #44600313252. Trigger Spray Bottle, 9 - 32 Oz. Bottles/Case, or Equal CASE \$ 12 Lemonex Urinal 86 Disinfectant/Cleaner/Deodorizer. Lemon Citrus Fragrance. CASE \$ 24.00 84.00 NU 02529 Zep #067528 or Equal, 4-1 Gallon Containers/Case

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPIN	NG EQU	JIPMENT	T AND RELATE	D SUPPLIES - R	estroom Cleaners and	Supplies (Cont'	<u>d)</u>
93	Ammonia, 18 - 1 Qt. Bottles/Case	8	CASE	\$	\$			
94	SprayPAK, Aerosol Spray Glass Cleaner, 12 - 21 Oz. Cans/Case	17	CASE	¢	\$		•	
J 95	Cleaning Powder with Bleach,	17	CASE		p			<u></u> ·
	Babo or Equal, 24 - 21 Oz. Cans/Case	19	CASE	\$ 74,00	s 456.00	TANO	24,2102	3 DAY
96	Blue Star Active Aero Enzyme, Active Stain and Odor Eliminator, or Equal, 24-15 Oz. Bottles/Case	20	CASE	\$	\$			
97	Simply Fresh Gel Odor Neutralizer/Counteractant, Blue Star or Equal, 24 - I Quart Containers/Case	20		\$	· .			
98	Fast Action Active Bacteria with Instant Odor Control, Enzyme Producing, Blue Star or Equal, 24 - 1 Qt. Btl/Case	12		\$	\$			
99	Windex Glass Cleaner with Ammonia-D, #DVO-90940 CT, or Equal, 2 - 1 Gal. Cont./Case	13		\$	4			
100	Windex Glass Cleaner with Ammonia-D, Lavender Scented, Trigger Bottle, #DVO-90940 CT,	15	CASE					
1101	or Equal, 12 -32 Oz. Bottles/Case Window Cleaner, Earth Friendly Products #PL9301 or Equal,	1	CASE	\$ M 00	\$ 1401.00	0.4.0.100.00		
	12 - 32 Oz. Bottles/Case	27	CASE	\$ 15.	\$ 486.	01,70,5007	12-3202	3 Doy

Item		Est.	Unit of					Delivery
100111 #	Description	Oty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT	ION IV - HAND SOAPS AND SAN	ITIZEI	RS					
136	Liquid Antiseptic Hand Lotion Soap, Pink, Contains 0.3% Chloroxylenol (PCMX), Gojo #1847-04, or Equal, 4 - 1 Gal. Containers/Case							
137	Cascade Complete 75 oz. Fresh	30	CASE					
137	Scent Dishwasher Gel with Dawn, NO SUBSTITUTIONS Derma Gel Instant Waterless Hand	5	CONT	\$	\$			
ì	Sanitizing Gel with Moisturizing Aloe, Vitamin E & Dimethicone, 24 - 4 oz. Bottles/Case	72	CASE	\$	\$			
140	Dawn Manual Pot and Pan Detergent, 8 - 38 Oz. Bottles/Case Sani-Hands Packet Wipes,	2	CASE	\$ 35.00	\$ 70.00	PGC 4511LOT	3-38 62	3 DAY
	#D43800, 100 Packets/Box	68	BX			.		
141	Germicidal Disposable Wipes, Non-Alcohol, PDI Sani-Cloth AF3 Translucent Teal Top, 3 Minute Kill, or Equal, 12 packs/box	106	BX	\$	\$			<u></u>
J 142	Liquid Antimicrobial Hand Soap, Dial, MUST BE TRICLOSAN FREE, 4 - 1 Gal. Containers/Case	36	CASE	\$ 16.00	\$ 576,00	03101878047	4-1 GAL	3.1M
143	Deb Aero Rose Free Model #57530, 6 - 1 Liter Cartridges/Case, Vendor Shall Provide Additional Dispensers as Required at No Charge to the County, NO SUBSTITUTIONS	358	CASE	\$	\$			
		5.70	O' KUL			· · · · · · · · · · · · · · · · · · ·	<u> </u>	

Unit Est. of Item **Delivery** Description Otv. Meas. **Unit Price Total Price** Brand/Model# A.R.O. Pack SECTION IV - HAND SOAPS AND SANITIZERS (Cont'd) **1**144 Touch Free Dispenser to Hold 16/8° GOJ ZIZOBE 6/CT 1 - 1200 ml Bottle of Purell TFX Model #2720-01 139 Purell Touch Free Dispenser 145 Stand, Model # H2398, As Specified, or Equal 9 EA Instant Hand Sanitizer, Shall Kill 146 99.9% of Germs, Purell or Equal, 3 DAY 8 4240 FULSU130758 24-CT 12 - 8 Oz. Bottles/Case 101 147 Purell Instant Hand Sanitizer Foam, or Equal, 2 - 40.5 Fl. Oz. Bottles/Case CASE \$ 79 Purell Gel Cartridge Refill, 148 1000ml, Model #S14836, MUST FIT Purell Push Button Dispenser Model H228, 4 Refills/Case CASE \$ Waterless Hand Cleaner, GoJo, 149 or Equal, 6 - 4.75 Oz. Cans/Case CASE \$ 12 150 Zep Cherry Bomb Heavy-Duty Pumice Hand Cleaner #0951. 4 - 1 Gal. Containers/Case CASE \$ 9 151 Zep Grip Heavy Duty Hand Cleaner #091224. 4 - 1 Gal. Containers/Case CASE \$ Borax Powder Hand Cleaner. 152 20 Mule Team or Equal, 10 -5 lb. Containers/Case CASE \$ 3

			TT *4					
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS							
161	Lambswool Duster with Plastic Handle, 26" L	15	EA	\$	\$			
162	Lambswool Duster with Plastic Handle, 35" L, Extends to 48" L	10	EA	\$ 5.5°	\$55,00	IM3105EA		JARY
163	Microfiber Glass Cloth, 16" X 16", Color: Blue, 300 gsm, 12 Cloths/Case, MUST SUBMIT SAMPLE WITH BID	3	CASE	\$	\$			
164	Microfiber Red Dusting Cloth, 16" X 16", 300 gsm, 1 2 Cloths/Case, MUST SUBMIT SAMPLE WITH BID	3		\$	\$			
165	Wiping Rags, New (NOT Reclaimed), 100% Terry Cloth, 25 lb. Box, 170 Rags/Box, MUST SUBMIT	J	CIND					
166	SAMPLE WITH BID Wiping Rags, Reclaimed, 100% Terry Cloth, 25 lb. Box, 170 Rags/Box, MUST SUBMIT	45	BX	\$	\$	· · · · · · · · · · · · · · · · · · ·		
167	SAMPLE WITH BID Wiping Rags, New (NOT Reclaimed), 100% Jersey Knit Cotton, White, 1 - 25lb. Box,	100	BX	\$	\$	<u>. </u>		
	MUST SUBMIT SAMPLE WITH BID	15	BX	\$	\$			
168	Wiping Rags, Reclaimed, 100% Jersey Knit Cotton, White, 1 - 25lb. Box, MUST SUBMIT							
	SAMPLE WITH BID	35	BX	\$	\$			
		,				· ·		

								Page 25 of 47
Item #	Description	Est. Oty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION I - CLEANING AND MOPPE							1111101
26	Swiffer Wet Jet, Starter Kit #92811KT, As Specified	10	KI T	\$	\$	No 610		
27	Swiffer Refill Cloths for Wet Jet, Part Number #08443, 24 cloths/box	40	BX	\$	\$	NO B10		
28	Swiffer Wet Jet Fluid Refill, Part Number #3700023680, Lavender Mix, or Equal	20	BTL	\$	\$	NO 919		
29	Swiffer Duster Starter Kit, 6" Handle, 6 Dusters/Kit, 6 Kits/Carton	37	CTN	\$	\$	No B19		
30	Swiffer Duster Refill, Dust Lock Fiber, Light Blue, 40 Dusters/Carton	30	CTN	\$	\$	NO BID		
	Products and Related Supplies					•		
31	Floor Squeegee, 18" Heavy Duty Channel Type with 60" L, Wooden Handle	8	EA	_\$	\$	NO BID		
√ 32	Security Mop Bucket, with Wringer, Funnel Type, 35 Quart Capacity, NO METAL PARTS,					CCITTINENTAL		
	Bob Barker #335-39YW or Equal	52	EA	<u>\$ 35 89</u>	\$ 1866.28	P3353127W	EΑ	2-3 DMJ
33	Bucket, 10 Qt. Heavy Duty, Rubbermaid or Equal	20	EA	\$	\$	NO B10		

			Unit					Page 28 of 47
Item #	Description	Est.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery
	ION I - CLEANING AND MOPPI	Qty.				· · · · · · · · · · · · · · · · · · ·		A.R.O.
53	Simplify Chemical Sealer Finish,	.,		x . a. (D REEDITA	COLUMN TELES	A MOO. A TOUGHES MING INCH	rea pappites	(Cont u)
JJ	or Equal ,5 Gallon Container	32	CONT	\$	\$	No B19		
54	Universal Absorbent Pads for Oil and Water, 15" X 19", Absorbs				,	_		· · · · · ·
	31.4 Gallons, 100 Pads/Pack	2	PACK	\$	<u> </u>	No 519		·
55	Universal Absorbent Pads for Oil and Water, 15" X 150", Fine Fiber Roll, 2 Rolls/Pack	60	PACK	\$	\$	NO B10		
56	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 31.4 Gallons, 15" X 19", 100 Pads/Pack	60	PACK		\$	NO BO		
57	Oil Absorbent Only Pads, Oil Use ONLY, Absorbs 21.5 Gallons, 15" X 18", 100 Pads/Pack	60		\$	\$	NO BID		
58	Floor Finish, ZEP Ovation,	00	FACK	-,D				<u> </u>
	or Equal, 5 Gallon Pail	107	PAIL	\$	\$	NO BID		<i>-</i>
59	Acrylic Seal, Butchers fron Stone #4006520, or Equal, 5 Gailon Pail	25	PAIL	\$	\$	NO BID		- <u></u>
Restro	oom Cleaners and Supplies							
60 61	Mop, Toilet Bowl, SSS or Equal Mop, Toilet Bowl, Deluxe Style	50	EA		\$	NO BID		<u> </u>
	with Acid Resistant Yarn and Fuller Head	225	EA	\$	\$	NO BID	·	. <u> </u>
62	Toilet Bowl Plunger without Metal Clips	42	EA	\$	\$	NO BID		·
63	Toilet Bowl Mop Holder	6	EA	s 1.88	\$ 11.28	631100WE	EA	2-3 ONT

								Page 29 of 47
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	TON I - CLEANING AND MOPPIN	IG EQU	JIPMEN	T AND RELAT	ED SUPPLIES -	Restroom Cleaners and	d Supplies (Co	nt'd)
64	Cellulose Sponge, 6" x 4.25" x 1.625", 3M #C31, or Equal, 24 Sponges/Case	6	CASE	s 20.99	<u>\$125.94</u>	BOARDWALK CS-2	24	5-3 DW/?
√65a	Spray Bottle, Plastic with Trigger Style Hand Sprayer, 12-32 oz. Bottles/Case	19		s 5,88	\$ 111.72	Tolio 120125	12	2-3 DM(
√ 65b	Hand Sprayer, Trigger Style, MUST FIT Bottles in Item 65a.	224	EA	\$.39	\$ 81.36	CONTINENTAL PROZKWY	EA	2-3 DMY
√ 66	Metal Sanitary Napkin Floor Disposal Receptacle with Double Entry Swing Top, White, Hospeco Model #2201, or Equal, NO WALL MODELS Urinal Screen, Vinyl with Deodorant Block Holder, 12 Screens/Box	10	EA BX	s 23.57	\$ 238.70 \$	11050RCD 2201	EΑ	2-3 DM-15
68	Wave Urinal Deodorizer, Fragrances: Cucumber Melon, Cotton Blossom and Spiced Apple, 10 Urinal Screens/Box, 12 Boxes/Case	2	CASE	\$	\$	NO BID		
69	Toilet Seat Covers, Half Fold White Paper, 20% Post Consumer Materials, 100% Recovered Paper Fiber, Green Seal Certified, Bay West, 16" W x 3 ¼" D x 11 ½" H, 250 Covers/Pack, 20 Packs/Case, MUST FIT IN DISPENSER in Item #70	2		s 25.91	\$ 51.93	CYRSTAL WARE	20fK/cs	2-3 DMS
	III HOIII # / V	Z	CASE	D 2/3.11	3 31.00	trscr 20250	DUTKILD	3 5 MI

Unit

CASE _\$

6

Item

#

70

71

172

 $\sqrt{73}$

74

75

76

77

78

Odor Eliminator, or Equal,

Tongo Odor Control Spray, Odor Neutralizer, with Spray Trigger, Salisbury Labs, or Equal,

12-8 Oz. Bottles/Case

32 Oz. Bottle

Delivery Est. of Description Qty. Meas. **Unit Price Total Price** Brand/Model# Pack A.R.O. SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES - Restroom Cleaners and Supplies (Cont'd) Toilet Seat Cover Dispenser, White Plastic, 5BQ-58334, or BOARDWALK Equal, MUST BE compatible with s 9.82 Toilet Seat Covers in Item #69 \$569.56 EA 58 KOIOO Baby Changing Towels/Liners, 13" x 18" to fit R-5801 Changing Station, Heavy Weight, Vertical, NO BID 500 Liners/Case 20 Brawny Industrial Light Duty 2-Ply Paper Wipers, #29221, 8" x 12 1/2", 31.4 lb. Case, GEORGIA PADRIC s 49.02 \$ 490.20 3-3 DWL 10 2,960 Wipes/Case Clorox® Fresh Scent Disinfecting Wipes, 35 Sheets/Container, BEARDWALK \$4.637.60 CASE \$ 17.05 454W75 12 Containers/Case 272 Clorox® Disinfecting Wipes, CLO-15949C, 75 Wipes/Canister, Dil) or Equal, 6 Canisters/Pack ND 207 PACK \$ Clorox® Outdoor Bleach, 3 - 121 oz. Containers/Case NO 8 CASE Clorox® Bleach, or Austin Brand, ND 6-1 Gallon Containers/Case 327 CASE \$ Air Freshener, Odor Hound, Gel

Nd

NO

B11)

B10

Page 30 of 47

								Page 31 of 47
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPH	NG EQU	JIPMENT	FAND RELAT	ED SUPPLIES -	Restroom Cleaners and	Supplies (Con	it'd)
7 9	Tongo Mold Control Spray, 32 Oz. Bottle with Spray Trigger, Salisbury Labs, or Equal	6	EA	\$	\$	NO BIN		
80	Lysol® Disinfectant Aerosol Spray, Kills 99.99% of Germs, 12 - 19 oz Cans/Case,					ν Λ:0		
81	Model # 454270, or Equal Lysol Disinfectant Max Cover Mist Aerosol Spray, Kills 99% of	246	CASE		\$	No 1310		
	Viruses and Bacteria, or Equal,					منہ منہ		
	6 - 15 oz. Cans/Case	10	CASE		_\$	NO BID		
82	Pine Disinfectant, Concentrated, 4-1 Gallon Containers/Case	15	CASE	\$	\$	No Bio		
₩ 83	Multi-Surface Wipes, Pledge, Murphy's, Endust or Windex, 25 Wipes/Package	65	PKG	<u>\$</u> 4,00	\$ 260.00	SCJOHNSON	25 PACK	2-3 DAYS
84	Bowl Cleaner, 23% Hydrogen Chloride, Husky 303, 12-32 oz. Bottles/Case, or Equal	27	CASE	ę	\$			
85	Clorox® Urine Remover for Stains and Odors #44600313252,	27	CASE		<u>.</u>			
1 86	Trigger Spray Bottle, 9 - 32 Oz. Bottles/Case, or Equal Lemonex Urinal	12	CASE	<u>\$ 43.90</u>	<u>\$5</u> 26,85	CLIROX 31036-CT	9/cs	1-3 DAY
	Disinfectant/Cleaner/Deodorizer, Lemon Citrus Fragrance, Zep #067528 or Equal,			. 26.25	.00 Or	NATIONAL CHEM	n f	2.7.0046
	4-1 Gallon Containers/Case	1	CASE	\$ 30.32	\$ 30.32	1865 23539	46AL/CS	2-3 DMY

Page 33 of 47

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPI	NG EQI	JIPMEN'		ED SUPPLIES -	Restroom Cleaners and	Supplies (Cor	
93	Ammonia, 18 - 1 Qt. Bottles/Case	8	CASE	\$_	\$	No 1010		
94	SprayPAK, Aerosol Spray Glass Cleaner, 12 - 21 Oz. Cans/Case	17	CASE	\$	\$	No bil		
95 96	Cleaning Powder with Bleach, Babo or Equal, 24 - 21 Oz. Cans/Case Blue Star Active Aero Enzyme, Active Stain and Odor Eliminator,	19	CASE	\$	\$	NO PID		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
97	or Equal, 24 -15 Oz. Bottles/Case Simply Fresh Gel Odor	20	CASE	\$	\$	No BID		
98	Neutralizer/Counteractant, Blue Star or Equal, 24 - 1 Quart Containers/Case Fast Action Active Bacteria with	20	CASE	_\$	\$	NO BIO		
J 99	Instant Odor Control, Enzyme Producing, Blue Star or Equal, 24 - 1 Qt. Btl/Case	12	CASE	\$	\$	No BID		
	Windex Glass Cleaner with Ammonia-D, #DVO-90940 CT, or Equal, 2 - 1 Gal. Cont./Case	13	CASE	\$ 18.68	s 242.84	LANS 131-534	46ALKS	2-3 DATS
√ 100	Windex Glass Cleaner with Ammonia-D, Lavender Scented, Trigger Bottle, #DVO-90940 CT, or Fauel 12, 22 On Bettles/Com	1	CASE	s 21.53	s 21.53	NATIONAL CHEM	lales	2-3 om/
101	or Equal, 12 -32 Oz. Bottles/Case Window Cleaner, Earth Friendly Products #PL9301 or Equal, 12 - 32 Oz. Bottles/Case	27		s 33 54	\$ 892.08	EARTH FRIENDLY 12001213 93016	12/65	2-3 OMS

			Unit					Page 34 of 47
Item	-	Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
	TON I - CLEANING AND MOPPH	NG EQU	JIPMENT	I AND RELATI	ed supplies -	Restroom Cleaners and	Supplies (Con	t'd
102	Streak-Free Glass & Surface							
	Wipes, Approx. Size 7" x 10",							
	Windex or Equal,			. 20 27	200 70	SC JOHNSON	Land Lan	2 2 AANC
1	28 Wipes/Package, 6 Packs/Case	10	CASE	<u>\$ 38.97</u>	\$ 284.10	642513	brus/use	2-3 DAYS
V 103	Wipes, Baby Nice 'N' Clean Solo,							
	Alcohol Free, Aloe, Unscented,	_		. 20 49	-0000	ROYAL PRODUCTS	. 1	~ 7 ~ 411 (
1	12 - 80 Count Boxes/Case	1	CASE	\$ 29.49	<u>\$29.49</u>	RPBWU80	lacsc	2-3 DMY
√ 104	All Purpose Cleaner, Simple					and the same of 1855 had		
	Green, MUST BE All Natural, or			. ~		NATIGUAL CHEM	2.4	- 2 241
	Equal, 6 - 1 Gal. Cont./Case	5	CASE	عال بالم ا	\$ 130 80	LABS 102029	6 GALLES	2-3 DAYS
105	Glass & CRT Cleaner,					•		
	Husky 1220, or Equal,					A 20		
	12 - 19 Oz. Cans/Case	14	CASE		\$	NO 619		
106	Chewing Gum Remover,							•
	Husky 1250 Simoniz or Chase,							
	or Equal, 12 - 7 Oz. Cans/Case	. 1	CASE	\$	\$	NO B10		
107	WD40 with Smartstraw, #1078-12,					A . A		
	or Equal, 12 - 11 Oz. Cans/Case	11	CASE	\$		NO B19		
108	ZEP DEO-3TM, Product Number							
	#1779, Deodorant Concentrate,							
•	or Equal, 5 Gallon Container	25	CONT	\$	\$	NE BID		
109	OZYME 2 Forster and Co., Part				- I	<u> </u>		
	Number #8170717, or Equal,							
	4-1 Gal. Jugs/Case	12	CASE	¢	\$	NO BID		
OEL-OF	-				ф	1-4 1512		
	ION II - VACUUMS AND RELAT	ED SUP	PLIES					•
√ 110	Lightweight, Bagless Vacuum,							
	On-Board Tools, Hoover							
	Commercial Task Vac			s 158.74	. ICO 70	11. ma #7 nex	FACI	2-3 ONT
	#HVRCH53010, or Equal	I	EA	S 174 (17	s 158.74	HOUSE SOID	EACH	1-5 011-

		,	Unit					Page 36 of 47
ltem #	Description	Est. Otv.	of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION II - VACUUMS AND RELAT		·		I dial Frice	Drand/Model#	- Pack	A.K.U.
120	Hepa Filter, Panasonic HEPA Filter MC-V191H, or Equal, MUST FIT Panasonic Vacuum Cleaner MC-GG283, SUBMIT SAMPLE IF BIDDING ALTERNATE	20	EA	\$	<u>\$</u>	NO BID		
121	Panasonic Vacuum Cleaner Belt, MUST FIT Models #MC-V22500 and #MC-GG283, 2 Belts/Pack, or Equal, SUBMIT SAMPLE IF BIDDING ALTERNATE	20	PACK	\$_	\$	No Bio	·	
122	Vacuum Cleaner Bags, MUST FIT Panasonic Model #MC-GG283 Uprights, U-3 Bag or Equal, 3 Bags/Pack	100	PACK		\$	NO DID		
123	Back-Pack Vacuum Bags, Goodway BPV-50, 6 Bags/Pack, or Equal	20	PACK		\$	NO BID		
SECT	ION III - MATS, TRASH CONTAI	NERS A	AND REI	ATED SUPPL	IES			
124 125	Entrance Mat, 3' X 2', Brown Tweed with Vinyl Backing, Scoles System Entrance Mat, 3' X 5', Brown	48	EA	\$	\$	NO B10		
126	Tweed with Vinyl Backing, Scoles System Entrance Mat, 3' X 6', Brown Tweed with Vinyl Backing,	12	EA	\$		NO BID		
127	Scoles System Conversion Dolly #2640 for "Rubbermaid Brute" Container	12	EA	\$	\$	NO BID		
	ONLY	2	EA	s 17.00	\$ 34.00	P32553K	EA	2-3 DAYS

						•		Page 37 of 47
Item # SECT	Description ION III - MATS, TRASH CONTAL	Est. Qty. INERS	Unit of <u>Meas.</u> AND RE	Unit Price LATED SUPPL	Total Price IES (Cont'd)	Brand/Model#	Pack	Delivery A.R.O.
128	Trash Can with Lid, Rubbermaid "Brute" #2632, 32 Gallon	24	EA	s [4.53	s 349.92	P3200by	EA	2-3 DMS
129	Trash Can with Lid, Rubbermaid "Brute" #2655, 55 Gallon	20	EA	<u>\$ 3</u> 5.05	\$ 701.00	CONTIMENTAL 055006AY	EA	2-3 DAY
√ 130	Waste Basket, 28 Qt., Tan or Dark Brown or Blue Recycling, Rubbermaid #2956, or Equal	53	EA	s 3.29	s 174.37	17703017400 VA81861	ÆΑ	2-3 DAYS
V 131	Waste Basket, 41 Qt., Tan or Dark Brown or Blue Recycling, Rubbermaid, or Equal Trash Can Lid for 20 Gai.	6	EA	s 4,53	\$ 27,18	CONTINENTAL	ÆΑ	7-308)
	Rubbermaid Round Trash Containers, Gray	10	E A	\$ 4.86	s 48.60	CONTINENTAL PACE 64	TE A	23 DAY
133	Outside Receptacle, Smoker's Outpost, Barco Products #OP-0610P, Color: Pewter, 40"H x 12"W, Weight: 14 lbs.	2	EA	\$	\$	NO 1310		
134	Outside Receptacle, Smoker's Cease Fire, Barco Products #26804D, Color: Black, Plastic, 16 ½" dia. x 38 ½" H,							
135	Weight: 15 lbs. Ash/Trash Container with Weather Shield, Brown, 31lbs., Uni-Koat Powder Coated Finish, Dimensions: 10" Sq. x 24" H, Heavy Duty Steel Construction, Class A Fire Rating, Rubbermaid	20	EA	\$	\$			
	R41WU, or Equal	20	EA	<u>\$</u>				

								Page 41 of 47
Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS							
16 1	Lambswooi Duster with Plastic Handle, 26" L	15	EA	\$		NO B10	_	
162	Lambswool Duster with Plastic Handle, 35" L,							
1 163	Extends to 48" L Microfiber Glass Cloth, 16" X 16", Color: Blue, 300 gsm,	10	EA		\$	NO BIO		
J ₁₆₄	12 Cloths/Case, MUST SUBMIT SAMPLE WITH BID	3	CASE	\$7.50	\$ 22.50	BOAROWALK 16 BLUCLETH	12/05	2-3 DIMS
V164	Microfiber Red Dusting Cloth, 16" X 16", 300 gsm, 1 /2 Cloths/Case, MUST SUBMIT					Boarow ALK	1	
165	SAMPLE WITH BID Wiping Rags, New	3	CASE	\$7.50	s 22.50	THEOLIGIA	13 (5	2-3 DM/S
	(NOT Reclaimed), 100% Terry Cloth, 25 lb. Box, 170 Rags/Box, MUST SUBMIT					42A A \ A		
166	SAMPLE WITH BID Wiping Rags, Reclaimed,	45	BX	\$	\$	NO BID		
	100% Terry Cloth, 25 lb. Box, 170 Rags/Box, MUST SUBMIT	100		di .				
167	SAMPLE WITH BID Wiping Rags, New (NOT Reclaimed), 100% Jersey Knit	100	BX		\$			· · · · · · · · · · · · · · · · · · ·
	Cotton, White, 1 - 25lb. Box, MUST SUBMIT SAMPLE WITH BID	15	вх	\$	\$			
168	Wiping Rags, Reclaimed, 100% Jersey Knit Cotton, White, 1 - 25lb. Box, MUST SUBMIT					(
	SAMPLE WITH BID	35	BX					

Page 42 of 47

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION V - OFFICE CLEANERS (Cor	ıt'd)						
169	Wiping Rags, New (NOT Reclaimed), Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE WITH BID	2	вх	\$	\$	NO BIN		
170	Wiping Rags, Reclaimed, Diaper Cloth Fabric, 1 - 25 lb. Box, MUST SUBMIT SAMPLE					,		
$\sqrt{171}$	WITH BID	2	BX			NO BIO		
	Zep Ultra Disposable Wipes #895601, 450 Wipes/Case	10	CASE	s 46.66	s 466.60	LEGACY 6821	450/cs	7-3 DMS
172	GoJo Hand Cleaning Towels, 9" L x 10" W, 130 Towels/Bucket, 4 Buckets/Case	102	CASE	\$		NO BID		
173	Scotch-Brite #4004CC or Mr. Clean Erasing Pad, 2.8" x 4 ½" x 1 ½", 12 Pads/Case	6	CASE	\$	\$	NO BID		
174	Nylon Scouring Pads, 6" x 9", Medium Duty, 6 Pads/Box, 10 Boxes/Case	19		s 4.21	\$ 79.99	Bonconall	In Ax les	7-3 DAZS
175	WOW! Stainless Steel Cleaner, EZ Finishes Inc., #110022, Biodegradable, Organic,							
	Individual Towelettes,					n) s n . 0		
176	50 Towelettes/Case CLR Stainless Steel Cleaner,	31	CASE	\$	_\$	NO B19		
	6 - 12 Oz. Cans/Case	10	CASE	\$	\$	NO BIO		
177	Penetrating Oil & Rustproofer,			<u> </u>		, ,,,		
178	12 - 12 Oz. Aerosol Cans/Case Pledge Furniture Polish, or Equal,	12	CASE			AD BIO EARTH FRIENDS		
-	12 - 32 Oz. Containers/Case	20	CASE	\$ 24 84	\$ 496.80	100000 PL97816	12/25	2-3 DAYS

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPI	VG EQ	UIPMEI	NT AND RELAT	ED SUPPLIES - 1	Brooms and Brushes (Co	nt'd)	
7	24" Push Broom with 5' Wooden/Stainless Steel screw in handle, for multi-floor use,	-	T.					14 days
8	Libman, or Equal Push Broom, 24" (NO HANDLE), for multi-floor use, Libman	7	EA	\$	\$			
9	or Equal Street Broom, Natural Fiber, 6 ¼" Trim with Wooden Handle and Tapered End	24 35	EA EA	s 16 ³⁴	\$ 571 ⁹⁰	VEILER 925-60	1	
10	Corn Broom, #6 with Handle, Heavy Duty	19		\$ 278 ^{to}	\$528257	Easy Reach 1260	12/45	
11	Broom with 54" L, Steel Handle, Polypropylene Bristles	2		\$	\$		· · · · · · · · · · · · · · · · · · ·	
12	Rubbermaid Brute Angled Broom with a minimum 48" Steel Handle, Polypropylene Bristles Lobby Broom, Tough	1	DOZ	\$	<u> </u>			
√ ₁₄	Polypropylene with Flagged Bristles, 35" H, Rubbermaid Lobby Pro 6374, or Equal	8	EA	\$ 1130	* 80 ro	Rubbamio 6374	12	
	Floor Sweeper (Non-Electric), Scotch-Brite Quick #M-007- CCW, Bissell or Oreck Models, MUST HAVE MINIMUM 9.5" WIDE CLEANING PATH	16	EA	\$ 4175	\$66800	Scotch bate M-007-ccw 7.5" path		
15	Angled Security Broom Head, 10.5" Sweep Area with Polypropylene Bristles, 12 Broom Heads/Case, Rubbermaid #6397, or Equal	72	CASE	\$206 ³²	\$14,847 ⁸⁴	Rubbermano 6597	12	

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	TON I - CLEANING AND MOPPIN	G EQT	J IPMEN	F AND RELAT	ED SUPPLIES - 1	Brooms and Brushes (C	ont'd)	
16 17	Security Broom Handle, Fiberglass with Nylon Thread, 15/16" x 60", Norshell or Equal (MUST FIT ON ITEM #15 BROOM HEAD) 12" Dust Pan, Rubbermaid #2005 or Equal, 12 Dust Pans/Case	84	EA CASE	\$ 295 \$ 3197	\$ 1087 50 \$ 659 10	BORROWALK BWK 636 EMPACT 700-90	12	14 days
Mops	and Handles							
18	Yacht Mop, 16 oz., Rayon with Attached Wooden Handle	5	DOZ	\$6072	\$ 303 ⁶⁰	BOARD WOLK	12	
19	Mop Head, 16 oz., Rayon	1	DOZ	\$ 54.54	\$ 54.54	Boorowork 2016 CCT	12	
20	Mop Head, 24 oz., Rayon	15	DOZ	\$ 57.57	\$ 863.55	BOORDWOLK JOSYCCT	1/2	
21	Mop Head, 32 oz., Rayon	1	DOZ	\$ 85,54	\$85.54	Brown Would 2032 cct	\perp \downarrow ν	
22	Mop Handle, Smooth Finish Wood, Clamp Style to screw down on mop head, NO PLASTIC PARTS	25	EA	s 9.35	\$ 333.75	Boardwork 603	12	
23	Security Mop Handle, 60" Hollow Fiberglass with Alligator Gripper Head, Rubbermaid # H146, or Equal	48	EA	s 25 98	\$ 1247.04	Rubbermaio H146	12	
- /24	Swiffer Sweeper Starter Kit, 10" Mop Head, Easy Grip Cloth Grippers, Swivel Head, Wet and Dry, 3 Kits/Carton	. 6	CTN	s5398	* 393 ₈₈	Swiffel 09060	3/011	
25	Swiffer #82856 Refill Cloths for 10 inch Mop Head, Open Window Fresh Scent, 28 Cloths/Box, 6 Boxes/Carton	16	CTN	\$6912	\$1105 ⁹²	SUITER 33407	6/072	

Unit Item Est. of Delivery # Description Oty. Meas. **Unit Price** Total Price Brand/Model# A.R.O. Pack SECTION I - CLEANING AND MOPPING EQUIPMENT AND RELATED SUPPLIES -Floor Products and Related Supplies (Cont'd) 15 Qt. Pail/10 Oz. Mop Strainer 34 Combination, 17" L x 10 ½" W x 12" H. Rubbermaid #RC6194STL, Rubbermaio or Impact Brand, MUST NOT B3 HAVE METAL ON STRAINER 30 35 Strainer for RC6194ST2 Rubbermaid, Gray, NO METAL ON STRAINER 30 EA Wavebreak, 26 Qt. Mopping 36 Systems, #7480-18 Rubbermaid, Press Combo, or Equal EA 10 Floor Strip & Wax Bucket with 37 -Wringer, Rubbermaid Model #RM7677, or Equal 3 EA $\sqrt{38}$ "Wet Floor" Sign, 37" Maxi-Warn, Continental Continental #120, ALL 4120 119 PLASTIC, NO METAL PARTS 42 Wet/Dry Spill Pan, Rubbermaid 39 Lobby Pro 9M0000, or Equal 6 EA Cleaning Wand, Rubbermaid 40 Lobby Pro 9M0100BLA, or Equal MUST BE COMPATIBLE WITH ITEM #39 12 EA 41 Upright Dust Pan with Cover, RUDDERMAD Black, Rubbermaid Lobby 253200 BLK Pro #2532, or Equal 6 EA Stripping Pads, 17", Black, 3M, 42 3m 5/BOX or Equal, 5 Pads/Box 70000145882 BX1

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION I - CLEANING AND MOPPIN	iG EQ	JIPMENT	AND RELAT	ED SUPPLIES -F	loor Products and Relat	ed Supplies (C	Cont'd)
43	Stripping Pads, 19", Black, 3M, or Equal, 5 Pads/Box	21	BX	* 38 35	\$815 ²²	3 m 7000120631	S/Box	14 days
44	White Super Polish Pad 4100, 17", 3M, #50-048011-08481-2, or Equal, 5 Pads/Pack	1	PACK	\$ 3178	s 3178	700000664	5/BOX	
45	White Super Polish Pad 4100, 20", 3M, #5-00-48011-08484-3, or Equal, 5 Pads/Pack	21	PACK	*41 12	\$ 863 ⁵²	3m 7000/2063/	5/BOX	
J 46	Compressed Air Sprayer, Plastic, 2 Gallon Capacity	6	EA	\$ 2775	\$ 166 50	HUDSON 67882		
47	*3M Twist and Fill 9 H Extraction Cleaner, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case	20	CASE		\$	Discontinu	£D	
48	*3M Twist and Fill 10 H Pretreatment Cleaner, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case	20	CASE	<u> </u>	\$	Ois contini	 DED	
49	*3M Twist and Fill 6 H Speed Stripper, NO SUBSTITUTIONS, 6-2 Liter Bottles/Case	20		\$	\$	DISCOUTIN	 س ^ک ې	
50	HydroxiPro Power Safe Heavy Duty Cleaner and Degreaser, Ready to Use, 6-32 Oz. Trigger Bottles/Case	35		\$	\$			
51	Ultra Green Carpet Spotter, Ready to Use, Simplify Chemicals, or Equal 12 Quarts/Case,	25	CASE		•			
√ 52	Floor Absorbent, Oil Dry or Equal, 40 lb. Bag	147	BAG	\$778	\$ 114366	EP MINERALS 7941	EA	

Item		Est.	of					Delivery
#	Description	Qty.	Meas.	Unit Price	Total Price	Brand/Model#	Pack	A.R.O.
SECT	ION II - VACUUMS AND RELATI	ED SUP	PLIES (Cont'd)				12/ 2000
111	Upright Vacuum Cleaner, 14.75" W Cleaning Path, 3.8 Qt. bag Capacity, 3 Stage					,		1 coup
	Filtration with HEPA and Exhaust Filters, Includes On-Board Tools, Tornado CK 14/1 PRO, or Equal	10	EA	.43077	. 430770	TORNADO CK 14/1 PAD TORNADO	(
J_{112}	HEPA Filter, Part # 90144, MUST FIT Tornado CK 14/1 Pro	20	EA	\$ 8 ⁷⁵	\$ 175°°	TORNADO 90144	EA	
113	Brush Belt, Part # 66894, MUST FIT Tornado CK 14/1 Pro	20	EA	\$	\$		BAO PART #	
J 114	Vacuum Belt, Part # 33561, MUST FIT Tornado CK 14/1 Pro, 1 Dozen Belts/Pkg	5	PKG	,39,62	\$ 198,0	TORNADO NEW# BOH-0714	PK 12	
115	Clean Breeze Bags, Part # 90141, MUST FIT Tornado CK 14/1 Pro, 10 Bags/Set	20	SET	\$24.00	s 480°°	Torondo	PK/10	
116	Paper Filter Bags, Part # 90147, MUST FIT Tornado CK 14/1 Pro, 10 Bags/Pkg, 25 Pkgs/Case	15	CASE	*462°	\$ 6930°°	TORNAD 0 1410 P	25/65	
117	HEPA Filter, MUST FIT Koblenz U800 Upright Vacuum Cleaner	20	EA	\$	\$			
118	Vacuum Cleaner Belt, MUST FIT Koblenz U800 Upright Vacuum Cleaner, 2 Belts/Pack	20	PACK	s —	\$			
119	Vacuum Cleaner Bags, MUST FIT Koblenz U800 Upright Vacuum Cleaner,							
	3 Bags/Pack	20	PACK	_\$	\$			Y

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION III - MATS, TRASH CONTAI	NERS A	AND REI	LATED SUPPLI	ES (Cont'd)	Rubliamois		14 Jan
128	Trash Can with Lid, Rubbermaid "Brute" #2632, 32 Gallon	24	EA	\$ 6248	\$ 149952	26320064	3	Comp
129	Trash Can with Lid, Rubbermaid "Brute" #2655, 55 Gallon	20	EA	\$14850	\$ 3970°°	RND 60 MAD 265500 BY 265400 BY	3	
130	Waste Basket, 28 Qt., Tan or Dark Brown or Blue Recycling, Rubbermaid #2956, or Equal	53	EA	s 9 25	\$ 490°S	Rubleamars 2956	12	
131	Waste Basket, 41 Qt., Tan or Dark Brown or Blue Recycling, Rubbermaid, or Equal	6	EA	\$	\$			
132	Trash Can Lid for 20 Gal. Rubbermaid Round Trash Containers, Gray	10	EA	* 38 20	* 982 °°	Rubbeama,0 264560GY	4	
√ 133	Outside Receptacle, Smoker's Outpost, Barco Products #OP-0610P, Color: Pewter, 40"H x 12"W, Weight: 14 lbs.	2	EA	s 146 00	\$ 292°°	06-0190		
\ 134	Outside Receptacle, Smoker's Cease Fire, Barco Products #26804D, Color: Black, Plastic, 16 ½" dia. x 38 ½" H, Weight: 15 lbs.	20	EA	s 185°°	,3700°°	Barco 26864D		
135	Ash/Trash Container with Weather Shield, Brown, 31lbs., Uni-Koat Powder Coated Finish, Dimensions: 10" Sq. x 24" H, Heavy Duty Steel Construction, Class A Fire Rating, Rubbermaid R41WU, or Equal	20	EA	<u> </u>	<u></u>			
	ICTI II O, OI LAGUAI	20	LA					

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION IV - HAND SOAPS AND SAI	NITIZEF	RS (Cont'	d)				
153	Heavy Duty Hand Cleaner, Heritage with PC 2 Dual Turbo Scrubbers, Low Solvent with Lanolin Moisturizer, Vendor MUST Supply 1 Gallon Bottle with Pump with Each Case							19 doip
	Ordered, As Specified or Equal, 4 - 128 oz. Bottles/Case	15	CASE	•	¢			
154	Deb Gritty Foam Cartridge, P/N GPF3LNA, 2 - 3.25 Liter Cartridges/Case	6	CASE	*	· ·			
155	Arm & Hammer Pure Baking Soda, 12 - 2 lb. Boxes/Case	3	CASE	*33,34	\$100°2	A+H 3320001140	12/cs	
156	Zep Reach #092520, or Equal, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case	. 1	CASE	\$ 16 30	\$ 16120	7EP 092520+04000) case	
157	Zep Reach #092520, 4 - 1 Gal Containers WITHOUT Dispenser/Case, or Equal	1	CASE	\$85°°	* 2,2 %	ZEP 092520	4 cs	
√ 158 159	Zep Double Play #095018, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case, or Equal Zep Acclaim # 099924 Mild	5	CASE	\$ 16450	* 897 ₂₀	269 302824 + D4000	4/cs 4 1015p	
1/0	Antimicrobial Hand Cleaner, Biodegradable Surfactants, 4 - 1 Gal. Containers WITH 1 - D4000 Dispenser/Case, or Equal	5	CASE	\$ 16395	\$ 81975	250 099924 A D4000	4/cs 11015p	
160	Zep D4000 Soap Dispenser, #600101 for 1 Gal. Containers	4 .	EA	\$ 7795	\$311 80	04000 ZEP	IEA_	


Item #	Description	Est. Oty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT	ION VI – MISCELLANEOUS (Co	nt'd)						14 do 10
190	Zep Par Silicone Spray #0191, 12 - 24 Oz. Cans/Case	3	CASE	\$ 108.12	,326 ²⁵	ZEP 10701	12/cs	1 1 Chap
191	Zep 45 Penetrating Lubricant #0174, 12 - 24 Oz. Cans/Case	13	CASE	\$ 13108	" 1700 1700	ZEP 17401	12/5	
192	Zep Aero Lube Heavy Duty Lubricant #0189, 12 - 20 Oz. Cans/Case	5	CASE	* 12350	\$61750	DISC OFFER	12/5	
193	Zep Groovy Anti-Seize Spray #0221, 12 - 15 Oz. Cans/Case	6	CASE	\$208 sy	s 1251 ²⁴	259 22101	12 cs	
194	Zep Stainless Steel Polish #0143, 12 - 16 oz. Cans/Case, or Equal	1	CASE	\$10750	\$ 107 50	280 14301	12/05	
195	Zep Big Orange-E Degreaser #0485, 55 Gallon Drum	7	DRUM	\$2700°	s 18900 00	286 935	<u>dr</u>	
Glove 196	Work Gloves, Westchester #WCMHV0500 H-Visz Select,							
	Split Leather Palm, Bright Orange Canvas Back with Reflective Tape Stripes, 2.5" Safety Cuff, or Equal, 1 Dozen Pair/Case	6	CASE	,6590	, 395 ⁴⁰	WESTCHISTER HVOSOO	madz/cs	
√ 197	Work Gloves, Grainger #D1425, or Equal, Brown Cotton, 1st Grade Durable, G-10,	v	57.2 <u>-</u>	900	5400	Liberty 4503RM/Q	idz/Bx	
√ 198	1 Dozen Pair/Box Work Gloves, Split Leather Palm, 4.5" Elasticized Gauntlet Cuff,	6	BX	\$	\$ 01	Ριρ	Goz PR/	
	Sizes: S, M, L, XL, 1 Dozen Pair/Package, 6 Packages/Case	1	CASE	\$185°°	<u>\$ 18500</u>	84-7632		

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
SECT 199	ION VI - MISCELLANEOUS - GI Gloves, Mechanic's Style/General Purpose Glove, Palm - Clarino Synthetic Leather, Back - Spandex, Sizes: M, L, XL, XXL,	oves (C	ont'd)			Mechanix Wer Mg 620 Red mg 650 Black		14 day
	Color: Black or Red, Mechanix Wear #WPL654 or Equal, Sold By The Pair	39	PR	\$ 1958	-\$76362	specify size	PR	
200	Work Gloves, Memphis Deerskin Leather Drivers Gloves, Top Grain				J	MCR		
	Palm, Side Split Back Grade, Sizes: M, L, XL, XXL, #GLV405, or Equal, Sold By The Pair	9	PR	\$ 1642	\$ 14778	3505 specify size	PR	
201	Disposable Latex Gloves, Lightly Powdered with Beaded Cuff, Color: White, Minimum 5 Mil					Mac 1 am		
	thick, Sizes: M, L, XL, XXL, 100 Gloves/Box, 10 Boxes/Case	5	CASE	<u>s</u> 129 **	s 645°	SHOWN WIOUS	Cs	
202	Disposable Nitrile Powdered Gloves with Beaded Cuff, 8 mil, Sizes: S, M, L, XL, XXL,					NOXXL		
	Grainger #D1804, or Equal, 100 Gloves/Box, 12 Boxes/Case	20	CASE	_{\$} 358 ⁸⁰	*J110°	Shown 8005	<u> </u>	
203	Disposable Nitrile Powder Free Gloves with Beaded Cuff, Latex Free, Textured Grip, Puncture and Abrasion Resistant, Color: Blue, 8 Mil thick,							
	Sizes: M, L, XL, XXL, Grainger #D1814, or Equal, 100 Gloves/Box, 10 Boxes/Case	110	CASE	<u>\$ 250°°</u>	s 27500°°	MCR 6018		

Item #	Description	Est. Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.O.
	ION VI - MISCELLANEOUS – GI	oves (C	ont'd)			SHOWA	NOXXL	
204	Nitrile Glove, Best-N-Dex Plus #8005pfl and 8005pfxl,					8005	140 (10	
1	8 Mil Construction, 9.5" Long and Ambidextrous, Meets 21 CFR Requirements, Sizes: L, XL, XXL, 50 Gloves/Box	60	BX	<u>\$ 15[∞]</u>	\$900°°	Ministrant	50/8x	
√ 205	Disposable Nitrile Powder Free Gloves with Beaded Cuff, 6 Mil Thickness, Latex Free, Textured Grip, Exam Grade Level					MCR 6062		
	Protection, Color: Black, Sizes: M, L, XL, MCR, or Grainger 49DA84, 49DA85, 49DA87, or Equal, 100 Gloves/Box, 10 Boxes/Case	86	CASE	\$154°°	s13,249°			
√206	Nitrile Gloves, Ammex GPNHD Glove Plus, 8 mil thick, Color: Blue, Latex Free, Powder Free, 12" Long, Sizes: M, L, XL, 50 Gloves/Box	55	BX	\$1250	\$ 687 ⁵⁰	MCR 60\$8-\$128	50/BX	
207	Disposable Nitrile Powder Free Gloves with Beaded Cuff, Color: Blue, 3 Mil Thickness, Latex-Free, Textured Grip, Puncture Resistant, Exam/Medical Grade Level Protection, Sizes: M, L, XL,	33	БA		<u> </u>	ANSEL	>>> xaloog 25/28001	•
	Glove Length 9" to 9 1/2", Ambitex N400, or Equal, 100 Gloves/Box, 10 Boxes/Case	25	CASE	\$9683	* 9490 ²⁵			

Item #	Description	Est, Qty.	Unit of Meas.	Unit Price	Total Price	Brand/Model#	Pack	Delivery A.R.Q.
SECT	ION VI - MISCELLANEOUS - GI Nitrile Gloves, Latex Free, Powder	oves (C	ont'd)					14 dogs
	Free, Color: Black, Size: XL, The Safety Director Elite, #31008, 100 Gloves/Box	2	BX	s // °°	s 25.00	ShowA GIIZPFXL	100/BX	
Insect	Repellants & Traps							 - -
209	Aerosol Bug Spray, Institutional Grade, 12 - 12 Oz. Cans/Case	5	CASE	\$	<u> </u>	.		
210	Ant Killing System, Unscented, Combat or Equal, 6 Baits/Box	12	ВX	\$ 799	<u>\$9588</u>	COMBAT 55901	i bx	
211	Deepwoods Cutter Bug Spray, Aerosol Can, or Equal, 2 - 6 Oz. Cans/Case,	31	CASE	, 950b	s 294686	201847 2020ph20mg	12/05	
1212	Permethrin Tick Repellent Aerosol Can, 12 - 6 Oz. Cans/Case, MUST			QQ 80	1001 60	SAWYER	_ 1	
√ 213	CONTAIN AT LEAST 0.5% PERMETHRIN	20	CASE	\$ 17	\$1776	SPLYLDS	19/152	
\ 213	Wasp and Hornet Spray, Ortho or Equal, 12 - 17 Oz. Cans/Case	73	CASE	<u>\$31.50</u>	\$ 239950	ORTHO 1012912	Solcs	$\overline{}$

NOTE: ALL ITEMS LINEA 199-208 Subject to PRIOR SOLE AND MANUFACTURERS AVAILABILITY EXTENDED lead times possible



RESOLUTION

July 1, 2020

WHEREAS, on May 27, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: NEW SUPER DUTY SWITCH-N-GO TRUCK for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder

Winner Ford

Address of Bidder

250 Berlin Road Cherry Hill, NJ 08034 (856) 214-0759

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, WINNER FORD be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Super Duty Switch-N-Go Truck, for the County of Ocean, for the contract period from date of award through June 30, 2021, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

WINNER FORD for thirty five (35) items, to wit:

<u>ITEMS NO.</u> 1, 1a, 1b, 1c, 1d, 1e, 1f, 1g, 1h, 1i, 1j, 1k, 1l, 1m, 1n, 1o, 1p, 1q, 1r, 1s, 1t, 1u, 1v, 1w, 1x, 1y, 1z, 1aa, 1bb, 1cc, 1dd, 1ee, 1ff, 1gg and 1hh.

For a Total Lump Sum Award (Items 1-1hh) of \$2,513,270.00

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. WHEREAS, funds for the equipment shall be available within the following funding Sources: County Road Department and Vehicle Services O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-81.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, County Road Department, Vehicle Services and Winner Ford, the successful bidder.

Page 26 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC

SWITCH-N-GU, AS SPECIFIED, OR EQUAL		
	COMPL	<u>LANCE</u>
	YES	<u>NO</u>
The unit shall be a current design and production unit. Bidders shall submit current	,	
literature for body, hoist and snow plow proposed		
During the fabrication period of the unit, the County of Ocean reserves the right to make interval inspections, as it deems necessary. If a bidder is submitting an alternate to what is referenced in the specifications, the proposal shall be accompanied by descriptive literature, marked to indicate the exact items to be furnished, electrical and hydraulic diagrams, along with engineering drawing documentation of the same. These specifications are not intended to be restrictive, but are meant to describe the type of unit required for use by the County of Ocean. These specifications address the minimum performance requirements of the Vehicle Services Department; the	•	
County will consider alternate products provided that they meet these minimum requirements.	\checkmark	
If a bidder is basing his proposal on equipment other than what is specified and		
wishes the equipment he proposes to be considered as an "Approved Equivalent,"		
he shall submit, on a separate sheet in the exact format of the specifications contained		
herein, an item description, including the make, model and manufacturer's name of		
that which he proposes to substitute. For purposes of comparison, include only those		
items on each sheet as given in these specifications. Such bidder shall also include, but		
not as a substitute for the above, manufacturer's literature and specifications. If the	•	
bidder does not submit the description or deviations as indicated above, it will be		
understood that the bidder intends to supply the particular item as designated in the	,	
specifications and the County of Ocean will so demand. Substitutions will not be		
permitted after receipt of bid.		
Body upfitter must provide installation of equipment bid		
The platform body shall be of current design and compatible with the specified chassis		
CHASSIS SPECIFICATIONS		
Model year 2020 or newer Ford F550 Regular Cab	<u></u>	
Dual Rear Wheels		
Four Wheel Drive Electric shift on the fly		
84" Cab to Axle (CA), any cab style	1	
7.3L V10 gasoline engine V.8		
40 gallon fuel tank	<i>J</i> ,	
TorqShift transmission with PTO option		
19,000 lb. GVWR		
Cab shall be military grade aluminum alloy for longevity to the County in lieu	/	
of carbon steel		
Frame to be fully boxed under cab and "C" channel behind cab for easy mounting		
of body	<u>_v</u>	

Page 27 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLI</u>	ANCE
	YES	NO
CHASSIS SPECIFICATIONS (Cont'd)		
Oil life monitor, engine hour and engine idle hour meters		
Air Conditioning		
Airbags, frontal driver & passenger, side impact and side air curtains		
TowCommand integrated trailer brake controller, manual telescoping trailer		
tow mirrors		
7 wire trailer wiring harness (no plug)		
AM/FM, four (4) speakers, auxiliary input with SYNC and		
emergency assist		
Power windows, locks, mirrors, and heated mirrors		
Center High Mount Stop Lamp		
240 amp HD alternator, 12V 750 CCA battery		
Tilt and telescoping steering wheel		
4.88 ratio limited slip axle	<u> </u>	
4 wheel power ABS brakes, front and rear disc, power steering, front and rear		
stabilizer bars		
Dual-beam jewel-effect halogen headlamps, 5 roof marker lights		
LT225/70R19.5G BSW Max Traction tires		
Chrome front bumper One (1) full size spare tire mounted to wheel and one (1) jack		
Front tow hooks, underhood service light		
40/20/40 split vinyl bench seat with center arm rest		
Auxiliary power point, six (6) upfitter switches located overhead center		
Tachometer, speedometer, oil pressure, transmission temp, engine temp, and		
fuel gauge		
Interval windshield wipers	<u> </u>	
Driver & passenger grab handles	1	
Standard XL trim/décor group		<u>.</u>
Rear view camera and prep kit		
3-year/36,000 mile bumper-to-bumper warranty on OE components		
5-year/60,000 mile powertrain warranty		
Cab steps, molded black (running boards)		
Snow plow prep package		
Single color to be selected from standard color chart at time of order		
Plastic fenders and 90" ICC Bumper with light kit and hitch		
HOIST FRAME	,	
2" X 6" X 0.188 Structural Tubing		
2 1/2" diameter intermediate rollers		
Machined man proids valleng	/	
Machined rear guide rollers	√	
Grease fittings for all moveable parts	/	

Page 28 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	[ANCE
	YES	NO
HOIST FRAME (Cont'd)	/	
Shall be powder coated to preserve life of Hoist Frame '4" Wear Bars	-/-	
74 Wear Bars		
Positive front body locks and keeper		
Rear body hold downs		·
HOIST		
NTEA Rated and classified		
Shall be a combination of double arm and scissor design		
Fabricated of high strength steel		
Mounting height shall not exceed 10.5" with subframe		
•		
Shall attain a Class 40 rating, at or above 3200 PSI	<u></u>	
Cylinder shall be minimum 5.5" diameter with 20" stroke		
Cylinder rod shall be 2.25" diameter and chrome-plated		
	/	
Oil ports on cylinder shall be O-Ring type	_V	
Shall have screw-in type grease zerks to lubricate pivot points		
	•	
Lubricated rear hinges shall be of angle type with tabletop brackets on each side	/	
and 1" hardened pivot pins	<u></u>	<u></u> _
Dady Draw to be incompared in heigt from to compart unlanded bady when		
Body Prop to be incorporated in hoist frame to support unloaded body when maintenance is required		
		-
Subframe shall be "C" channel design 4 ½" H X 2 ¾" W with 7 gauge wall thickness	<u></u>	
	/	
Subframe shall be welded at all joints, with a dump angle not less than 49°		·
Subframe shall have fuel inlet knock outs in side of subframe to allow fuel spouts		
to be routed through the side		
Hoist shall be capable of lifting minimum 8.5 tons	/	
Hoist shall be capable of menig minimum 6.5 tons	_ 	
Shall operate off truck's live PTO and gear pump hydraulic system (Clutch pump	./	
systems are NOT ACCEPTABLE)	<u></u>	

Page 29 of 62

/ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	IANCE
	YES	NO
HOIST (Cont'd) Shall be operate by Switch N Go handheld pendant with capabilities of being controlled inside and out of the vehicle. Pendant shall have a 4' lead		
HYDRAULICS PTO shall be a Chelsea 249, or equal, with direct mount pump and 14 gallon reservoir providing up to 9 gallons at 1000 rpm		
Shall be modular manifold cartridge type valve		
Five (5) year warranty	<u> </u>	
HYDRAULIC WINCH Rated pulling force 15,000 lbs., 6.0 Cubic Inch Motor		
4 Inch Drum barrel diameter		
8.24 Inch Drum flange	\checkmark	
9.95 Inch Distance between flanges		
½ Inch Maximum wire rope diameter		
26,600 lbs. minimum rope resistance		
Duty Cycle 932 Feet	\checkmark	
Maximum of three (3) layers of wire rope		" -
Hardened Steel two (2) stage planetary gear train with 36:1 reductions		
Heavy duty disc brake		
LIGHTS/WIRING All lamps/reflectors shall excess Federal Motor Vehicle Safety Standards 108 Requirements		
Lamps shall be LED Flush mounted in shock resistant rubber grommets		
Each side of 90" ICC Bumper shall include rear facing auxiliary stop/turn/reverse Lamp LED, as well as Amber strobe for visibility and safety		

Page 30 of 62

SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)	COMPI	IANCE
	YES	NO
LIGHTS/WIRING (Cont'd) Bumper plate shall include a Class V receiver tube with D-Rings, back up alarm and trailer plug	<u></u>	<u></u>
Color-coded wire harnesses	\checkmark	
Body up light in cab		
ACCESSORIES Poly fenders and black mud flaps (NO Advertisements on mud flaps)		
 Accessory Lighting: Atomic LED Marker lights, Amber, shall be wired to one of the upfitter switches provided by chassis manufacturer 3 Whelen Ion T-Series Amber LED Lights evenly spaced on top of pintle plate below hoist 	<u> </u>	
LED Spreader light mounted to frame		<u> </u>
Back Up Alarm 102 dB		
 ICC Pintle Plate Bumper: Pollak 7 Pole RV Style, or equal, Harness and twist and lock plug (Part Numbers 11-998 for Harness, or equal, and 11-916P for 7 way plug, or equal) Weather pack back 3 Ball Receiver tube 1 7/8", 2", 2 5/16" locking hitch pin 6 ton receiver mount pintle & 2" ball combination hitch Stop/Tail/Turn/Reverse/Safety LED Amber light extensions to be minimum of 16" from ground 		
Conspicuity Enhancement - 2" Red and White Diamond Grade reflective striping		
DOT safety kit, first aid kit, 5 lb. fire extinguisher with bracket and safety triangles	1	
Additional winch cable to be supplied at time of delivery Additional safety locking pin to be supplied at time of delivery		
10 gauge 201 Stainless Steel ½ cabshield permanently mounted to steel posts painted black with four (4) recessed Amber strobe lights and manual pullshade style tarp		

Page 31 of 62 ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE NO Undercoating Entire truck chassis, underside of cab and underside of added body (dump, utility, platform) to be coated with Tectyl 2423 haps free black Which is a low VOC, high solids, emulsion corrosion preventive coating. OPTIONS 1A. Upgrade to Super Cab chassis with 84" Cab to Axle /1B. Upgrade to Crew Cab chassis with 84" Cab to Axle √1C. 11 Foot Dump Body Upgrade This body to go with upgraded base system. Can be purchased with truck or on its own. 24" High Two-Way Dump Gate • 40" High Bulkhead 10 gauge floor 12 gauge sides and 12" side board pockets • Switch-N-Go Subframe and 6" inch ground rollers 4" diameter Heavy Duty D-Rings · Painted Black 6" Wide Conspicuity Reflective Tap inverted "V" red white complete rear of body and 1 3/4" red white down side of body line 1D. Steel Fold Down Sides for Dump Body Upgrade 1E. 11 Foot Stainless Steel Dump Body Upgrade This body to go with upgraded base system. Can be purchased with truck or on its own. 201 Stainless steel with structural steel understructure Floors shall be 10 gauge stainless steel with structural steel with 3" Crossmembers on 16" centers • Floor width 88"23" H 2Way Dump Gate 40" 12 gauge 201 stainless steel bulkhead • 12", 12 gauge 201 stainless sides with 8" board pockets • Heavy Duty D-Rings Switch N Go Subframe with 6" Ground Rollers 4" Diameter • 6" Wide Conspicuity Reflective Tap inverted "V" red white complete rear of body and 1 3/4" red white down side of body line √1F. Coal Chute 1G. 11 Foot Platform Body Upgrade This body to go with upgraded base system. Can be purchased with truck or on its own. 11' Long Platform, 1/8" diamond plate floor, 8" flat deck with 1' ramp tail Outer Rubrail 3/8" X 2" Flatbar

Page 32 of 62

ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE **YES** NO. <u>ÓPTIONS</u> (Cont'd) 1G. 11 Foot Platform Body Upgrade (Cont'd) Bulk Head with 3.8 Sq. ft area window Crossmembers constructed of 3" Structural Channel that are on 16" centers Switch N Go Subframe with 6" Ground Rollers 4" Diameter Key holes located in corners of platform floor 1 3/4 red white reflective conspicuity tape down side of body line and around rear Pockets for stake sides 1H. Stake Sides and Removable Rear Stakes 11. 12 Foot Aluminum Landscaper Body Upgrade This body to go with upgraded base system. Can be purchased with truck or on its own. **Dimensions** Outside Dimensions: 12' L X 96" W Inside Dimensions: 48" H X 88" W (6) 2x3 Vertical Side braces streetside (3) 2x3 vertical side braces curbside Construction 1/8" Sheet Aluminum Sides Heavy Duty Rear Corner Posts 3" x 3" 3/16 Smooth Aluminum Floor Heavy Duty longsills 2" x 6" x .250" Crossmembers on 12" Centers 2" x 3" x 1/8" Full length 2" x 1/6" Tire Rail Box Tube Perimeter Frame Premium B Tube Perimeter Frame 52" wide side door at front corner of curbside body Barn Doors with Polished Stainless Steel Locking Bar

Page 33 of 62

✓ <u>ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB I</u> <u>SWITCH-N-GO, AS SPECIFIED, OR EQUAL</u> (CONT'D)	<u>FULL HYDRAU</u>	<u>ULIC</u>
	COMPL	<u> IANCE</u>
	YES	<u>NO</u>
OPTIONS (Cont'd)		
✓ 1I. 12 Foot Aluminum Landscaper Body Upgrade (Cont'd) Construction (Cont'd)		
Switch N Go Subframe with 6" Ground Rollers 4" Diameter		
THE STATE OF THE S	-v	 · -
All dissimilar metals to have Teflon liner in between before installation		
6" Wide Conspicuity Reflective Tape inverted "V" red white complete	,	
rear of body and 1 3/4" red white down side of body line		
11 Chimman I and Ton for I and an an Dada Unquada		
✓ 1J. Chipper Leaf Top for Landscaper Body Upgrade Bolt on aluminum top chipper top	./	
Bott off attainment top employ top	-V-	
Additional venting for leaf cap- must be specified at time of order		
ATZ YIGHAN D. An III. made		
√1K. <u>Utility Body Upgrade</u> Specifications for a 12' Service Body to be Upfitted on a Switch-N-Go System for a 15. On the service of t	m 84" CA This	ontion
shall be used with 11-620-15H. This item can be purchased without purchasing the		Option
Construction:		
Galvaneal Steel Construction		
Body Shell Constructed of 14-Gauge Galvanneal		
Doors are double panel and constructed of 16-Gauge Galvanneal		
No wheel panels		
12-gauge treadplate cargo floor		
Floor is welded to the SNG sub frame		,
 Front of body is designed of hide sub frame 		
Bulkhead shall be tapered to match sub frame		
Shelves:		
 Clip style shelf adjusting brackets 		
 Adjustable shelving constructed of 18-Gauge G90-min spangle galvanized 		
material; 250 lb. capacity		
 Shelves shall be slotted for supplies 16.25" dividers, Part #49031 Doors: 	<u>.</u>	
Heavy duty flush mounted doors		
 304 stainless steel piano hinges bolted to body and doors 	•	
 Gas shock door holders on vertical doors 		
 Coated air craft cable horizontal door supports 	/	
 Bulb with flap automotive door seal shall be factory installed 		

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FU		age 34 of 62 D LIC
SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)	COMPL YES	IANCE NO
OPTIONS (Cont'd)		
/ 1K. <u>Utility Body Upgrade</u> (Cont'd)		
Latches:		
Two (2) stage stainless steel blind mount rotary paddle latches with double hitted keeps shall be factory adjusted prior to shipment.		
 bitted keys shall be factory adjusted prior to shipment. High density polyethylene latch covers installed 		
 High density polyethylene latch covers installed No latch covers on 2-point latches 		
Lapping doors shall have stainless steel 2-point paddle latch		
All latches shall be keyed alike		
Master Locks:	_ <u></u>	
Spring Action master locking side compartment doors with pad lockable handle	,	
each side at the rear of the body		
Tail Gate:		
 12" high slam type tailgate with stainless steel blind mount 2-point paddle latch 	and	
reinforcing treadplate overlay on cargo side and reinforced hinge design with ½	" stainless	
steel pin.		
Tie Downs:		
• Four (4) recessed D-Ring floor tie downs		
One (1) installed each corner of cargo area Paris Paris Conference in the Conf		
 Basic Body Configuration: Compartment depth shall be 22.75" no offsets 		
• Compartment height shall be 40"		
• Floor width shall be 49.75" (no wheel boxes in cargo floor)		
Overall body shall be 95.25"		
Curbside		
• First Vertical is 33.5" Wide – Two (2) adjustable flat shelves		
Second Vertical is 24" Wide – One (1) adjustable flat shelf		
Horizontal is 49" Wide – Lapping Doors and no shelving	,	
• Rear Vertical is 25.5" Wide – One (1) adjustable flat shelf		
Streetside	V	
• First Vertical is 33.5" Wide – Two (2) adjustable flat shelves		
• Second Vertical is 24" Wide – One (1) adjustable flat shelf		
 Horizontal is 49" Wide – Lapping Doors and no shelving 	/	
• Rear Vertical is 25.5" Wide - One (1) adjustable flat shelf		
Bumper	•	
Punched not lighted rear step bumper		
Bumper shall be welded to body and works with rear rollers		

• Center area shall be removed for clearance

Page 35 of 62 TEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES NO **QPTIONS** (Cont'd) 1K. Utility Body Upgrade (Cont'd) Finish Two (2) 3" roller adhesive backed reflectors; One (1) installed each lower front door side • Four (4) 3" round adhesive back reflectors; One (1) installed each rear • Upper corner of rear end panels; One (1) installed each lower rear corner of doors · Powder coated fleet white inside and out Entire underside of body undercoated with asphalt based undercoating **BASF DTE Spray Liner** · Cargo floor and walls • Top of compartments Cabinet Floors 1L. Pace Edwards Manual Roll Top (for Utility Body Upgrade) 1M. Storage Body SB-1172-EXT Specifications for an 11' 72" high storage body to be upfitted on a Switch-N-Go Sytem for an 84" CA. Option shall be used with 11-620-15H and can be purchased without vehicle for existing units. Dimensions **Body Widths** Inside Body widths are 88" exterior and 87" interior Exterior width is 96" Interior height is 72" Construction Floors • 10 Gauge steel with 3" structural channel on 16" centers **Posts** 12 gauge steel; exterior posts shall be 5" formed posts on 36"-48" centers Top Rails Constructed of 3" X 3" X 1/8" square steel tubing Rear Corner Posts

Constructed of 7 gauge steel

Standard 6" steel ground rollers

Roof shall be constructed of 12 gauge steel with a 6" peak Lockable security style doors with 3" X 3" supports

All storage bodies receive solvent based prime and paint black

Page 36 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	IANCE
	YES	NO
OPTIONS (Cont'd)		
1N. Medium Duty Drop Box This body to go with upgraded base system. Can be purchased with truck or		
on its own.		
Will Strik.	,	
10 Cubic Yard drop box, 11' Long Floor, 39" High, dump-style tailgate	<u> </u>	
The side and sile and the second side of the second		
Floor, sides, and tailgate all 12 gauge steel with 2 side posts	<u></u>	
Crossmembers are on 24" centers		
3" X 3" tubing top rail		
Swing Door to Curbside		
•		
6" Wide Conspicuity Reflective Tap inverted "V" red white complete rear of body and 1 34" red white down side of body line		
Switch-N-Go Subframe with 6" Groundrollers 4" Diameter		
10. Medium Duty Drop Box with High Sides		
This body to go with upgraded base system. Can be purchased with truck or		
on its own.	,	
13 Cubic Yard drop box, 11' Long Floor, 51" High, dump-style tailgate	\checkmark	
Floor, sides, and tailgate all 12 gauge steel with 2 side posts		
Crossmembers are on 24" centers		
211 37 211 4 1 2 4 11		
3" X 3" tubing top rail	-V -/	
Swing Door to Curbside		
6" Wide Conspicuity Reflective Tap inverted "V" red white complete	/	
rear of body and 1 3/4" red white down side of body line		·
	/	
Switch-N-Go Subframe with 6" Groundrollers 4" Diameter		
1P. Horizontal Split Door		
Use with Chipper Top		
Use with Drop Boxes		
ASSESSED TO THE REAL PROPERTY.	,	
10. 24" Chipper Top - For Medium Duty Drop Boxes • Leaf top has additional venting - must be specified at time of order	./	
1R. Curbside Side Door		
Located by bulkhead in drop box	/	

Page 37 of 62

ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES NO<u>ÓPTIONS</u> (Cont'd) 1S. Light Package 1 Whelen Amber LED Lights: Body upfitter must provide installation of lights so they work in conjunction with the equipment on truck: • Four (4) Micron Series Super LED in grill Two (2) Micron Series at rear of body 1T. Go Light Work Lights One (1) Go Light Stryker LED 30204 Permanently mounted on bulkhead 370° Rotation X 135° Tilt UV Ray and Saltwater Resistent Five (5) Year Limited Warranty 1U. Central Hydraulic System Hydraulic Pump Hydraulic pump and PTO shall be a Chelsea 249H series. The pump shall be a gear pump that is direct mounted to a hotshift PTO for a live transmission with gasoline engine The pump shall have a flow rate of 19 GPM at 1200 engine RPM The pump shall have a 3/4" 11T splined drive shaft The suction hose to the pump shall be a minimum of 1 1/4" I.D. SAE 100-R4 hose The PTO shall be a Parker/Chelsea 249H series and have a ratio of 124% The PTO shall be engaged/disengaged from the cab by a dash mounted 12VDC on/off switch In power over speed protection required Stainless Steel Symmetrical Valve Reservoir Combination System Spool Valve sections and spreader manifold shall be mounted in a combination Reservoir and enclosure The combination will be constructed from 10 gauge 304 stainless steel with 0.25

inch steel bracing and internal baffles

Overall width of the combo shall not exceed 28 inches

Page 38 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLI</u>	ANCE
ØPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
1U. <u>Central Hydraulic System</u> (Cont'd) Stainless Steel Symmetrical Valve Reservoir Combination System (Cont'd)		
The valve shall mount horizontally on a 15.5" removable mounted plate that slides out for easy access for repair and maintenance	\checkmark	
Enclosure shall be constructed in such a manner that any required maintenance or repair of the valves can be accomplished without obstruction		
Enclosure shall be mounted with a minimum of 1" frame clearance on each side of the combo		
Enclosure cover shall also protect the valve work ports and hoses		
Reservoir shall have a 14 gallon capacity		
Reservoir/Tank shall be constructed from 10 gauge 304 stainless steel with 0.25 inch steel bracing with 14 gauge cover		
Reservoir filler cap must be angled for easy fill		
Two rubber latches shall secure the enclosure lid and the lid must be removable without tools by one person		
The rubber latches shall be replaceable with a removable pin	$\sqrt{}$	
Tank return line shall be mounted internally with case drain and level sensor ports available on both sides of tank		
Tank shall have a basket type breather cap and 3/4" magnetic drain plug		
Suction line shall be 2" X 1 ¼" NPT suction strainer with 1 ¼" full flow brass ball valve		
Suction line shall also have a 100 mesh stainless steel strainer and 3 psi bypass valve		
Return line filter with built in breather, and sight temperature gauge externally mounted facing front of truck		
Reservoir filling will be through filter housing with flow path that will filter all new oil entering system		

Page 39 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	<u>LANCE</u>
	YES	NO
SPTIONS(Cont'd)		
1U. Central Hydraulic System (Cont'd) Modular Manifold Central Hydraulic System The central hydraulic valve system shall be a mobile design to withstand exposure to deicing chemicals and severe weather conditions with a 5-year warranty on all hydraulic		
valves		
The central hydraulic valve system shall be specifically designed for low volume hydraulic pump output	✓	
All implements will function simultaneously		
The modular manifold must be constructed of 6061 anodized aluminum material		
The modular manifold shall be adjustable to a maximum pressure of 3,500 PSI with multiple flow and pressure performance and with function configuration	1	
The modular manifold will consist of multiple sections bolted together for multiple function configurations		
The entire hydraulic system shall be completely serviceable without removing from the enclosure or disassembling the sections		
A one-piece manifold will not meet the intent of the specification for easy maintenance and service		
The modular manifold must be capable of operating in either open center (fixed displacement) or closed center (variable displacement) hydraulic circuits	\checkmark	
All functions will be proportional controlled, pulse width modulated, and pressure and flow compensated with counter-balance	1	
Each function will have load holding with no internal leak-down		
Implements shall not drift down during vehicle travel	$\sqrt{}$	
Heavy duty 12VDC coils must be protected with a corrosion resistant coating		
All coils must be rated for a 1000-hour salt spray as standard		
Connections must be NEMA x6 standards for dust protection		
Outside the cab connections shall be rated as NEMA "x8" – protected against the effects of permanent submersion in water as well as able to show no corrosion after 500 hours in a 35°C salt spray		
The modular manifold shall be designed for lower pump capacity hydraulic pumps (belt and gear)	1	

Page 40 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FUL SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)		ULIC
OPTIONS (Cont'd) 1U. Central Hydraulic System (Cont'd) Modular Manifold Central Hydraulic System (Cont'd)	COMPL YES	IANCE NO
Each section will have flow capacities from 3 to 20 GPM with load holding on all cylinder sections	<u>/</u>	
All cylinder sections shall be load hold with A and B port relief as standard		
The hoist section shall be 6 GPM, four way for a double acting cylinder and incorporate a 500 PSI relief and load hold		
The spinner will be a 7 GPM motor spool cartridge and the auger/conveyor will be a 7 GPM motor spool cartridge		
The spinner or auger will not stop or slow when other implements are actuated		
Each function will be equipped with adjustable manual overrides protected by jacketed debris covers		
Hoist, winch, plow, and spool valves will have a push/pull ring for manual override		
The hydraulic system shall be pressure and flow tested before the installation process	\checkmark	
Cartridge valves, spool valve, and solenoids must have a five (5) year warranty		
Switch N Go Controllers In-cab control system shall be a one joystick, Cirus Black Tip controller, or equal		
Single control levers must be trust Hall effect (magnetic) joystick with two-axis (X & Y) proportional control with no internal metal contacts	\checkmark	
Console shall mount to the center seat in the down position with two (2) adjustable rods	\checkmark	
Dumping hoist and winch shall be controlled by a single joystick and must have a safety trigger protection to activate hoist and winch function		, ———
Console must have side bracket to mount spreader controller		
Operator shall have the ability to set the speed of each direction of motion on a PC for all hydraulic devices controlled by the joystick with modification of the system		
Controller must include integrated protection and diagnosis system with safety features incorporated	\checkmark	
PowerSafe Wiring Design: For safety reasons, grounding or cutting any wire at any point between any valve coil and the controller must not cause any valve to actuate		
System must supply pulsed 12V power to the other lead from each individual valve coil		

Page 41 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

SWITCH-10-GO, AS SI ECHIED, OK EXCAL (CONT. D)		
	<u>COMPLIAN</u>	
<u>PPTIONS</u> (Cont'd)	<u>YES</u>	<u>NO</u>
/1U. <u>Central Hydraulic System</u> (Cont'd)		
Switch N Go Controllers (Cont'd)	/	
All connections at the hydraulics control junction box must be IP 68 rated	<u> </u>	
Outside ask hamage shall be ID 60 asted on to the subsection	/	
Outside cab harness shall be IP 68 rated up to the valve coil connection		
All comportant shall be ented as "Say" duct make		
All connectors shall be rated as "6x" – dust proof		
All connectors shall be rated as "x8" - protected against the effects of permanent	,	
Submersion in water as well as showing no corrosion after 500 hours in a 35°C salt spray		
Submersion in water as wen as showing no corresion after 500 hours in a 55 C sait spray		
All connections will be labeled with appropriate descriptions for each connection		
to individual solenoids of the hydraulic actuating cylinders		
to marvidual soleholds of the flydrautic actuating cylinders		
In-Cab Granular and Liquid Control System		
The in cab control system shall be capable of operating output channels for granular		
spreader and single channel liquid controller on one easily accessible keypad	./	
spication and single chainter fiduid controller on one cashly accessione keypair	V	
Spreader controls shall operate a granular spreader with auger/conveyor, spinner and		
pre-wet (or anti-ice) output channels.		
pre-wet (or anti-ree) output chaimers.		
Each function shall be operated individually or all simultaneously	./	
Lacif function shall be operated marvidually of an simulationally		
In-cab controller must be an automotive grade product (amusement/gaming type	,	
products are NOT ACCEPTABLE)		
producti and 110 522 112522)		
The liquid channel can operate an electric or hydraulic pre-wet system	1/	
2 1 1 1 1 1 1 1		
Controller shall also have an optional dash mount, stand-alone, or console mounting		
options		
· · · · · · · · · · · · · · · · · · ·	<u></u>	
Single touch proportional hydraulic controls shall be time dependent to adjust	/	
the speed of the hydraulic functions	\checkmark	
vp.v v v v v v v v v v v v v v v v		
Operator shall have the ability to adjust the speed of each function and the amount of		
granular material or liquid with the soft touch keypad (Rotary knobs are		
NOT ACCEPTABLE)		
Controller shall have the ability to connect the feed rate and spinner function for	/	
single stroke simultaneous start up	√	
· ·		
Controller must offer a "Spot Blast" feature. Spot Blast will activate the blast with a	1	
single keystroke when the controller is paused		
Touch and to control annual of and acts forming and acts	/	
Touch pad to control granular feed rate/spinner speed		

Page 42 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)		
	COMPLL	
<u>ØPTIONS</u> (Cont'd)	<u>YES</u>	<u>NO</u>
1U. Central Hydraulic System (Cont'd)		
In-Cab Granular and Liquid Control System (Cont'd)		
All set-up and programming shall be completed using the controller soft key pad with		
no programming keyboard		
Adjustable valve unseat mode must be a standard feature	/	
		
Spinner increase during Blast shall be an adjustable option		
Spreader control shall be capable of operating each function in open loop mode		
With a single switch setting, spreader shall be field configurable to operate either: • Ground Speed Oriented		
OR No Ground Speed (simple manual energtion)		
No Ground Speed (simple manual operation)		
Controller shall also offer programmable Blast Features that will function during Ground Speed Triggered Operation	<u>'</u>	
Controller shall offer adjustable valve unseat percentage option to start auger/conveyor with wet, heavy salt	\checkmark	
Controller must include integrated protection and diagnostic systems with safety features incorporated into the system		
One lead from each hydraulic valve coil must be wired to a common ground point	\checkmark	
System shall be capable of self-diagnosis using the pause indicator LED light		
System must supply pulsed +12 volt power to the other lead from each individual valve coil		
All connections inside the hydraulic valve/electronic control junction box must be IP 68 rated	<u> </u>	
System operating temperature range -4 to +104°F (-20° to +40°C)		
All connections shall be labeled with appropriate descriptions for each connection to individual solenoids of the hydraulic actuating cylinders		
Cirus EZ1 Controller shall have a five (5) year warranty		

\	/ ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FUL		e 43 of 62 <u>JC</u>
	SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)	COMPLIA	NCF
	<u>QPTIONS</u> (Cont'd)	YES	NO.
~	AV. Stainless Steel UTG Spreader Requires central Hydraulics and can be purchased separately.		
	General		
	6" auger under-tailgate spreader shall be of the bottom-opening design, with a safety shut off feature built into the hydraulic system	\checkmark	
	Mounting shall allow the dumping of materials without interference from the spreader		
	Maximum spreader width shall be 96"	<u> </u>	
	Mounting Unit shall mount to the sides and below the floor level of the dump box with single-pin, quick-detachable hardware	\checkmark	
	Mounting and removing shall be done without the use of any special tools		
	Safety Shut Off Spreader shall incorporate a hydraulic safety shut-off feature that disables the hydraulic functions of the spreader		
-	Safety Shut-off feature shall prevent opening the bottom door or opening the top cover beyond a vertical position when the hydraulics are engaged		
	Feed Mechanism 6" heavy-duty auger shall consist of 3/8" flighting with 4" pitch which is welded to a 2 3/8" O.D. Schedule 40 pipe		

welded to a 2 3/8" O.D. Schedule 40 pipe

Auger shall have continuous and reverse flighting for more uniform emptying and shall be supported by 1 1/4" steel shaft ends

Auger shaft shall be supported on one end in sealed, self-aligning, precision singlerow radial bearings with grease fittings and on the other end by the drive mechanism

Auger shall be powered with a 22.6 cubic inch displacement hydraulic motor capable of delivering high torque at low speeds mounted to the end plate and directly coupled to the auger by a non-corrosive UHMW polyethylene sleeve and a 1/2" Grade 5 bolt

Discharge port shall be located 24" from the left end

Stainless Steel Hopper

Rigid one-piece end plates of 7 gauge stainless steel shall be continuously welded to an auger trough of 7 gauge stainless steel

Unit shall have a three-point hinged bottom pan that will expose the entire auger for easy clean out.

Page 44 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLI	LANCE
	YES	<u>NO</u>
<u>OPTIONS</u> (Cont'd) 1V. <u>Stainless Steel UTG Spreader</u> (Cont'd)		
Stainless Steel Hopper (Cont'd)		
Bottom Pan shall be fabricated of 7 gauge stainless steel and held in place with	/	
two (2) heavy-duty cam locks with a lifting handle near each lock for ease of use		
Anti-spill cover over each discharge opening shall be of 7 gauge stainless steel and	,	
shall be removable without the use of tools		·
Tid double - 67		
Lid shall be of 7 gauge stainless steel and shall be an integral part of the unit that may be raised when spreading or lowered when dumping	./	
to raised which spreading of fewered when damping		
Lid shall be locked in position by two (2) latches that are replaceable		
Minimum inside width of the trough shall 10 7/8"		
_		
Poly Spinner Disc		
Shall consist of a single 18" diameter polymer disc with six (6) formed polymer fins, to provide a flat trajectory and uniform spreading pattern from 4 to 40 feet		
posystems, to protested a manufactory and antitothe optionaring parameters with the contract of the contract o	_ -¥	
Assembly shall be adjustable, allowing for variable spreading patterns left, center,		
or right by sliding the hinged frame sideways on the shaft so that the point at which the material hits the spinner disc is varied		
when the material has the spinner disc is varied		
Assembly shall be adjustable in height, providing four (4) different ground	/	
clearance settings by means of four (4) bolts		
Assembly shall be easily removed by pulling two pins and uncoupling two hydraulic	/	
quick-disconnect hoses		
Speed rate shall be variable through optional valve systems	/	
Speed rate shall be variable titrough optional valve systems		
Shall be mounted directly onto the hydraulic motor shaft by means of a	/	
steel spinner hub		
Motor shall be 2.8in ³ with nickel plated shaft for enhanced corrosion	,	
resistance and improved seal life		
Assembly shall remain horizontal to the road at all dump box angles	_/	
Shield shall be provided to prevent material from striking the truck	<u></u>	
Finish		
All carbon steel components shall be painted black	-v	
Stainless steel components shall be left in their natural finish		

Page 45 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE OPTIONS (Cont'd) YES <u>NO</u> 1V. Stainless Steel UTG Spreader (Cont'd) Spill Shields Shall be made of steel and mounted to tailgate to stop any salt from spilling over the sides or the rear of the body **Dump Accessibility** NO hydraulic hoses or trough handles shall be above the surface of the spreader Clean dumping surface must be provided 1W. 30" Under Body Tool Box Can be purchased separately and includes installation Weatherguard Tread Plate Aluminum 631-0-02 30 1/8" x 18" x 18" 5.4 cubic feet Door opening: 13 1/2" high and 25 1/4" wide Stainless steel D-handles 6 sets of keys must be supplied 1X. 48" Under Body Tool Box Can be purchased separately and includes installation Weatherguard Tread Plate Aluminum 650-0-02 48" x 24" x 24" 16 cubic feet Door opening: 19 1/2" high and 43 1/4" wide Stainless steel D-handles

6 sets of keys must be supplied

Page 46 of 62 <u>ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC</u>

<u>SWITCH-N-GO, AS SPECIFIED, OR EQUAL</u> (CONT'D)		
ADDITION OF A D	COMPLI	<u>LANCE</u>
<u>OPTIONS</u> (Cont'd) 1Y. <u>Storage Body SB-1172 Ext</u>		
In is the intent of this bid to specify an 11'72" high storage body to be upfitted or	a Switch-N-Go Sys	tem for an
84" CA. This option is to be used with 11-620-15H. Can be purchased without p	purchase of a vehicle	for
existing units.		
Dimensions		
Body Widths:		
 Inside Body widths shall be 88" (EXT) and 87" (INT) 	/	
Exterior width is 96"		
Interior Height is 72"	_	
Construction Floors:		
• 10 Gauge Steel with 3" structural channel on 16" centers	✓	
Posts:		
• 12 Gauge Steel; exterior posts are 5" formed posts on 36"-48" centers		
Top Rails	/	
 Constructed of 3" X 3" X 1/8" square steel tubing 		
Rear Corner Posts	/	
Constructed of 7 Gauge Steel		
Roof shall be constructed of 12 Gauge steel with a 6" peak		
Lockable security style doors with 3" X 3" supports		
Standard 6" steel ground rollers		
All storage bodies shall receive solvent based prime and painted black		
Body shall be painted to match the cab		
Jody shall be painted to match the cab	V	
1Z. 9' Readily Detachable Western Snow Plow System		
Can be purchased separately for any Model Year 2010 to Present DRW F-350 -		is on the
truck, a quote for removal needs to be provided before the new one can be install	led.	
Blade Assembly		
Moldboard – 12 gauge (0.104") steel sheet formed to a 17.3" radius	/	
with a 1.76" diameter top curl		
Ribs - Eight (8), 0.25" thick, variable profile, electrically welded to sheet,	/	
torsion tube and 0.25" thick, high strength steel base channel		
Torsion Tube -2 " diameter, full width, electrically welded to all eight ribs		
Cutting Edge - Reversible 0.5" x 6" high carbon steel C1080 attached with	,	
ten (10) 0.63" Grade 5 carriage bolts		

Page 47 of 62 ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES NO **OPTIONS** (Cont'd) 1Z. 9' Readily Detachable Western Snow Plow System (Cont'd) Disc Shoes – Two (2), full rotation, height adjustable, Austempered Ductile Iron shoes with integral 1" diameter shaft secured to blade with lynch pins Shoe brackets shall be welded to vertical ribs Blade Trip - 50° full blade trip Trip Springs - Four (4), 2.38" OD x 0.39" diameter, C1060, hard drawn, stress relieved wire, preloaded, with 0.63" x 4" eyebolts Shock Absorbers - Two (2), 5" stroke, shielded shock absorbers to retard extension velocity and dampen blade trip return Blade Trip Pivot – Three (3) 0.75" diameter steel pins Blade Guides - Two (2) highly visible, vinyl coated, spring wound, with replaceable flags Plow Angling - 30° right and left A-Frame Electrically welded, reinforced, 3" x 3" x 0.19" wall structural steel side tubes with 0.50" thick, formed nose plate and integral attachments for angling rams to receive 1" diameter pins Blade Assembly (Cont'd) Lift Chains – Two (2), 0.25" Grade 43 high test steel with 2,600 lb. working load limit, attached with 0.38" U-bolts Quadrant Electrically welded, reinforced, 5" OD x 0.25" wall structural steel tube with 0.50" thick nose plates and integral attachments for angling rams to receive 1" diameter pins Quadrant (Cont'd) A-Frame to Quadrant Angle Pivot – 1" diameter Grade 5 bolt Lift Frame Lift frame to have provision for attachment of out front hydraulics and light kit Lift Arm – 0.25" x 2" formed bar welded with a 7 gauge steel cover Two Plow Stands - Self-storing and adjustable integrated into the plow attachment mechanism Connecting hook and lever with integral with a 0.50" lock pin

Page 48 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPL</u> 1	<u>IANCE</u>
	YES	NO
OPTIONS (Cont'd)		
1Z. 9' Readily Detachable Western Snow Plow System (Cont'd) Lift Frame (Cont'd)	,	
Lift Frame – Two piece lift frame with tubular construction		
Lower lift frame to include drive in plow alignment horns		
Mount Custom designed, electrically welded, structural steel mounting readily adaptable to truck frame	<u> </u>	
Attached to truck with Grade 5 fasteners		
Vehicle, with mount attached, shall meet Federal Motor Vehicle Safety Standards by compliance or by vehicle manufacturing approval		
Removable receiver brackets for additional ground clearance	_	
Paint Plow blade shall be made of shot blasted steel and cleaned with phosphate solutions and have baked-on red polyester powder coating		
A-Frame, Quadrant and Lift Frame – shall be made of shot blasted steel and cleaned with phosphate solution and have baked-on black powder coating		
Hydraulics Electric solenoid activated and detachable with lift	_	
Front mounted hydraulic unit consisting of a fixed displacement gear pump with 1750 PSI system relief, direct tang driven by a 4 ½" 12 volt DC motor		<u>.</u>
Pump with filter screen shall be immersed in a steel deep drawn reservoir		
Main valve manifold shall contain three (3) side mounted and covered solenoid cartridge valves	<u> </u>	
Secondary valve shall contain two (2) driver side and one (1) curb side mounted and covered solenoid cartridge valves	<u> </u>	
Cushion relief valves set at 4,000 PSI and a quill adjustment screw to adjust blade drop speed	_	
One (1) 1 ½" x 8" lift ram and two (2) 1 1/2" x 12" angling rams each with a rod seal, a wiper ring and a gland nut	1	·
Hydraulic hoses shall be ¼" steel braided SAE 100R1		
Hydraulic unit shall be controlled by a soft touch, hand held in-cab control		

Page 49 of 62

/ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPL</u>	<u>IANCE</u>	
OPETONIC (C. 41)	YES	<u>NO</u>	
<u>OPTIONS</u> (Cont'd) 1Z. 9' Readily Detachable Western Snow Plow System (Cont'd)			
Hydraulics (Cont'd) Control shall be equipped with an on/off and mode buttons and indicator lights	/		
Control can be dash mounted			
In-cab control shall be connected to valve manifold and to the motor through an auxiliary 12-volt multiplexed harness			
Power and control harness to have quick disconnects and covers at the grille			
Control shall allow plow to be in float when lowered and also be able to angle left or right when in float			
Unit shall be a "low side" drive system, which provides positive potential continuously with a switched ground to control the solenoids			
Unit shall possess programmable security lockout feature			
Unit shall possess programmable hydraulic soft stop feature			
Unit shall possess programmable one touch float feature			
Hydraulic fluid shall be MIL5606 equivalent standard transmission fluid (ATF) or aircraft hydraulic oil for low-temperature operation			
Cycle times: Lift, 2.0 seconds; Angle, 5.0 seconds			
Hydraulic unit shall stay with plow when plow is disconnected from truck			
Lights Composite dual beam headlamps equipped with an H13 halogen bulb plus combination park and turn signals			
Vehicle specific pre-wired harness with plug-in module requiring no headlamp wire splicing	<u> </u>		
Plow and vehicle lights automatically selected through relay system			
Heavy-duty flasher			
Double stud mounting brackets			
FMVSS 108 compliance for lights			
Lights and mounting bracket to stay with plow when disconnected from truck			

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT D)		
		<u>COMPLIAN</u>	<u>NCE</u>
		$\underline{\mathbf{YES}}$	<u>NO</u>
	<u>OPTIONS</u> (Cont'd)		
`	/1Z. <u>9' Readily Detachable Western Snow Plow System (</u> Cont'd) Plow Removal		
	Blade assembly, A-Frame, Quadrant, Lift Frame with hydraulic unit all to be easily		
	removed in one step from truck as one complete unit		
	Accessories with Plow Snow deflector		
	Snow deflector		
	Curb guard right and left		
		1	
	Cab command or Hand Held Joystick (will be specified at time of order)	<u></u>	
	1AA. Brine/Water Tank	,	
•	Can be purchased separately		
	This unit as specified will need to operate with a central hydraulic system.		
	It can be used on all Switch N Go Applications and run with the EZ Spread Controller		
	General		
	Shall have the capability to maintain a uniform application rate of deicing liquid	/	
	materials behind the truck		
	System shall have the capability of being used in a manual control (open loop) and	/	
	automatic control (closed loop)		
	System will consist of a single lane stainless steel spray bar		
	Liquid pumping system shall have a hydraulic driven liquid pump		
			
	Hydraulic driven systems shall be available up to 100 gpm output		
	Fluid Handling Components		
	Shall be constructed of material suitable for handling liquid deicing chemicals without		
	deterioration, corrosion or damaged		
	Plumbing shall not contain any components manufactured from galvanized	1	
	or steel fittings	_	
	Liquid Tonk Size shall be 550 Callons		
	Liquid Tank Size shall be 550 Gallons		
	Overall Dimensions will not exceed 104" L X 48" W X 49" H, including lid	\checkmark	

Page 51 of 62

SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)	COMPL	Y A NICHE
OPTIONS (Cont'd)	<u>COMPL</u> <u>YES</u>	IANCE NO
1AA. Brine/Water Tank (Cont'd)		
Fluid Handling Components (Cont'd)		
Tank will include an option of being mounted on a subframe with stand that will allow for raising dump body to install and remove tank assembly without		
the use of a front end loader or forklift		
Tank will be mounted to either steel subframe or other tank support utilizing ratchet	,	
straps		
Touls will have called montrines wisible on many of touls		
Tank will have gallon markings visible on rear of tank		
Liquid Pump	/	
Hydraulic Driven Centrifugal Pump	<u></u>	
Liquid pump driven by a hydraulic motor with a maximum output of 235 gpm		
to allow application rates of up to 60 gallons per lane mile at 60 mpg on the	./	
highway		
Additional liquid pumps shall be available to allow maximum output of 25 or		
100 gpm, allowing application rates at low speeds and application rates for parking lots or side streets		
iots of side specis		
System shall have inline removable inlet strainer with 304 stainless filter screen		
Screen mesh shall be sized to handle all types of deicing chemicals and protect		
the pumps and other downstream components from becoming plugged, restricted	/	
or worn		
Plumbing		
A manual ball valve is required at the outlet suction of the tank to isolate the liquid from draining from the tank is service or maintenance is required		
from draining from the tank is service of mannenance is required		
Tank shall have a second manual 3-way ball valve to allow for filling of the tank by		
an external pump through a 2" fitting, or self-loading of the tank by the truck's 2" suction hose and pump		
outlier need that pump		
Single Lane Boom		
Spray Bar		
Spray bar shall be designed to provide an application of liquid deicing material right	. /	
behind truck in single boom application	_ V	
Shall not exceed 8' in length		
Manufactured from 304 stainless steel	/	

Page 52 of 62

/ ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FU SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)		
OPTIONS (Contid)	COMPL	
OPTIONS (Cont'd) 1AA. Brine/Water Tank (Cont'd)	YES	<u>NO</u>
Spray Bar (Cont'd)	/	
Shall be constructed of stainless steel with stainless steel nozzles		<u></u>
Center bar shall have a minimum of twelve (12) nozzles	_	
Shall fold upward and lock into position for easy loading and unloading of unit from Switch N Go	<u> </u>	
Tank Mounting Tank shall be mounted to a powder coated steel sub frame with 2 ratchet straps		
Dimension of the subframe shall be 58" W X 120" L		
Switch N Go Subframe 6" Ground rollers		
Frame Height 45 5/8"		
Frame Floor Length 146"		
Overall Length 160 7/8"		
Longsills 4" Structural Channel		
1BB. <u>Large Stainless Steel V-Box</u> This option also requires selection of the Central Hydraulics Upgrade.		
Spreader can be purchased for existing vehicle with central hydraulics for up to 10' Bodies		
Specifications shall describe a V-box material spreader capable of hauling and spreading free flowing granular materials from a minimum width of four (4) feet to a maximum of forty (40) feet.		
Unit shall consist of a stainless steel body, discharge/feed conveyer, spinner assembly, power drive, and all components necessary to make a complete operating unit.		
The spreader hopper shall be constructed of 10 gauge 201 stainless steel with 2" double crimped top edge formed for greater rigidity.		
The hopper body length shall be 9 feet with longitudinals overhung for supporting the spinner assembly.	<u> </u>	
The hopper shall not be more than 84" outside width.	√	

Page 53 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPL</u>	<u>IANCE</u>
	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)		
1BB. <u>Large Stainless Steel V-Box</u> (Cont'd) The hopper height shall be 50" with a cubic yard capacity of 4.6	,	
water level full.		
The body longitudinals shall be manufactured of 7 gauge stainless steel.		
the longitudinals shall commence at the end of the hopper with a bolt on		
flange assembly welded in place to bolt on the replaceable longmember tail kit.		
tan Kit.		
The channel cross sills shall be 3" x 4.1 lb channel iron that tie the lower	/	
edge of the longitudinals to each side support.		
These cross supports shall be wide enough to allow to slide into a	,	
dumpbody.		<u></u>
The optional bolt-on 6" x 9.0 lb wide flange "H" beam will be elevated 3"		
above the top edge of the hopper, thus providing a longitudinal brace		
and hinge point for the top screens.	1/	
and angle from the day of the control of the contro	 -	<u></u>
There shall be a 2" x 2" angle iron bolted from the "H" beam to each	,	
hopper side for additional side support.		P14-
The bedress of convey and homitadicale shall be electrically yielded into		
The body and conveyer longitudinals shall be electrically welded into a rugged solid unit with a continuous weld between the outside joint to	/	
prevent a pocket for rust.	/	
There shall be a screw type self-locking gate.		
The 12" x 18" 10 gauge feedgate and ruler shall be provided at the rear of		
the hopper to allow for accurate discharge. The door slide rails shall be bolt	,	
on and replaceable.		·
There shall be 10 gauge formed side supports that extend the full side		
There shall be 10 gauge formed side supports that extend the full side angle height spaced on approximately (2) two foot centers.		
A heavy duty bolt on lift loop shall be provided with pre-punched		
locations on the front and rear of body or side mounted.		
The rear endplate shall be reinforced inside and supported to give it		
maximum strength.		
Conveyor system shall be of chain barflight type running longitudinally	,	
with the body feeding material to the feedgate opening	_ ✓	
		
The overall conveyor width shall be not less than 24"		

Page 54 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONTED)

SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)	COMPL	LANCE
OPPROME (G44)	YES	NO
OPTIONS (Cont'd) 1BB. Large Stainless Steel V-Box (Cont'd)		
To protect the chain link strands, a 10 gauge replaceable chain shield shall cover the strands exposing only the drag bar to the material.		
The conveyer floor shall be of flat design and manufactured of replaceable 3/16" stainless steel and rolled over ends.	<u>/</u>	
The conveyer chain shall be driven through the worm drive gearbox by a low speed/high-torque "orbital type" hydraulic motor. This motor shall be directly coupled to the gearbox and protected from the elements by a cast housing.		
The worm gear drive shaft shall have provision for a servo sensor, integral with the driveshaft.		
The cast iron gearbox shall have hardened and ground bronze gears mounted on a 2" or 1 ½" diameter drive shaft and supported on tapered roller bearings	<u> </u>	
The gearbox ratio shall be 25:1		
The driver and idler sprocket shall be 8 tooth cast grey iron sprockets keyed to the 2" or a 1 ½" or a 1 ½" diameter drive shaft and 2" idler shaft		
Both conveyer shafts shall have heavy duty, dust sealed self-aligning four bolt flange bearings equipped with grease fittings.		
The conveyor shall have an internal front wiper and an external rear wiper.		
A heavy duty spring loaded idler adjustment assembly shall provide 4" of adjustment for proper conveyor chain tension.		
The conveyor chain shall be heat-treated, 2.25 pitch, self-cleaning, pintle type, with 7/16" pins and tensile strength per strand of 21,000 pounds.		
This chain shall utilize a 3/8" x 1-1/2" x 18-3/4" cross bar welded on both the top and bottom to every other chain link making an overall width of 22-1/4"	<u> </u>	
Cross bars to be positioned on approximately 4.5" centers.	_/_	***

Page 55 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPL</u>	<u> IANCE</u>
	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)		
1BB. <u>Large Stainless Steel V-Box (Cont'd)</u> The distributor disc shall be at least 20" in diameter of polyurethane and have six replaceable designed for uniform trajectory	_	
The disc shall be mounted on a cast iron replaceable hub connected directly to the top mounted motor.		
The material shall be guided from the conveyor to the distribution disc By means of two internal adjustable 10 gauge material deflectors	\checkmark	
These deflectors shall control the spread pattern from left to right by controlling where the material drops the disc.		
The entire spinner assembly shall be manufactured of not less than 10 gauge 201 stainless steel and shall be adjustable in height to accommodate either the slip-in V-box or chassis mounted V-box.	\checkmark	
There shall be four (4) external baffles that shall be able to be adjusted without the use of tools.	\checkmark	
A rear diverter chute shall be provided to permit the unloading of material without running the material over the spinner.		
The entire spinner shall tip-up to allow cleaning, unloading or storage	·	
The top screens shall be constructed of 3/8" rods welded to form a 2.5" square mesh which is formed by a combination of \(^1\/_4\)" x 1-1/2" flat steel and 2" angle iron.	_	
Each section shall be secured to the "H" beam with two (2) non-freeze 5/8" rod hinges.	4	
There shall not be less than four (4) screen assemblies per V-box.	\checkmark	
All hardware and fasteners shall be electronically plated and corrosion resistant.		
All steel components shall pass through an alkaline wash with a clear water rinse immediately following. All non-stainless components shall be painted black		
All welding performed on the spreader must be in compliance with current AWS Procedures and guidelines recognized within the State of manufacture.		<u> </u>

Page 56 of 62 ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)

SWITCH TOO IN STEED TO	COMPLIA	
OPTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
1BB. Large Stainless Steel V-Box (Cont'd) Manufacturer shall provide caution labels, decals and any warnings deemed necessary	1	
Manufacturer shall attach their standard warranty statement. All components described herein shall carry minimum one (1) year warranty		
All metal shall have the millscale removed and the surface chemically treated in preparation for paint		
All painting shall be applied in accordance with good commercial practice		
Finish All metal shall have the mill scale, weld splatter, and oil residue removed and the surface shall be electro-chemically cleaned	<u> </u>	
All stainless steel shall be left unpainted. All mild steel components shall be painted black		
Light Bar Assembly Light bar assembly with stainless steel enclosure		
78" wide, bolt on (4) LED stop/tail/turn lights and ICC ID marker lights, wire harness with pigtail and 7 pin RV style		
Grease Extensions Front bearing grease extensions to the rear of unit with manifold	4	
Chain Oiler Shall be of a gravity flow design with a manual shutoff valve and have a reservoir capacity of 4 quarts	_	
Tank shall be polyethylene construction	$\overline{\checkmark}$	
Winch Assembly Winch assembly for BV or BVA models, hand crank to swing up spinner assembly	\checkmark	<u></u>
Short Hose Kit Short hose kit includes Pioneer 4004PH quick-disconnect couplers (two sets) and four ½" hoses	<u></u> ✓.	
Switch N Go Subframe Switch-N-Go Subframe with 6" Groundrollers 4" Diameter		

Page 57 of 62

ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FU	<u>LL HYDRAU</u>	<u>JLIC</u>
SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D)	COMPL	IANCE
	YES	NO.
<u>ÓPTIONS</u> (Cont'd)	1150	119
1CC. Road Department Paint Color Scheme	,	
School Bus Yellow from the bottom of the windows down		
Academy Blue #5240 from the bottom of the windows up to and including	•	
cab roof and back		
On hood from bottom of windshield to a point on the hood to make a "V"	/	
and match the road department fleet		
Shall be base coat clear coat		
(Note: Not all Vehicles will be painted this way)	/	
<i>y</i>	-//	
/1DD. Special Paint Colors Not On the Standard Color Chart		
1EE. Diagnostic Tools / Test Equipment		
1. Successful bidder shall be required to supply between one (1) and three (3)		
complete sets of testing/diagnostic/programming equipment (i.e. laptop,		
software, cabling, and adapters) and special tools required to perform the		
full range of diagnostic and maintenance actions necessary to maintain		
vehicle operability. This equipment will cover the vehicle chassis, engine,		
transmission, brakes, hydraulics, and all additional equipment (if applicable)		
2. All laptop computers will be of the newest available technology and have		
sufficient storage and memory to operate all required software		
3. Provide a list of all test/diagnostic/programming equipment and special tools		
being supplied at the time of bid	V	
4. All software installations and activations will be completed by the successful		
bidder at no cost to the County	/	
5. All software updates and renewal will be provided at no cost to the County		
for a period of five (5) years from the acceptance of the equipment	/	
6. All technical issues relating to test/diagnostic/programming equipment and		
special tools shall be resolved by the successful bidder at no cost to the	,	
County for a period of five (5) years from the acceptance of the equipment		
7. Training shall be provided on all items in this section at a specified County	,	

1FF. Two-Way Radio Power and Wiring Requirements for New Vehicles
For the purpose of installing two-way radios into new County vehicles and equipment,
the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps
- 2. #12 AWG BLACK wire connected to chassis ground

location

3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps

Page 58 of 62 ITEM #1 – MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) COMPLIANCE YES <u>NO</u> OPTIONS (Cont'd) Two-Way Radio Power and Wiring Requirements for New Vehicles (Cont'd) Wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. Wiring harness shall be clearly labeled "TWO-WAY RADIO". Wires shall be unterminated. 12VDC sources shall be protected from making contact with grounded metal surfaces 1GG. Installation of County Supplied Two Way Radio and Accessories Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces. 1HH. Technical Support Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation in a classroom setting. The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification. Technical support may be requested in the following areas: • Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location. Transmission – I day at each location • Electrical – 1 day at each location • Brakes - 1 day at each location Hydraulic system (dump body, spreader, snow plow) – 1 day at each location Upfitter (dump body, sweeper, etc.) - 1 day at each location A technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and

the successful bidder.

Page 59 of 62 ITEM #1 - MODEL YEAR 2020 OR NEWER, FORD F550 REGULAR CAB FULL HYDRAULIC SWITCH-N-GO, AS SPECIFIED, OR EQUAL (CONT'D) **COMPLIANCE** YES <u>NO</u> OPTIONS (Cont'd) 1HH. Technical Support (Cont'd) For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel. Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled. Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper coverage. Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative: Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm) Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050 Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location. Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only. Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the

last unit in service.

Page 60 of 62

Proposal for the furnishing and delivery of MOTOR VEHICLE: NEW SUPER DUTY SWITCH N GO TRUCK for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(V)-YES

()-NO

PRICE SCHEDULE

Item #	Description	Qty. Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price
$\sqrt{1}$	Model Year 2020 or Newer, Ford F550 Regular Cab Full Hydraulic Switch-N-Go Truck, As Specified, or Equal	1	10	EA	\$13907.W	\$1139010.W
	Year, Mfr., Model: 1030 Engine: 1.3	Ford	1 Fo	550		
	Transmission: 10.500	nd.	Dieta	mat	7.0	
	Delivery, A.R.O.: Julioch		100	ucho	in and allowat	/ CEDE
	Warranty: Ill att	2012	7/20 1/1	<u>uu, 10</u>	11 gill gilocul	1011
	REMARKS: JOL 110	11/10	א (צר	100 OR		
		1	*	0		
OPTIO 1a	NS: Upgrade to Super Cab Chassis with 84" Cab to Axle	1	10	EA	\$ 2810.CD	\$ 28100.00
√1b	Upgrade to Crew Cab Chassis with 84" Cab to Axle	l	10	EA	\$ 3660 CO	\$ 366000.00
√1c	11 Foot Dump Body Upgrade, As Specified	1	10	EA	\$ 5400.00	\$5400.00
√1d	Steel Fold Down Sides for Dump Body Upgrade	1	10	E A	\$ 1300,00	\$ /30(0.20
√le	11 Foot Stainless Steel Dump Body Upgrade, As Specified	I	10	EA		s/27000.00
√lf	Coal Chute	1	10	EA	\$ 80000	\$ 8000.00
√lg	11 Foot Platform Body Upgrade, As Specified	1	10	EA	s 3950.00	\$ 8000.00 \$ 39500.00
Item #	Description	Qty. Bid	Max. Otv.	Unit of Meas.	Unit Price	Total Price

Page 61 of 62 OPTIONS: (Cont'd) Stake Sides and Removable Rear Stakes 1 10 12 Foot Aluminum Landscaper Body Upgrade, As Specified 1 10 Chipper Leaf Top for Landscaper Body Upgrade, As Specified 1 10 Utility Body Upgrade, As Specified 1 10 Pace Edwards Manual Roll Top for Utility Body Upgrade, As Specified or Equal 1 10 Storage Body SB-1172-EXT, As Specified, or Equal 1 10 Medium Duty Drop Box, As Specified 1 10 Medium Duty Drop Box with High Sides, As Specified 1 10 Horizontal Split Door, As Specified 1 10 24" Chipper Top - For Medium Duty Drop Boxes, As Specified 10 1 Curbside Side Door, As Specified 1 10 EA Light Package 1, As Specified 1 10 Go Light Work Lights, As Specified 1 10 EA Central Hydraulic System, As Specified Ĩ 10 EA. Stainless Steel UTG Spreader, As Specified 10 EA 1 Unit of Max. Oty.

Bid

Oty.

Meas.

Unit Price

Total Price

Item # Description
OPTIONS: (Cont'd)


,						Page 62 of 62
√lw	30" Under Body Tool Box, As Specified	1	10	EA	\$ 950.00	\$ 8500.00
√lx	48" Under Body Tool Box, As Specified	1	10	EA	\$ 11/200	s 1/300.00
ly	Storage Body SB-1172 Ext, As Specified	1	10	EA	s 8600,00	s 86000.00
\int_{1z}	9' Readily Detachable Western Snow Plow System, As Specified	ì	10	EA	s 5950W	s 59500.00
laa	Brine/Water Tank, As Specified	1	10	EA	\$ 13900.00	s 1390000
√1bb	Large Stainless Steel V-Box, As Specified	1	10	EA	\$ \$ 1400.0C	s 214000.00
\lambda_1cc	Road Department Paint Color Scheme, As Specified	1	10	EA	s 2400 00	s 24000 W
√1dd	Special Paint Colors Not On the Standard Color Chart, As Specified	1	10	EA	s 900.00	\$ 9000.00 (P) 10500 p)
lee	Diagnostic Tools/Test Equipment, As Specified	1	3	SET	\$ 9500.CD	\$ 28500.00
√lff	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	1	10	EΑ	s 270.00	\$ 2100.W
$\sqrt{1gg}$	Installation of County Supplied Two-Way Radio and Accessories, As Specified	1	10	EA	s 1380.W	s 13800DO
\(\sqrt{1hh} \)	Technical Support, As Specified	1	180	HR	\$,100.00)	\$ 1800.00

TOTAL LUMP SUM (Add Item #'s 1-1hh):

sh, 513,210.00

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD VENDOR TO INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL

VENDOR SHALL SUBMIT WARRANTY DETAILS WITH BID



RESOLUTION

July 1, 2020

WHEREAS, on May 27, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLE: NEW WRECKER for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder

Robert H. Hoover & Sons, Inc.

Address of Bidder

149 Gold Mine Rd. Flanders, NJ 07836 (973) 347-4210

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, according to specifications, namely that of, ROBERT H. HOOVER & SONS, INC.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract accepting the bid for the furnishing and delivery of Motor Vehicle: New Wrecker for the County of Ocean, for the contract period from date of award through June 30, 2021, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

ROBERT H. HOOVER & SONS, INC. for fourteen (14) items, to wit: ITEMS NO. 1, 1a, 1b, 1c, 1d, 1e, 1f, 1g, 1h, 1i, 1j, 1k, 1l and 1m.

For a Total Lump Sum Award (Items 1-1m) of \$557,227.32.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. WHEREAS, funds for equipment shall be available within the following funding Sources: Vehicle Services Department O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-82.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Vehicle Services and Robert H. Hoover & Sons, Inc., the successful bidder.

ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL

All specifications listed below shall be considered "or equivalent". In any circumstance where the specification is not met and an "equivalent" is offered, the bidder must specify what is being offered and how it is equivalent or superior to these specifications. Failure to explain any variations from the bid specifications shall be cause for rejection of the bid as non-responsive. The brand of equipment if specified for the intended application has been selected by the Vehicle Services Department for standards of reliability, safety, performance and availability of suppliers for parts and service.

	COMPL	IANCE
	YES	NO
<u>General</u>		
Freightliner 114SD set forward axle chassis or equal designed for heavy-duty	/	
general use including the use of WRECKER Body.	<u> </u>	
Set forward axle truck package with a minimum bumper-to-back-of cab		
measurement of 114"	V.	
Bumper to axle 29"		
Intended Service: Wrecker Truck		
Cab to Body Clearance: 4"		
Front Axle GVW Capacity: 12,000 lbs.		
Rear Axle GVW Capacity: 23,000 lbs.		
Total GVW Capacity: 35,000 lbs. Minimum		
Tour STH Capacity. Doyou los. William	<i></i>	
Engine		
CUMMINS ISL 9, or equal	1	
Minimum 330 hp @ 2000rpm and 1000 lbft. torque @ 1400rpm.		
Must be of Wet Sleeve design, and electronics for simple service and diagnosis		
-		
Displacement is to be 8.9 liters minimum Engine must with Endored Mondate for discal emissions	/	-
Engine must with Federal Mandate for diesel emissions.		
Engine Equipment		
Engine Equipment Engine Trust comply with letter ERA/CARR 50 states clean idle amissions		
Engine must comply with latest EPA/CARB 50 states clean idle emissions		
certification 72 ACM and 11 min		
72 MPH road speed limit		
PTO mode engine RPM limit set for two speed rear axle application		
Fuel dosing of after-treatment enabled in PTO mode		
Oil check and fill: engine mounted		
Air intake: side of hood air intake with safety element air cleaner		
Firewall mounted Donaldson air cleaner assembly		
Alternator: DR 200 amp with remote battery sense		
Batteries: (2) 12-volt GNB Maintenance-Free 2000 CCA		
Battery Box: frame-mounted left side under cab		
Jump Start Studs: positive and negative mounted at or near starter		
Positive Load Disconnect switch mounted outboard of driver seat		
Gates Blue stripe hoses		
Compressor: 18.7 cfm		
Discharge line: Teflon		
Engine Protection: electronic engine-integral warning system with shut down function		
Engine brake: Cummins exhaust		

ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIANCE	
	YES	NO
Engine Equipment (Cont'd)	,	
Exhaust: Single right-hand horizontal with RH B pillar mounted vertical tailpipe	<i>f.</i>	
Fan Drive: Horton 2 speed polar extreme drive master advantage	7	•
Automatic fan control with dash switch and indicator light	<u></u>	<u> </u>
Fuel filter: Cummins Spin on		
Oil filter: full-flow	/ / / / /	
Radiator: 1300 square-inch with drain valve		
Heavy-duty coolant: -34 OAT extended life		
Coolant hoses: Gates blue-stripe		
Constant-torque clamps: constant torque for coolant hoses 1-3" diameter		
Engine Heater: Phillips 1000W/115V		
Chrome heater receptacle mounted under driver's door		
Electronic grid air intake warmer		
Starter: Delco or equal 12V 39 MT HD with OCP and integrated magnetic switch		
Statter. Delete of equal 12 v 39 WIT 11D with Oct and integrated magnetic switch		
Transmission & Equipment		
Transmission: Allison or equal World RDS 3500 six-speed electronic automatic		
with PTO provision, (6) forward gears and (1) reverse gear.		
Six-speed transmission programming (223).		
Vehicle interface wiring with body builder connector back of cab.		
Magnetic transmission drain plug.		
Electronic transmission customer access connector firewall mounted		
Trans oil check and fill with electronic oil level check		
PTO mounting left hand side of transmission with clear back of cab frame rail to		
hydraulic pump	/	
Shift lever: Dash mounted push button		
Transmission prognostics enabled		
Synthetic transmission fluid	7	
Transmission oil check and fill with oil level check		~
Transmission cooler: heavy-duty water-to oil mounted in radiator end tank		
Front Axle and Equipment		
Detroit or equal DA-F-12.0-3, 3.74 drop, capacity @ ground of 12,000 lbs.		
Front brakes: Meritor or equal cam 15 X 4" Q+ cam with dust shields.		
Front brake linings: non-asbestos		
Front brake drums: outboard-mounted cast-iron	/_	
Vented front hub caps with window, center and side plugs- oil type		
Front slack adjusters: Meritor automatic	_/_	
Power steering pump: TRW THP-60		
Power steering reservoir: 2-quart reservoir		
Suspension bushings: maintenance free rubber bushings		
Front suspension: taper-leaf springs rated @ 13,300 lbs. Minimum		
Front shock absorbers		

ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL.	<u> IANCE</u>
	YES	NO
Rear Axle and Equipment		
Meritor RS-23-161 23,000# capacity rear axle		
Rear axle ratio: 5.13		
Iron rear axle carrier housing		
Driver Controlled Traction differential with driver controlled lock valve	7	
Main driveline: Meritor or equal MXL-176T extended lube with half-round yokes		
Rear Brakes: Meritor or equal 16.5X8.62 Q+ cast spider heavy duty cam, double anchor		*****
Rear brake linings: non-asbestos with dust shields		
Rear brake drums: outboard-mounted cast iron		
Rear axle oil seals		
Parking brake chambers: Wabco Tri stop D long stroke for drive axle, mounted		
forward side of axle		
Rear Automatic slack adjusters: Haldex automatic		
Rear Suspension: 23000-lb. Air liner with chain clearance		
Manual Dump valve for air suspension with gauge		
Transverse control rods		
Single air rear suspension leveling valve	<u></u>	
Rear shock absorbers		
Axle clamp: Heavy Duty 1" diameter in lieu of 7/8" diameter U-bolts		
Synthetic 75W-90 front and rear axle lube		
Symmono 15 to 50 mario mana maso maso		-
Brake System Equipment		
Brake Package: Full air with trailer air brake tow package lines to end of frame	/	
Anti-lock brake system: Wabco or equal four-channel, 4-sensor/4 modulator, with-out		·· -
traction control enhancement	· /	
Chassis air lines: reinforced nylon, fabric braid and wire braid depending on location		
Fiber braid parking brake hose		
Brake relay valve with 5-8 psi crack pressure		
Air dryer: BW-AD-9 or equal heater air dryer mounted inboard LH rail		<u>-</u>
Air reservoirs: Aluminum		
Clear frame rails back of cab to front of rear suspension both sides outboard		· · · · · · · · · · · · · · · · · · ·
Quick disconnect fitting with tire inflation kit		
Air tank drain valves: cables on all air tanks		
A THE STATE OF THE		
Frame and Wheelbase		
Wheelbase: 216"	/	
Cab-to-Axle: Clear 138" No Back of cab protrusion		
Frame: 3,217,200 RBM, 11/32" x 3-1/2" x 10-15/16" heat-treated steel,		
120,000 psi yield strength with 1/4 "C-Channel inner frame reinforcement.		
Rear overhang 63" Minimum: Or adequate amount to allow body installer to cut any		
excess back to a custom measurement for installation of body. No body installations		
requiring the addition of rear frame beyond factory standard will be accepted.	/	
Bidder to provide unladen frame height and dock height with body mounted.		
No front frame extension		

Page 29 <u>ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS</u> <u>SPECIFIED, OR EQUAL</u> (CONT'D)

	COMPL	IANCE
	YES	<u>NO</u>
Frame and Wheelbase (Cont'd)		
End of frame: Square-cut		
Front closing crossmember		
Rear Suspension Cross Member: standard		
Chassis Equipment	/	
Front bumper: Body Company installed Heavy Duty Push/Plate Bumper		
Front license plate bracket: included		
Chassis Fasteners: Grade 8 threaded Hex		
Fuel Tanks and Equipment		
Left hand fuel tank: 60-gallon round, must be constructed of aluminum to		
preclude exterior corrosion and interior fuel contamination. (No Exceptions)		
Fuel tank diameter: Round 25" aluminum with stainless steel tank straps		
13 Gallon DEF tank mounted aft of fuel tank with aluminum diamond		
plate DEF tank cover	/	
Stainless Steel after-treatment device muffler shield		
Fuel tank orientation: forward mounted under cab		
Fuel tank cap: standard, non-locking	/ / /	
Fuel/water separator: Water in fuel sensor with heated bowl and hand primer pump		
Fuel system: "Equiflo" inboard fuel supply and return system designed to maintain		
a constant fuel temperature		
Fuel line: High temperature reinforced nylon		
Front Times Hubs and Wheels		
Front Tires: 275/70R x 22.5 18 Ply Michelin X Multi Z		
Front Hubs: pre-set bearing iron (aluminum hubs are not acceptable)		
Front Wheels: 28828 accuride HD 2-hand hole 10-bolt hub-pilot 22.5" x 8.25";		
steel disc wheel	/	
Front wheel nuts: hub-pilot with flat flange		_
Trong whool has proc with has hange		
Rear Tires, Hubs and Wheels	/	
Rear Tires: 275/70Rx22.5 18-ply Michelin X Multi Z	<u> </u>	
Rear hubs: pre-set bearing iron (aluminum hubs are not acceptable)		
Rear wheels: 28828 accuride HD 2-hand hole 10-bolt hub-pilot 22.5" x 8.25";	/	
steel disc wheel		
Rear wheel nuts: hub pilot with flat flange		 _,,,,,,,
Cab Exterior		
Cab: 114" BBC conventional aluminum cab		
One-piece heated windshield		
Adjustable doors with concealed hinges		
Paddle-type door handles		
Fiberglass hood and split fenders with splash shields that lift away from the engine		
compartment when the hood is tilted		

ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPI</u>	<u> JANCE</u>
	<u>YES</u>	<u>NO</u>
Cab Exterior (Cont'd)		
Entry and egress shall be made via a 3-point system consisting of self-cleaning non-slip		
steps and a minimum of (2) grab handles on each side for the operator and passengers	1	
to utilize, one on the inside of the door, and one on the cab exterior to the rear of the door	. <u>/</u>	
The steps shall to be a minimum of 4" wide and the grab handles must be large enough		
to be safely grasped by one wearing heavy-duty work gloves.	<i>,</i>	
Total cab dimensions shall not be less than 80.75" Wide outside and 56.5" from floor to		
roof inside.	<i>,</i>	
Left and right doors with door stop		
Non-removable bug screen mounted behind grille		
Cab mounts: air		
3 ½" fender extensions	/	
Grab handles: Exterior cab mounted LH/RH with single rubber insert	/	
Grille: Stationary black grille with bright accents		
Chrome hood mounted air intake		
Bright finish radiator shell/hood bezel		
Hood: Fiberglass		
Cab insulation: Tunnel/firewall liner		
Composite exterior sun visor		
Air Horns: dual 26" rectangular polished aluminum roof mounted		
Horn shields: dual		
Electronic horn: dual		,
Key and Lockset: 6 sets of keys all locks keyed the same key code FT-1007		
Headlights: halogen composite with bright bezels		· · · · · · · · · · · · · · · · · · ·
Headlights on with wipers with daytime running lights with rocker/toggle		
Momentary interrupter switch		
Marker lights: aerodynamic LED		
Stop/tail/turn lamps LED at end of frame		
Turn signal: one set mounted in headlight cluster		
Primary mirrors: dual bright finish with heater and LH & RH remote		
Mirror Mounting: mirrors mounted on doors	/	
Mirror Width: 102"		
Auxiliary mirrors: 8" convex bright finish mounted under primary mirrors both sides		
RH after-treatment system cab access with polished diamond plate cover		
Rear window: tinted safety glass	<u></u>	
Door windows: tinted with lowered bottom beltline for increased sideward visibility		
Operational door wing windows		
Door window regulators: power electric		
Windshield glass: tinted and heated		
8-liter windshield washer reservoir with fluid level indicator		
Cab Interior	,	
Interior Level: Opal Gray vinyl interior. Minimum 75" shoulder room and 66.5" hip	,	
room side to side		
Two (2) cup holders LH & RH dash mounted		

Page 31 of 47 ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL	<u>IANCE</u>
	$\underline{\mathbf{YES}}$	<u>NO</u>
Cab Interior (Cont'd)		
LH upper door trim: molded door panel with aluminum kick plate on lower door		
RH upper door trim: molded door panel with aluminum kick plate on lower door		
Ash tray and lighter: dash mounted		
Map pocket LH door	7	
Forward roof mounted console with upper storage compartments and additional		
center compartment	,	
In dash storage bin		
Gray/charcoal flat dash		
Air conditioning		-
Main heater/vent control: Main HVAC with recirculation switch		
HVAC ducting: vents in cab for maximum air movement and circulation		
A/C compressor: Valeo heavy duty		
A/C condenser: radiator mounted		
A/C plumbing; binary control with R134A refrigerant	/ / / / / /	
Premium Cab Insulation package		 4
12V negative ground electrical system		
Interior lights: dome door activated LH & RH, dual reading lights, forward cab roof	-	
Cab door locks: power		
Driver & Passenger Seats: Elite heated Air ride high back with 3 chamber air lumbar		
and integrated cushion tilt & adjustable shock absorber		
Dual driver & passenger seat arm rests		<u></u>
LH & RH integral door panel arm rests		
Driver/passenger seat cover: vinyl	_/	
Seat belts: 3-point driver and passenger front seat belt retractors	/	
Steering wheel: 18"		
Adjustable tilt and telescoping steering column		
Interior sun visors: standard driver and passenger		
• •		
Instrument Panel and Controls	_	
Gauge package: electronic with black bezels		
Drive instrument panel: Woodgrain with flat gauge/switch insert area		
Dash center panel: Woodgrain with flat gauge/switch insert area		
Low air pressure warning: light and buzzer	/ / / / /	
Air system pressure gauge: primary and secondary gauges		
Air restriction indicator: mounted on intake without graduations		
Dash mounted regeneration request switch		
Cruise control: mounted on dash		
Starter control: key-controlled, 4 position with 6 sets of keys		
•		
Driver Information center: odometer, trip odometer, hour meter, voltage display,	1	
and diagnostic indicator in combination with 26 warning lamps data linked		<u> </u>
Diagnostic Interface connector: 9-pin SAE J1939 located below dash		
Programmable RPM control	<u></u>	· · · ·
Fuel level gauge: electric		
Coolant temperature gauge: electric		
Transmission temperature gauge		

ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

•	COMPLIANCE	
	YES	NO
Instrument Panel and Controls (Cont'd)		
Hour meter: integral within driver display		.
Engine oil pressure gauge: electric		
Radio: Dash mounted AM/FM WB stereo with USB and Bluetooth inputs		
Radio speakers: two (2)		
Power and ground wiring provision overhead	/	
Radio antenna: LH roof mounted	7	
Speedometer: electronic, MPH scale		
Tachometer: electronic 3000rpm		<u></u>
Two on/off rocker switches in the dash with indicator lights and wire routed		
at back of cab		
Digital voltage display: Integral with drive display		
Self canceling turn signal switch with dimmer, washer/wiper and hazard in handle		
Parking brake system: 2-valve system with warning indicator	/ / /	
Turn signal flasher with hazard lamps overriding stop lamps		
Backup alarm: Preco or equal 1040 87 DB to 112 DB automatic self-adjusting		
buckup maint. Troop of equal 1040 07 DD to 112 DD automatic sent-adjusting		
Paint		
Paint type: One color solid	. /	
Paint color A: Blue		
Paint design: as per existing units	/ / / /	
Chassis color: Black Polyurethane		
Bumper color: Black		
Front Wheel color: powder coat white N0006EA	/	
Rear Wheel color: powder coat white N0006EA		 .
Real wheel color. powder coat withe 1000005A		
Undercoating		
Entire truck chassis, underside of cab and underside of added body		
(dump, utility, platform) to be coated with Tectyl 2423 haps free black		
Which is a low VOC, high solids, emulsion corrosion preventive coating.	/	
which is a low voc, high solids, chidision corrosion preventive coading.		
Accessories		
One (1) 5 Lb. Fire Extinguisher	/	
One (1) Spare tire and rim assembly		····
One (1) Complete set of belts and all fluid and air filters for engine, transmission,		
final drives, mounted equipment, optional equipment, and all accessories	/	
that have replaceable filters.		
One (1) Complete set of mechanics' "shop" Chassis manufacturers, service and		
troubleshooting manuals for chassis, optional equipment. Service manuals must be of softbound book type or USB.		
One (1) Complete set of "parts" Chassis Manufacturer Parts manuals for chassis, an	nd 1	
final drives, optional equipment. Parts manuals must be of softbound		
book type or USB		
Two (2) Sets of Chassis Manufacturers, Line Setting Sheets for chassis, mounted		
equipment, and optional equipment.		

ROBERT H. HOOVER & SONS, INC.

Page 33 of 47

TTEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>COMPLIAN</u> YES	NCE NO
Extended Warranty Five (5) Year 100,000 mile engine warranty to include turbo, injectors and ATS system Five (5) Year transmission warranty Five (5) Year towing and roadside assistance warranty. Seven (7) Year 150,000 Mile TC4 Truck Coverage warranty		
CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION		
INTENT: It is the intent of this specification to describe a conventional medium-duty diesel truck c heavy-duty steel wrecker body and integrated hydraulic recovery boom and under lift me below.		
Wrecker Accessories A light pylon shall be supplied for the mounting of an emergency light bar and work lights.	/	
The pylon shall be mounted on the forward part of the modular body directly behind the chassis cab.	/ ·	
A 72" LED Whelan Light Bar with 8 LED heads, work lights, LED tail, stop, and turns shall be installed on the light pylon. Three (3) sets of LED work lights shall be required. One (1) set of work lights shall be		
installed on the light pylon to illuminate the rear of the unit. The second set of work lights shall be deck lights with 360° directional capacity installed at the rear on the top of the modular body. The third set of LED lights shall be a mounted to the sides at the base of the under-reach itself. A 9 switch electrical panel shall be provided for controlling the PTO and lights.	<u>/</u>	
The following accessory attachments are required: • Six (6) sets lifting forks • off set fork adapter • fork riser bracket		
 tork riser bracket chain hook slide adapter and spring hanger attachment. Air and electric hook ups shall be provided at the rear of the body. 	<u>/</u> :	
Push Plate/Bumper The truck shall be fitted with a heavy-duty rubber faced push plate bumper, designed and fabricated to withstand the loads consistent with pushing disabled vehicles The bumper shall be suitably braced to the chassis frame to prevent damage to either component.	<u>/</u> -	
Body The Wrecker Body shall consist of an all-aluminum modular body suited to fit the appropriate CA of the chassis specified. It shall be of all aluminum construction, consisting of aluminum extrusions and aluminum plate		

Page 34 of 47

COMPLIANCE

ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	<u>YES</u>	<u>NO</u>
CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (Con	t'd)	
Body (Cont'd)		
The aluminum extrusions shall be made from T6061 material. Steel and/or composite	1	
body materials shall not be accepted.	-	
There shall be a minimum of three (3) individual compartments per side	'/-	
The body assemblies, when installed, shall be 96" wide with rubber fenderetts.		
The body shall be flexibly mounted on rubber mounts to isolate from chassis and		
wrecker deflection.	1	
The bodies shall be adjustable vertically and adjustable front to rear		
Recessed area for stop, turn, back-up, and clearance lights shall be provided in each		
body assembly.		
The compartments shall be lighted and controlled from the dash control panel as well		
as shelving and chain racks	,	
The toolbox wiring shall be a sealed harness.		 , _,
All door openings shall feature flange mounted automotive type weather stripping		
Full length drip rails shall further protect the door openings.		
Compartment floors shall be fitted with ¼" drain holes and covered with blue		
Dri-Dek cushioned plastic extrusion material.	/	
The doors shall be fitted with gas spring over center door holders		
The lockable latches shall be recessed handles. All locks to be keyed alike.		
Doors shall be hung on concealed pin hinges with nylon bushings		
The wrecker sub-frame shall be bolted to the frame. All bolt holes shall be		
drilled as necessary to proper dimension. Burning is not acceptable	/	
No drilling, welding or burning shall be permitted on the upper or lower flanges of the	chassis frame	
Recovery Boom/Underlift	,	
The truck shall be furnished with a heavy-duty integrated under and recovery boom		
The under lift device must be capable of lifting and securing an automobile, light or	,	
medium duty truck, by the wheels or by means of frame or suspension forks		
The unit shall be designed to properly lift and transfer load to the tow truck's frame	,	
and both axles ensuring sale and efficient towing without damage to either vehicle.		
The underreach shall be 80" extended on forks, 46" retracted on forks, and 92" extended	1	
on the wheel lift, 46" retracted on the wheel lift.		
The recovery boom shall be all H.T. steel, welded and fabricated into a single frame	1	
assembly capable of withstanding the imposed loads typical to the intended use		
The until shall feature a single hydraulically powered boom, which will be capable of	,	
being raised, lowered, extended and retracted under full load.		
The main boom will consist of three major components: outer boom, inner boom with	/	
dual sheave heads, and under-lift boom.		
The outer boom will be fabricated from high tensile plates approximately 113" long.		
The hydraulically telescoping inner boom will be constructed from H.T. Steel channel	,	
and H.T. plates.		
The boom shall be able to extend approximately 54" past the rear plate when	,	
fully lowered.	/	

Page 35 of 47

Page 35 ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIANCI	
	YES	NO
CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (Con	t'd)	
Recovery Boom/Underlift (Cont'd)		
The outer and inner under-lift booms shall be fabricated from H.T. and contain plates	/	
to prevent rotation of the crossbar assembly when not in use.		
The under lift assembly shall be capable of independently power tilting under rated load		
The outer under-lift boom shall accept a tow ball attachment in the stowed		
(vertical) position.		
Renewable Nylatron wear pads shall be installed		
The sheave head assembly shall be fabricated from H.T. plates and consist of 6"		
steel bronze bushed swiveling sheaves to smoothly lead out winch cables.	/	
The recovery boom shall be structurally rated at 16 tons retracted, 6 tons extended at		******
30° degree elevation		
The boom shall be fitted with twin hydraulically powered planetary gear winches.		
Each winch shall be S.A.E. rated at 15,000 lbs. and have a safety rating of 2:1.		
Each winch shall be spooled with 150' of ½" cable and terminate in appropriately		
rated safety load hooks.	/	
The boom structure shall be attached to steel mounting plates bolted to the wrecker		
body subframe and the chassis frame rails.	/	
Twin double-acting lift cylinders will also be secured to the sub-frame and the boom		
structure for both boom and under-lift raise and lower functions	,	
The hydraulic power system shall be a "Hot-Shift" style PTO. It shall be direct-mounted		
to the transmission and a commercial pump direct-mounted to the PTO.		
Hoses are to be securely loomed and wrapped with nylon wire ties		
Rubber lined clamps shall secure the hoses		
Any hose that runs through metal body/chassis parts must include full grommets or		
approved rubber sheathing	/	
All hoses must be routed as far as practical away from the exhaust system but at		
the same time be accessible for inspection and repair	/	
All hoses must be continuous from point-to-point connections; splices/couplings are		
not acceptable.	1	
All hydraulic cylinders used for raising, lowering, extending, retracting and titling		
	1	
must be double-acting and able to hold the imposed loads when the PTO is not engaged		
All cylinders shall have integrated holding valves built into the cylinder. The hydroxlin regarders took shall be recented as for forward as a possible.	$\overline{}$	
The hydraulic reservoir tank shall be mounted as far forward as possible		
The tank must have a strainer in the fill side and a replaceable filter element in the return line	/	
	-/	
The vented fill cap shall be secured against loss; a drain plug shall be provided and	/	
the reservoir shall be fitted with shut-off valves for servicing operations.		
The wrecker subframe assembly shall consist of one-piece structural assembly of	,	
high strength steel with provisions for rear anchor legs.		·-·········
The sub-frame shall be capable of withstanding all imposed forces resulting from		
the rated loads The tailente section shall incorrecte the race putter februaries for the condendary.		
The tailgate section shall incorporate the rear outer fabrication for the anchor legs.		
The subframe shall have chassis mounting incorporated.		

Page 36 of 47

TEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIAN	
	YES	NO
CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (C	Cont'd)	
75		
Recovery Boom/Underlift (Cont'd)	,	
The subframe tailgate section shall incorporate safety chain pockets;	ſ	
D" ring tiebacks and the auxiliary air supply lines	- J	
The tailgate section shall provide support of the main boom during side pull winching when elevated to a max of 28°	1	
The anchor leg system shall be fabricated from H.T. plates		
The anchor leg system shall be angled 15 degrees rearwards	/	
The spades shall be fitted with two position feet that act on the pavement or as an		
anchor spike		
The anchor leg system shall be operated by hydraulic cylinders.		
The crossbar assembly shall consist of 4 major components: crossbar assembly,		
crossbar extension pieces, fork adapters, and wheel grid adapters	/	
The crossbar shall contain a spring-loaded detent ball to prevent rotation of the		
crossbar assembly during hook ups	1	
The crossbar assembly shall be designed to accept a tow ball assembly	-/	
The crossbar assembly shall be fabricated of H.T. plates.	-/	
The crossoal assembly shall be fabricated of 11.1. plates.		
Lighting		
The truck shall be fitted LED lighting	/	
Stop, turn, and tail lights shall be recessed into the rear plate		
Cole-Hersee #1235 or equal 7-pin receptacle shall be installed to operate the		
supplied magnetic tow light.		
bappined magnetic townghe.		
Paint and Stripping		
The truck cab and body shall be painted in Medium Concord Blue Metallic Elite		
L0346EB overall	/	
Paint shall be acrylic urethane or approved equal	7	
Wheels shall be a disc type; powder coated or painted white		
<u>General</u>		
Basic Recovery Boom: 16 Tons (32,000 lbs.)		
Boom Structural Rating:		
Retracted with boom at 30 degree elevation (TEMA) 16 Tons (32,000 lbs.)		
Extended with boom at 30 degree elevation (TEMA) 6 Tons (12,000 lbs.)		
Boom Maximum Elevation 36°		
Boom Reach Past Tailgate:		
Retracted and Horizontal: 54"		
Boom Maximum Working Height:		
Extended with boom at 36° elevation	/	
Above horizontal (37" high chassis) 161"	_/_	
Two Elevation Cylinders:		
Bore: 4"		
Rod Diameter: 2"	/	
Stroke: 26.5"		

Page 37 of 47

ITEM #1 -- MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (Cont'd) General (Cont'd) Extension Cylinder: Bore: 3" Rod Diameter: 1.75" Stroke: 76" Two Spade Cylinders: Bore: 2.5" Rod Diameter: 1,25" Stroke: 18" Winch Planetary Gear Line Pull at 2900 PSI- 1st layer: 15,000 lbs. Line Pull at 2900 PSI - 4th layer: 9,380 lbs. Drum Diameter: 4.5" Drum Length: 12.5" Flange Diameter: 9.38" Provisions for Free Spooling: Air Kick-Out Brake: Hydraulic Multi-Disc Brake: Spring Loaded Tensioner & Air Free Spool Line Speed (1st Layer): 31'/Min @ 15 GPM Line Speed (4th Layer): 52'/Min @ 15 GPM Winch Motor Type: Low speed- High Torque: Displacement: 4 Cubic inches Winch Cable: Type: 6x37 IWRC, XIPS Diameter: 1/2" Length: 150' Working Limit: 7,500 lbs. Minimum Breaking Limit: 26,600 lbs. **UnderLift Specifications** Lift Rating: Forks: Retracted: 12,000 lbs. Extended: 8,500 lbs. Lift Rating: "L" Arms: Retracted and Extended: 6,000 lbs. Tilting Arc (with main boom fully lowered): 88° Positive/9° Negative Crossbar Width: 44" Crossbar Width with Extension Pieces: 60"

Page 38 of 47

ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (Cont'd) **Under-Lift Specifications (Cont'd)** Extension Cylinder: Bore (Piggyback): 3" Rod Diameter: 1.50" Stroke: 34" Tilt Cylinder: Bore: 5" Rod Diameter: 2" Stroke: 15.5" Lifting Arm Reach Past Tailgate: (lowered on ground) Fully Retracted Distance from Tailgate To Center of Lift Fork: 46" Fully Extended Distance from Tailgate To Center of Lift Fork: 80" Fully Retracted Distance from Tailgate To Center of Wheel Lift: 58" Fully Extended Distance from Tailgate To Center of Wheel Lift: 92" Tow Rating: 25,000 lbs. Hydraulic System Specifications Maximum System Pressure: 3,000 PSI System Protection: Relief Valves Safety Provisions for Holding Load: Counterbalance Valves and Pilot Checks Hydraulic Disc Brake Hydraulic Fluid: Texaco Rando HD46, or Equal Hydraulic Pump: Type: Tandem Gear Capacity: 13 GPM@1,000 RPM Each Section: Displacement: 2.06 cubic in. per Revolution Directional Control Valve: Manually operated Cable controlled: Capacity: 18 GPM Number if Spools: 8 spools +1 mid inlet sections Spool Type: Metering, Spring Return to Neutral Spool Actuators: Air operated, Solenoid actuated for remote control Hoses: High Pressure: 3,000 PSI Working Pressure Suction SAE 100 R4 Reservoir: Capacity: 13 Gallons System Capacity (Approx.): 20 Gallons Hydraulic Filtering System: Two Return Line Filters- 10 Micron

Page 39 of 47

ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

COMPLIANCE YES NO

CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (Cont'd)

Standard Equipment Included

- Full Size 84" Body
- Low Profile Aluminum Modular Body with Rubber Mounting Isolators
- 3 Compartments Per Side
- Manual Control- Driver and Passenger Side
- Lanyard Controls for Under lift and Boom on the Passenger Side
- Chrome Double Action Latches with Keyless Lock and Unlock
- 4,000 and 6,000 lbs. L-Arms with Pivoting Receivers
- Dual 15,000 lbs. Planetary Winches
- Winch Air Free Spool
- Cable Tensioners
- Hydraulic Rear Jacks with Flipper Feet
- Gas Door Shocks
- Tailboard "D" Rings
- Federal Standard 108 Lighting all LED
- LED strip tool Compartment Lighting one in each box
- 360 degree Sheave Heads
- Mud Flaps
- Tool compartment size will be as follows and the same on both sides
- Front box 33" wide 37-1/2" high
- Center box 25-1/4" wide 37-1/2" high
- Rear box 31-1/4" wide-- 31-1/4" stepping up to 37-1/2" high
- Quick Connect Air Supply
- Hydraulic Extension Rear Outriggers
- Tubular Aluminum light pylon
- Wide Load Light Bar

Fully extended with forks: 8,500 lbs.

- In-Cab Controls on wheel lift functions
- Wireless Remote control on all functions except rear jacks

Under lift Tailboard Controls	<u>/</u>
Boom Boom Rating, Retracted: 32,000 lbs. Maximum Angle: 36 degrees Maximum Hook Height: 160" Maximum Reach Past Tailboard at 30 degrees: 54"	
Underlift Fully Retracted with forks: 12,000 lbs.	

ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIANCE	
	YES	<u>NO</u>
CHEVRON 1016 G2 16 TON INTEGRATED WRECKER SPECIFICATION (Con	ıt'd)	
Underlift (Cont'd)	/	
Reach to Center of Fork Holder at Normal Tow Position: 84"	/	
Positive Tilt: 20 degrees	7	
Negative Tilt: 10 degrees	7	
Tow Rating: 25,000 lbs.	7,	
Diameter and Length (Each Winch): 1/2" x 150'		
Type: 6 x 37 IWRC		
Accessories		
One (1) pair 3" tall under lift forks	/	
3212/V30/1016 Stainless Tailboard Dress Up Package		
Two (2) 4-Ton Johnson Snatch Blocks		-
47" Aluminum Tube Pylon for the light bar		
Air & Electric round 7 pin connections on rear wrecker		
Dual Reverse Camera with Monitor Miller or equivalent Pt # 50007264		
One (1) Pair Fork Risers 3212/V30		
In Cab Controls for the wheel lift included on the nine switch panel		
LED Side Light/Strobe Kit (Pair)		
Medium Duty Chain Kit Miller Pt # 124004661 or equivalent		
One (1) Muncie Hot Shift PTO		
Quick Connect Air Supply		
Toolbox Matting – Black	<u> </u>	
One (1) Pair Snatch Block Holders in tool box Miller # 50003720		
Stainless Trim Kit 138" CA	<i></i>	
Tailboard Remote control on wheel lift		
One (1) 36" wireless Tow Bar Light kit Miller # 124004494	<i></i>	
One (1) Triangle Kit One (1) 72" Whelen Excedent LED Light Box Miller Bt # 50002026 on agriculant		
One (1) 72"Whelen Freedom LED Light Bar Miller Pt # 50003036 or equivalent One (1) pair HD spring lift adapters	-/	
One (1) Miller part # 1240002697 endless loop sling package		
One (1) 7 seven flat pin electric receptacle on rear of wrecker		
Two (2) Pair of 10.000lb under lift tie down straps	-/-	
Four (4) Ratchet chain binders		
One (1) Plastic rear axle cover set		
One (1) 100' 3/8" Air hose with quick disconnect; Milton ends		
<u>OPTIONS</u>	-	
/		
1A. Trailer Ball Adapter	/	
Miller # 174017093		
/		
/B. Pintle Hook /5th Wheel Adapter		
Miller #124002645		

ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

3	COMPLIANCE	
	<u>YES</u>	<u>NO</u>
<u>ØPTIONS</u> (Cont'd)		
1C. Wheel Stands		
Part Number # ITD 1132		a
		
/1D. <u>Strongway Hydraulic Bottle Jack</u>		
Part Number 46240-2056		
Twenty (20) Ton Capacity		
TE Blockling Aluminum Comment Floor Teals		
✓1E. <u>Blackline Aluminum Compact Floor Jack</u> Part Number 1492001-2056		
Three (3) Ton Capacity		
/		
VIF. Milwaukee Cordless 1/2" Impact Wrench and Charger		
Part Number 2767-22		
18 Volt		
√1G. <u>50' Wind Up Air Reel</u>	/	
Includes 3/8" hose Shall be recented in appropriate location	/	
Shall be mounted in appropriate location		
√1H. <u>Streamlite E-Flood LiteBox</u>		
Part # 45805		
E-Flood Litebox Rechargeable Lantern System with DC Charger	/	
Color: Orange		
/		
/II. Access Tools Lockout Kit		•
Part# ACT ACS		_
J.J. Diagnostic Tools / Test Equipment		
Cummins Quicksery Unlimited Service plan, with renewals, shall be provided at no		
cost to the county for a period of five (5) years from the acceptance of the equipment		
1. Successful bidder may be required to supply between one (1) to three (3)		
complete sets of OEM test/diagnostic/programming equipment (i.e. laptop,		
software, cabling, and adapters) and special tools required to perform the		
full range of diagnostic and maintenance actions necessary to maintain		
vehicle operability. This equipment will cover the vehicle chassis, engine,	1	
transmission, brakes, hydraulics, and all additional equipment (if applicable).		
2. All laptop computers will be of the newest available technology and have		
sufficient storage and memory to operate all required software.		
· · · · · · · · · · · · · · · · · · ·		
3. Provide a list of all test/diagnostic/programming equipment and special tools	/	
being supplied at the time of bid.		

TEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLIANCE	
	YES	NO
APPLICATE (Comp. 3)		
<u> ØPTIONS</u> (Cont'd) 1J. <u>Diagnostic Tools / Test Equipment</u>		
4.All software installations and activations will be completed by the successful	. /	
bidder at no cost to the County.		
5.All software updates and renewal will be provided at no cost to the County		
for a period of five (5) years from the acceptance of the equipment.		
to a portod of five (5) years from the acceptance of the equipment.		
6.All technical issues relating to test/diagnostic/programming equipment and		
special tools shall be resolved by the successful bidder at no cost to the		
County for a period of five (5) years from the acceptance of the equipment.		
7. Training shall be provided on all items in this section at a County location.	/.	
/		
1K. Two-Way Radio Power and Wiring Requirements for New Vehicles		
For the purpose of installing two-way radios into new County vehicles and equipment,		
the following power and wiring components shall be included:		
1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.		
2. #12 AWG BLACK wire connected to chassis ground.		
2. #12 A WG BLACK wife connected to chassis ground.		
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.		
These wires shall be encased in plastic wire loom and routed from		
their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall		
be unterminated. The 12VDC sources shall be protected from making contact with		
grounded metal surfaces.		
1L. Installation of County Supplied Two Way Radio and Accessories		
Install is to include but not limited to entenne cable mounts spenkers breakets ato		

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

ROBERT H. HOOVER & SONS, INC.

Page 43 of 47

ITEM #1 – MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPL.	COMPLIANCE	
	<u>YES</u>	<u>NO</u>	
<u>ØPTIONS</u> (Cont'd)			
1L. Installation of County Supplied Two Way Radio and Accessories (Cont'd)			
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO" The 12VDC sources shall be protected from making contact with grounded metal surface			
1M. <u>Technical Support</u>			
Technical Support is to be provided by factory authorized technical representatives and is to be the original equipment Manufacturer's industry standard technical presentation in a classroom setting.		<u></u>	
The support provided shall be at the journeyman/equipment technician level and should address limited theory, fault diagnosis and repair pertaining specifically to the equipment supplied under this specification.			
Technical support may be requested in the following areas: 1. Engine (cooling, fuel, ignition, lubrication systems) – 1 day at each location. 2. Transmission – I day at each location 3. Electrical – 1 day at each location 4. Brakes – I day at each location			
5. Hydraulic system (dump body, spreader, snow plow) – I day at each location 6. Upfitter (dump body, sweeper, etc.) – 1 day at each location			
A technical representative(s) shall be made available for a total of 180 training/support hours (anticipated to be scheduled in six (6) hour blocks). Shorter training days will be allowed only with consent of Vehicle Services. The total training hours will be required to be provided and no additional compensation will be considered. The actual time to be spent on each area will be by mutual agreement of the Vehicle Services Department and the successful bidder.			
For the purposes of determining materials and other training costs, class size is anticipated to be comprised of six (6) to ten (10) Vehicle Services Department personnel. Actual class size will be determined by the Vehicle Services Department at the time the classes are scheduled.			
Before the training is scheduled, Vehicle Services and the contractor will agree on the scope of the training, and the type and quantity of manuals, etc. that are necessary for proper coverage.		······	

ROBERT H. HOOVER & SONS, INC.

Page 44 of 47

ITEM #1 - MODEL YEAR 2021, OR NEWER FREIGHTLINER 114SD CAB AND CHASSIS, AS SPECIFIED, OR EQUAL (CONT'D)

	COMPLI	ANCE
	<u>YES</u>	<u>NO</u>
OPTIONS (Cont'd)		
1M. Technical Support (Cont'd)		
Technical Support for Vehicle Services may be provided at the following fleet maintenance facility location as scheduled by a Vehicle Services Department representative:		
a. Toms River, 152 Chestnut Street, Toms River, N.J. 08753 (Two (2) sessions will be provided at this location. One beginning at 7 am and another beginning at 1:30 pm)		
b. Manahawkin, 379 Haywood Road, Bldg. 109, Manahawkin, N.J. 08050		
Technical Support for other Departments will be held at a location within Ocean County. The requesting Department will notify the successful bidder of the location.	_	
Training at the successful bidder's site, rather than the designated locations, will be by mutual consent only.	_	
Technical support will be requested and scheduled on an as needed basis up to but not exceeding the 180 hours total during a period not to exceed twelve (12) months from the date of placing the last unit in service.		

Proposal for the furnishing and delivery of MOTOR VEHICLES: NEW WRECKER for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(/) - YES ()-NO

PRICE SCHEDULE

#]	Description	Qty. Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price
]	Model Year 2021 or Newer, Freightliner 114SD Cab and Chassis, As Specified or Equal	1	2		s 209,590.00	s 419,180.0
,	Year, Mfr., Model: <u>20</u>	FRE	1647.	LINGR	114SD	
]	Engine: <u>L9 Cum</u>	MING				
· •	Transmission: ALLI	SON	350	URD)	<u>5</u>	
	Delivery, A.R.O.: 270	DJ	745	ARD		
۲	Warranty: 1 YEAR BAS	1C-+	15×11	ENDED	WARRANIY	
	REMARKS:					
	Mfr., Model: CHEV/ Warranty: / YEA REMARKS:	P				
9	OPTIONS:					
	Trailer Ball Adapter, As Specified	1	2	EA	\$ 60.01	\$ 120.02
	Pintle Hook/5th Wheel Adapter, As Specified	1	2	EA	\$ 844.15	\$ 1688.30
۲	Wheel Stands, As Specified	1	2	PR	\$ 265.0D	\$ 530.00
	Strongway Hydraulic Bottle lack, As Specified, or Equal	1	2	EA	s 80.00	\$ 160.00
	Make & Model: STRO.	NGW	άΥ	·	·	

_Item#	Description	Qty. Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price
√ le	Blackline Aluminum Compact Floor Jack, As Specified, or Equal	1	2		\$ 275.00	s 550,00
/	Make & Model: BLACK	LINE	·			
√lf	Milwaukee Cordless 1/2" Impact Wrench and Charger,				.C.C. A.D	760
	As Specified, or Equal Make & Model: MILWI	1 fuke		EA	\$ 199.00	\$ 378,00
/10	50' Wind Up Air Reel,					
/ 15	As Specified	1	2	EA	\$ 795.00	\$1590,00
√th	Streamlite E-Flood LiteBox, As Specified, or Equal	1	2	EA	\$ 215.00	\$ 430.00
1	Make & Model: STRE	9ML-	ITE.			
√ti	Access Tools Lockout Kit, As Specified or Equal	1	2	EA	\$ 225.00	\$ 450,00
	Make & Model: ACCUS	5 70	045			
√lj	Diagnostic Tools/Test Equipment, As Specified	1	3	SET	\$ 20,417.00	\$61,251,00
\int_{1k}	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified	1	2	GΛ	\$ 500.00	\$ 1000,00
\int_{11}	Installation of County Supplied	1		EA	3 5000	<u> </u>
	Two-Way Radio and Accessories, As Specified	1	2	EA	\$ 740.00	\$ 1480,00
	Accessories, As Specified Make & Model: COWTY	Sapr	LIED	HOOV	ER INSTALL	

ROBERT H. HOOVER & SONS, INC.

Page 47 of 47

Item #	Description	Qty. Bid	Max. Qty.	Unit of Meas.	Unit Price	Total Price
\lambda lm	Technical Support, As Specified	1	180	HR	\$ 380.00	\$ 68,400.00


Make & Model: UARIUS WITH REPREST

TOTAL LUMP SUM (Add Items 1-1m):

\$ 557 221. 32

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

VENDOR TO INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL VENDOR SHALL SUBMIT WARRANTY DETAILS WITH BID



RESOLUTION

July 1, 2020

WHEREAS, on June 2, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of CAR WASHING SERVICES NO. III for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidder:

Name of Bidder

New Era Car Wash LLC

Address of Bidder

923 Cedarbridge Ave. Brick, NJ 08723 (732) 477-6776

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the sole qualified bid, be accepted, namely that of, NEW ERA CAR WASH LLC. Recommendation is made to rebid Car Washing Services to obtain additional vendors.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract, accepting the bid for the furnishing and delivery of Car Washing Services for the County of Ocean, for the contract period effective from date of award through March 17, 2022, OR until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15.

NEW ERA CAR WASH LLC for one (1) item, to wit:

ITEM NO. 1.

This vendor has extended this contract to County Cooperative Contract System Participants.

PAGE 2

- 2. Payments for the services to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-85.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Director of Purchase, Department of Finance, Vehicle Services, and New Era Car Wash LLC, the successful bidder.


Proposal for the furnishing and delivery of CAR WASHING SERVICES NO. III for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

()-NO

PRICE SCHEDULE

, Item #	Description	2-Yr. Est. Qty.	Unit of Meas.	Unit Price	Total Price
V 1	Provide Car Washing Services, As Specified	5,000	EA	\$ 750	\$ 750
	Name of Bidder: New Era Car Way				
	Address: 923 Ceder bridge Ave 1	fact N3 o	8727		
	Telephone #: (732) 477-6774				



RESOLUTION

July 1, 2020

WHEREAS, on June 2, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of IRRIGATION PARTS FOR VARIOUS DEPARTMENTS for the County of Ocean; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder

Aquarius Supply, Inc. 1120 Goffle Road Hawthorne, NJ 07506 (973) 423-0222 Name and Address of Bidder

SiteOne Landscape Supply 1385 East 36th Street Cleveland, OH 44114 (216) 706-9250 ext. 2

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bid, according to specifications, in each instance, be accepted, namely that of, AQUARIUS SUPPLY, INC. and SITEONE LANDSCAPE SUPPLY. No bids were received for items 20a and 20b, these items will not be rebid as they are no longer needed.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract, accepting the bid for the furnishing and delivery of Irrigation Parts for Various Departments for the County of Ocean, for the contract period from date of award through June 30, 2021, a period of one (1) year or until delivery is complete unless otherwise stated. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

A. AQUARIUS SUPPLY, INC. for thirty four (34) items, to wit:

<u>ITEMS NO.</u> 1a, 1b, 2a, 2b, 3a, 3b, 5a, 5b, 6a, 6b, 7a, 7b, 8a, 8b, 9a, 9b, 10a, 10b, 11a, 11b, 12a, 12b, 13a, 13b, 14a, 14b, 15a, 15b, 16a, 16b, 18a, 18b, 19a and 19b.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. <u>SITEONE LANDSCAPE SUPPLY</u> for thirty four (34) items, to wit:

<u>ITEMS NO.</u> 3a, 3b, 4a, 4b, 5a, 5b, 6a, 6b, 7a, 7b, 8a, 8b, 9a, 9b, 10a, 10b, 11a, 11b, 12a, 12b, 13a, 13b, 14a, 14b, 15a, 15b, 16a, 16b, 17a, 17b, 18a, 18b, 19a and 19b.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. The acceptance made in Paragraph 1. A through B, inclusive, is made with the understanding that the successful bidders will enter into a written contract for the faithful performance of their bid.
- 3. Payments for the materials to be acquired by these contracts shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-86.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, Department of Purchasing, Department of Finance, County Superintendent of Buildings and Grounds, County Department of Parks and Recreation, and the successful bidders.

Proposal for the furnishing and delivery of IRRIGATION PARTS FOR VARIOUS DEPARTMENTS for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS. (V) - YES () - NO

PRICE SCHEDULE

Item #	Description	Manufacturer's Retail List Price % Discount (NOT LESS THAN)			
	an Granby	(NOTE:	LOO LIIAI	<u>v</u>	
/1a	American Granby Parts - Percentage of Discount Offered - Delivered		44	%	
√1b	American Granby Parts - Percentage of Discount Offered - Pick Up		46	%	
	Catalog No.: American gran by, com No Insert Fr Price List Date: July 1 2019 Delivery, A. R. O.: 2 days in Stock Vendor: American Granby Contact Name: Mark Harabedian Phone Number & Email: 973-423-0222 Mark ha a ag Remarks: Price List on Thinb drive Price Lists Shall Be Included with Bid Submission		Supply	. cam	
Aquarii	us Supply		4/3		
/2a /	Aquarius Supply Parts - Percentage of Discount Offered - Delivered	· · · · · · · · · · · · · · · · · · ·	43	%	
√ 2b	Aquarius Supply Parts - Percentage of Discount Offered - Pick Up	<i></i>	45	%	
	Catalog No.: 2020 Agrarin Price Cost Price List Date: 5/27/20 Delivery, A. R. O.: 2 days in stick Vendor: Agrarin Supply Contact Name: Same Phone Number & Email: Remarks: m thumb drive				

Page 24 of 32 Manufacturer's Retail List Price % Discount

Item#	Description	(NO	LESS THA	N)
Armada	a Parts			
$\frac{1}{3a}$	Armada Parts - Percentage of Discount Offered - Delivered		13	%
Зъ	Armada Parts - Percentage of Discount Offered - Pick Up		15	%
	Catalog No.: Price List Date: 1 20 Price List Delivery, A. R. O.: 2 days in Stock Vendor: Armada Contact Name: Sane Phone Number & Email: Remarks: on thumb drive			
	Price Lists Shall Be Included with Bid Submission			
Charter	r Poly Pipe			
4a	Charter Poly Pipe - Percentage of Discount Offered - Delivered	No	BID	%
4b	Charter Poly Pipe - Percentage of Discount Offered - Pick Up			%
	Catalog No.:			
	Price List Date:			
	Delivery, A. R. O.:			
	Vendor:			
	Contact Name:			
	Phone Number & Email:			
	Remarks:			

Page 25 of 32
Manufacturer's Retail
List Price % Discount

	(NOT LESS TH	
1		<u> </u>
Corona Parts - Percentage of Discount Offered - Delivered	26	%
Corona Parts - Percentage of Discount Offered - Pick Up	28	/0
Corona		
Catalog No .: Avag Ontributer Price Lest		
Price List Date: 1/15/200		
Delivery, A. R. O .: 2 days in stock		
Vendor: <u>Corona - Azvaviis</u> Supply		
Contact Name: Same		
Phone Number & Email:		
Remarks: pricing on thomb drive		
. 0		
e Plastic Pipe Co. Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered	76	9/4
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered	76	%
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered -	76 79	%
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up		
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up		
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick		
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up Catalog No.: Cresline Pipe ML Piret Price List Date: 1/31/20 Delivery, A. R. O.: 2 days in Stock		
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up Catalog No.: Cresline Pipe ML Pref Price List Date: 1/31/20		
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up Catalog No.: Cresline Pipe ML Piret Price List Date: 1/31/20 Delivery, A. R. O.: 2 days in Stock		
Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up Catalog No.: Cresline Pipe ML Pref Price List Date: 1/31/20 Delivery, A. R. O.: 2 days in Stock Vendor: Cresline		

Page 26 of 32
Manufacturer's Retail
List Price % Discount
(NOT LESS THAN)

Item	# Description	(NOT LESS THA	N)
Pawn	Industries		
$\mathcal{I}_{7\mathrm{a}}$	Dawn Industries Parts - Percentage of Discount Offered - Delivered	39	%
√ъ	Dawn Industries Parts - Percentage of Discount Offered - Pick Up	41	%
	Catalog No.: Product Price Book Volume 20 Price List Date: 1/2/20 Delivery, A. R. O.: 2 days in Stock Vendor: Dawn - Agrarum Sipply Contact Name: Same Phone Number & Email: 1 Remarks: price Lists Shall Be Included with Bid Submission		
Dura	Products	. •	
$\int_{8a}^{a_{1}a}$	Dura Products Parts - Percentage of Discount Offered - Delivered	<i>ui</i>	•
√8b	Dura Products Parts - Percentage of Discount Offered - Pick Up	46	% %
	Catalog No.: Pricing Cataloz Price List Date: 6/26/19 Delivery, A. R. O.: 2 days m stock Vendor: Dvra - Agrarin Supply Contact Name: Same Phone Number & Email: Remarks: Prul List on Thumb drive		

Page 27 of 32

Manufacturer's Retail

List Price % Discount

(NOT LESS THAN)

Item#	Description	(NOT LESS THA	N)
Hunte			
9a	Hunter Parts - Percentage of Discount Offered - Delivered	. 52	%
9b	Hunter Parts - Percentage of Discount Offered - Pick Up	54	%
	Catalog No.: Domestic Nes Com Price List 2020 Price List Date: 11/5/19 Delivery, A. R. O.: 2 days in Stock. Vendor: Honter - North Shurez Contact Name: Sames Phone Number & Email: 1 Remarks: price List on thomb divide Price Lists Shall Be Included with Bid Submission		
K-Rair			
10a	K-Rain Parts - Percentage of Discount Offered - Delivered	51	%
10b	K-Rain Parts - Percentage of Discount Offered - Pick Up	53	%
	Catalog No.: 2020 K-Rain Price List Price List Date: ///20 Delivery, A. R. O.: 5 Olays in Struct Vendor: K-Rain Aquarum Supply Contact Name: Sane Phone Number & Email: Remarks: price List in Thumb drive		

Page 28 of 32 Manufacturer's Retail List Price % Discount (NOT LESS THAN)

Item #	Description	(NOT LESS THA	N)
King In	novation		
√11a	King Innovation Parts - Percentage of Discount Offered - Delivered	49	%
√ 11b	King Innovation Parts - Percentage of Discount Offered - Pick Up	51	%
Lasco F	Catalog No.: 2020 Product free Less Price List Date: /// / / / / / / / / / / / / / / / / /		
/12a	Lasco Fittings Parts - Percentage of Discount Offered - Deliverd	55	%
√12b	Lasco Fittings Parts - Percentage of Discount Offered - Pick Up	51	%
	Catalog No.: Pordent D + Commencial Tragation fithings Price List Date: 1/1/2019 Delivery, A. R. O.: 2 days in Stock Vendor: 1/2019 Vendor: 1/2019 Contact Name: 2 same Phone Number & Email: 1 Remarks: price Lest on Twomb drive	,	

Page 29 of 32
Manufacturer's Retail
List Price % Discount
(NOT LESS THAN)

Item#	Description	(NOT LESS THA	
NDS, In	ıc.		
13a	NDS Inc. Parts - Percentage of Discount Offered - Delivered	58	%
13b	NDS Inc. Parts - Percentage of Discount Offered - Pick Up	60	%
	Catalog No.: NDS Product Catalog Price List Date: 1/1/20 Delivery, A. R. O.: 2 days in Stock Vendor: NDS Agrarin Supply Contact Name: Same Phone Number & Email: Remarks: pred Lest on Thumb string		
	Price Lists Shall Be Included with Bid Submission		
•	ek Plastics		
14a /	Oil Creek Plastics Parts - Percentage of Discount Offered - Delivered	63	%
14b	Oil Creek Plastics Parts - Percentage of Discount Offered - Pick Up	65	%
	Catalog No.: Itrigation Pipe Retail Price List Date: 5/26/20 Delivery, A. R. O.: 2 days in stock Vendor: Oil Creen - Aquavia Supply Contact Name: same Phone Number & Email: Remarks: price list on thumb divide		

Page 30 of 32
Manufacturer's Retail
List Price % Discount
(NOT LESS THAN)

Item	# Description	(NOT LESS THAT	<u>v)</u>
Paige	Wiring		
√15a	Paige Wiring Parts - Percentage of Discount Offered - Delivered	40	%
√15b	Paige Wiring Parts - Percentage of Discount Offered - Pick Up	41	%
	Catalog No.: 2020 Retail Price Sheet Price List Date: 1/1/20 Delivery, A. R. O.: 2 days in Stock Vendor: Paige - Agranin Supply Contact Name: Same Phone Number & Email: 1 Remarks: price Sheet in Thomas drive Price Lists Shall Be Included with Bid Submission		
Rain	Bird		
√16a	Rain Bird Parts - Percentage of Discount Offered - Delivered	42	%
√16b	Rain Bird Parts - Percentage of Discount Offered - Pick Up	43	%
	Catalog No.: Lands cape Trigilin Price Lest Price List Date: 2/3/20 Delivery, A. R. O.: 2 days in stock Vendor: Ran Bried - Havarin Supply Contact Name: Sane Phone Number & Email: Remarks: price use on thumb drive		

Page 31 of 32
Manufacturer's Retail
List Price % Discount
(NOT LESS THAN)

Item#	Description	(NOT LESS THA	N)
SiteOne	Landscaping Products		
17a	SiteOne Products, Percentage of Discount Offered, Delivered	(No Bio)	%
17 b	SiteOne Products, Percentage of Discount Offered, Picked Up		%
	Catalog No.:		
	Price List Date:		
	Delivery, A. R. O.:		
	Vendor:		
	Contact Name:		
	Phone Number & Email:		
	Remarks:		
Spears l	Price Lists Shall Be Included with Bid Submission Products	•	
18a	Spears Products, Percentage of Discount Offered, Delivered	Q 0	%
/18b	Spears Products, Percentage of Discount Offered, Picked Up	63	%
	Catalog No.: Super Surce book Price List Date: SB-1-0812 Delivery, A. R. O.: 2 days in Stock Vendor: Spears - Agrarin Supply Contact Name: Same Phone Number & Email: Remarks: pril his on thurs drive		

Page 32 of 32 Manufacturer's Retail List Price % Discount

Item#	Description	(NOT LESS THAN	<u>.</u>
Toro			
/19a	Toro Parts - Percentage of Discount Offered - Delivered	42	%
√19b	Toro Parts - Percentage of Discount Offered - Pick Up	44	%
	Catalog No.: Residential + Commercial Thregation Price List Date: Specification Catalog 2020/2021		
	Price List Date: Specification Catalor 2020/2021		
	Delivery, A. R. O .: 2 day in Stroke		
	Vendor: Toko- Agrarys Supply		
	Contact Name: Sime		
	Phone Number & Email:		
	Remarks: prill list on Drive	and the second second	
		•	
	Price Lists Shall Be Included with Bid Submission		
Wolver	ine Tools		
20a	Wolverine Tools - Percentage of Discount Offered - Delivered	No Bio)	%
20b	Wolverine Tools - Percentage of Discount Offered - Pick Up		%
	Catalog No.:		
	Price List Date:		
	Delivery, A. R. O.:		
	Vendor:		
	Contact Name:		
	Phone Number & Email:		
	Remarks:		

Page 24 of 32 Manufacturer's Retail List Price % Discount (NOT LESS THAN) % %

%

%

Item#	Description	(NOT LESS THA
Armada	Parts	
√3a	Armada Parts - Percentage of Discount Offered - Delivered	25
√3b	Armada Parts - Percentage of Discount Offered - Pick Up	25
	Catalog No.:	
	Price List Date: <u>AOAO</u>	
	Delivery, A. R. O.: 2-10 daup A/Co	
	Vendor: SiteOne Landscape Supply	
	Contact Name: Frank Jacker	1/14
	Phone Number & Trailant & 200 Burpi 42 Fjacheo & Site one co	174
	Remarks: 1385 East 36th Street -Bids Dept. Cleveland, Ohio 44114	
	C. C. A. C. College	
,	Price Lists Shall Be Included with Bid Submission	
Charter	Poly Pipe	
√4a /	Charter Poly Pipe - Percentage of Discount Offered - Delivered	52
$\sqrt{_{4b}}$	Charter Poly Pipe - Percentage of Discount Offered - Pick Up	52
	-	
	Catalog No.:	
	Price List Date: 2020	
	Delivery, A. R. O.: 2-10 daws Allo	
	era de la calamanto (c. 100)	^
	Contact Name: SiteOne Landscape Supply Phone Number & Email: 732-489-1442/Fjacke o e s ite one . con Remarks: SiteOne Landscape Supply - Bids Doubt.	n
	Phone Number & Email: 732-489-1442/Fjackeo @ 5172 012	•
	Remarks: SiteOne Landscape Supply - Bids Dept- 1385 East 36th Street	

Price Lists Shall Be Included with Bid Submission

Cleveland, Onto 44114

Page 25 of 32
Manufacturer's Retail
List Price % Discount

em#	Description	(NOT LESS TH	IAN)
rona			
	Corona Parts - Percentage of Discount Offered - Delivered	25	%
	Corona Parts - Percentage of Discount Offered - Pick Up	25	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 darp		
	Vendor: SiteOne Landscape Supp!		
	Contact Name: Frank Jackeo		
	Phone Number & Email: 732-489-1442/fjacher & ste	e one com	
	Remarks:		
esline	Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Delivered	52	%
	Cresline Plastic Pipe Co. Parts - Percentage of Discount Offered - Pick Up	52	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 days		
	Vendor: SiteOne Landscape Supply		
	Contact Name: Frank Jackeo Km	. 1	
	Phone Number & Email: 132-489-1442/Frank & Fjache	oesteune com	
	Remarks:		
	. <u></u>		

Page 26 of 32 Manufacturer's Retail List Price % Discount

Item #	Description	(NOT LESS T)	HAN)
Dawn 1	Industries		
7a /	Dawn Industries Parts - Percentage of Discount Offered - Delivered	50	%
7 7b	Dawn Industries Parts - Percentage of Discount Offered - Pick Up	50	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 days		
	Vendor: SiteOne Landscape Supply		
	Contact Name: Frank Jackeo	,	
	Phone Number & Email: 732-489-1442/fjacher esite	une-icom	
	Remarks:		
Dura D	Price Lists Shall Be Included with Bid Submission		
8a	Dura Products Parts - Percentage of Discount Offered - Delivered	45	
8b	Dura Products Parts - Percentage of Discount Offered - Pick Up	45	<u>%</u> %
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 days		
	Vendor: SiteOne Landscape Supply		
	Contact Name: Frank, Jacken		
	Phone Number & Email: 732-489-1442/fjackeo@siteone.co	om	
	Remarks:		
	Phone Number & Email: 732-489-1442/fjackeo@siteone.c	.0,	

Page 27 of 32

Manufacturer's Retail

List Price % Discount

(NOT I USS THAN)

Item #	Description	(NOT LESS TH	LAN)
Hunter			
/9 ₂	Hunter Parts - Percentage of Discount Offered - Delivered	56	%
√ 9b	Hunter Parts - Percentage of Discount Offered - Pick Up	54	%
	Catalog No.:		
	Price List Date: 2020		
	Vendor: SiteOne Landscape Supply		
	Contact Name: Frank Jackeo		
	Phone Number & Email: 732-489-1442 fjaches es iteme .com	1	
	Remarks:		
K-Rain	Price Lists Shall Be Included with Bid Submission		
10a	K-Rain Parts - Percentage of Discount Offered - Delivered	51 /	
		- 57	<u>%</u>
√10b	K-Rain Parts - Percentage of Discount Offered - Pick Up	54	%
	Catalog No.:		
	Price List Date: 2006		
	Delivery, A. R. O.: 2-10 days Vendor: SiteOne Landscape Supply		
	Phone Number & Email: 732-489-1442 [fjackeo @ leone. Com. Remarks:	/	
	Remarks:		

Page 28 of 32
Manufacturer's Retail
List Price % Discount

Item#	Description	(NOT LESS T	HAN)
King Ir	novation		
11a	King Innovation Parts - Percentage of Discount Offered - Delivered	5/	%
11b	King Innovation Parts - Percentage of Discount Offered - Pick Up	51	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 days Vendor: SiteOne Landscape Supply		
	Contact Name: FMAK Jack 6.0		
	Phone Number & Email: 732 - 489-1442 fjackeo @ site of	ne-com	
	Remarks:		
		,	
	Price Lists Shall Be Included with Bid Submission		
Kasco F	littings		
'y2a	Lasco Fittings Parts - Percentage of Discount Offered - Deliverd	52	%
/ _{12b}	Lasco Fittings Parts - Percentage of Discount Offered - Pick Up	52	%
	Catalog No.:		
	Price List Date:		
	Delivery, A. R. O.: 2-10 days		
	Vendor: SiteOne Landscape Supply Contact Name: Frank Jacker		
	Contact Name: Frank Jacheo		
	Phone Number & Email: 732-489-1442 / Fjacheo & Siteme.	COPP	
	Remarks:		

Page 29 of 32
Manufacturer's Retail
List Price % Discount
(NOT LESS THAN)

Item #	Description	(NOT LESS T	HAN)
NDS, In	ıc.		
√1,3a	NDS Inc. Parts - Percentage of Discount Offered - Delivered	45	%
√13b	NDS Inc. Parts - Percentage of Discount Offered - Pick Up	45	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 days		
	Vendor: SiteOne Landscape Supply		
	Vendor: SiteOne Landscape Supply Contact Name: Frank Jackeo		
	Phone Number & Email: 732-489-1442/fjaches @siteone	.coM	·
	Remarks:		
	Price Lists Shall Be Included with Bid Submission		
Gil Cre	ek Plastics		
/14a	Oil Creek Plastics Parts - Percentage of Discount Offered - Delivered	50	%
√14b	Oil Creek Plastics Parts - Percentage of Discount Offered - Pick Up	50	%
			 -
	Catalog No.:		
	Price List Date:		
	Delivery, A. R. O.: 2-10 deup		
	Vendor: SiteOne Landscape Supply		
	Contact Name: Frank Jackeo		
	Phone Number & Email: 732-489-1442/ fjacheo esiteone	e.com	
	Remarks:		

Page 30 of 32 Manufacturer's Retail List Price % Discount


<u>Item</u>	#_ Description		(NOT LESS TE	
Paige	Wiring			
/ _{15a}	Paige Wiring Parts - Percentage of Discount Offered - Delivered		43	%
√ _{15b}	Paige Wiring Parts - Percentage of Discount Offered - Pick Up		43	%
	Catalog No.:			
	Price List Date: 2020			
	Delivery, A. R. O.: 2-10 daup			
	Vendor: SiteOne Landscape Supply			
	Contact Name: Frank Jackeo			
	Phone Number & Email: 732 -489-1442 fjacker esite	cone ·	OM	
	Remarks:			
			•	
	Price Lists Shall Be Included with Bid Submission		٨.	
Bain .	Bird landsa	oe il	rigation 46	
16a	Rain Bird Parts - Percentage of Discount Offered - Delivered	√	46	%
√16b	Rain Bird Parts - Percentage of Discount Offered - Pick Up	<u></u>	46	%
	Catalog No.:			
	Price List Date: 2020			
	Delivery, A. R. O.: 2-10 deup			
	Vendor: SiteOne Landscape Supply			
	Contact Name: Frank To chie			
	Phone Number & Email: 732-489-1442/ fjacker a sitech	Le.com	и	
	Remarks:			

Page 31 of 32
Manufacturer's Retail
List Price % Discount

Item #	# Description	(NOT LESS 7	THAN)
SiteO	ne Landscaping Products		
√17a	SiteOne Products, Percentage of Discount Offered, Delivered	<i>3</i> 0	%
√ 17b	SiteOne Products, Percentage of Discount Offered, Picked Up	<i>3</i> 0	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 days		
	Vendor: SiteOne Landscape Supply		
	Contact Name: Frank Jackeo		
	Phone Number & Email: 732-489-1442/fjacheo @ sites	ne.com	
	Remarks:		
	Price Lists Shall Be Included with Bid Submission		
Spears	s Products		
√18⁄a	Spears Products, Percentage of Discount Offered, Delivered	57	%
√18b	Spears Products, Percentage of Discount Offered, Picked Up	52	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 deup Vendor: SiteOne Landscape Supply		٠
	Y CHOOL		
	Contact Name: Traile checker		
	Phone Number & Email: 132-489-1442 / fjacheo@situ	one com	
	Remarks:		

Page 32 of 32
Manufacturer's Retail
List Price % Discount

Item#	Description	(NOT LESS THAN	1)
Foro			
√19a	Toro Parts - Percentage of Discount Offered - Delivered	43	%
√ 19b	Toro Parts - Percentage of Discount Offered - Pick Up	43	%
	Catalog No.:		
	Price List Date: 2020		
	Delivery, A. R. O.: 2-10 deup Vendor: SiteOne Landscape Supply		
	Contact Name: Frank Jackes		
	Phone Number & Email: 732-489-1442/fjacker asiteme	com	
	Remarks:		
Wolver	Price Lists Shall Be Included with Bid Submission ine Tools		
20a	Wolverine Tools - Percentage of Discount Offered - Delivered	NO DU	
20b	Wolverine Tools - Percentage of Discount Offered - Pick Up	NO BI	
	Catalog No.:		
	Price List Date:		
	Delivery, A. R. O.:		
	Vendor:		
	Contact Name:		
	Phone Number & Email:		
	Remarks:		



RESOLUTION

July 1, 2020

WHEREAS, on June 2, 2020, pursuant to legal advertisements therefor, sealed bids were received for the furnishing and delivery of MOTOR VEHICLES: NEW VANS NO. II for the County of Ocean; and

WHEREAS, at the advertised time, one response was received from the following bidders:

Name and Address of Bidder

Winner Ford 250 Berlin Road Cherry Hill, NJ 08034 (856) 214-0759 Name and Address of Bidder

All American Ford 3698 Route 9 South Old Bridge, NJ 08857 (732) 672-1917

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent has now recommended to this Board that the lowest qualified bids, according to specifications, namely that of, WINNER FORD and ALL AMERICAN FORD, be accepted.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

1. The Director and Clerk of this Board are hereby authorized and directed to enter into contracts accepting the bids for the furnishing and delivery of Motor Vehicles: New Vans No. II for the County of Ocean, for the contract period from date of award through June 30, 2021, a period of one (1) year or until delivery is complete. The County reserves the right to extend the term of the contract pursuant to N.J.S.A. 40A:11-15, as follows:

A. <u>WINNER FORD</u> for sixty nine (69) items, to wit:

ITEMS NO. 2, 2a, 2b, 2c, 2d, 2e, 2f, 2g, 2h, 2i, 2j, 2k, 2l, 2m, 2n, 2o, 2p, 2q, 2r, 3, 3a, 3b, 3c, 3d, 3e, 3f, 3g, 3h, 3i, 3j, 3k, 3l, 3m, 3n, 3o, 3p, 3q, 3r, 4, 4a, 4b, 4c, 4d, 4e, 4f, 4g, 4h, 4i, 4j, 4k, 4l, 4m, 4n, 4o, 4p, 4q, 4r, 4s, 4t, 4u, 4v, 4w, 4x, 4y, 4z, 4aa, 4bb, 4cc and 4dd.

For a Total Lump Sum Award of It (Items 2-2r) of \$690,800.00. For a Total Lump Sum Award (Items 3-3r) of \$662,300.00. For a Total Lump Sum Award (Items 4-4dd) of \$930,940.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

B. <u>ALL AMERICAN FORD</u> for sixteen (16) items, to wit:

<u>ITEMS NO.</u> 1, 1a, 1b, 1c, 1d, 1e, 1f, 1g, 1h, 1i, 1j, 1k, 1l, 1m, 1n and 1o For a Total Lump Sum Award (Items 1-1o) of \$540,660.00.

This vendor has extended this contract to County Cooperative Contract System Participants.

- 2. Payments for the equipment to be acquired by this contract shall be made upon the approval of vouchers submitted by the successful bidders in accordance with the requirements of the Board of Chosen Freeholders and subject to the Board of Freeholders customary procedures. Delivery shall be made upon receipt of a Purchase Order issued by the Ocean County Department of Purchase, upon which delivery locations and needed quantities shall be indicated.
- 3. WHEREAS, funds for equipment shall be available within the following funding Sources: Vehicle Services O.E.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-87.
- 5. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Department of Purchasing, Department of Finance, Vehicle Services and the successful bidders.

Page 31 of 60

Page 31 ITEM #2 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL

	<u>COMPLIANCE</u>	
	YES	<u>NO</u>
<u>DESCRIPTION</u>		
2020 Transit Passenger Van XLT 350 Long Wheelbase, Medium Roof Height 148"	,	
Wheel base, Rear wheel Drive		
3.5L PFDi V6		
10 Speed Automatic Overdrive with Selectshift		
15 Passenger seating - Dark palazzo Grey Cloth		
Manual reclining driver and front passenger, Bucket seats with adjustable headrest and		
driver-side manual lumbar.		
Daytime running lamps (942)		
Sliding passenger side cargo door		
Alternator - 250-Amp		
Battery – Single Battery 70 amp-hours		<u>-</u>
Brakes- 4-wheel anti-lock disc brakes; Manual parking brake		
Running Boards – Factory Installed (68H)		
Horn – Dual-Note (85D)	·	
Steering – Power Rack & Pinion		
Suspension, Front – Independent MacPherson-Strut, Stabilizer bar		
Suspension, Rear – Leaf Springs, heavy-duty gas shock absorbers		
• • • • • • • • • • • • • • • • • • • •		
235/65R16C BSW all-Season (SRW)		
16" Steel wheel with full silver wheel cover		
Full-size spare tire & Wheel		
Bumper, Front – Body Color		
Bumper, Rear – Carbon Black without integral step	V-/ -	
Grille – 3 Bar with Chrome Surround	 .	
Halogen Head Lamps with chrome trim and Auto Lamp		
Center High Mount Stop Lamp		
Short Arm, power adjustment, power folding heated with turn signals		
Privacy Glass (Includes Rear window defroster) (92E)	/	
Windshield Wipers – Rain Sensing Automatic		
Air Conditioning Front/Rear		
AM/FM Stereo, Bluetooth, Dual USB ports, Sync 3 and a 4.0" Multifunction display		<u> </u>
Large Center Stack Console with integrated shifter		
Back up alarm (43B)	-7	
Front License plate bracket		
Vinyl Front and Rear floor covering (16E)		
Windows-all-around, fixed		
Step Well pads – black		
Illuminated Sun visor		
A-Pillar Assist Handles (Driver and Passenger)		
Headliner – Cloth, Full Length		
Advance Trac with Roll Stability Control		<u> </u>
Tire Pressure Monitoring System		
Tachometer, fuel level & Coolant temp		
Safety Belts – 3 point, all position		
Reverse Sensing and Side Sensing System		
Rearview camera with Trailer Hitch Assist		

Page 32 of 60

<u> </u>	<u> LT 350 MED</u>	<u>IUM</u>
ROOF, AS SI ECIFIED OR EQUAL (CONT D)	COMPLIANCE	
	<u>YES</u>	NO
DESCRIPTION (Cont'd)	/	
Cruise Control (60C)		
Heavy-Duty Trailer Tow Package (53B)- Including:		
Tow/haul mode Trailer wiring provisions		
• 4-pin/7-pin connector		
• Frame Mounted hitch receiver	✓	
Relay system for backup/B+/Running lights Trailer brake Controller (67D)		
Trailer brake Controller (67D) 6 ton receiver mount Pintle & 2" ball combination hitch		
3 ball receiver tube 1-7/8", 2", 2-5/16" lock in style, pin is not acceptable	/	·
5 bull receiver tube 1-7/8, 2, 2-5/10 lock in style, pin is not acceptable	─ ✓	
PAINT	,	
Color to be specified from standard color chart on purchase order when ordering		
WARRANTY		
Bumper to Bumper: 3 years/36,000 miles		
Dumper to Dumper. 5 years/50,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer		
Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This		
Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA		
Laws and Regulations		
Approxim		•
ÓPTIONS 24 AUNTO DE LO		
/2A. All Wheel Drive	<u></u>	-
2B. <u>Audio Pack 28</u>		
AM/FM Stereo with HD/Satellite Radio Capability, Bluetooth, audio input jack, Dual		
USB ports, Sync 3, and 8.0" colored multifunction touch screen with Navigation.	,	
(584)		
2C. Paint Color Found On The Vehicle Special Order Paint Options		
(i.e.: W3029N)	./	
/2D. Metallic Paint Colors		
2E. High Capacity Upfitter Switches (67C)		
Includes large Center Console with Integrated Shifter (67E) and Auxiliary Fuse panel		
with High Spec Interface Connector (87E) (package 87E is an Auxiliary Fuse panel		
with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and	/	
Modified Vehicle Wiring System (53K)).		
2F. Rear Interior Door Handles Inoperable/Lock Operable		
7		
/2G. Whelen: IX8AAAA - Liberty II, Solo I Low Current Series Light Bar-48" Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6		
rear facing and bar also includes two white take down lights in Front, 2 White Alley	,	
Light, Corner light wired on a Separate switch		
O 1		

Page 33 of 60 ITEM # 2 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D) OPTIONS (Cont'd) 2H. Light Color Option Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick 2I. Front Partition for Ford Transit Window Van with Medium Roof and side sliding door (Havis part number: P-Front-4) Includes emergency safety hatch in top center section of partition Hatch includes two heavy duty slide bolts in driver compartment to allow for quick removal Bottom of the partition is 12 gauge steel Top half of the partition is 12 gauge steel with diamond shape openings 4" thick clear polycarbonate to cover the top perforated sections of the partition Medium Texture black polyester powder coat finish 2J. Front Partition Filler Mounting Kit (Havis part number: P-MFK-13) (Must purchase Item 21.) 2K. Furnish and Installation of Interior Window Guards (Havis part number: WGI-F22) 2L. Furnish and Installation of Dome Light (Interior) (Soundoff Signal Part Number: ECVDMLTAL00) 2M. Console Equipment Oty. 1 - Gamber Johnson 7170-0579-01 (or equal) Low Profile, No-Drill Console Box, Constructed Of Heavy Gauge Steel, Fully Welded Construction For Long-Term Durability. Black Powder Coated Finish For Maximum Corrosion Resistance (meets FS-010 specs) Motion Attachment Must Be Mounted On Top Of The Console Box For Front Passenger Safety And Comfort. Oty. 1 - Gamber Johnson 7160-0552 Vehicle Specific No Holes drilled Leg Kit. Qty. 1 - Gamber Johnson 7160-0085 MCS Top Plate Provides three (3) options for computer mount placement. (Limited Lifetime Warranty) Qty, 2 - Gamber Johnson MCS-EPICMIC (or equal) Mic Clip Attaches To Pre-Drilled Holes For Edge Rail Mounting. Oty. 1 - Gamber Johnson 17133 (or equal) Faceplate for SoundOff Signal, nERGY 400 Series Full Siren Oty, 1 - Gamber Johnson 7160-0322 (or equal) Faceplate For Motorola APX Full Radio.

Oty. 1 - Soundoff Signal ECVDMLTAL00 (or equal) Dual Color Dome Lights With

Built In Switch Mounted centered over console.

Page 34 of 60

ITEM # 2 – MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

YES NO

<u> (OPTIONS (</u>Cont'd)

2N. Furnish and Installation of Lighting Package #1

(color to be selected at time of order) -

Electrical System

Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State (or equal)

Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness (or equal)

Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module (or equal)

Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module (or equal)

All installed aftermarket electronic equipment must be wired to the 'control system'.

Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log.

System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Oty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket.

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light With Silicon Molded One-Piece Housing And Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 (or equal) Plug-in headlight flasher does not require cutting of any factory wiring.

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Qty. 1 Soundoff Signal ENFWBF (or equivalent)-Interior Led Lightbar 8 Module Dual Color Lightheads

Manual dimming capability for nighttime use and Cruise mode. Comes with a Windows PC software application for ease of programming. Modular Lighthead design for easy maintenance Vehicle specific bracket.

Roof

Oty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount With 30 Ft. Cable

Page 35 of 60

/ITEM # 2 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

OPTIONS (Cont'd)

2N. Furnish and Installation of Lighting Package #1 (Cont'd)

Rear

Oty. 4 Soundoff Signal ELUC3H010 LED Insert

Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Multi Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

20. Furnish and Installation of Lighting Package #2

(Color to be determined at time of order) -

Electrical System

Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State (or equal)

Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness (or equal)

Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module (or equal)

Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module (or equal) All installed aftermarket electronic equipment must be wired to the 'control system'. Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log. System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket.

Qty, 4 Soundoff Signal EMPS2STS4 Multi Colored Light with Silicon Molded One-Piece Housing and Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 (or equal) Plug-in headlight flasher does not require cutting of any factory wiring.

Page 36 of 60

ITEM #2 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

YES NO

ØPTIONS (Cont'd)

20. Furnish and Installation of Lighting Package #2

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Roof

Qty. 1 Soundoff Signal ENFLB 54" LED Lightbar 7 Dual Color Lightheads Forward Facing 7 Dual Color Lightheads Rear Facing 4 Dual Color Corner Modules 2 Alley Lights, Built In Photo Cell, Low Profile Mounting feet with Vehicle Specific strap kit. Modular Lighthead and Lens design for easy maintenance. Aluminum Base, Polycarbonate Outer Lenses, ASA/PC Top Cover. With Solar Panel Qty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount with 30 Ft. Cable

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert

Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Multi Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able to Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

2P. Diagnostic Tools / Test Equipment

- 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).
- All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.
- 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.
- 4. All software installations and activations will be completed by the successful bidder at no cost to the County.

· · · · ·

Page 37 of 60


ITEM # 2 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 MEDIUM ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

OPTIONS	(Cont'd)
OFTIONS	(Cont u)

√2P. Diagnostic Tools / Test Equipment (Cont'd)

- 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 7. Training shall be provided on all items in this section at a County location.



2Q. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

g _____

2R. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source Into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces

\checkmark	

Page 38 of 60 ITEM # 3 – MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 LOW ROOF, AS SPECIFIED OR EQUAL

	<u>COMPL</u>	<u>JANCE</u>
	$\underline{\mathbf{YES}}$	<u>NO</u>
DESCRIPTION		
2020 Transit Passenger Van XLT 350 Long Wheelbase, Low Roof Height	1	
148" Wheel base, Rear Wheel Drive		
3.5L PFDi V6	_/	
10 Speed Automatic Overdrive with Selectshift (44U)		
15 Passenger seating - Cloth, Dark palazzo gray cloth		
Manual reclining driver and front passenger, bucket seats with adjustable		
headrest, driver-side and Passenger side airbags, and driver-side manual	1	
lumbar.		
Daytime running lamps (942)		•
Sliding passenger side cargo door		
Alternator - Heavy Duty 250-Amp		
Battery – Single Battery 70 amp-hours		
Brakes- 4-wheel anti-lock disc brakes; manual parking brake		
Running Boards – Factory Installed (68H)		
Horn – Dual-Note (85D)	V/	
Steering – Power Rack & Pinion		
-	/	
Suspension, Front – Independent MacPherson-Strut, Stabilizer bar		
Suspension, Rear – Leaf Springs, heavy-duty gas shock absorbers		
235/65R16 BSW all-Season (SRW)		
16" Steel wheel with full silver wheel cover		
Full-size spare tire & Wheel		
Bumper, Front – Body color		
Bumper, Rear – Carbon Black		
Grille – Three Bar Chrome Surround		
Halogen Head Lamps with chrome trim and Auto Lamp		
Center High Mount Stop Lamp		
Short Arm, power adjustment, power-folding heated with turn signals		
Privacy Glass includes rear window defroster. (92E)		
Windshield Wipers - Rain Sensing Automatic		
Air Conditioning Front/Rear (Driver Controlled)		
AM/FM Stereo with blue tooth, Dual USB ports, sync 3 & a 4.0" multifunction	/	
display		
Large Center Console with integrated shifter		
Back up alarm (43B)		
Front License plate bracket		
Vinyl Front and Rear floor covering (16E)		
Windows-all-around, fixed		
A-Pillar Assist Handle (Driver & Passenger)		
Headliner - Cloth, Full Length		·
Advance Trac with Roll Stability Control		
Tire Pressure Monitoring System		
Rearview camera with Trailer Hitch Assist		
Cruise Control (60C)		
Instrumentation: Tachometer, fuel level and coolant temp		
Safety Belt – 3 point all position		
Reverse Sensing System, side sensing system		
tte te to to combine of promis place denomis of prom		

Page 39 of 60

AS SPECIFIED OR EQUAL (CONT'D)	K YAN ALI 550	LOW ROOF,
	· · · · · · · · · · · · · · · · · · ·	LIANCE
DESCRIPTION (Cont'd)	YES	<u>NO</u>
Trailer Brake Controller (67D)	/	
Heavy-Duty Trailer Tow Package (53B) - Including:		
Tow/Haul Mode with Trailer wiring provisions		
4-pin/7-pin connector assemble and rear jumper	,	
Relay system for backup/B+/running lights		
 Frame mounted hitch receiver 6 ton receiver mount Pintle & 2" ball combination hitch 		
3 ball receiver tube 1-7/8", 2", 2-5/16" lock in style, pin is not acceptable		
<u>PAINT</u> Color to be specified from standard color chart on purchase order when ordering		
WARRANTY	,	
Bumper to Bumper: 3 years/36,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever Comes Last. This Equipment Must Also Meet or Exceed All Applicable State, Federal and PEOSHA Laws and Regulations		
ÓPTIONS	,	
3A. All Wheel Drive		·
2D A-At- D1-20		
/3B. <u>Audio Pack 28</u> – AM/FM Stereo with HD/Sirius XM Capability, Bluetooth, audio input jack,		
Dual USB ports, Sync 3, and 8.0" colored multifunction touch screen with	,	·
Navigation. (584)		·
3C. High Capacity Upfitter switches (67C).		
Includes large Center Console with Integrated Shifter (67E) and Auxiliary Fuse panel with High Spec Interface Connector (87E) (package 87E is an		
Auxiliary Fuse panel with High Spec Interface Connector, Includes Dual	/	
AGM Batteries (63E) and Modified Vehicle Wiring System (53K)).		
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
3D. Paint Color Found On The Vehicle Special Order Paint Options	,	
(i.e. Color W3029N)		
3E. Metallic Paint Color		
3F. Rear Interior Door Handles Inoperable/Lock Operable		
3G. Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light		
Bar-48"Fully loaded with all Amber, LED's which includes 4 corners, 4		
front facing and 6 rear facing and bar also includes two white take down	/	
lights in Front, 2 White Alley Light, Corner light wired on a Separate switch		

WINNER FORD Page 40 of 60 TEM # 3 – MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 LOW ROOF, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE OPTIONS (Cont'd) 3H. Light Color Option Red and blue modules in lieu of amber for Sheriff Depart or OEM, keeping the amber rear arrow stick 3I. Front Partition For Ford Transit Window Van With Low Roof And Side Sliding Door (Havis part number; P-Front-3) (Must purchase Item 3J.) Includes emergency safety hatch in top center section of partition Hatch includes two heavy duty slide bolts in driver compartment to allow for quick removal Bottom of the partition is 12 gauge steel Top half of the partition is 12 gauge steel with diamond shape openings 1/4" thick clear polycarbonate to cover the top perforated sections of the partition Medium Texture black polyester powder coat finish 3J. Front Partition Filler Mounting Kit (Havis part number: P-MFK-10) 3K. Furnish and Install Interior Window Guards (Havis part number: WGI-F24) 3L. Furnish and Installation of Dome Light (Interior) (Soundoff Signal Part Number: ECVDMLT2AL00) 3M. Console Equipment Oty. 1 - Gamber Johnson 7170-0579-01 (or equal) Low Profile, No-Drill Console Box, Constructed Of Heavy Gauge Steel, Fully Welded Construction For Long-Term Durability, Black Powder Coated Finish For Maximum Corrosion Resistance (meets FS-010 specs) Motion Attachment Must Be Mounted On Top Of The Console Box For Front Passenger Safety And Comfort. Oty. 1 - Gamber Johnson 7160-0552 Vehicle Specific No Holes drilled Leg Kit. Oty, 1 - Gamber Johnson 7160-0085 MCS Top Plate Provides three (3) options for computer mount placement Limited Lifetime Warranty. Oty. 2 - Gamber Johnson MCS-EPICMIC (or equal) Mic Clip Attaches To Pre-Drilled Holes For Edge Rail Mounting. Oty. I - Gamber Johnson 17133 (or equal) Faceplate for SoundOff Signal,

Qty. 1 - Gamber Johnson 7160-0322 (or equal) Faceplate For Motorola APX Full Radio.

Oty. 1 - Soundoff Signal ECVDMLTAL00 (or equal) Dual Color Dome.

Qty. 1 - Soundoff Signal ECVDMLTAL00 (or equal) Dual Color Dome Lights With Built In Switch Mounted centered over console.

nERGY 400 Series Full Siren

Page 41 of 60

ITEM # 3 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 LOW ROOF, AS SPECIFIED OR EQUAL (CONT'D)

YES NO

OPTIONS (Cont'd)

3N. Furnish and Installation of Lighting Package #1

(color to be selected at time of order)

Electrical System

Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State (or equal)

Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness (or equal)

Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module (or equal)

Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module (or equal)

All installed aftermarket electronic equipment must be wired to the 'control system'. Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log. System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light With Silicon Molded One-Piece Housing And Optic (Color to be determined at the time of order)

Mounted in grill

Qty. 1 Soundoff Signal ETHFFUT-16 (or equal) Plug-in headlight flasher does not require cutting of any factory wiring.

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Qty. 1 Soundoff Signal ENFWBF (or equivalent)-Interior Led Lightbar 8 Module Dual Color Lightheads

Manual dimming capability for nighttime use and Cruise mode. Comes with a Windows PC software application for ease of programming. Modular Lighthead design for easy maintenance Vehicle specific bracket.

Roof

Qty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount With 30 Ft. Cable

Page 42 of 60

ITEM #3 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 LOW ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

OPTIONS (Cont'd)

3N. Furnish and Installation of Lighting Package #1 (Cont'd)

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert

Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Multi Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

30. Furnish and Installation of Lighting Package #2

(Color to be determines at time of order)

Electrical System

Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State (or equal)

Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness (or equal)

Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module (or equal)

Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module (or equal)

All installed aftermarket electronic equipment must be wired to the 'control system'. Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log. System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket.

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light with Silicon Molded One-Piece Housing and Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 (or equal) Plug-in headlight flasher does not require cutting of any factory wiring.

Page 43 of 60

ITEM # 3 – MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 LOW ROOF, AS SPECIFIED OR EQUAL (CONT'D)

<u>COMPLIANCE</u> <u>YES</u> <u>NO</u>

OPTIONS (Cont'd)

30. Furnish and Installation of Lighting Package #2 (Cont'd)

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Roof

Qty. 1 Soundoff Signal ENFLB 54" LED Lightbar 7 Dual Color Lightheads Forward Facing 7 Dual Color Lightheads Rear Facing 4 Dual Color Corner Modules 2 Alley Lights, Built In Photo Cell, Low Profile Mounting feet with Vehicle Specific strap kit. Modular Lighthead and Lens design for easy maintenance. Aluminum Base, Polycarbonate Outer Lenses, ASA/PC Top Cover. With Solar Panel

Qty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount with 30 Ft. Cable

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Multi Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able to Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

3P. Diagnostic Tools / Test Equipment

- 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable).
- All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software.
- 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid.
- 4. All software installations and activations will be completed by the successful bidder at no cost to the County.

/	

Page 44 of 60

ITEM # 3 - MODEL YEAR 2020, OR NEWER, TRANSIT PASSENGER VAN XLT 350 LOW ROOF, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

3P.	Diagnostic	Tools	/ Test	Equipment ((Cont'd)

- 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment.
- 7. Training shall be provided on all items in this section at a County location.

3Q. Two-Way Radio Power and Wiring Requirements for New Vehicles

For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires shall be unterminated. The 12VDC sources shall be protected from making contact with grounded metal surfaces.

3R. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source
Into the cab of the vehicle. The wiring harness shall be clearly labeled
"TWO-WAY RADIO". The 12VDC sources shall be protected from
making contact with grounded metal surfaces

Page 45 of 60 / ITEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL

•	COMPL	IANCE
	YES	NO
DESCRIPTION		(
2020 Transit Van 350, 148" Wheelbase, Medium Roof (100.8") Height,	,	
Rear Wheel Drive		
3.5L Eco Boost V6 (99G)		***************************************
10-Speed Automatic Overdrive with Select Shift (44U)		: <u></u>
Alternator – Heavy Duty 250 Amp		
Single Battery 70 amp hours		
Brakes – 4-wheel anti-lock disc brakes; manual parking brake		<u> </u>
Horn – Dual-note (85D)		
Steering - Power Rack and Pinion		
Suspension, Front - Independent MacPherson-strut, stabilizer bar		
Suspension, Rear – Leaf Springs, heavy duty gas shock absorbers		
235/65R16 Steel Wheel with black hubcaps		
Full Size Spare Tire & Wheel		
Bumper, Front - Black, body color with lower valence		
Bumper, Rear – Carbon Black, without integral step		*
Sliding Passenger side-door		
Grille – Three Bar with Carbon black surround		
Halogen Head lamps		
Center High Mount Stop Light	 	
Short-Arm Power adjustment, manual folding, heated Mirror with Turn		
Signals (545)		
Windshield Wipers - Rain Sensing		
Air Conditioning – Front Only		
Radio - AM/FM stereo, Bluetooth, dual USB port & 4.0" multifunction		
display		
Cargo area tie down hooks		
Medium Center console with integrated shifter		
Auto locking Drive Away with Crash Unlocking		
Glove Box – locking		
Instrumentation - Tachometer, fuel level and coolant temperature		
Front dome lamp with map lights and theater dimming		
Rear Compartment Lighting	1/	
Dark Palazzo Gray - Vinyl - Driver and Front passenger manual reclining		
bucket seats with adjustable headrest. Includes Driver and passenger side	/	
inboard armrest.		
2 Passenger		
Steering – Tilt & telescoping		
Step Well pads – Black		
A-Pillar Grab Handle (Driver and Passenger side)		
Headliner – Cloth, Front only	/	· ·
Driver and Passenger air bags		
Safety belts – 3 point all positions		
Rearview Camera with trailer hitch assist		

Page 46 of 60

(CONT'D)		
		LIANCE NO
DESCRIPTION (Cont'd)	<u>YES</u>	<u>NO</u>
Daytime Running Lights (942)		
Fixed Rear-Door glass only (17A)		
Front License Plate Bracket (153)		
Cruise Control (60C)		
Back up Alarm (43B)		
Rear-Window Defroster (57N)		
PAINT		
Color to be specified from standard color chart on purchase order when	/	
ordering		
WARRANTY		
Bumper to Bumper: 3 years/36,000 miles		
Vehicle Equipment Must Be Rustproofed and Warrantied by the		
Manufacturer Against Rust for Five (5) Years or 50,000 Miles, Whichever		
Comes Last. This Equipment Must Also Meet or Exceed All Applicable		
State, Federal and PEOSHA Laws and Regulations	/	
omo, I vacial and I Booth I Dano and Regulations	/	
OPTIONS		<u> </u>
4A. All Wheel Drive	/	
/		
4B. Heavy-Duty Trailer Tow Package (53B)		
Including:		
Tow/Haul Mode with Trailer wiring provisions		
4-pin/7-pin connector Assembly & Rear Jumper		•
Relay system for backup/B+/running lights		
, ,		
Frame mounted hitch receiver		
6 ton receiver mount Pintle & 2" ball combination hitch		
3 ball receiver tube 1-7/8", 2", 2-5/16" lock in style, pin is not acceptable.	_	
Trailer Brake Controller (67D)		
	V	
4C. Fixed Rear Door Glass And Fixed Side Cargo Door Glass (17B)	✓	
· · · · · · · · · · · · · · · · · · ·		
/4D. <u>Audio Pack 28 (584)</u>		
AM/FM Stereo with HD/Sirius XM Capability, Bluetooth, audio input jack,		
Dual USB ports, Sync 3, and 8.0" colored multifunction touch screen with	. /	
Navigation. (584)		
4E. High Capacity Upfitter Switches (67C).		
Includes large Center Console with Integrated Shifter (67E) and Auxiliary		
Fuse panel with High Spec Interface Connector (87E) (package 87E is an		
Auxiliary Fuse panel with High Spec Interface Connector. Includes Dual	/ .	
AGM Batteries (63E) and Modified Vehicle Wiring System (53K)).	✓ '	

Page 47 of 60 TEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EOUAL (CONT'D) YES NO OPTIONS (Cont'd) 4F. Vinyl Floor Covering, Front And Rear. (16E) Not available with front/Rear Aux A/C and Heater on Cargo Van.(57G) 4G. Paint Color Found On The Vehicle Special Order Paint Options (i.e. Color W3029N) AH. Metallic Paint Colors 4I. Front/Rear Aux A/C and Heater (Driver Controlled). Not available with passenger seat delete (21J and 21K), Cargo Van with Vinyl Front and rear (16E), Interior upgrade package -Cargo Van (96C), Builders prep package (47E) or load area protection package (96D). (Heat is distributed from rear of front passenger seat. A/C is distributed from the rear of Van) 4J.Furnish and Installation of Prisoner Insert (All Items are Havis) (The installation of any lights and wiring must be installed prior to the installation of this unit.) PT-F06-120-2: Room for 12 prisoners includes rear step, PT-A-503: vent adapter kit (hooks into factory ac) PT-A-504, hose protectors PT-A-916, Load Light installed, Seat Belts 4K. Furnish and Installation of Prisoner Camera System (Havis Part Number: PT-A-602) 4L. Furnish and Installation of Recorder Kit for Camera System (Havis Part Number: PT-A-606) 4M. Furnish and Installation of Open Door Buzzer (Havis Part Number: PT-A-911) 4N. Prisoner Transport Optional LED Dome Light Used in Prisoner Transport inserts (Havis Part Number; PT-A-912) 40. Roof Power Vent (Havis Part Number: PT-A-903) 4P. Sound Deadening Insulation

(Havis Part Number: PT-A-904)

Page 48 of 60

'<u>ITEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL</u> (CONT'D)

COMPLIANCE YES N

OPTIONS (Cont'd)

4Q. Installation of Vehicle Console and Computer Mounting Items

- Tunnel Mount Assembly (Havis Part Number: C-TMW-TRNST-01)
- Enclosed 10" high console (Havis Part Number: C-2410)
- Internal Cup holder (Havis Part Number: C-CUP2-I)
- Arm Rests (Qty 2) (Havis Part Number: C-ARM-102)
- Accessory Pocket (Havis Part Number: C-AP-0625)
- Vehicle Specific Mount (Havis Part Number: C-HDM-183)
- Lower Pole Assembly (Havis Part Number: C-HDM-203)
- Motion Attachment (Havis Part Number: C-MD-102)
- 8.5 inch HD pole (Havis Part Number: C-HDM-209)
- Equipment brackets as specified at the time of order

4R. Console Equipment

Qty. 1 - Gamber Johnson 7170-0579-01 (or equal) Low Profile, No-Drill Console Box, Constructed Of Heavy Gauge Steel, Fully Welded Construction For Long-Term Durability. Black Powder Coated Finish For Maximum Corrosion Resistance (meets FS-010 specs) Motion Attachment Must Be Mounted On Top Of The Console Box For Front Passenger Safety And Comfort.

- Qty. 1 Gamber Johnson 7160-0552 Vehicle Specific No Holes drilled Leg Kit.
- Qty. 1 Gamber Johnson 7160-0085 MCS Top Plate Provides three (3) options for computer mount placement Limited Lifetime Warranty.
- Qty. 2 Gamber Johnson MCS-EPICMIC (or equal) Mic Clip Attaches To Pre-Drilled Holes For Edge Rail Mounting.
- Qty. 1 Gamber Johnson 17133 (or equal) Faceplate for SoundOff Signal, nERGY 400 Series Full Siren
- Qty. 1 Gamber Johnson 7160-0322 (or equal) Faceplate For Motorola APX Full Radio.
- Qty. 1 Soundoff Signal ECVDMLTAL00 (or equal) Dual Color Dome Lights With Built In Switch Mounted centered over console.

4S. Furnish and Installation of Lighting Package #1

(color to be selected at time of order) -

Electrical System

- Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State (or equal)
- Oty. 1- Soundoff Signal ENGHNK01 Central Control Harness (or equal)
- Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module (or equal)
- Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module (or equal)
- All installed aftermarket electronic equipment must be wired to the 'control system'.

Page 49 of 60

ITEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

OPTIONS (Cont'd)

4S. Furnish and Installation of Lighting Package #1 (Cont'd)

Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off. The system must have self-diagnostics capabilities with fault log. System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker

Mounted on vehicle specific bracket.

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light With Silicon Molded One-Piece Housing And Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 (or equal) Plug-in headlight flasher does not require cutting of any factory wiring.

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Qty. 1 Soundoff Signal ENFWBF (or equivalent)-Interior Led Lightbar 8 Module Dual Color Lightheads

Manual dimming capability for nighttime use and Cruise mode. Comes with a Windows PC software application for ease of programming. Modular Lighthead design for easy maintenance Vehicle specific bracket.

Roof

Oty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount With 30 Ft. Cable

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert

Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Multi Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Mounted to rear doors

Mounted in rear windows of vehicle.

Qty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.)

Page 50 of 60

ITEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL (CONT'D)

YES NO

OPTIONS (Cont'd)

4T. Furnish and Installation of Lighting Package #2

(Color to be determines at time of order) -

Electrical System

Qty. 1- Soundoff Signal ENGCC01243 Central Control System, Solid State (or equal)

Qty. 1- Soundoff Signal ENGHNK01 Central Control Harness (or equal)

Qty. 1- Soundoff Signal ETSA481CSP 100 Watt Siren Amp Output Module (or equal)

Qty. 1- Soundoff Signal ENGLNK003 Vehicle data control module (or equal) All installed aftermarket electronic equipment must be wired to the 'control system'. Every component must be wired to its own output to allow for easy diagnosing and updating. System must be capable of load shedding for each output independently based on voltage settings to prevent battery drain. System must also be capable of adjustable timed shutdown for all outputs independently to allow equipment to stay on after vehicle ignition is turned off.

The system must have self-diagnostics capabilities with fault log. System to be wired into the vehicle ignition system to provide Ignition security system.

Front

Qty. 1 Soundoff Signal ETSS100N 100 Watt Siren Speaker Mounted on vehicle specific bracket.

Qty. 4 Soundoff Signal EMPS2STS4 Multi Colored Light with Silicon Molded One-Piece Housing and Optic (Color to be determined at the time of order)

Mounted in grill.

Qty. 1 Soundoff Signal ETHFFUT-16 (or equal) Plug-in headlight flasher does not require cutting of any factory wiring.

Headlight Flasher

Qty. 4 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order)

Intersection lighting

Roof

Qty. 1 Soundoff Signal ENFLB 54" LED Lightbar 7 Dual Color Lightheads Forward Facing 7 Dual Color Lightheads Rear Facing 4 Dual Color Corner Modules 2 Alley Lights, Built In Photo Cell, Low Profile Mounting feet with Vehicle Specific strap kit. Modular Lighthead and Lens design for easy maintenance. Aluminum Base, Polycarbonate Outer Lenses, ASA/PC Top Cover. With Solar Panel

Qty. 2 Radio Antennas 3/4 Thru-Hole NMO Mount with 30 Ft. Cable

Rear

Qty. 4 Soundoff Signal ELUC3H010 LED Insert Installed in Tail Lights

Qty. 2 Dual Stacked 12 LED Dual Color Surface Mount light (Soundoff

Page 51 of 60 TEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE NO OPTIONS (Cont'd) 4T. Furnish and Installation of Lighting Package #2 (Cont'd) Signal Part Number: ENFDSS3XX) (Color to be determined at the time of order) Multi Colored Light 10-30 Vdc Xylex Lens. (Lighthead Must Be Able To Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.) Mounted to rear doors Mounted in rear windows of vehicle. Oty. 2 Side-by-side single color 9 LED deck mount light Soundoff Signal Part Number: ENFDGS2AA-PC (Color to be determined at time of order). (Lighthead Must Be Able to Interchange Mount, Including deck, recess, surface and windshield mounts for easy repairs and repurposing.) 4U. Furnish and Installation of Dome Light (Interior) (Soundoff Signal Part Number: ECVDMLT2AL00) 4V. Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar- 48" Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Lights, Corner Lights Wired on Separate Switch 4W. Furnish and Installation of Medium Roof Electrical Contractor Package For Transit 148" Wheel Base Medium Roof (Adrian Steel Part Number -4319TM148) Installed Kit Includes: • (3) AD Series Shelf Unit 44" (1) Rail Kit 148" TR (1) Partition with Door (1) Partition with Wing Kit (4) End Panel Bracket (1) Parts Bin System (BR76012)

- (1) Parts Bin System (BR36212)
- (1) Drawer Component 6"
- (1) Divider Kit of 8
- (1) Three Hook Bar
- (1) Literature Rack
- (2) Door Kit
- (1) Wire Reel Holder
- (2) Four Drawer Shallow

ITEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE YES OPTIONS (Cont'd) 4X. Furnish and Installation of Medium Roof General Service Package For Transit 148" Wheel Base Medium Roof (Adrian Steel Part Number -4317TM148) Installed Kit Includes: • (3) AD Series Shelf Unit 44" (1) Rail Kit 148" TR (1) Divider Kit of 8 (1) Three Drawer Combo (1) Partition with Door (2) 5" Utility Hook (1) Three Hook Bar (1) Four Drawer Shallow (1) Drawer Component 6" • (1) End Panel Bracket • (1) Partition wing kit • (1) Part Bin System 4Y. Furnish and Installation of Medium Roof HVAC Repair Package For Transit 148" Wheel base Medium Roof (Adrian Steel Part Number -4318TM148) Installed Kit Includes: (3) AD series Shelf Unit 44" (1) Rail Kit 148" TR

- (1) Partition with door
- (1) Partition Wing Kit
- (2) End panel bracket
- (1) Part bin System
- (1) Drawer Component 6"
- (1) Divider kit of 8
- (1) Three hook bar
- (1) Welded Tank Rack
- (1) Literature Rack
- (1) Door Kit
- (1) Tank Rack Adapter
- (2) Two Drawer Medium

4Z. Furnish and Installation of Loadsrite Single, Curbside, Drop-

Down Ladder Rack

For Ford Transit Medium Roof Vans. (Adrian Steel Part Number — DDLR61FTM) Installed

Kit Includes:

- (1) Loads Rite Module
- (1) Roof Rail and Crossbow Kit

PTIONS (Cont'd) A. Install White Vinyl Wrapping On Roof Of Vehicle From Front To ar B. Diagnostic Tools / Test Equipment 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be clearly labeled "TWO-WAY RADIO" The wires			LIANCE
B. Diagnostic Tools / Test Equipment 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 6. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to the vehicle of the vehicle and secured in the vicinity of the operator. The	PTIONS (Cont'd)	<u>YES</u>	<u>NO</u>
B. Diagnostic Tools / Test Equipment 1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/ programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 2. Two-Way Radjo Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 7. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The		✓	
1. Successful bidder may be required to supply between one (1) to three (3) complete sets of OEM test/diagnostic/programming equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 7. Two-Way Radjo Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	B. Diagnostic Tools / Test Equipment		
equipment (i.e. laptop, software, cabling, and adapters) and special tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
tools required to perform the full range of diagnostic and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
cover the vehicle chassis, engine, transmission, brakes, hydraulics, and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 2. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
and all additional equipment (if applicable). 2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 6. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
2. All laptop computers will be of the newest available technology and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 6. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The		/	
and have sufficient storage and memory to operate all required software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 7. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
software. 3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
3. Provide a list of all test/diagnostic/programming equipment and special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 6. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	_ , , ,		
special tools being supplied at the time of bid. 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 6. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	-		
 4. All software installations and activations will be completed by the successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 2. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The 			
successful bidder at no cost to the County. 5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 7. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
5. All software updates and renewal will be provided at no cost to the County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 7. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	• -		
County for a period of five (5) years from the acceptance of the equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	- · · · · · · · · · · · · · · · · · · ·		
equipment. 6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	•		
6. All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. C.Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The		./	
and special tools shall be resolved by the successful bidder at no cost to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 7. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	• • •		
to the County for a period of five (5) years from the acceptance of the equipment. 7. Training shall be provided on all items in this section at a County location. 2. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
equipment. 7. Training shall be provided on all items in this section at a County location. 2. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
7. Training shall be provided on all items in this section at a County location. 2. Two-Way Radio Power and Wiring Requirements for New Vehicles For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The		√	
For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	location.		
For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	N. T		
equipment, the following power and wiring components shall be included: 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
 #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps. #12 AWG BLACK wire connected to chassis ground. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
 2. #12 AWG BLACK wire connected to chassis ground. 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	Admitted and four tries be a second and a second a second and a second a second and		
3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps. These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The	1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Am	ıps.	
These wires shall be encased in plastic wire loom and routed from their source into the cab of the vehicle and secured in the vicinity of the operator. The			
into the cab of the vehicle and secured in the vicinity of the operator. The	3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5	Amps.	
into the cab of the vehicle and secured in the vicinity of the operator. The	These wires shall be encosed in plactic wire loom and routed from their source	ca.	
· ·		Le	
	wiring harness shall be clearly labeled "TWO-WAY RADIO". The wires		
shall be unterminated. The 12VDC sources shall be protected from making	contact with grounded metal surfaces.	/	

Page 54 of 60

/ITEM #4 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 350, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE ES NO

OPTIONS (Cont'd)

4DD. Installation of County Supplied Two Way Radio and Accessories

Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2. #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source Into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces

Page 56 of 60

						Page 36 of 60
_				Unit		
Item		Est.	Max.	of	XI 1/ IN 1	701 4 1 75 1
#	Description (G. 11)	Qty.	Qty.	Meas.	Unit Price	Total Price
11-	OPTIONS (Cont'd)					
1 k	Furnish and Installation of Loadsrite Single,				,	
	Curbside, Drop-Down Ladder Rack, As Specified	1	10	EA	(1246N)	(1248)/Y)
11	Install White Vinyl Wrapping on Roof of	1	10	LA	# / s	#/www
11	Vehicle from Front to Rear, As Specified	1	10	EA	s 340(Y)	s. 34(V)(Y)
1m	Diagnostic Tools/Test Equipment,	_	- +		1	10-0
	As Specified	1	3	EA	\$ 47WM	\$18F(Y)(Y)
1n	Two-Way Radio Power and Wiring	•	J		<u> </u>	4714000
•	Requirements for New Vehicles,		•		(C A A A	1000 00
	As Specified	1	10	EA	\$ 190,00 _	\$ 1000.00
10	Installation of County Supplied Two-Way				1/20 00	1/2011
	Radio and Accessories, As Specified	1	10	$\mathbf{E}\mathbf{A}$	<u>\$ 400.00</u>	<u>\$4500.00</u>
						EL ADON AN
	тот	AL LU	MP SU	M (Add	Item #'s 1-10):	\$20/8(X)(X)
/						<u></u>
1/2	Model Year 2020, or Newer, Transit					
7 2	Passenger Van XLT 350 Medium Roof, As				1 11	. 11
	Specified ,	1	, 101	EA	s 4/4/1) (X) s4/45/Y)(X) =
	10401 110	آريمه	lah	~ 16	1 MO	1,1,000
	Year, Mfr., Model: NOV 1000 110	11/5/	wy,	<u> </u>		
	Engine 3.0L VQ					
	Transmission 10 50010					
	Delivery, A.R.O. Sel 1848					
	Warranty: <u>301 0 + + QCNOC</u> ,	1-1				
	Remarks SOL attached	LH P	<u> </u>			
	- -					
	<u>OPTIONS</u>					
					1/66N 1V	1/6EARIN
\checkmark 2a	All Wheel Drive, As Specified	1	10	EA	\$ 4500.00	\$70000
√2b	Audio Pack 28, As Specified or Equal	1	10	EA	\$ // <i>65.0</i> 0	<u>\$ //0000.00</u>)
√2c	Paint Color Found on the Vehicle Special				110 11	11000
1	Order Paint Options, As Specified	1	10	EA	\$ (160.00)	\$ (0(0EXV.CX)
√2d	Metallic Paint Colors, As Specified	1	10	ĒΑ	\$ 195.00	\$/850.00
√2e	High Capacity Upfitter Switches,					~~~~~
	As Specified	ī	10	EA	\$ 510.00	\$2700,00
$\sqrt{2}f$	Rear Interior Door Handles Inoperable/Lock				400 00	MAMIN
1	Operable	1	10	EA	\$ 100.00	\$10000
√2g	Whelen: IX8AAAA - Liberty II, Solo IX					
,	Low Current Series Light Bar - 48",	1	10	EA	(AINNY)	(AINN) N)
$\sqrt{2h}$	As Specified	-		EA		\$ 1 1
V 211	Light Color Option, As Specified	1	10	£А	<u> </u>	

Page 57 of 60

				Unit		
Item		Est.	Max.	of		
#	Description	Qty.	Qty.	Meas.	Unit Price	Total Price
/21 5	OPTIONS (Cont'd)					
√ 2j	Front Partition Filler Mounting Kit,		10	Б.4	· KMM	MANINI
/21.	As Specified Furnish and Installation of Interior Window	1	10	EA	\$ Java	3000a
√ 2K	Guards, As Specified	1	10	EΑ	2/VV) (Y)	(H/YYY)/Y)
$\sqrt{21}$	Furnish and Installation of Dome Light,	1	10	LA	<u> </u>	* pur.u
/ /	As Specified	1	10	EA	« 2M/V)	SAM IX
J_{2m}	Console Equipment, As Specified, or Equal	1	10	EA	\$ 1/10/10	\$ 11/1/V) /X
$\sqrt{\frac{2n}{2n}}$	Furnish and Installation of Lighting Package	1	10	£А	<u> </u>	\$11000.00
	#1, As Specified, or Equal	1	10	EA	\$ 49MM	445M) M
$/_{20}$	Furnish and Installation of Lighting Package	•	10	LAL	<u>* · ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </u>	<u> </u>
V •	#2, As Specified, or Equal	1	10	EA	s/o2/N/N	· MANN (Y)
\int_{2p}	Diagnostic Tools/Test Equipment,	1	10	ĽA	- Work	# 2 1 2 A
J 2 P	As Specified	1	3	EA	\$ 4.5XDQ)	s 285VY)(D)
\int_{2q}	Two-Way Radio Power and Wiring	-	J		-, , , , , , , , , , , , , , , , , , , 	<u> </u>
1	Requirements for New Vehicles,				1000	1611 11
/	As Specified	1	10	EA	\$ 150.00	\$ 100000
$\sqrt{2r}$	Installation of County Supplied Two Way				1/20,00	Jana A
	Radio Accessories, As Specified	1	10	EΑ	s 450.00	\$ 4500,00
						/ 0 · 0 · A · A
1	то	TAL L	UMP S	SUM (Ad	d Item #'s 2-2r):	\$/04()\$(X).(X)
$\sqrt{3}$				`	,	
	Model Year 2020, or Newer, Transit Passenger Van XLT 350 Low Roof, As				4-0	
	Specified or Equal	1	10	EA	\$31900X) \$1/4/(V) (I)
	Specified of Equal	· ·/	. ' '	127.1	<u> </u>	<u> </u>
	Year, Mfr., Model: 2020 Ford Tra	Wit	10 Por	1560	10	
		1710-1	~~~	<u> </u>		
	Engine J.J. V.D. Transmission // J.J.D.D.					
	Delivery, A.R.O. 101 17 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18					
	Warranty: 300 Attocked					
	Remarks JOL 1877					
	<u>OPTIONS</u>					
/	01110110				/	1
$\sqrt{\beta a}$	All Wheel Drive, As Specified	1	10	EA	\$ 4/15/1Y)	(4/1/V)(Y)
$\sqrt{\frac{3}{3}}$	Audio Pack 28, As Specified, or Equal	1	10	ĒΑ	\$11/05/2	\$ 11/4/2/18
\int_{3c}	High Capacity Upfitter Switches,	1	10	LA	<u> </u>	
/	As Specified	1	10	EA	\$ <i>590.0</i> 0	\$ <i>57(Y)L</i> Y)
√3d	Paint Color Found on the Vehicle Special		-			/
1	Order Paint Options, As Specified	1	10	EA	\$ (060,00	\$ (0/000).00
√3e	Metallic Paint Colors, As Specified	1	10	EΑ	\$ 185,00	\$ 1850/1
	-	•			-,00,00	<u>- 1 Mull</u>

Page 58 of 60

				Unit	-	
Item #	Description	Est.	Max.	of Moor	II-it Dwine	Total Divisa
	Description OPTIONS (Cont'd)	Qty.	Qty.	Meas.	Unit Price	Total Price
$\sqrt{3}$ f $\sqrt{3}$ g	Rear Interior Door Handles Inoperable/Lock Operable Whelen: IX8AAAA - Liberty II, Solo IX	1	10	EA	\$ 200.00	\$ HW.00
Éh	Low Current Series Light Bar - 48", As Specified Light Color Option, As Specified	1 1	10 10	EA EA	\$ \$100.00 \$ 0.00	\$ 1000.00 \$ 0.00
√3i	Front Partition for Ford Transit Window Van with Medium Roof and Side Sliding Door, As Specified	1	10	EA	\$ 100.00	\$1000.00
√3j	Front Partition Filler Mounting Kit, As Specified	1	10	EA	<u>\$ 300 00</u>	\$ <u>\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ </u>
/3K	Furnish and Installation of Interior Window Guards, As Specified	1	10	EA	\$ 3000.00	\$2000 W
$\sqrt{31}$	Furnish and Installation of Dome Light, As Specified	1	10	EA	\$ 300.00	\$3000.00
\int_{3n}^{3m}	Console Equipment, As Specified, or Equal Furnish and Installation of Lighting Package #1, As Specified, or Equal	1	10 10	EA EA	\$ 1100.00 \$ 49W/Y)	\$11000.00 \$49KV\M
\int_{30}	Furnish and Installation of Lighting Package #2, As Specified, or Equal	1	10	EA	\$ (02(V).W)	\$ (0 XXXX).(X)
\int_{a}^{3} p	Diagnostic Tools/Test Equipment, As Specified	1	3	EA	\$ 9500.W	\$28000.00
√3q √3r	Two-Way Radio Power and Wiring Requirements for New Vehicles, As Specified Installation of County Supplied Two Way	1	10	EA	s 150.00	<u>\$ 1500.00</u>
VSt	Radio Accessories, As Specified	1	10	EA	\$ 450.00	\$ 4500.00
/.		TAL L	UMP S	UM (Ad	ld Item #'s 3-3r):	\$663300CC
√ 4	Model year 2020, or Newer, Transit Van 350, As Specified or Equal	1	10	ĒA	<u>\$35495.00</u>	\$354950.CX)
	Year, Mfr., Model: A CODOST Engine 3.5 CODOST Transmission O SOLO Delivery, A.R.O. SOL STACKO Warranty: 301 Attacko Remarks Sel Settler	61 7 Ve	an 3	50_		
		· -				

Page 59 of 60

Item		Est.	Max.	Unit of		-
#	Description	Qty.	Qty.	Meas.	Unit Price	Total Price
7	OPTIONS				1/1/20 110	1/2/11/11
√4a	All Wheel Drive, As Specified	1	10	EA	\$ 4000,00	\$42000,00
√4b	Heavy Duty Trailer Tow Package (53B),				111/10	112 12 11
	As Specified	1	10	EA	\$ 404.00	\$4040.00
√ 4c	Fixed Rear Door Glass and Fixed Side Cargo				11/12/12	1/1/1 A)
<i>f.</i> ,	Door Glass (17B), As Specified	1	10	EA	\$ 140,00	\$ 0,700,00
/4d	Audio Pack 28, As Specified or Equal	I	10	EA	\$1100.00	\$ 11000,CC
√4e	High Capacity Upfitter Switches, As Specified	1	10	EA	s. 59().(X)	857/NN()
$\sqrt{4f}$	Vinyl Floor Covering, Front and Rear (16E),	•		211	44-1	4.4.1.1
1	As Specified	1	10	EA	s <i>330W</i>	s 1300.00
\int 4g	Paint Color Found on the Vehicle Special				1	1 1 4 . ()
1	Order Paint Options, As Specified	1	10	EΑ	\$ 6/10/20	\$ 660000
√Ah	Metallic Paint Colors, As Specified	1	10	EA	\$ 185.00	\$ 1850.CX)
J_{4i}	Front/Rear Aux A/C and Heater, As	1	10	F2 2	. OKN	· 961 (V)
$\sqrt{4j}$	Specified Furnish and Installation of Prisoner Insert, As	l	10	EA	\$ 10.00	\$ 100.00
1 TJ	Specified Specified	1	10	EA	« (3/M) (V)	(135NN) /X)
\int_{4k}	Furnish and Installation of Prisoner Camera	1	10	LΛ	\$ 10000100	<u>*************************************</u>
/	System, As Specified	1	10	EA	s 1750.00	\$ / 1600:CD
√41	Furnish and Installation of Recorder Kit for				111110	6,413 43
1	Camera System, As Specified	1	10	EΑ	\$ \$150.00	\$ 3,000.00
√4m	Furnish and Installation of Open Door				ALCON	11.61 11
/	Buzzer, As Specified	1	10	EA	\$ 100.00	\$ 1000.00
√4n	Prisoner Transport Optional LED Dome				1146 11	11/16/18
1	Light, As Specified	I	10	EA	\$ 100.00	\$ 3000.00
190	Roof Power Vent, As Specified	i	10	EA	\$ 040.00	\$9400.00
√4p	Sound Deadening Insulation, As Specified	1	10	ĒΑ	\$ 430.00	\$ 4500 CO
√ 4q	Installation of Vehicle Console and Computer Mounting Items, As Specified				- 1/100 (1/)	1/01/10 M
/1	•	1	10	EA	\$ 1000.00	\$7000000 # 11000000
$\sqrt{4s}$	Console Equipment, As Specified, or Equal	1	10	EA	\$ 1100.00	<u>\$ 11000.00</u>
/48	Furnish and Installation of Lighting Package #1, As Specified, or Equal	1	10	ĖΑ	:49W/Y)	496/VIN
\int_{4t}	Furnish and Installation of Lighting Package	1	10	EA	<u>* / / / / / / / / / / / / / / / / / / /</u>	<u>*////////////////////////////////////</u>
/	#2, As Specified, or Equal	1	10	EA	s (2800.CX)	s (0200) (8)
√4u -	Furnish and Installation of Dome Light				1 11 10	# C 1 A 1 A
	(Interior), As Specified	1	10	EA	\$ 150.00	<u>\$3500.00</u>
√4v	Whelen: IX8AAAA - Liberty II, Solar IX					
	Low Current Series Light Bar - 48", As Specified	1	10	EΑ	531/V)/V)	\$/W/M
	116 opposition	1	10	LA	WONDO O	<u> </u>

Page 60 of 60

Item		Est.	Max.	Unit of		
#	Description	Qty.	Qty.	Meas.	Unit Price	Total Price
/	OPTIONS (Cont'd)					
$\sqrt{4}$ w	Furnish and Installation of Medium Roof				1111 (X)	\$31000.00
/	Electrical Contractor Package, As Specified	1	10	EA	s 3100.00	\$1000;a
$\sqrt{4x}$	Furnish and Installation of Medium Roof					
	General Service Package,				s 330000	411 NM X)
	As Specified	1	10	EΑ	SUNDE	\$JACO CO
√4y	Furnish and Installation of Medium Roof					
	HVAC Repair Package,				19KM	\$19500.00
	As Specified	1	10	EA	\$01 NO.CO	SINOU.CO
√4z	Furnish and Installation of LoadsRite Single,	,e				,
,	Curbside, Drop-Down Ladder Rack, As			 .	- 12/1/V)	. 12MM (X)
/.	Specified	1	10	EA	\$ 1500.00	\$1000.00
√4aa	Install White Vinyl Wrapping on Roof of		10		. 12/1 /V	a hill IV
1	Vehicle from Front to Rear, As Specified	I.	10	$\mathbf{E}\mathbf{A}$	\$ 370.00	\$0900.00
√4bb	Diagnostic Tools/Test Equipment,	4	•	T-1.	. (/4// /)	1 29600 121
/,	As Specified	Ţ	3	EA	3 7 W W	3/)acoico
J4cc	Two-Way Radio Power and Wiring					
	Requirements for New Vehicles,	1	10	EA	s 15000	。/ <i>SN</i> 1 <i>Y</i> 1
/ / / / /	As Specified	1	10	EA	3 / <u>UU</u>	* 1000 iu
√4dd	Installation of County Supplied Two-Way				1/6/1/1	ILKAN IV)
	Radio Accessories, As Specified	1	10	EA	\$ 400.00	\$ 4000,00
						AMADIA M
	TOT	AL LU	IMP SU	M (Add	Item #'s 4-4dd):	\$4509440,00

EXCEPTIONS - LIST DIFFERENCES AND EXPLAIN IN DETAIL ON BIDDER'S LETTERHEAD

IF PROPOSING OTHER THAN SPECIFIED, VENDOR SHALL INCLUDE TECHNICAL SPECIFICATIONS AND DESCRIPTIVE LITERATURE WITH BID PROPOSAL

VENDOR SHALL INCLUDE WARRANTY DETAILS ON ALL ITEMS WITH BID PROPOSAL

$\sqrt{ ext{ITEM #1 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 250, AS SPECIFIED OR EQUAL}}$

	COMPL	IANCE
	YES	NO
DESCRIPTION R1C 101A		
2020 Transit Van 250, 130" Wheelbase, Medium Roof (100.8") Height,		
Rear wheel Drive	Х	
3.5L PFDI V6 998	X	
10-Speed Automatic Overdrive with Select Shift 44U	X	
Alternator – Heavy Duty 250 Amp	<u>X</u>	
Single Battery 70 amp hours 63X	X	
Brakes – 4-wheel anti-lock disc brakes	X	
Horn – Single note	X	
Steering – Power Rack and Pinion	- <u>x</u>	
Suspension, Front - Independent MacPherson-strut, stabilizer bar		
	X	
Suspension, Rear – Leaf Springs, heavy duty gas shock absorbers	- ^	
235/65R16C Steel Wheel with black hubcaps	X	
Full Size Spare Tire & Wheel	_X	
Bumper, Front – Black, Body colored with lower valence	X	
Bumper, Rear – Carbon Black, without integral step	X	
Sliding Passenger side-door	<u>X</u>	
Grille – three bar with Carbon black surround		
Halogen Head lamps	X	
Center High Mount Stop Light	<u>X</u>	
Short-Arm, Power Adjusting Mirror, Manual Folding	<u> X</u>	
Windshield Wipers – Automatic Rain Sensing	X	
Air Conditioning – Front Only	X	
Radio - AM/FM stereo, Bluetooth, dual USB port, 4.0" Multifunction		
display and fender mounted antenna	X	
Cargo area tie down hooks	X	
Medium Center Console with integrated shifter	X	
Auto locking Drive Away with Crash Unlocking	X	
Glove Box – locking	X	
Instrumentation - Tachometer, fuel level and coolant temperature	X	
Front dome lamp with map lights and theater dimming	Χ	
Rear Compartment Lighting	X	
Dark Palazzo Grey - Vinyl - Driver and Front passenger manual reclining	 -	
bucket seats with adjustable headrest. Includes Driver and passenger		
inboard armrest.	Х	
2 Passenger	X	
Steering – Tilt & telescoping		
Step Well pads – Black	X	
Driver and Passenger side A-Pillar Grab Handle	X	
Headliner – Cloth, Front only	X	
Driver and Passenger air bags	X	
Safety belts – 3 point all positions	X	
Rearview Camera with trailer hitch assist	X	
Daytime Running Lights (942) 942	X	
50/50 Hinged Rear Door, 180 degree opening	X	
Power Point 12V	X	
I OTHER LAT		

ITEM #1 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

			COMPL	ANCE
			YES	NO
<u>DESCRIPTION</u> (Cont'd) Fixed Rear-Door glass with fixed passenger-side cargo- Vinyl Floor covering – Front Front License Plate Bracket	door glass (17 17B	/B)	X	
Cruise Control (60C)	60C	-	X	
Back up Alarm (43B)	43B	_	X	*
 Heavy-Duty Trailer Tow Package (53B) – Including: Tow/Haul Mode with Trailer wiring provisions 	400	_		
 4-pin/7-pin connector assembly and rear jumper Relay system for backup/B+/running lights Frame mounted hitch receiver 	53B		v	
		_	X	
Trailer Brake controller (67D) 67D 6 ton receiver mount Pintle & 2" ball combination hitch	ı	<u></u>	X	······································
3 ball receiver tube 1-7/8", 2", 2-5/16" lock in style, pir	is not accepta	able _	X	·
PAINT Color to be specified from standard color chart on purel ordering	nase order who	en _	X	.,
WARRANTY Bumper to Bumper: 3 years/36,000 miles		-	X	
Vehicle Equipment Must Be Rustproofed and Warrantie Manufacturer Against Rust for Five (5) Years or 50,000 Comes Last. This Equipment Must Also Meet or Excee State, Federal and PEOSHA Laws and Regulations	Miles, Whick		×	
OPTIONS:				
1A. All Wheel Drive	2C	_	X	
1B. <u>Audio Pack 28</u> AM/FM Stereo with HD/Satellite Radio Capability, Blu		_		
jack, Dual USB ports, Sync 3, and 8.0" colored multifu with Navigation. (584)	nction touch s 84	cr ee n -	X	
/ 1C. <u>Furnish and Factory Installation of Running Bo</u>	ards (68H)	68H _	X	
/			-	
1D. Paint Color Found on Vehicle Special Order Pai (i.e. Color W3029N)	nt Options		X	
1E. Metallic Paint Colors		_	X	

ALL AMERICAN FORD

Page 27 of 60 ITEM #1 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 250, AS SPECIFIED OR EQUAL (CONT'D) COMPLIANCE YES NO

OPTIONS (Cont'd)

1F. High Capacity Upfitter Switches (67C)

Includes large Center Console with Integrated Shifter (67E) and Auxiliary Fuse panel with High Spec Interface Connector (87E) (package 87E is a Auxiliary Fuse panel with High Spec Interface Connector. Includes Dual AGM Batteries (63E) and Modified Vehicle Wiring System (53K)).

Х

1G. Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light

Fully loaded with all Amber, LED's which includes 4 corners, 4 front facing and 6 rear facing and bar also includes two white take down lights in Front, 2 White Alley Lights, Corner Lights Wired on Separate Switch

Х

1H. Furnish and Installation of Medium Roof Electrical Contractor

For Transit 130" Wheel Base Medium Roof (Adrian Steel Part Number -4319TM130) Installed. Kit Includes:

- (3) AD Series Shelf Unit 44"
- (1) Rail Kit 130" TR
- (1) Partition with Door
- (1) Partition with Wing Kit
- (4) End Panel Bracket
- (1) Parts Bin System (BR76012)
- (1) Parts Bin System (BR36212)
- (1) Drawer Component 6"
- (1) Divider Kit of 8
- (1) Three Hook Bar
- (1) Literature Rack
- (2) Door Kit
- (1) Wire Reel Holder
- (2) Four Drawer Shallow

Х

1I. Furnish and Installation of Medium Roof General Service Package

For Transit 130" Wheel Base Medium Roof (Adrian Steel Part Number -4317TM130) Installed. Kit Includes:

- (3) AD Series Shelf Unit 44"
- (1) Rail Kit 130" TR
- (1) Divider Kit of 8
- (1) Three Drawer Combo
- (1) Partition with Door

ALL AMERICAN FORD

Page 28 of 60 <u>ITEM #1 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 250, AS SPECIFIED OR EQUAL</u> (CONT'D) **COMPLIANCE YES** NO **OPTIONS** (Cont'd) 11. Furnish and Installation of Medium Roof General Service Package (Cont'd) (2) 5" Utility Hook (1) Three Hook Bar (1) Four Drawer Shallow • (1) Drawer Component 6" • (1) End Panel Bracket • (1) Partition wing kit Х • (1) Part Bin System 1J. Furnish and Installation of Medium Roof HVAC Repair Package Transit 130" Wheel base Medium Roof (Adrian Steel Part Number -4318TM130) Installed Kit Includes: (3) AD series Shelf Unit 44" (1) Rail Kit 130" TR (1) Partition with door (1) Partition Wing Kit (2) End panel bracket • (1) Part bin System (1) Drawer Component 6" (1) Divider kit of 8 (1) Three hook bar (1) Welded Tank Rack (1) Literature Rack (1) Door Kit (1) Tank Rack Adapter Х (2) Two Drawer Medium 1K. Furnish And Installation Of Loadsrite Single, Curbside, Drop-Down Ladder Rack For Ford Transit Medium Roof Vans. (Adrian Steel Part Number -DDLR61FTM) Installed Kit Includes: • (1) Loads Rite Module Х • (1) Roof Rail and Crossbow Kit

Х

1L. Install White Vinyl Wrapping On Roof Of Vehicle From Front

To Rear

Page 29 of 60

ITEM #1 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

		<u>COMPL</u>	<u>IANCE</u>
		$\underline{\mathbf{YES}}$	<u>NO</u>
	IONS (Cont'd)		
	Diagnostic Tools / Test Equipment		
1.	Successful bidder may be required to supply between one (1) to		
	three (3) complete sets of OEM test/diagnostic/ programming		
	equipment (i.e. laptop, software, cabling, and adapters) and		
	special tools required to perform the full range of diagnostic		
	and maintenance actions necessary to maintain vehicle operability. This equipment will cover the vehicle chassis, engine, transmission,		
	brakes, hydraulics, and all additional equipment	V	
	(if applicable).	Х	
2,	All laptop computers will be of the newest available technology		
	and have sufficient storage and memory to operate all required	V	
	software.	Χ	
3.	Provide a list of all test/diagnostic/programming equipment and		
٠.	special tools being supplied at the time of bid.	X	
4	All software installations and activations will be completed by the		
٠,	successful bidder at no cost to the County.	Х	
5	All software updates and renewal will be provided at no cost to the		
٠.	County for a period of five (5) years from the acceptance of the		
		X	
6	equipment		
6.	All technical issues relating to test/diagnostic/programming equipment and special tools shall be resolved by the successful		
	bidder at no cost to the County for a period of five (5) years		
	from the acceptance of the equipment.	X	
7.			
	at a County location.	X	
	-		
N.	Two-Way Radio Power and Wiring Requirements for New Vehicle	<u>es</u>	
	For the purpose of installing two-way radios into new County vehicles		
	and equipment, the following power and wiring components shall		
I	pe included:		
	1. #12 AWG RED wire connected to 12VDC Battery Source rated		
	at 20 Amps.		
	2.#12 AWG BLACK wire connected to chassis ground.		
	3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense		
	rated at 5 Amps.		
	•		
	These wires shall be encased in plastic wire loom and routed from		
	heir source into the cab of the vehicle and secured in the vicinity		
	of the operator. The wiring harness shall be clearly labeled 'TWO-WAY RADIO'. The wires shall be unterminated. The		
	2VDC sources shall be protected from making contact with		
	grounded metal surfaces.	X	
	ga U 20-1-1-10-1-10-1-1-10-1-1-1-1-1-1-1-1-1-		

ALL AMERICAN FORD

Page 30 of 60

ITEM #1 MODEL YEAR 2020, OR NEWER, TRANSIT VAN 250, AS SPECIFIED OR EQUAL (CONT'D)

COMPLIANCE YES NO

OPTIONS (Cont'd)

10. <u>Installation of County Supplied Two Way Radio and Accessories</u>
Install is to include but not limited to antenna cable, mounts, speakers, brackets, etc. For the purpose of installing two-way radios into new County vehicles and equipment, the following power and wiring components shall be included:

- 1. #12 AWG RED wire connected to 12VDC Battery Source rated at 20 Amps.
- 2, #12 AWG BLACK wire connected to chassis ground.
- 3. #16 AWG YELLOW wire connected to 12VDC Ignition Sense rated at 5 Amps.

These wires shall be encased in plastic wire loom and routed from their source Into the cab of the vehicle. The wiring harness shall be clearly labeled "TWO-WAY RADIO". The 12VDC sources shall be protected from making contact with grounded metal surfaces

Χ		

Page 55 of 60

Proposal for the furnishing and delivery of MOTOR VEHICLES: NEW VANS NO. II for the County of Ocean.

VENDOR WILL EXTEND CONTRACT PRICES TO "COUNTY COOPERATIVE CONTRACT PURCHASING SYSTEM" PARTICIPANTS.

(XX-YES ()-NO

PRICE SCHEDULE

Item	Description	Est. Qty.	Max. Qty.	Unit of Meas.	Unit Price	Total Price
1	Model Year 2020, or Newer, Transit Van 250, As Specified or Equal	1	10	EΑ	32329 \$	323290 \$
	Year, Mfr., Model: 2020 FORD TRANSIT Engine 3.5L PFDI V6	VAN				
	Transmission 10 SPEED					
	Delivery, A.R.O. 14 TO 28					
	Warranty: 3 YR 36K BUMPER TO BUMPE	ER, 5 Y	R 60K	POWER	RTRAIN	
	Remarks					
	OPTIONS					
/ja	All Wheel Drive, As Specified	1	10	EA	\$ 3456	_{\$} 34560
/lþ	Audio Pack 28, As Specified	1	10	EA	\$ 1076	\$ 10760
/lc	Furnish and Factory Installation of Running Boards, As Specified	1	10	EA	\$ 273	\$ 2730
√ld ∕	Paint Color Found on Vehicle Special Order Paint Options, As Specified	1	10	EΑ	\$ 867	\$ 8670
/ je	Metallic Paint Colors, As Specified	1	10	EA	\$ 176	\$ 1760
√1f	High Capacity Upfitter Switches, As Specified	1	10	EA	\$ 427	\$ 4270
√1g /	Whelen: IX8AAAA - Liberty II, Solo IX Low Current Series Light Bar - 48", As Specified	1	10	EA	\$ 1812	\$ 18120
√1h	Furnish and Installation of Medium Roof Electrical Contractor Package, As Specified	ı	10	EA	_{\$} 3000	_{\$} 30000
√1i	Furnish and Installation of Medium Roof General Service Package, As Specified	1	10	EA	\$ 3085	\$ 30850
√lj	Furnish and Installation of Medium Roof HVAC Repair Package, As Specified	1	10	EA	\$ 2705	\$ 27050

ALL AMERICAN FORD

Page 56 of 60 Unit of Item Max. Est. Description Qty. Qty. Meas. Unit Price **Total Price** OPTIONS (Cont'd) 1k Furnish and Installation of Loadsrite Single, Curbside, Drop-Down Ladder Rack, 1275 12750 As Specified 1 10 EA Install White Vinyl Wrapping on Roof of 500 5000 Vehicle from Front to Rear, As Specified 1 10 EA Diagnostic Tools/Test Equipment, As Specified 8200 24600 \$ 1 3 ËΑ Two-Way Radio Power and Wiring Requirements for New Vehicles, 150 1500 As Specified Ī 10 EA Installation of County Supplied Two-Way 4750 475 Radio and Accessories, As Specified 1 10 EA \$ s 541270 TOTAL LUMP SUM (Add Item #'s 1-10): 540,660 2 Model Year 2020, or Newer, Transit Passenger Van XLT 350 Medium Roof, As 41545 \$ 415450 10 EA Specified 2020 FORD TRANSIT WAGON Year, Mfr., Model: Engine 3.5L PFDI V6 Transmission 10 SPEED AUTO 14-28 WEEKS Delivery, A.R.O. Warranty: 3 YR 36K BUMPER TO BUMPER, 5 YR 60K POWERTRAIN Remarks **OPTIONS** \$ 42190 \$ 4219 2a 1 10 EA All Wheel Drive, As Specified 2b \$ 719 \$ 7190 Audio Pack 28, As Specified or Equal 1 10 EA 2c Paint Color Found on the Vehicle Special 4830 483 \$ \$ Order Paint Options, As Specified 1 10 EΑ 2d Metallic Paint Colors, As Specified 182 1820 1 \$ \$ 10 EΑ 2e High Capacity Upfitter Switches, 8680 868 \$ As Specified 1 10 EΑ \$ 2f Rear Interior Door Handles Inoperable/Lock 500 50 \$ 1 10 EΑ \$ Operable Whelen: IX8AAAA - Liberty II, Solo IX 2g Low Current Series Light Bar - 48", 1550 15500 1 10 EA \$ \$ As Specified

1

10

EΑ


\$

\$

0

2h

Light Color Option, As Specified



RESOLUTION

July 1, 2020

WHEREAS, on June 16, 2020, pursuant to legal advertisements therefor, sealed bids were received for the PROPOSED NEW SECURITY OFFICE AT OCEAN COUNTY PARKING GARAGE, TOMS RIVER, NJ, in accordance with plans and specifications prepared by Yezzi Associates, County Architect and approved by the Ocean County Board of Chosen Freeholders; and

WHEREAS, at the advertised time, responses were received from the following bidders:

Name and Address of Bidder
R. Maxwell Construction Co., Inc.
206 W. Delilah Rd.
Pleasantville, NJ 08232
(609) 646-6699

George Koustas Ptg. & Const., LLC 70 Beechwood Ave. West Long Branch, NJ 07764 (732) 571-1148

Joseph Porretta Builders, Inc. 551 Anderson Ave. Hammonton, NJ 08037 (609) 561-6391 Name and Address of Bidder
Gavan General Contracting, Inc.
92 Forest Drive
Lakewood, NJ 08701
(732) 367-3900

Ascend Construction Management, Inc. 3327 Sunset Ave. Ocean, NJ 07712 (732) 898-7500

; and

WHEREAS, after the receipt and examination of same, the County Purchasing Agent referred all bids to the County Architect for study and recommendation to the Board; and

WHEREAS, the County Architect has now recommended to this Board that the lowest qualified bid, according to specifications, namely that of, R. MAXWELL CONSTRUCTION CO., INC., for Item No. 1. For a Total Lump Sum Award (Including an Allowance of \$5,000.00) of \$203,000.00.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with R. MAXWELL CONSTRUCTION CO., INC., accepting their low bid for the PROPOSED NEW SECURITY OFFICE AT OCEAN COUNTY PARKING GARAGE, TOMS RIVER, NJ, in accordance with plans and specifications prepared by Yezzi Associates, County Architects and Planners. Project to be completed within 120 calendar days of Notice to Proceed. Project to have a Liquidating Damage Clause of \$500.00 per day after date of Contract completion. Project to start on or about July 15, 2020.
- 2. The Department of Finance has certified that funds are available in Account No. 016-010-6040 in the amount of \$203,000.00 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 3. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-98A.
- 4. Be it further resolved that certified copies of this Resolution shall be made available to each of the following:
 - a. County Auditor;
 - b. County Department of Purchasing;
 - c. Department of Finance;
 - d. County Department of Buildings and Grounds; and
- f. Yezzi Associates, Architects & Planners, who shall promptly notify the successful bidder that they are the successful bidder and the amount of items covered by their bid; said Architects & Planners shall also attend to having said successful bidder enter into a good and binding contract for the faithful compliance with their bid, see that the successful bidder enters into a good and sufficient surety bond to the County of Ocean for the faithful performance of their contract, and have the original copies of the contract and bond filed with the Clerk of this Board.

RESOLUTION

July 1, 2020

WHEREAS, on May 6, 2020 a resolution was adopted awarding contract B2020-55 for **SNOW PLOW BLADES, GRADER BLADES, AND BOLTS** for the County of Ocean; and

WHEREAS, it has been recommended to this Board that an Amendment to the resolution is necessary as a successful bidder, Winter Equipment Company, Inc. wishes to extend contract prices to "County Cooperative Contract Purchasing System Participants"; and NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN

 The Director and Clerk of this Board are hereby authorized and directed to amend the Resolution for SNOW PLOW BLADES, GRADER BLADES, AND BOLTS for the County of Ocean.

FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

2. Be it further resolved that certified copies of this Resolution shall be made available to the County Auditor, County Purchasing Agent, Department of Finance, All County Departments and Winter Equipment Company, Inc., the successful bidder.



Ocean County Board of Chosen Freeholders
Clerk of the Board
P.O. Box 2191
Toms River, New Jersey 08754
Contract #B2020-55 Snowplow Blades, Grader Blades and Bolts 2020-2021


Attn Purchasing:

Winter Equipment Company, Inc. wishes to extend the above referenced Contract prices to the County Cooperative Contract Purchasing System Participants.

Please contact us should you have any questions or need anything further from us.

We appreciate this opportunity,

Christine Marsiglio



RESOLUTION

July 1, 2020

WHEREAS, on May 27, 2020, pursuant to legal advertisements therefor, sealed bids were received for the RECONSTRUCTION AND RESURFACING OF RIVER AVENUE, WEST END AVENUE TO CENTRAL AVENUE, BOROUGH OF ISLAND HEIGHTS, County of Ocean, State of New Jersey, in accordance and specifications prepared by the County Engineer and approved by the Ocean County Board of Chosen Freeholders; and

WHEREAS, on June 17, 2020, Contract B2020-83E was awarded to SEACOAST CONSTRUCTION, INC.; and

WHEREAS, the County Engineer has requested Contract B2020-83E, awarded to Seacoast Construction, Inc. be rescinded as a result of an additional review of the bid tabulation, a clerical error was identified; and

WHEREAS, the County Engineer has recommended B2020-83E, be awarded to EARLE ASPHALT COMPANY, the lowest qualified bidder.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- The aforementioned Resolution and Contract dated June 17, 2020 awarding to Seacoast Construction, Inc. is hereby rescinded.
- 2. The Director and Clerk of this Board are hereby authorized and directed to enter into a contract with EARLE ASPHALT COMPANY accepting their low bid in the amount of \$586,913.13 for the RECONSTRUCTION AND RESURFACING OF RIVER AVENUE, WEST END AVENUE TO CENTRAL AVENUE, BOROUGH OF ISLAND HEIGHTS, County of Ocean, State of New Jersey, in accordance with plans and specifications prepared by the County Engineer. All work under this contract shall be completed within ninety (90) calendar days.
- 3. The Department of Finance has certified that funds are available in Account No. 301-185-C812 in the amount of \$459,148.86 and Account No. 301-185-C910 in the amount of \$127,764.27 to cover this contract and the amount of the contract shall be encumbered against the said Appropriations.
- 4. All other provisions of the Resolution and contract documents described above shall remain in full force and effect.
- 5. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract, the number being B2020-83E.

- 6. Be it further resolved that certified copies of this Resolution shall be made available to each of the following:
 - a. County Auditor;
 - b. County Department of Purchasing;
 - c. Department of Finance;
- d. County Engineer who shall see that the successful bidder enters into a proper contract for the faithful performance of their bid and that said contract is duly filed with the Clerk of this Board, who shall see that the successful bidder furnishes to the County of Ocean a properly executed surety company bond for the faithful performance of their contract.

JULY 1, 2020

WHEREAS, there exists a need for a qualified vendor to provide Traumatic Loss Coalition Coordinator Services to Ocean County educational and child care institutions and support agencies along with children, adolescents, and adult residents in times of disaster, crisis and trauma; and

WHEREAS, the County of Ocean has publicly solicited a Request for Qualifications for such services in accordance with the requirements of N.J.S.A. 19:44A-20.4; and

WHEREAS, the responses received by the County of Ocean were reviewed by the Ocean County Department of Human Services and the Ocean County Consultant Selection Review Committee in accordance with the criteria approved by the Ocean County Board of Chosen Freeholders and set forth in the Request for Qualifications; and

WHEREAS, the Ocean County Department of Human Services and the Ocean County Consultant Selection Review Committee has recommended that an Agreement be awarded to The YMCA of Greater Monmouth, 170 Patterson Ave., Shrewsbury, New Jersey 07702, to provide such services, on an as needed basis from July 1, 2020 through June 30, 2021, as requested by the Ocean County Department of Human Services, as more specifically set forth in those Agreements; and

WHEREAS, funds for these services will be made available contingent upon the execution of a Professional Service Agreement with Rutgers University Behavioral Health Care Services for Traumatic Loss Coalitions for Youth Programs, and receipt of appropriate grant funding; and

WHEREAS, this Agreement is awarded as a professional service in accordance with N.J.S.A. 40A:11-5, as the services to be performed are specialized and qualitative in nature and require expertise, extensive training and a proven reputation in this field of endeavor; and

WHEREAS, this Agreement is awarded in compliance with the provisions of N.J.S.A. 40A:11-5(l) of the Local Public Contracts Law and N.J.S.A. 19:44A-20.4 et seq., the New Jersey "Pay-to-Play" Law.

NOW THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter into and execute an Agreement with The YMCA of Greater Monmouth, 170 Patterson Ave., Shrewsbury, New Jersey 07702, for the provision Traumatic Loss Coalition Coordinator Services for Ocean County residents in need and Ocean County educational and child care institutions and support agencies as more specifically set forth in that Agreement.
- 2. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to this Agreement.
- 3. That funds not to exceed the amount of \$14,254.52, per grant receipt and term, shall be appropriated from the account #017-818-V092, upon receipt of purchase order.
- 4. A certified copy of this Resolution, together with a copy of the Agreement executed by the parties, shall remain on file and be available for public inspection at the office of the Clerk of the Board of Chosen Freeholders.
- 5. A notice of this action shall be published once as required by law.
- 6. Certified copies of this Resolution shall be made available to:

The YMCA of Greater Monmouth, Ocean County Department of Human Services, Ocean County Comptroller, Ocean County Counsel.

CONTRACT NO. MUST BE ON ALL PAPERS, DOCUMENTS, INVOICES, VOUCHERS

NO. QP2020 - 86

RESOLUTION

July 1, 2020

WHEREAS, RUTGERS UNIVERSITY BEHAVIORAL HEALTH CARE SERVICES, has available funds for the TRAUMATIC LOSS COALITIONS FOR YOUTH PROGRAMS for the provision of suicide prevention, trauma response, postvention and resiliency services; and

WHEREAS, the COUNTY OF OCEAN, Department of Human Services wishes to enter into an Agreement with Rutgers University Behavioral Health Care Services for TRAUMATIC LOSS COALITIONS FOR YOUTH PROGRAMS; and

WHEREAS, funds totaling \$ 14,254.52 is requested from Rutgers University

Behavioral Health Care Services, for the Ocean County Traumatic Loss Coalitions for Youth

Program; and

WHEREAS, the grant period for the Ocean County Traumatic Loss Coalitions for Youth Program Agreement is from July 1, 2020 through June 30, 2021 and is contingent upon the execution of an Agreement with Rutgers University Behavioral Health Services.

NOW, THEREFORE, BE IT RESOLVED BY THE OCEAN COUNTY BOARD OF CHOSEN FREEHOLDERS, OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board hereby authorizes the Department of Human Services to submit a grant application with RUTGERS, THE STATE UNIVERSITY OF NEW JERSEY, Rutgers University Behavioral Health Care Services, for the Traumatic Loss Coalitions for Youth Program (TLC).

BE IT FURTHER RESOLVED, that the Freeholder Director and Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to the County Administrator, County Department of Finance, County Auditor, County Department of Human Services and the above agency.

RESOLUTION July 1, 2020

WHEREAS, there exists a need for vendors capable of providing fresh perishable food items in Ocean County, on an as needed basis; and

WHEREAS, pursuant to N.J.S.A. 19:44A-20.4 et seq. the County of Ocean solicited Request for Qualifications for Perishable Food Providers; and

WHEREAS, the County of Ocean received seven (7) responses to the same, and the Ocean County Consultant Selection Review Committee reviewed the responses submitted in accordance with the selection criteria established by the Board of Chosen Freeholders and contained in the Request for Qualifications; and

WHEREAS, the Ocean County Consultant Selection Review Committee has recommended that the Board of Chosen Freeholders accept the qualifications of Mivila Foods, Metropolitan Foods, Inc. dba Driscoll Foods, D'Ambrisi Wholesale Foods, J.Ambrogi Foods, M.V. Silveri & Sons, Inc., and Seashore Fruit & Produce for perishable foods items, on an as needed basis, for the period of 6/21/2020 through 6/20/2021 with the option to extend for one additional year; and

WHEREAS, a need still exists for additional providers and the Ocean County
Consultant Selection Review Committee has recommended and approved issuance of a
Supplemental Request for Qualifications for Perishable Food Providers; and

WHEREAS, the contract document will be the Purchase Order, under account numbers 016-210-5051-2300 and 016-210-5056-2300; when issued by the Ocean County Department of Purchase, and shall be approved as to funds available by the Department of Finance in an amount not to exceed \$45,000.00; and

WHEREAS, this agreement is awarded in compliance with the provisions of N.J.S.A. 40A:11-5(1) of the Local Public Contracts Law and N.J.S.A. 19:44A-20.4 et seq., the New Jersey "Pay to Play" Law.

NOW, THEREFORE, BE IT RESOLVED, by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY that The Board of Chosen Freeholders does hereby accept the qualifications of Mivila Foods, 226 Getty Avenue, Paterson, NJ 07503, Metropolitan Foods, Inc. dba Driscoll Foods, 6 Westbelt, Wayne, NJ 07470, D'Ambrisi Wholesale Foods, 235 West Avenue, Long Branch, NJ 07740, J. Ambrogi Foods, 1400 Metropolitan Avenue, Thorofare, NJ 08086, M.V. Silveri & Sons, Inc., 1095 Towbin Avenue, PO Box 379, Lakewood, NJ 08701, Seashore Fruit & Produce Co., 1344 NW Blvd., Vineland, NJ 08360 and for perishable

food providers, on an as needed basis, to be authorized by purchase order only, and that a Supplemental Request for Qualifications for Perishable Food Providers be solicited.

BE IT FURTHER RESOLVED that certified copies of this Resolution be made available to Mivila Foods, Metropolitan Foods, Inc. dba Driscoll Foods, D'Ambrisi Wholesale Foods, J.Ambrogi Foods, M.V. Silveri & Sons, Inc., and Seashore Fruit & Produce the Ocean County Comptroller, Ocean County Department of Juvenile Services and Ocean County Counsel.

July 1, 2020

WHEREAS, there exists a need for Court Facility Architectural Design Services, Where and As Directed by Various Departments of the County of Ocean; and

WHEREAS, the Ocean County Department of Management and Budget has publicly solicited a Request for Qualifications for such work in accordance with the requirements of N.J.S.A. 19:44A-20.4 et seq.; and

WHEREAS, Nine (9) firms responded with written qualifications, fee schedules and associated documentation; and

WHEREAS, the Consultant Selection Review Committee has reviewed the proposals submitted and has recommended seven (7) firms to be qualified to provide Court Facility Architectural Design Services for Ocean County, Where and as Directed by Various Departments of the County of Ocean; and

WHEREAS, the responses received by the County of Ocean were reviewed by the Ocean County Department of Management and Budget, Department of Engineering and Planning Department, and the Ocean County Consultant Selection Review Committee in accordance with the criteria approved by the Ocean County Board of Chosen Freeholders and set forth in the Request for Qualifications; and

WHEREAS, the Ocean County Department of Management and Budget and the Ocean County Consultant Selection Review Committee has recommended that the seven (7) firms listed are qualified and eligible to provide and be awarded contracts for the necessary services for the upcoming year:

AECOM Architects & Engineers (NJ) Inc. 1255 Broad Street Suite 201 Clifton, NJ 07013

Clarke Caton Hintz, PC 100 Barrack Street Trenton, NJ 08608

Design Resources Group Architects, AIA, Inc. 200 Franklin Square Drive Suite 402 Somerset, NJ 08873

DMR Architects 777 Terrance Avenue Suite 607 Hasbrouck Heights, NJ 07604

Netta Architects, LLC 1084 Route 22 West Mountainside, NJ 07092

RSC Architects 3 University Plaza Drive Suite 600 Hackensack, NJ 07601

USA Architects Planners, & Interior Designers, LTD 20 N. Doughty Avenue Somerville, NJ 08876

to provide such services, on an as needed basis, when and as directed by Various Departments in Ocean County, as more specifically set forth in a project specific proposal; and

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY as follows:

- 1. The firms set forth above are qualified and eligible to provide Court Facility Architectural Design Services for Ocean County, Where and As Directed by Various Departments of Ocean County be awarded contracts for necessary Services for July 1, 2020 through June 30, 2021.
 - 2. The services to be provided will be based upon project specific proposals.
- A certified copy of this Resolution shall remain on file and be available for public inspection at the Office of the Clerk of the Board of Chosen Freeholders during normal business hours.
 - 4. Certified copies of this Resolution shall be made available to:

AECOM Architects & Engineers (NJ) Inc.
Clarke Caton Hintz, PC
Design Resources Group Architects, AIA, Inc.
DMR Architects
Netta Architects, LLC
RSC Architects
USA Architects, Planners, & Interior Designers, LTD

July 1, 2020

WHEREAS, on January 2, 2020 contract QP2020-4 was awarded for auditing services to Robert W. Allison, CPA, RMA, PSA; and

WHEREAS, it is necessary to amend the contract amount to include services for Southern Ocean Landfill as outlined in the letter dated December 13, 2019; and

WHEREAS, funds will be made available from the appropriation entitled Southern Ocean Landfill Escrow Fund account number 9999-308-155-2202 in the amount of \$5,500.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. Contract QP2020-4 is hereby increased from \$290,000 to \$295,500.
- 2. The letter dated December 13, 2019 will serve as the amendment to the original contract. A copy of this Agreement shall be kept on file and available for public inspection at the Office of the Clerk of the Board of Chosen Freeholders, Ocean County Administration Building, 101 Hooper Avenue, Toms River, New Jersey.
- 3. This contract is awarded as a "Professional Services" in accordance with the Local Public Contracts Law, N.J.S.A. 40A:11-5(1)(a), as the services required in connection with this Agreement shall be provided by licensed accountants and constitute professional services as defined therein.
- 4. A notice of this action shall be published once as required by law.
- 5. The contractor shall include the contract number on all papers, documents, invoices and vouchers pertaining to said contract.
- 6. Certified copies of this resolution shall be made available to Ocean County
 Department of Finance, Planning Department and the County Auditor.

July 1, 2020

WHEREAS, there exists a need for mapping for the Sheriff's Department 911 telephone switch; and

WHEREAS, the Ocean County Sheriff's Department has determined that the mapping is essential to triangulate calls through the Sheriff's Dept. 911 telephone switch; and

WHEREAS, this is awarded in compliance with the NJ State approved contract number 83925; and

WHEREAS, upon review of the quote submitted, Ocean County is desirous of entering into an agreement with Johnston Communications to provide the mapping needed to triangulate call via the Sheriff's Dept. 911 telephone switch; and

WHEREAS, the funds shall be encumbered for said agreement under the account numbers 016-085-6042-47OS in the amount not to exceed \$222,970.03. Terms subject to the availability of funds.

NOW, THEREFORE, BE IT RESOLVED, BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. This agreement is awarded under the terms and conditions of the NJ State approved contract number 83925.
- 2. The Freeholder-Director and Clerk of the Board are hereby authorized and directed to enter into any necessary subsequent documents with Johnston Communications, PO Box 390, Kearny, NJ 07032.
- 3. A notice of this action shall be published once as required by law.
- 4. The contract number must be placed on all documents pertaining to this agreement.
- 5. A Certified Copy of this Resolution shall remain on file and be available for the public inspection at the Office of the Clerk of the Board of Chosen Freeholders.
- 6. A Certified Copy of this Resolution shall be made available to the Ocean County Comptroller, Ocean County Sheriff's Dept. and Johnston Communications.

RESOLUTION July 1, 2020

WHEREAS, on May 20, 2020 the Ocean County Board of Chosen Freeholders approved the acquisition of Block 60, Lots 1193-1212, 1233-1242, and 1253-1262 in the Township of Toms River under the Ocean County Natural Lands Trust Fund, by resolution # 2020000628; and

WHEREAS, surveying services are required for the transfer of title of this property from the seller to the County of Ocean; and

WHEREAS, the Consultant Selection Review Committee recommended twenty-two (22) firms to be qualified to provide Professional Land Surveying Services for Various Projects in Ocean County, Where and As Directed by Various Departments of Ocean County; and

WHEREAS, the Ocean County Board of Chosen Freeholders acknowledged that the twenty-two (22) firms are qualified and eligible to perform Professional Land Surveying Services for Various Projects in Ocean County by resolution dated February 19, 2020 referred to as contract number QP2020-57; and

WHEREAS, the County of Ocean has received three proposals from the list of eligible firms and the lowest qualified bidder is French & Parrello Associates. P.A., Wall, New Jersey; and

WHEREAS, the bidder submitted a proposal for land surveying services in the lump sum fee of \$5,200.00; and

WHEREAS, this contract is awarded in compliance with the provisions of N.J.S.A 19:44A-20.4 et seq., the New Jersey "Pay-to-Play" Law.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. Authorizing a purchase order in an amount not to exceed \$ 5,200.00 for surveying services to French & Parrello Associates. P.A. from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.
- 2. Certified copies of this Resolution shall be made available to County Administrator, County Planning Director, County Finance Director, County Auditor, County Counsel, County Natural Lands Trust Fund Advisory Committee and French & Parrello Associates. P.A.

RESOLUTION July 1, 2020

WHEREAS, on May 20, 2020 the Ocean County Board of Chosen Freeholders approved the acquisition of Block 796, Lots 25 and 26 in the Township of Berkeley under the Ocean County Natural Lands Trust Fund, by resolution # 2020000629; and

WHEREAS, surveying services are required for the transfer of title of this property from the seller to the County of Ocean; and

WHEREAS, the Consultant Selection Review Committee recommended twenty-two (22) firms to be qualified to provide Professional Land Surveying Services for Various Projects in Ocean County, Where and As Directed by Various Departments of Ocean County; and

WHEREAS, the Ocean County Board of Chosen Freeholders acknowledged that the twenty-two (22) firms are qualified and eligible to perform Professional Land Surveying Services for Various Projects in Ocean County by resolution dated February 19, 2020 referred to as contract number QP2020-57; and

WHEREAS, the County of Ocean has received three proposals from the list of eligible firms and the lowest qualified bidder is Schaeffer Nassar Scheidegg Consulting Engineers, LLC, Mays Landing, New Jersey; and

WHEREAS, the bidder submitted a proposal for land surveying services in the lump sum fee of \$1,550.00; and

WHEREAS, this contract is awarded in compliance with the provisions of N.J.S.A 19:44A-20.4 et seq., the New Jersey "Pay-to-Play" Law.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- 1. Authorizing a purchase order in an amount not to exceed \$ 1,550.00 for surveying services to Schaeffer Nassar Scheidegg Consulting Engineers, LLC from the Ocean County Natural Lands Trust Fund, Account Number 225-155-0151.
- 2. Certified copies of this Resolution shall be made available to County Administrator, County Planning Director, County Finance Director, County Auditor, County County County Natural Lands Trust Fund Advisory Committee and Schaeffer Nassar Scheidegg Consulting Engineers, LLC.

July 1, 2020

WHEREAS, the Ocean County Board of Chosen Freeholders has determined that a need exists for Engineering Design Services for the design of a new garage and ancillary structures at the Ocean County Chestnut Street Complex, 152 Chestnut Street, Toms River, in the Township of Toms River, in the County of Ocean; and

WHEREAS, the Board considers it necessary and desirable to engage an Engineering Design Professional Services firm from a list of previously qualified firms identified in a Resolution adopted by the Board of Chosen Freeholders on October 16, 2019 and referred to as contract number QP2019-123; and

WHEREAS, Mott MacDonald, LLC is qualified to provide the required Engineering Design Services in accordance with their proposal at a not to exceed cost of \$16,900.00; and

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

- The Board of Chosen Freeholders does hereby authorize the issuance of a purchase order in the amount not to exceed \$16,900.00 to Mott MacDonald, LLC for Engineering Design Services from Special Projects Account Number 016-010-5679-6600; and
- Certified copies of this Resolution shall be forwarded to the Ocean County Road
 Department, Ocean County Department of Management and Budget, Ocean
 County Department of Finance, Ocean County Department of Purchasing and
 Mott MacDonald, LLC.

July 1, 2020

WHEREAS, there exists a need to provide One Stop Career Center Administrative Entity services for the Ocean County Local Workforce Area as required by the Workforce Innovation and Opportunity Act (WIOA); and

WHEREAS, on March 15, 2017, the Board of Chosen Freeholders adopted a resolution authorizing the use of competitive contracting for the procurement of One Stop Career Center Administrative Entity services; and

WHEREAS, Competitive Contracting Procedures have been followed in accordance with N.J.S.A. 40A:11-4.3 for the services listed above; and

WHEREAS, on June 19, 2019, the Ocean County Board of Chosen Freeholders awarded an Agreement to Ocean County PIC, Inc., 1959 Route 9, Toms River, NJ 08755-1211 to provide such services, as more specifically set forth in the Agreement; and

WHEREAS, the Agreement was for a one year period, effective July 1, 2019 through June 30, 2020, and at the successful completion of the one year Agreement, four one-year extensions could be exercised; and

WHEREAS, the Ocean County Department of Human Services desires to utilize the option to extend the Agreement for July 1, 2020 through June 30, 2021; and

WHEREAS, funds totaling \$2,966,454.00 will be appropriated for these services as follows:


WIOA PY2019	017-818-6156	\$258,698.00
WIOA PY2020	017-818-6157	\$1,876,059.00
WFNJ FY 2021	017-818-6539	\$696,492.00
Smart Steps FY2021	017-818-6541	\$1,605.00
Dept. of Human Services	016-205-5016	\$28,000.00
SYEP PY2019	017-818-V083	\$105,600.00.

WHEREAS, the parties acknowledge that the Agreement is conditioned upon and subject to the approval and the certification of funding in the amount of \$2,966,454.00 from the New Jersey Department of Labor and Workforce Development for the funding of this contract.

NOW THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized to enter into and execute an Agreement with Ocean County PIC, Inc. to provide One Stop Career Center Administrative Entity services, contingent upon the availability of said funds.

BE IT FURTHER RESOLVED, that the contract number <u>CC2019-99</u> must be placed on all papers, documents, invoices and vouchers pertaining to this Agreement.

BE IT FURTHER RESOLVED, that the Freeholder Director and the Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.



July 1, 2020

WHEREAS, there exists a need to provide One Stop Operation Management services for the Ocean County Local Workforce Area as required by the Workforce Innovation and Opportunity Act (WIOA); and

WHEREAS, on March 15, 2017, the Board of Chosen Freeholders adopted a resolution authorizing the use of competitive contracting for the procurement of One Stop Operation Management services; and

WHEREAS, Competitive Contracting Procedures have been followed in accordance with N.J.S.A. 40A:11-4.3 for the services listed above; and

WHEREAS, on July 1, 2019, the Ocean County Board of Chosen Freeholders awarded an Agreement to Ocean County PIC, Inc., 1959 Route 9, Toms River, NJ 08755-1211 to provide such services, as more specifically set forth in the Agreement; and

WHEREAS, the Agreement was for a one year period, effective July 1, 2019 through June 30, 2020, and at the successful completion of the one year Agreement, two one-year extensions could be exercised; and

WHEREAS, the Ocean County Department of Human Services desires to utilize the option to extend the Agreement for July 1, 2020 through June 30, 2021; and

WHEREAS, funds totaling \$93,823.00 will be appropriated for these services as follows:

WIOA PY2020 01' WFNJ FY2021 01'

017-818-6157 017-818-6539 \$56,457.00 \$37,366.00

WHEREAS, the parties acknowledge that the Agreement is conditioned upon and subject to the approval and the certification of funding in the amount of \$93,823.00 from the New Jersey Department of Labor and Workforce Development for the funding of this contract.

NOW THEREFORE, BE IT RESOLVED BY THE BOARD OF CHOSEN FREEHOLDERS OF THE COUNTY OF OCEAN, STATE OF NEW JERSEY, that the Freeholder Director and Clerk of the Board are hereby authorized to enter into and execute an Agreement with Ocean County PIC, Inc. to provide One Stop Operation Management services, contingent upon the availability of said funds.

BE IT FURTHER RESOLVED, that the contract number <u>CC2019-100</u> must be placed on all papers, documents, invoices and vouchers pertaining to this Agreement.

BE IT FURTHER RESOLVED that the Freeholder Director and the Clerk of the Board are hereby authorized and directed to execute any necessary subsequent related documents.

BE IT FURTHER RESOLVED that certified copies of this Resolution shall be made available to Ocean County PIC, Inc., Ocean County Department of Human Services, Ocean County Comptroller, and Ocean County Counsel.

July 1, 2020

WHEREAS, there exists a need for Professional Engineering Services for Local Preliminary Engineering Study, Garden State Parkway Interchange 83, Toms River Township; and

WHEREAS, funds are available in an amount not to exceed \$999,998.34 in Account Numbers 300-185-C702 and 301-185-C901; and

WHEREAS, the Ocean County Engineer has solicited proposals for Professional Engineering Services; and

WHEREAS, said proposals have been received and reviewed by the Ocean County Engineer and the Consultant Selection Review Committee established by the Board; and

WHEREAS, the Consultant Selection Review Committee has recommended that an agreement for Professional Engineering Services be awarded to Greenman-Pedersen, Inc. on the basis of the quality of their proposal and the cost of the same as set forth therein; and

WHEREAS, the solicitation and review of these proposals have been done in accordance with "Brooks" Law; and

WHEREAS, Greenman-Pedersen, Inc. had the Number One highest ranked technical proposal; and

WHEREAS, Greenman-Pedersen, Inc.'s fee proposal was within the budget established for this project; and

WHEREAS, the award of this Agreement is contingent upon New Jersey Department of Transportation concurrence and authorization to incur costs; and

WHEREAS, the Local Public Contracts Law (N.J.S.A. 40A:11-1 et seq.) requires that a notice be published of an award of an Agreement for professional services; and

WHEREAS, the County reserves the right to cancel this contract at any time during the contract term if said funds are not appropriated; and

WHEREAS, this Agreement shall remain in effect for the duration of the project; and

WHEREAS, this Agreement is awarded in compliance with the provisions of N.J.S.A. 40A:11-5(1)(a)(i) of the Local Public Contracts Law and N.J.S.A. 19:44A-20.4 et seq., the New Jersey "Pay to Play" Law.

NOW, THEREFORE, BE IT RESOLVED by the BOARD OF CHOSEN FREEHOLDERS of the COUNTY OF OCEAN, STATE OF NEW JERSEY, as follows:

 The Freeholder Director and Clerk of the Board are hereby authorized and directed to enter into and execute an Agreement with Greenman-Pedersen, Inc., 100 Corporate Drive, Suite 301, Lebanon, New Jersey 08833 for Professional Engineering Services, as more specifically set forth in that Agreement.

- The award of this Contract is contingent upon and subject to NJDOT approval and execution
 of a Task Order to fund \$999,998.34. Should this approval not be granted, this Contract shall be null and
 void.
- 3. This Agreement is awarded as a professional service in accordance with N.J.S.A. 40A:11-5, as the services required in connection with this Agreement shall be provided by licensed New Jersey Professional Engineers, Land Surveyors and Planners, as defined therein.
- 4. The contract number must be placed on all papers, documents, invoices and vouchers pertaining to said contract.
- 5. Copies of this Resolution, together with a copy of the Agreement, shall be maintained on file and available for public inspection in the Office of the Clerk of the Board of Chosen Freeholders during normal business hours.
 - 6. A notice of this action shall be published once as required by law.
- 7. A certified copy of this Resolution shall be forwarded to **Greenman-Pedersen**, **Inc.**, and made available to the following:

Ocean County Comptroller;
Ocean County Auditor;
Ocean County Engineer;
Director, Ocean County Dept. of Purchasing and
Ocean County Counsel.